



**Digital cellular telecommunications system (Phase 2+) (GSM);
Universal Mobile Telecommunications System (UMTS);
Customised Applications for
Mobile network Enhanced Logic (CAMEL) Phase X;
CAMEL Application Part (CAP) specification
(3GPP TS 29.078 version 14.0.0 Release 14)**



ReferenceRTS/TSGC-0429078ve00

Keywords

GSM,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	14
1 Scope	15
2 References	15
2.1 Specifications used for IMPORTS for CAP	17
3 Abbreviations	18
4 Interface specification for telecommunication services	19
4.1 General	19
4.1.1 Definition methodology	19
4.1.2 Example physical scenarios	20
4.1.3 CAP protocol architecture	26
4.1.4 Compatibility mechanisms used for CAP	27
4.1.4.1 Introduction	27
4.1.4.2 Definition of CAP compatibility mechanisms	28
4.1.4.2.1 Compatibility mechanism for interworking of CAP with ETSI CS2 Core INAP and ITU-T Q.1228 INAP	28
4.1.4.2.2 Procedures for major additions to CAP	28
4.1.4.2.3 Procedures for minor additions to CAP	28
4.1.4.2.4 Procedures for inclusion of network specific additions to CAP	28
4.1.5 Definition and usage of LegID	28
4.1.5.1 Definition of LegID	28
4.1.5.2 Allocation of LegID	29
4.2 SACS/MACF rules	29
4.2.1 Reflection of TC AC	29
4.2.2 Sequential/parallel execution of operations	29
5 Common CAP Types.....	29
5.1 Data types	29
5.2 Error types	47
5.3 Operation codes.....	49
5.4 Error codes	51
5.5 Classes	51
5.6 Object IDentifiers (IDs).....	55
5.7 User Abort Data	58
6 Circuit Switched Call Control	59
6.1 gsmSSF/CCF - gsmSCF Interface.....	59
6.1.1 Operations and arguments	59
6.1.2 gsmSSF/gsmSCF packages, contracts and ACs.....	71
6.1.2.1 gsmSSF/gsmSCF ASN.1 module.....	71
6.2 gsmSCF/gsmSRF interface	78
6.2.1 gsmSCF/gsmSRF operations and arguments	78
6.2.2 gsmSRF/gsmSCF contracts, packages and ACs	81
6.2.2.1 gsmSRF/gsmSCF ASN.1 modules.....	81
7 SMS Control.....	83
7.1 SMS operations and arguments	83
7.1.1 Operation timers	87
7.2 SMS contracts, packages and ACs	87
7.2.1 smsSSF/gsmSCF ASN.1 module.....	87
8 GPRS Control.....	90
8.1 gsmSCF/gprsSSF operations and arguments.....	90

8.1.1	GPRS Reference Number	95
8.1.2	Operation timers	96
8.2	gsmSCF/gprsSSF contracts, packages and ACs	96
8.2.1	gprsSSF/gsmSCF ASN.1 module	96
9	Application Entity procedures	100
10	Error procedures	100
10.1	Operation related error procedures	100
10.1.1	Canceled	100
10.1.1.1	General Description	100
10.1.1.1.1	Error description	100
10.1.1.2	Operations gsmSCF → gsmSRF	100
10.1.2	CancelFailed	101
10.1.2.1	General description	101
10.1.2.1.1	Error description	101
10.1.2.2	Operations gsmSCF → gsmSRF	101
10.1.3	ETCFailed	102
10.1.3.1	General description	102
10.1.3.1.1	Error description	102
10.1.3.2	Operations gsmSCF → gsmSSF	102
10.1.4	ImproperCallerResponse	102
10.1.4.1	General description	102
10.1.4.1.1	Error description	102
10.1.4.2	Operations gsmSCF → gsmSRF	102
10.1.5	MissingCustomerRecord	102
10.1.5.1	General description	102
10.1.5.1.1	Error description	102
10.1.5.2	Operations gsmSSF → gsmSCF	103
10.1.5.3	Operations gsmSRF → gsmSCF	103
10.1.5.4	Operations smsSSF → gsmSCF	103
10.1.5.5	Operations gprsSSF → gsmSCF	103
10.1.6	MissingParameter	104
10.1.6.1	General description	104
10.1.6.1.1	Error description	104
10.1.6.2	Operations gsmSCF → gsmSSF	104
10.1.6.3	Operations gsmSSF → gsmSCF	104
10.1.6.4	Operations gsmSCF → gsmSRF	104
10.1.6.5	Operations gsmSRF → gsmSCF	105
10.1.6.6	Operations smsSSF → gsmSCF	105
10.1.6.7	Operations gsmSCF → smsSSF	105
10.1.6.8	Operations gprsSSF → gsmSCF	105
10.1.6.9	Operations gsmSCF → gprsSSF	106
10.1.7	ParameterOutOfRange	106
10.1.7.1	General description	106
10.1.7.1.1	Error description	106
10.1.7.2	Operations gsmSCF → gsmSSF	106
10.1.7.3	Operations gsmSSF → gsmSCF	106
10.1.7.4	Operations gsmSCF → gsmSRF	106
10.1.7.5	Operations smsSSF → gsmSCF	106
10.1.7.6	Operations gsmSCF → smsSSF	106
10.1.7.7	Operations gprsSSF → gsmSCF	107
10.1.7.8	Operations gsmSCF → gprsSSF	107
10.1.8	RequestedInfoError	107
10.1.8.1	General description	107
10.1.8.1.1	Error description	107
10.1.8.2	Operations gsmSCF → gsmSSF	107
10.1.9	SystemFailure	107
10.1.9.1	General description	107
10.1.9.1.1	Error description	107
10.1.9.2	Operations gsmSCF → gsmSSF	107
10.1.9.3	Operations gsmSSF → gsmSCF	107

10.1.9.4	Operations gsmSCF→gsmSRF	107
10.1.9.5	Operations gsmSRF→gsmSCF	107
10.1.9.6	Operations smsSSF→gsmSCF	107
10.1.9.7	Operations gsmSCF→smsSSF	107
10.1.9.8	Operations gprsSSF→gsmSCF	108
10.1.9.9	Operations gsmSCF→gprsSSF	108
10.1.10	TaskRefused	108
10.1.10.1	General description	108
10.1.10.1.1	Error description	108
10.1.10.2	Operations gsmSCF→gsmSSF	108
10.1.10.3	Operations gsmSSF→gsmSCF	108
10.1.10.4	Operations gsmSCF→gsmSRF	108
10.1.10.5	Operations gsmSRF→gsmSCF	108
10.1.10.6	Operations smsSSF→gsmSCF	108
10.1.10.7	Operations gsmSCF→smsSSF	108
10.1.10.8	Operations gprsSSF→gsmSCF	108
10.1.10.9	Operations gsmSCF→gprsSSF	108
10.1.11	UnavailableResource	109
10.1.11.1	General description	109
10.1.11.1.1	Error description	109
10.1.11.2	Operations gsmSCF→gsmSRF	109
10.1.12	UnexpectedComponentSequence	109
10.1.12.1	General description	109
10.1.12.1.1	Error description	109
10.1.12.2	Operations gsmSCF→gsmSSF	109
10.1.12.3	Operations gsmSSF→gsmSCF	109
10.1.12.4	Operations gsmSCF→gsmSRF (applicable for direct gsmSCF-gsmSRF case only)	109
10.1.12.5	Operations gsmSRF→gsmSCF	109
10.1.12.6	Operations smsSSF→gsmSCF	110
10.1.12.7	Operations gsmSCF→smsSSF	110
10.1.12.8	Operations gprsSSF→gsmSCF	110
10.1.12.9	Operations gsmSCF→gprsSSF	110
10.1.13	UnexpectedDataValue	110
10.1.13.1	General description	110
10.1.13.1.1	Error description	110
10.1.13.2	Operations gsmSCF→gsmSSF	110
10.1.13.3	Operations gsmSSF→gsmSCF	110
10.1.13.4	Operations gsmSCF→gsmSRF	110
10.1.13.5	Operations gsmSRF→gsmSCF	110
10.1.13.6	Operations smsSSF→gsmSCF	111
10.1.13.7	Operations gsmSCF→smsSSF	111
10.1.13.8	Operations gprsSSF→gsmSCF	111
10.1.13.9	Operations gsmSCF→gprsSSF	111
10.1.14	UnexpectedParameter	111
10.1.14.1	General description	111
10.1.14.1.1	Error description	111
10.1.14.2	Operations gsmSCF→gsmSSF	111
10.1.14.3	Operations gsmSSF→gsmSCF	111
10.1.14.4	Operations gsmSCF→gsmSRF	111
10.1.14.5	Operations gsmSRF→gsmSCF	111
10.1.14.6	Operations smsSSF→gsmSCF	111
10.1.14.7	Operations gsmSCF→smsSSF	111
10.1.14.8	Operations gprsSSF→gsmSCF	111
10.1.14.9	Operations gsmSCF→gprsSSF	112
10.1.15	UnknownLegID	112
10.1.15.1	General description	112
10.1.15.1.1	Error description	112
10.1.15.2	Operations gsmSCF→gsmSSF	112
10.1.16	UnknownCSID	112
10.1.16.1	General description	112
10.1.16.1.1	Error description	112
10.1.16.2	Operations gsmSCF→gsmSSF	112

10.1.17	UnknownPDPID	112
10.1.17.1	General description	112
10.1.17.1.1	Error description	112
10.1.17.2	Operations gprsSSF→gsmSCF	112
10.1.17.3	Operations gsmSCF→gprsSSF	112
10.2	Entity related error procedures	112
10.2.1	Expiration of Tssf	113
10.2.1.1	General description	113
10.2.1.1.1	Error description	113
10.2.1.2	Procedures gsmSSF→gsmSCF	113
10.2.1.3	Procedures gprsSSF→gsmSCF	113
10.2.1.4	Procedures smsSSF→gsmSCF	113
10.2.2	Expiration of Tsrf	114
10.2.2.1	General Description	114
10.2.2.1.1	Error description	114
10.2.2.2	Procedures description	114
11	Detailed operation procedures for circuit switched call control	114
11.1	ActivityTest procedure	114
11.1.1	General description	114
11.1.1.1	Parameters	114
11.1.2	Responding entity (gsmSSF, gsmSRF or assist gsmSSF)	114
11.1.2.1	Normal procedure	114
11.1.2.2	Error handling	115
11.2	ApplyCharging procedure	115
11.2.1	General description	115
11.2.1.1	Parameters	115
11.2.2	Responding entity (gsmSSF)	116
11.2.2.1	Normal procedure	116
11.2.2.2	Error handling	117
11.3	ApplyChargingReport procedure	117
11.3.1	General description	117
11.3.1.1	Parameters	118
11.3.2	Invoking entity (gsmSSF)	119
11.3.2.1	Normal procedure	119
11.3.2.2	Error handling	119
11.4	AssistRequestInstructions procedure	119
11.4.1	General description	119
11.4.1.1	Parameters	119
11.4.2	Invoking entity (gsmSSF/gsmSRF)	120
11.4.2.1	Normal procedure	120
11.4.2.2	Error handling	120
11.5	CallGap procedure	120
11.5.1	General description	120
11.5.1.1	Parameters	120
11.5.2	Responding entity (gsmSSF)	122
11.5.2.1	Normal procedure	122
11.5.2.2	Error handling	124
11.6	CallInformationReport procedure	124
11.6.1	General description	124
11.6.1.1	Parameters	124
11.6.2	Invoking entity (gsmSSF)	124
11.6.2.1	Normal procedure	124
11.6.2.2	Error handling	125
11.7	CallInformationRequest procedure	125
11.7.1	General description	125
11.7.1.1	Parameters	125
11.7.2	Responding entity (gsmSSF)	125
11.7.2.1	Normal procedure	125
11.7.2.2	Error handling	126
11.8	Cancel procedure	126
11.8.1	General description	126

11.8.1.1	Parameters	126
11.8.2	Responding entity (gsmSRF)	126
11.8.2.1	Normal procedure	126
11.8.2.2	Error handling	127
11.8.3	Responding entity (gsmSSF)	127
11.8.3.1	Normal procedure	127
11.8.3.2	Error handling	127
11.8A	CollectInformation Procedure	127
11.8A.1	General description	127
11.8A.1.1	Parameters	127
11.8A.2	Responding entity (gsmSSF)	127
11.8A.2.1	Normal procedure	127
11.8A.2.2	Error handling	128
11.9	Connect procedure	128
11.9.1	General description	128
11.9.1.1	Parameters	128
11.9.2	Responding entity (gsmSSF)	129
11.9.2.1	Normal procedure	129
11.9.2.2	Error handling	130
11.10	ConnectToResource procedure	130
11.10.1	General description	130
11.10.1.1	Parameters	130
11.10.2	Responding entity (gsmSSF)	130
11.10.2.1	Normal procedure	130
11.10.2.2	Error handling	131
11.11	Continue procedure	131
11.11.1	General description	131
11.11.1.1	Parameters	131
11.11.2	Responding entity (gsmSSF)	131
11.11.2.1	Normal procedure	131
11.11.2.2	Error handling	131
11.12	ContinueWithArgument Procedure	131
11.12.1	General description	131
11.12.1.1	Parameters	132
11.12.2	Responding entity (gsmSSF)	133
11.12.2.1	Normal procedure	133
11.12.2.2	Error handling	133
11.13	DisconnectForwardConnection procedure	133
11.13.1	General Description	133
11.13.1.1	Parameters	133
11.13.2	Responding entity (gsmSSF)	134
11.13.2.1	Normal procedure	134
11.13.2.2	Error handling	134
11.14	DisconnectForwardConnectionWithArgument procedure	134
11.14.1	General Description	134
11.14.1.1	Parameters	134
11.14.2	Responding entity (gsmSSF)	134
11.14.2.1	Normal procedure	134
11.14.2.2	Error handling	135
11.15	DisconnectLeg procedure	135
11.15.1	General Description	135
11.15.1.1	Parameters	135
11.15.2	Responding entity (gsmSSF)	135
11.15.2.1	Normal procedure	135
11.15.2.2	Error handling	136
11.16	EntityReleased procedure	136
11.16.1	General Description	136
11.16.1.1	Parameters	136
11.16.2	Invoking entity (gsmSSF)	136
11.16.2.1	Normal procedure	136
11.16.2.2	Error handling	136
11.17	EstablishTemporaryConnection procedure	137

11.17.1	General Description	137
11.17.1.1	Parameters	137
11.17.2	Responding entity (gsmSSF)	138
11.17.2.1	Normal procedure	138
11.17.2.2	Error handling	138
11.18	EventReportBCSM procedure	138
11.18.1	General description	138
11.18.1.1	Parameters	138
11.18.2	Invoking entity (gsmSSF)	140
11.18.2.1	Normal procedure	140
11.18.2.2	Error handling	140
11.19	FurnishChargingInformation procedure	141
11.19.1	General description	141
11.19.1.1	Parameters	141
11.19.2	Responding entity (gsmSSF)	141
11.19.2.1	Normal procedure	141
11.19.2.2	Error handling	142
11.20	InitialDP procedure	142
11.20.1	General description	142
11.20.1.1	Parameters	142
11.20.2	Invoking entity (gsmSSF)	145
11.20.2.1	Normal procedure	145
11.20.2.2	Error handling	146
11.21	InitiateCallAttempt procedure	146
11.21.1	General Description	146
11.21.1.1	Parameters	146
11.21.1.1.1	Argument Parameters	146
11.21.1.1.2	Result Parameters	146
11.21.2	Responding entity (gsmSSF)	147
11.21.2.1	Normal procedure	147
11.21.2.2	Error handling	147
11.22	MoveLeg procedure	147
11.22.1	General Description	147
11.22.1.1	Parameters	147
11.22.2	Responding entity (gsmSSF)	147
11.22.2.1	Normal procedure	147
11.22.2.2	Error handling	148
11.23	PlayAnnouncement procedure	148
11.23.1	General description	148
11.23.1.1	Parameters	148
11.23.2	Responding entity (gsmSRF)	149
11.23.2.1	Normal procedure	149
11.23.2.2	Error handling	150
11.24	PlayTone procedure	150
11.24.1	General description	150
11.24.1.1	Parameters	150
11.24.2	Responding entity (gsmSSF)	150
11.24.2.1	Normal procedure	150
11.24.2.2	Error handling	151
11.25	PromptAndCollectUserInformation procedure	151
11.25.1	General description	151
11.25.1.1	Parameters	151
11.25.2	Responding entity (gsmSRF)	154
11.25.2.1	Normal procedure	154
11.25.2.2	Error handling	154
11.26	ReleaseCall procedure	155
11.26.1	General description	155
11.26.1.1	Parameters	155
11.26.2	Responding entity (gsmSSF)	155
11.26.2.1	Normal procedure	155
11.26.2.2	Error handling	155
11.27	RequestReportBCSMEvent procedure	155

11.27.1	General description	155
11.27.1.1	Parameters	156
11.27.2	Responding entity (gsmSSF)	157
11.27.2.1	Normal procedure	157
11.27.2.2	Error handling	157
11.28	ResetTimer procedure	158
11.28.1	General description	158
11.28.1.1	Parameters	158
11.28.2	Responding entity (gsmSSF)	158
11.28.2.1	Normal procedure	158
11.28.2.2	Error handling	158
11.29	SendChargingInformation procedure	158
11.29.1	General description	158
11.29.1.1	Parameters	158
11.29.2	Responding entity (gsmSSF)	159
11.29.2.1	Normal procedure	159
11.29.2.2	Error handling	160
11.30	SpecializedResourceReport procedure	160
11.30.1	General description	160
11.30.1.1	Parameters	160
11.30.2	Invoking entity (gsmSRF)	160
11.30.2.1	Normal procedure	160
11.30.2.2	Error handling	161
11.31	SplitLeg Procedure	161
11.31.1	General Description	161
11.31.1.1	Parameters	161
11.31.2	Responding entity (gsmSSF)	161
11.31.2.1	Normal procedure	161
11.31.2.2	Error handling	161
12	Detailed operation procedures for SMS control	162
12.1	ConnectSMS procedure	162
12.1.1	General description	162
12.1.1.1	Parameters	162
12.1.2	Responding entity (smsSSF)	162
12.1.2.1	Normal procedure	162
12.1.2.2	Error handling	163
12.2	ContinueSMS procedure	163
12.2.1	General description	163
12.2.1.1	Parameters	163
12.2.2	Responding entity (smsSSF)	163
12.2.2.1	Normal procedure	163
12.2.2.2	Error handling	163
12.3	EventReportSMS procedure	163
12.3.1	General description	163
12.3.1.1	Parameters	163
12.3.2	Invoking entity (smsSSF)	164
12.3.2.1	Normal procedure	164
12.3.2.2	Error handling	164
12.4	FurnishChargingInformationSMS procedure	164
12.4.1	General description	164
12.4.1.1	Parameters	164
12.4.2	Responding entity (smsSSF)	165
12.4.2.1	Normal procedure	165
12.4.2.2	Error handling	165
12.5	InitialDPSMS procedure	165
12.5.1	General description	165
12.5.1.1	Parameters	165
12.5.2	Invoking entity (smsSSF)	166
12.5.2.1	Normal procedure	166
12.5.2.2	Error handling	167
12.6	ReleaseSMS procedure	167

12.6.1	General description	167
12.6.1.1	Parameters	167
12.6.2	Responding entity (smsSSF)	167
12.6.2.1	Normal procedure	167
12.6.2.2	Error handling	167
12.7	RequestReportSMSEvent procedure	167
12.7.1	General description	167
12.7.1.1	Parameters	168
12.7.2	Responding entity (smsSSF)	168
12.7.2.1	Normal procedure	168
12.7.2.2	Error handling	168
12.8	ResetTimerSMS procedure	168
12.8.1	General description	168
12.8.1.1	Parameters	168
12.8.2	Responding entity (smsSSF)	169
12.8.2.1	Normal procedure	169
12.8.2.2	Error handling	169
13	Detailed operation procedures for GPRS control	169
13.1	ActivityTestGPRS procedure	169
13.1.1	General description	169
13.1.1.1	Parameters	169
13.1.2	Responding entity (gprsSSF)	169
13.1.2.1	Normal procedure	169
13.1.2.2	Error handling	170
13.2	ApplyChargingGPRS procedure	170
13.2.1	General description	170
13.2.1.1	Parameters	170
13.2.2	Responding entity (gprsSSF)	170
13.2.2.1	Normal procedure	170
13.2.2.2	Error handling	171
13.3	ApplyChargingReportGPRS procedure	171
13.3.1	General description	171
13.3.1.1	Parameters	171
13.3.2	Invoking entity (gprsSSF)	173
13.3.2.1	Normal procedure	173
13.3.2.2	Error handling	173
13.4	CancelGPRS procedure	174
13.4.1	General description	174
13.4.1.1	Parameters	174
13.4.2	Responding entity (gprsSSF)	174
13.4.2.1	Normal procedure	174
13.4.2.2	Error handling	174
13.5	ConnectGPRS procedure	174
13.5.1	General description	174
13.5.1.1	Parameters	174
13.5.2	Responding entity (gprsSSF)	175
13.5.2.1	Normal procedure	175
13.5.2.2	Error handling	175
13.6	ContinueGPRS procedure	175
13.6.1	General description	175
13.6.1.1	Parameters	175
13.6.2	Responding entity (gprsSSF)	175
13.6.2.1	Normal procedure	175
13.6.2.2	Error handling	176
13.7	EntityReleasedGPRS procedure	176
13.7.1	General description	176
13.7.1.1	Parameters	176
13.7.2	Invoking entity (gprsSSF)	176
13.7.2.1	Normal procedure	176
13.7.2.2	Error handling	176
13.8	EventReportGPRS procedure	177

13.8.1	General description	177
13.8.1.1	Parameters	177
13.8.2	Invoking entity (gprsSSF)	178
13.8.2.1	Normal procedure	178
13.8.2.2	Error handling	178
13.9	FurnishChargingInformationGPRS procedure	178
13.9.1	General description	178
13.9.1.1	Parameters	178
13.9.2	Responding entity (gprsSSF)	179
13.9.2.1	Normal procedure	179
13.9.2.2	Error handling	179
13.10	InitialDPGPRS procedure	179
13.10.1	General description	179
13.10.1.1	Parameters	179
13.10.2	Invoking entity (gprsSSF)	180
13.10.2.1	Normal procedure	180
13.10.2.2	Error handling	181
13.11	ReleaseGPRS procedure	181
13.11.1	General description	181
13.11.1.1	Parameters	181
13.11.2	Responding entity (gprsSSF)	181
13.11.2.1	Normal procedure	181
13.11.2.2	Error handling	182
13.12	RequestReportGPRSEvent procedure	182
13.12.1	General description	182
13.12.1.1	Parameters	182
13.12.2	Responding entity (gprsSSF)	182
13.12.2.1	Normal procedure	182
13.12.2.2	Error handling	183
13.13	ResetTimerGPRS procedure	183
13.13.1	General description	183
13.13.1.1	Parameters	183
13.13.2	Responding entity (gprsSSF)	183
13.13.2.1	Normal procedure	183
13.13.2.2	Error handling	183
13.14	SendChargingInformationGPRS Procedure	183
13.14.1	General description	183
13.14.1.1	Parameters	183
13.14.2	Responding Entity (gprsSSF)	184
13.14.2.1	Normal Procedure	184
13.14.2.2	Error handling	184
14	Services assumed from lower layers	185
14.1	Services assumed from TC	185
14.1.1	Common procedures	185
14.1.1.1	Normal procedures	185
14.1.1.2	Abnormal procedures	186
14.1.1.3	Dialogue handling	187
14.1.1.3.1	Dialogue establishment	187
14.1.1.3.2	Dialogue continuation	188
14.1.1.3.3	Dialogue termination	188
14.1.1.3.4	User abort	188
14.1.1.3.5	Provider abort	189
14.1.1.3.6	Mapping to TC dialogue primitives	189
14.1.1.3.7	Default mapping to TC dialogue parameters	190
14.1.1.4	Component handling	190
14.1.1.4.1	Procedures for CAP Operations	190
14.1.1.4.2	Mapping to TC component primitives	192
14.1.1.4.3	Default mapping to TC component parameters	193
14.1.2	gsmSSF-gsmSCF interfaces	194
14.1.2.1	Normal procedures	194
14.1.2.1.1	gsmSSF-to-gsmSCF messages	194

14.1.2.1.2	gsmSCF-to-gsmSSF messages	195
14.1.2.1.3	smsSSF -to-gsmSCF SMS related messages	195
14.1.2.1.4	gsmSCF-to-smsSSF SMS related messages	196
14.1.2.1.5	Use of dialogue handling services	196
14.1.2.2	Abnormal procedures	196
14.1.2.2.1	gsmSCF-to-gsmSSF/gsmSRF messages	196
14.1.2.2.2	gsmSSF/gsmSRF/ -to-gsmSCF messages	196
14.1.2.2.3	gsmSCF-to-smsSSF SMS related messages	197
14.1.2.2.4	smsSSF-to-gsmSCF SMS related messages	197
14.1.2.2.5	Use of dialogue handling services	197
14.1.2.3	Dialogue handling	198
14.1.2.3.1	Dialogue establishment	198
14.1.2.3.2	Dialogue continuation	198
14.1.2.3.3	Dialogue termination	198
14.1.2.3.4	User abort	198
14.1.2.3.5	Provider abort	198
14.1.2.3.6	Mapping to TC dialogue primitives	198
14.1.2.4	Component Handling	198
14.1.2.4.1	Procedures for CAP Operations	198
14.1.2.4.2	Mapping to TC component parameters	198
14.1.3	gsmSCF-gsmSRF interface	199
14.1.3.1	Normal procedures	199
14.1.3.1.1	gsmSCF-to/from-gsmSRF messages	199
14.1.3.1.2	Abnormal procedures	199
14.1.3.1.3	Dialogue handling	199
14.1.3.1.3.1	Dialogue establishment	199
14.1.3.1.3.2	Dialogue continuation	199
14.1.3.1.3.3	Dialogue termination	199
14.1.3.1.3.4	User abort	199
14.1.3.1.3.5	Provider abort	199
14.1.3.1.3.6	Mapping to TC dialogue primitives	199
14.1.3.2	Component handling	200
14.1.3.2.1	Procedures for CAP Operations	200
14.1.3.2.2	Mapping to TC component parameters	200
14.1.4	gprsSSF-gsmSCF interface	200
14.1.4.1	Normal procedures	200
14.1.4.1.1	TC-dialogues and relationships	200
14.1.4.1.2	Use of the GPRS Reference	200
14.1.4.1.3	gprsSSF-to-gsmSCF messages	201
14.1.4.1.4	gsmSCF-to-gprsSSF messages	202
14.1.4.2	Abnormal procedures	202
14.1.4.2.1	gsmSCF-to-gprsSSF messages	202
14.1.4.2.2	gprsSSF-to-gsmSCF messages	203
14.1.4.2.3	Default GPRS Handling	203
14.2	Services assumed from SCCP	203
14.2.1	Normal procedures	204
14.2.2	Service functions from SCCP	204
14.2.2.1	SCCP connectionless services	204
14.2.2.1.1	Sub-System Number (SSN)	204
14.2.2.1.2	Addressing	204
14.2.2.1.3	Sequence control	208
14.2.2.1.4	Return on error	208
14.2.2.1.5	Segmentation / reassembly	208
14.2.2.1.6	Congestion control	208
14.2.2.2	SCCP connection oriented services	208
14.2.2.3	SCCP management	209

Annex A (normative): Mapping between CAP and ISUP210

A.1	InitialDP operation	210
A.1.1	EventReportBCSM Operation	211
A.2	ContinueWithArgument operation	211