

## **SLOVENSKI STANDARD SIST EN 301 843-1 V2.2.1:2018**

01-januar-2018

Standard elektromagnetne združljivosti (EMC) za pomorsko radijsko opremo in storitve - Harmonizirani standard za elektromagnetno združljivost - 1. del: Splošne tehnične zahteve

ElectroMagnetic Compatibility (EMC) standard for marine radio equipment and services - Harmonised Standard for electromagnetic compatibility - Part 1: Common technical requirements

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 301 843-1 V2.2.1:2018</u> https://standards.iteh.ai/catalog/standards/sist/feda26c0-ceea-4176-b490c7959e90e5f0/sist-en-301-843-1-v2-2-1-2018

Ta slovenski standard je istoveten z: ETSI EN 301 843-1 V2.2.1 (2017-11)

#### ICS:

33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general
47.020.70	Navigacijska in krmilna oprema	Navigation and control equipment

SIST EN 301 843-1 V2.2.1:2018 en

SIST EN 301 843-1 V2.2.1:2018

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 843-1 V2.2.1:2018 https://standards.iteh.ai/catalog/standards/sist/feda26c0-ceea-4176-b490-c7959e90e5f0/sist-en-301-843-1-v2-2-1-2018 SIST EN 301 843-1 V2.2.1:2018

## ETSI EN 301 843-1 V2.2.1 (2017-11)



ElectroMagnetic Compatibility (EMC) standard for marine radio equipment and services;
Harmonised Standard for electromagnetic compatibility;
Part 1: Common technical requirements

https://standards.iteh.ai/catalog/standards/sist/feda26c0-ceea-4176-b490-c7959e90e5f0/sist-en-301-843-1-v2-2-1-2018

#### Reference

#### REN/ERM-EMC-385

Keywords

EMC, harmonised standard, maritime, radio, regulation

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la

Teh Sous-Préfecture de Grasse (06) N° 7803/88/ IEW

(standards.iteh.ai)

#### Important notice

https://standards.iteh.ai/catalog/standards/sist/feda26c0-ceea-4176-b490-The present document can be downloaded from: http://www.etsl.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <a href="https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx">https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx</a>

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

#### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017. All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup> and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**<sup>TM</sup> and **LTE**<sup>TM</sup> are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

**GSM**® and the GSM logo are trademarks registered and owned by the GSM Association.

## Contents

Intell	ectual Property Rights	5
Forev	vord	5
Moda	al verbs terminology	6
1	Scope	7
2	References	
2 2.1	Normative references	
2.1	Informative references.	
2.2		
3	Definitions, symbols and abbreviations	9
3.1	Definitions	
3.2	Symbols	
3.3	Abbreviations	10
4	General and operational requirements	11
4.1	Environmental profile	11
4.2	Arrangements for test signals	11
4.2.0	General	
4.2.1	Arrangements for test signals at the input of transmitters	
4.2.2	Arrangements for test signals at the output of transmitters	
4.2.3	Arrangements for test signals at the input of receivers	
4.2.4	Arrangements for test signals at the output of receivers	
4.2.5	Arrangements for testing transmitter and receiver together (as a system)	13
4.3	RF exclusion band of radio communications equipment	13
4.4 4.5	Narrow band responses of receivers or receivers which are part of transceivers	14 1 <i>1</i>
4.3		
5	Performance assessment <u>SISTEN.301.843-1.V2.2.1.2018</u>	14
5.1	Generalhttps://standards.iteh.ai/catalog/standards/sist/feda26c0-ceea-4176-b490-	
5.2	Equipment which can provide a continuous communication link 1-2018.	
5.3	Equipment which does not provide a continuous communication link	15
5.4	Ancillary equipment	
5.5	Equipment classification	16
6	Performance criteria	17
6.0	General requirements	17
6.1	Performance criteria A for continuous phenomena applied to transmitters and receivers	17
6.2	Performance criteria B for transient phenomena applied to transmitters and receivers	
6.3	Performance criteria C applied to power supply failure	18
6.4	Performance check	
6.5	Performance criteria for equipment which does not provide a continuous communication link	
6.6	Performance criteria for ancillary equipment tested on a stand alone basis	18
7	Applicability overview tables	19
7.0	General	
7.1	EMC emission	19
7.2	Immunity	19
8	Testing for compliance with technical requirements	20
8.0	Environmental conditions for testing	
8.1	Test configuration	
8.2	Enclosure of ancillary equipment measured on a stand alone basis	
8.2.0	Applicability	
8.2.1	Test description	21
8.2.2	Test method	
8.2.3	Limits	
8.3	DC power input/output ports	
8.3.0	Applicability	
8.3.1	Test description	22

#### ETSI EN 301 843-1 V2.2.1 (2017-11)

History .			35
Annex (	C (informative):	Change history	34
Annav 1	B (informative):	Bibliography	
Annex A	A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	<b>3</b> 1
,.1.5	1 Gromance Citte	2.14.	
9.7.2		ria	
9.7.1 9.7.2			
9.7.0 9.7.1	11		
9.7.0			
9.0.2.3 9.7		пена	
9.6.2.3		eriteria	
9.6.2.2		Л	
9.6.2.1		on	
9.6.2		ure	
9.6.1.3		riteria	
9.6.1.2		JII	
9.6.1.1	Test description	on	20
9.6.1	Power sunnly sho	//standards;iteh;ai/catalog/standards/sist/feda26c0-ceea-4176-b490- rt term_yariations;f0/sist-en-301-843-1-v2-2-1-2018	20 29
9.6.0			
9.5.5 9.6		DISSIST EN 301-843-1-V2.2.1-2018	
9.5.3		ria	
9.5.2	Test method	(standards.iteh.ai)	25 25
9.5.0 9.5.1	Test description		∠ ??
9.5 9.5.0	Annlicability	nmon mode	 ກາ
9.4.3 9.5			
9.4.2 9.4.3		ria	
9.4.1 9.4.2			
9.4.0 9.4.1			
9.4.0		Citial and Common mode	
9.4		ential and common mode	
9.3.3		ria	
9.3.2			
9.3.0 9.3.1			
9.3 9.3.0		JC	
9.2.3 9.3		TIA	
9.2.2		ria	
9.2.1			
9.2.0 9.2.1			
9.2		tromagnetic field (80 MHz to 2 700 MHz)	
9.1		termognatic Sold (20 MHz to 2 700 MHz)	
9.0			
		ls for immunity tests	
3.4.2 3.4.3			
8.4.1			
3.4.0			
3.4		ut/output ports	
3.3.3			
3.3.2			

## Intellectual Property Rights

#### **Essential patents**

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<a href="https://ipr.etsi.org/">https://ipr.etsi.org/</a>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

#### **Trademarks**

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

#### **Foreword**

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.10] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.4]. https://standards.iteh.ai/catalog/standards/sist/feda26c0-ceea-4176-b490-

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

The present document is part 1 of a multi-part deliverable covering the ElectroMagnetic Compatibility (EMC) standard for marine radio equipment and services, as identified below:

- Part 1: "Common technical requirements";
- Part 2: "Specific conditions for VHF radiotelephone transmitters and receivers";
- Part 4: "Specific conditions for Narrow-Band Direct-Printing (NBDP) NAVTEX receivers";
- Part 5: "Specific conditions for MF/HF radiotelephone transmitters and receivers";
- Part 6: "Specific conditions for Earth Stations on board Vessels operating in frequency bands above 3 GHz".
- Part 7: "Specific conditions for Maritime Broadband Radiolink equipment".

ETSI EN 301 843-1 V2.2.1 (2017-11)

National transposition dates	
Date of adoption of this EN:	17 October 2017
Date of latest announcement of this EN (doa):	31 January 2018
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 July 2018
Date of withdrawal of any conflicting National Standard (dow):	31 July 2019

## Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 843-1 V2.2.1:2018 https://standards.iteh.ai/catalog/standards/sist/feda26c0-ceea-4176-b490-c7959e90e5f0/sist-en-301-843-1-v2-2-1-2018

### 1 Scope

The present document contains the common requirements for marine radio communications equipment and associated ancillary equipment, in respect of ElectroMagnetic Compatibility (EMC).

The provisions of the present document apply to marine radio equipment **not covered** in the scope of the Council Directive on marine equipment (the "Marine Equipment Directive" 96/98/EC [i.5]).

Product dependent arrangements necessary to perform the EMC tests on dedicated types of marine radio communications equipment, and the assessment of test results, are detailed in the appropriate product related parts of the present document.

The present document, together with the product related part, specifies the applicable EMC tests, the methods of measurement, the limits and the performance criteria for marine radio equipment and associated ancillary equipment.

In case of differences (for instance concerning special conditions, definitions, abbreviation) between the present document and the relevant product related part of the present document, the product related part takes precedence.

For the further content of the present document, the expression "radio equipment" is taken to mean marine radio communications equipment, in each individual case.

Technical specifications related to the antenna port of radio equipment and emissions from the enclosure port of radio equipment and combinations of radio and associated ancillary equipment are not included in the present document. Such technical specifications are normally found in the relevant product standards for the effective use of the radio spectrum.

The environment classification used in the present document is maritime, as defined in IEC EN 60945 [1].

Marine radio communications equipment meeting the EMC requirements set out in IEC EN 60945 [1] is deemed to meet also the EMC requirements for the residential, commercial and light industrial environment as defined in IEC EN 61000-6-3 [i.1] and IEC EN 61000-6-1 [i.2].

The EMC requirements have been selected to ensure an adequate/level of compatibility for apparatus intended to be used in the maritime environment. The levels, however, do not cover extreme cases which may occur in any location but with low probability of occurrence  $\frac{27959}{690}$   $\frac{27959}{690}$   $\frac{2510}{510}$   $\frac{243}{510}$   $\frac{22-1}{500}$ 

Compliance of radio equipment to the requirements of the present document does not signify compliance to any requirements related to spectrum management or to the use of the equipment (licensing requirements).

Compliance to the requirements of the present document does not signify compliance to any safety requirements. However, it is the responsibility of the assessor of the equipment to record in the test report any observations regarding the test sample becoming dangerous or unsafe as a result of the application of the tests called for in the present document.

NOTE: The relationship between the present document and essential requirements of article 3.1b of Directive 2014/53/EU [i.4] is given in annex A.

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the Radio Equipment Directive [i.4] may apply to equipment within the scope of the present document.

### 2 References

#### 2.1 Normative references

References are specific, identified by date of publication and/or edition number or version number. Only the cited version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="https://docbox.etsi.org/Reference/">https://docbox.etsi.org/Reference/</a>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1]	IEC EN 60945 (2002) + Corrigendum 1 (2008): "Maritime navigation and radiocommunication equipment and systems - General requirements - Methods of testing and required test results".
[2]	CISPR 16-1-1 (2015): "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus".
[3]	IEC EN 61000-4-2 (2008): "Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test".
[4]	IEC EN 61000-4-3 (2006 + Amendment 1:2007 + Amendment 2:2010): "Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test".
[5]	IEC EN 61000-4-4 (2012): "Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test".
[6]	IEC EN 61000-4-5 (2014): Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques V Surge immunity sest da26c0-ceea-4176-b490-c7959e90e5f0/sist-en-301-843-1-v2-2-1-2018
[7]	IEC EN 61000-4-6 (2013): "Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields".

#### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1]	IEC EN 61000-6-3 (2007) + A1 (2011): "Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for residential, commercial and light-industrial environments".
[i.2]	IEC EN 61000-6-1 (2007): "Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity for residential, commercial and light-industrial environments".
[i.3]	Void.

[i.4] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.

g

[i.5]	Council Directive 96/98/EC of 20 December 1996 on marine equipment.
[i.6]	IEC EN 60050-161 (1990): "International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility".
[i.7]	CEPT/ERC Recommendation 74-01 (2011): "Unwanted emissions in the spurious domain".
[i.8]	Void.
[i.9]	IMO Convention: "International Convention for the Safety of Life at Sea (SOLAS)".
[i.10]	Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.

## 3 Definitions, symbols and abbreviations

#### 3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

**ancillary equipment:** equipment (apparatus), used in connection with a receiver, transmitter or transceiver is considered as an ancillary equipment (apparatus) if:

- the equipment is intended for use in conjunction with a receiver or transmitter to provide additional operational and/or control features to the radio equipment, (e.g. to extend control to another position or location); and
- the equipment cannot be used on a stand alone basis to provide user functions independently of a receiver or transmitter; and
   SIST EN 301 843-1 V2.2.1:2018
- the receiver or transmitter to which it is connected, is capable of providing some intended operation such as transmitting and/or receiving without the ancillary equipment (i.e. it is not a sub-unit of the main equipment essential to the main equipment basic functions).

artificial antenna: non-reactive, non-radiating dummy load equal to the nominal impedance of the antenna port

NOTE: For the purpose of EMC tests, the antenna port(s) of the Equipment Under Test (EUT) are terminated with a non-radiating 50  $\Omega$  termination (artificial antenna) unless there is a requirement to apply a Radio Frequency (RF) input signal to the receiver antenna port.

**continuous phenomena (continuous disturbance):** electromagnetic disturbance, the effects of which on a particular device or equipment cannot be resolved into a succession of distinct effects

NOTE: See IEC EN 60050-161 [i.6].

enclosure port: physical boundary of the apparatus through which electromagnetic fields may radiate or impinge

NOTE: In the case of integral antenna equipment, this port is inseparable from the antenna port.

**integral antenna:** antenna designed to be connected directly to the equipment with or without the use of an external connector and considered to be part of the equipment

NOTE: An integral antenna may be fitted internally or externally to the equipment. An antenna which may not be removed during the tests, according to the manufacturer's statement.

**manufacturer:** manufacturer of the equipment, or his authorized representative, or an equipment manufacturer to the European market

**mobile equipment:** marine receiver, transmitter or transmitter/receiver (transceiver) intended for installation and use onboard ships

10

**operating frequency range:** range(s) of radio frequencies covered by the Equipment Under Test (EUT) without any change of units

port: particular interface, of the specified equipment (apparatus), with the electromagnetic environment

NOTE: For example, any connection point on an equipment intended for connection of cables to or from that equipment is considered as a port (see figure 1).




Figure 1: Examples of ports

**portable equipment:** marine radio and/or ancillary equipment intended for portable (e.g. handheld) operation onboard ships, and powered by its own integral battery

**radio communications equipment:** marine communications equipment which includes one or more radio transmitters and/or receivers and/or parts thereof for use in a mobile or portable application onboard ships

NOTE: It can be operated with ancillary equipment but if so, is not dependent on it for basic functionality.

removable antenna: antenna which may be removed for the test according to the manufacturer statement

**spurious emission:** emission on a frequency, or frequencies, which are outside the necessary bandwidth and the level of which may be reduced without affecting the corresponding transmission of information

NOTE: Spurious emissions include harmonic emissions, parasitic emissions, intermodulation products and frequency conversion products but exclude out of band emissions (CEPT/ERC Recommendation 74-01 [i.7]).

SIST EN 301 843-1 V2.2.1.2018

**transient phenomena (transient disturbance):** pertaining to or designating a phenomena or a quantity which varies between two consecutive steady states during a time interval short compared with the time-scale of interest

NOTE: See IEC EN 60050-161 [i.6].

### 3.2 Symbols

For the purposes of the present document, the following symbols apply:

Bn Necessary bandwidth of an emission

PX Maximum PEP

#### 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AC Alternating Current
AM Amplitude Modulation
AMN Artificial Mains Network
B measurement Bandwidth

DC Direct Current

EFTA European Free Trade Association

EM ElectroMagnetic

EMC ElectroMagnetic Compatibility
ESD Electro Static Discharge
EUT Equipment Under Test

IEC International Electrotechnical Commission IMO International Maritime Organization