

### SLOVENSKI STANDARD SIST EN 303 345-2 V1.1.1:2020

01-april-2020

Radiodifuzijski zvočni sprejemniki - 2. del: Radiodifuzijska zvočna storitev AM - Harmonizirani standard za dostop do radijskega spektra

Broadcast Sound Receivers - Part 2: AM broadcast sound service - Harmonised Standard for access to radio spectrum

## iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten z. 303 2 TSV EN 303 345-2 V1.1.1 (2020-02) https://standards.iteh.ai/catalog/standards/sist/clabal71-cec2-4ca2-9fl2-

tps://standards.iteh.ai/catalog/standards/sist/c1aba1/1-cec2-4ca2-9f12-9dfac131e21e/sist-en-303-345-2-v1-1-1-2020

ICS:

33.060.20 Sprejemna in oddajna

oprema

Receiving and transmitting

equipment

SIST EN 303 345-2 V1.1.1:2020

en

SIST EN 303 345-2 V1.1.1:2020

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 303 345-2 V1.1.1:2020

## ETSI EN 303 345-2 V1.1.1 (2020-02)



# Broadcast Sound Receivers; Part 2: AM broadcast sound service; Harmonised Standard for access to radio spectrum

## Reference DEN/ERM-TG17-152

Keywords

analogue, broadcast, harmonised standard, radio, receiver

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la

Teh Sous-Préfecture de Grasse (06) N° 7803/88/ IE W

(standards.iteh.ai)

Important notice

https://standards.iteh.ai/catalog/standards/sist/claba171-cec2-4ca2-9f12-The present document can be downloaded from: http://www.etsl.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at <a href="https://www.etsi.org/deliver">www.etsi.org/deliver</a>.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <a href="https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx">https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx</a>

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

#### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M<sup>™</sup> logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM**® and the GSM logo are trademarks registered and owned by the GSM Association.

## Contents

Intell	lectual Property Rights	5
Forev	word	5
Moda	al verbs terminology	6
Intro	duction	6
1	Scope	
2	References	
2.1	Normative references	
2.2	Informative references	
3	Definition of terms, symbols and abbreviations	8
3.1	Terms.	
3.2	Symbols	
3.3	Abbreviations	
4	Technical requirements specifications	9
4.1	Test signal configurations	
4.2	Sensitivity	
4.2.1	Definition	10
4.2.2	Limits	10
4.2.3		
4.3	Adjacent channel selectivity and blocking	11
4.3.1		
4.3.2		11
4.3.3	Conformance.	12
5	Testing for compliance with technical requirements VI.1.1.2020	12
5.1	Environmental conditions for testing	12
5.2	Environmental conditions for testing/catalog/standards/sist/c1/aba171-cec2-4cu2-9ft2-  Interpretation of the measurement results/sist-en-303-345-2-v1-1-1-2020	13
A		
AIIII	ex A (informative): Relationship between the present document and the essential requirements of Directive 2014/53/EU	14
	•	
Anno	ex B (informative): Test signal generation	15
Anno	ex C (informative): Development of the present document	17
C.1	Introduction	17
C.2	Relevance	17
C.3	Receiver parameters under article 3.2	
C.3.1		
C.3.1		
C.3.3		
C.3.4		18
C.3.4		
C.3.4		
C.3.4	.4 Other receiver effects	10
C.3.4	.4.1 Receiver dynamic range	19
	.4.1 Receiver dynamic range	19 19

C.3.5

Annex D (informative):

4	E15I EN 303 345-2 V1.1.1 (2020-02)
Receiver unwanted emissions in the spurious domain.	20

Change History ......21

## iTeh STANDARD PREVIEW (standards.iteh.ai)

## Intellectual Property Rights

#### **Essential patents**

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

#### **Trademarks**

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

#### **Foreword**

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.2] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1]. https://standards.iteh.ai/catalog/standards/sist/c1aba171-cec2-4ca2-9f12-

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

The present document is part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

The present document has a number of test data files that are contained in archive en\_30334501v010101p0.zip which accompanies ETSI EN 303 345-1 [1].

National transposition dates			
Date of adoption of this EN:	3 February 2020		
Date of latest announcement of this EN (doa):	31 May 2020		
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 November 2020		
Date of withdrawal of any conflicting National Standard (dow):	30 November 2021		

6

## Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

### Introduction

The present document provides the necessary limits and conformance requirements for radio receivers to meet the essential requirements of article 3.2 of Directive 2014/53/EU [i.1] for the AM sound broadcast service and is used with reference to ETSI EN 303 345-1 [1], which describes the generic requirements and test methods.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

## 1 Scope

The present document specifies the test signal configuration and the limits for sensitivity, selectivity and blocking for devices that receive AM broadcast sound services.

NOTE: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.1] is given in annex A.

#### 2 References

#### 2.1 Normative references

References are specific, identified by date of publication and/or edition number or version number. Only the cited version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="https://docbox.etsi.org/Reference/">https://docbox.etsi.org/Reference/</a>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 303 345-1 (V1.1.1) (06-2019): "Broadcast Sound Receivers; Part 1: Generic requirements and measuring methods".
   [2] Recommendation ITU-R BS.468-4 (07/1986): "Measurement of audio-frequency noise voltage level in sound broadcasting".
   [3] Recommendation ITU-R BS.559-2 (06/1990): "Objective measurement of radio-frequency
- [3] Recommendation ITU-R BS 559-2 (06/1990): "Objective measurement of radio-frequency protection ratios in LF, MF and HF broadcasting protection ratios in LF, MF and HF broadcasting protection ratios in LF, MF and HF broadcasting protection and HF broadcasting protection of the protection ratios in LF, MF and HF broadcasting protection an

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1]	Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the
	harmonisation of the laws of the Member States relating to the making available on the market of
	radio equipment and repealing Directive 1999/5/EC.

- [i.2] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.3] ETSI TR 100 028 (all parts) (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [i.4] ETSI TR 100 028-2 (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2".

[i.5]	Recommendation ITU-R BS.1615-1: "Planning parameters for digital sound broadcasting at frequencies below 30 MHz".
[i.6]	AES17: "AES standard method for digital audio engineering - Measurement of digital audio equipment".
[i.7]	ETSI EG 203 336 (V1.1.1) (08-2015): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
[i.8]	ITU GE75: "Final Acts of the Regional Administrative LF/MF Broadcasting Conference (Regions 1 and 3)".
[i.9]	Recommendation ITU-R BS.560-4 (10/1997): "Radio-frequency protection ratios in LF, MF and HF broadcasting".
[i.10]	Recommendation ITU-R SM.332-4 (07/1978): "Selectivity of Receivers".
[i.11]	CENELEC EN 55032:2015: "Electromagnetic compatibility of multimedia equipment - Emission Requirements".

## 3 Definition of terms, symbols and abbreviations

#### 3.1 Terms

For the purposes of the present document, the terms given in Directive 2014/53/EU [i.1] and the following apply:

built-in antenna: antenna that cannot be detached from the equipment . 21)

crest factor: peak to rms voltage ratio

SIST EN 303 345-2 V1.1.1:2020

external antenna: antenna designed to be connected to the equipment with the use of a 50  $\Omega$  or 75  $\Omega$  external connector 9dfac131e21e/sist-en-303-345-2-v1-1-2020

**integral antenna:** antenna which is detachable from the equipment without the use of any tools, and not using a 50  $\Omega$  or 75  $\Omega$  external connector

NOTE: A device that uses a supplied earphone as the antenna has an integral antenna.

### 3.2 Symbols

For the purposes of the present document, the following symbols apply:

dBFS: decibels relative to Full Scale in accordance with AES17 [i.6]

dBm: decibels relative to 1 mW of power

**dBQ:** audio decibels after Recommendation ITU-R BS.468-4 [2] noise weighting and a quasi-peak detector have been applied

 $dB\mu V/m$ : decibels relative to 1  $\mu V/m$ 

#### 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ACS Adjacent Channel Selectivity
ADC Analogue to Digital Converter
AM Amplitude Modulation

BS Broadcast Sound BW BandWidth

DDC Direct Digital Conversion
EFTA European Free Trade Association
EMCD ElectroMagnetic Compatibility Directive

EU European Union
HF High Frequency
IQ In-phase and Quadrature

ITU-R International Telecommunications Union - Radiocommunications sector

LF Low Frequency
LO Local Oscillator
MF Medium Frequency

NZIF Near-Zero Intermediate Frequency

PC Personal Computer

RED Radio Equipment Directive

RF Radio Frequency
RMS Root Mean Square
SNR Signal to Noise Ratio
USB Universal Serial Bus

iTeh STANDARD PREVIEW

## 4 Technical requirements specifications

<u>SIST EN 303 345-2 V1.1.1:2020</u>

## 4.1 Test signal configurations lards/sist/claba171-cec2-4ca2-9f12-9dfac131e21e/sist-en-303-345-2-v1-1-1-2020

The generated AM signals (wanted, unwanted and blocking) shall be in accordance with table 1. The configuration is based on Recommendation ITU-R BS.1615-1 [i.5].

**Table 1: AM configuration** 

Parameter		AM signals		
Parameter	Wanted	Unwanted	Blocking	
Audio modulation	1 kHz tone	Weighted noise Recommendation ITU-R BS.559-2 [3], clause 1, band-limited to 4,5 kHz (see note 1)	1 kHz tone	
Other modulation parameters	40 % depth	22,8 % RMS depth (see note 2)	80 % depth	

NOTE 1: The filter shall have a cut-off frequency of 4,5 kHz and a minimum roll-off of 60 dB/octave.

NOTE 2: This is equivalent to a quasi-peak modulation depth of 50 %. The demodulated audio level will have the same quasi-peak value as that of a carrier with 50 % AM modulation depth modulated with a 1 kHz sinusoid.

The means of generating the noise modulation for the "unwanted" signal is shown in figure 1.