



Edition 1.1 2008-01 CONSOLIDATED VERSION

# INTERNATIONAL STANDARD



## Semiconductor devices – **Standards** Part 16-2: Microwave integrated circuits – Frequency prescalers

## **Document Preview**

IEC 60747-16-2:2001

https://standards.iteh.ai/catalog/standards/iec/5edb76c9-5d52-4822-9709-41ad11d0128a/iec-60747-16-2-2001





#### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication,

please contact the address below or your local IEC member National Committee for further information.

	1ei +41 22 919 02 11	
3, rue de Varembé	Fax: +41 22 919 03 00	
CH-1211 Geneva 20	info@iec.ch	
Switzerland	www.iec.ch	

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and

withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

## IEC 60747-16-2:200

https://standards.iteh.ai/catalog/standards/iec/5edb76c9-5d52-4822-9709-41ad11d0128a/iec-60747-16-2-2001





Edition 1.1 2008-01 CONSOLIDATED VERSION

# INTERNATIONAL STANDARD



## Semiconductor devices – Standards Part 16-2: Microwave integrated circuits – Frequency prescalers

## **Document Preview**

IEC 60747-16-2:200

https://standards.iteh.ai/catalog/standards/iec/5edb76c9-5d52-4822-9709-41ad11d0128a/iec-60747-16-2-2001

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.080.01

ISBN 2-8318-9451-4

Warning! Make sure that you obtained this publication from an authorized distributor.

## CONTENTS

FO	REWC	DRD	3
1	Scon	0	5
י ר	Norm		5 E
2	Norm		5 _
3	lerm	is and definitions	5
4	Esse	ntial ratings and characteristics	7
	4.1	General	7
	4.2	Application-related description	7
	4.3	Specification of the function	8
	4.4	Limiting values (absolute maximum rating system)	10
	4.5	Operating conditions (within the specified operating temperature range)	11
	4.6	Electrical characteristics	12
	4.7	Mechanical and environmental ratings, characteristics and data	13
	4.8	Additional information	13
5	Meas	suring methods	14
	5.1	General	14
	5.2	Output power (P <sub>o</sub> )	14
	5.3	Output voltage (V <sub>o</sub> )	15
	5.4	Minimum operating input power (P <sub>i, min</sub> )	17
	5.5	Maximum operating input power (P <sub>i, max</sub> )	18
	5.6	Minimum operating input voltage (V <sub>i, min</sub> )	20
	5.7	Maximum operating input voltage (V <sub>i, max</sub> )	22
	5.8	Maximum input frequency (f <sub>i, max</sub> )	24
	5.9	Minimum input frequency (f <sub>i, min</sub> )	25
	5.10	High-level modulus control input voltage (V <sub>CH</sub> )	26
	5.11	Low-level modulus control input voltage (V <sub>CL</sub> )	
	5.12	High-level modulus control input current ( <i>I</i> <sub>CH</sub> )	29
	5.13	Low-level modulus control input current (I <sub>CL</sub> )	30

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### SEMICONDUCTOR DEVICES -

### Part 16-2: Microwave integrated circuits – Frequency prescalers

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.

https://6) All users should ensure that they have the latest edition of this publication. 41ad 11d0128a/iec-60747-16-2-2001

- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

## This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60747-16-2 edition 1.1 contains the first edition (2001) [documents 47E/160/ FDIS and 47E/172/RVD] and its amendment 1 (2007) [documents 47E/338/FDIS and 47E/343/RVD].

## A vertical line in the margin shows where the base publication has been modified by amendment 1.

International Standard IEC 60747-16-2 has been prepared by subcommittee 47E: Discrete semiconductor devices, of IEC technical committee 47: Semiconductor devices.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

# iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60747-16-2:2001

https://standards.iteh.ai/catalog/standards/iec/5edb76c9-5d52-4822-9709-41ad11d0128a/iec-60747-16-2-2001

## **SEMICONDUCTOR DEVICES –**

### Part 16-2: Microwave integrated circuits – Frequency prescalers

#### 1 Scope

This part of IEC 60747 provides new measuring methods, terminology and letter symbols, as well as essential ratings and characteristics for integrated circuit microwave frequency prescalers.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60617:2001, Graphical symbols for diagrams

IEC 60747-1:2006, Semiconductor devices – Part 1: General

IEC 60748-2, Semiconductor devices – Integrated circuits – Part 2: Digital integrated circuits

IEC 60748-3, Semiconductor devices. Integrated circuits – Part 3: Analogue integrated circuits

IEC 60748-4, Semiconductor devices – Integrated circuits – Part 4: Interface integrated circuits

ps://standards.iteh.ai/catalog/standards/iec/5edb76c9-5d52-4822-9709-41ad11d0128a/iec-60747-16-2-2001

IEC 61340-5-1:2007, *Electrostatics – Part 5-1: Protection of electronic devices from electrostatic phenomena - General requirements* 

IEC/TR 61340-5-2:2007, *Electrostatics – Part 5-2: Protection of electronic devices from electrostatic phenomena – User guide* 

#### 3 Terms and definitions

For the purpose of this part of IEC 60747, the following terms and definitions apply:

# 3.1 power supply voltage V<sub>xxi</sub> (terminal voltage) d.c. voltage required to be applied to an 'i'-th terminal noted by 'xx'

#### 3.2

#### power supply current *I*<sub>xxi</sub>

d.c. current flowing through an 'i'-th terminal noted by 'xx'

#### 3.3

#### output power Po

a.c. power measured at the output terminal

#### 3.4

### output voltage $V_{o}$

amplitude of voltage swing measured at the output terminal

#### 3.5

#### input power P<sub>i</sub>

a.c. power delivered to the input terminal

#### 3.6

input voltage V<sub>i</sub>

amplitude of input voltage swing

#### 3.7

#### high-level modulus control input voltage V<sub>CH</sub>

control voltage value to transfer the division ratio from low-level modulus to high-level modulus

#### 3.8

low-level modulus control input voltage  $V_{CL}$  control voltage value to transfer the division ratio from high-level modulus to low-level modulus

#### 3.9

high-level modulus control input current I<sub>CH</sub> control current value to transfer the division ratio from low-level modulus to high-level modulus

#### 3.10 low-level modulus control input current $I_{CL}$

control current value to transfer the division ratio from high-level modulus to low-level modulus

#### 3.11

#### input frequency $f_i$

input frequency for which the device functions

#### 3.12

#### division ratio N

ratio of the output frequency and input frequency

3.13 set-up time t<sub>set</sub> (under consideration)

#### 4 Essential ratings and characteristics

#### 4.1 General

This clause gives ratings and characteristics required for specifying integrated circuit microwave frequency prescalers used at the microwave or millimetre-wave frequency band.

The integrated circuits contain fixed and two modulus prescalers.

#### 4.1.1 Circuit identification and types

#### 4.1.1.1 Designation and types

Indication of type (device name), category of circuit and technology applied should be given.

Microwave frequency prescalers are divided into two categories:

- type A: fixed modulus type;
- type B: two modulus type.

#### 4.1.1.2 General function description

A general description should be made of the function performed by the integrated circuit microwave frequency prescalers, and the features for the application.

## 4.1.1.3 Manufacturing technology Standards.iteh.ai)

The manufacturing technology, e.g. semiconductor monolithic integrated circuit, thin film integrated circuit, micro-assembly, should be stated. This statement should include details of the semiconductor technologies such as MESFET, MISFET, MOSFET, Si bipolar transistor, HBT, etc.

#### https://standards.iteb.ai/catalog/standards/iec/5edb76c9-5d52-4822-9709-41ad11d0128a/iec-60747-16-2-2001 4.1.1.4 Package identification

The following should be stated:

- a) chip or packaged form;
- b) IEC and/or national reference number of the outline drawing or of the drawing of a nonstandard package including terminal numbering;
- c) principal package material, for example, metal, ceramic, plastic;
- d) for chip form, outlines, dimensions, pad sizes, contact material, and recommended contact technologies.

#### 4.1.1.5 Main application

The main application should be stated if necessary. If the device has restrictive applications, these should be stated here.

#### 4.2 Application-related description

Information on the application of the integrated circuit and its relation to the associated devices should be given.

#### 4.2.1 Conformance to system and/or interface information

It should be stated whether the integrated circuit conforms to an application system and/or an interface standard or recommendation.

Detailed information about application systems, equipment and circuits such as VSAT systems, DBS receivers, and microwave landing systems should also be given.

#### 4.2.2 Overall block diagram

A block diagram of the applied systems should be given if necessary.

#### 4.2.3 Reference data

The most important properties required to permit comparison between derivative types should be given.

#### 4.2.4 Electrical compatibility

It should be stated whether the integrated circuit is electrically compatible with other particular integrated circuits or families of integrated circuits, or whether special interfaces are required.

Details should be given concerning the type of input and output circuits, for example, input/output impedances, d.c. block, open-drain.

Interchangeability with other devices, if any, should be given.

#### 4.2.5 Associated devices

If applicable, the following should be stated here:

- devices necessary for correct operation (list with type number, name, and function);

https://-ar peripheral devices with direct interfacing (list with type number, name, and function).7-16-2-2001

#### 4.3 Specification of the function

#### 4.3.1 Detailed block diagram-functional blocks

A detail block diagram or equivalent circuit information concerning the integrated circuit microwave frequency prescalers should be given. The block diagram should be composed of the following:

- a) functional blocks;
- b) mutual interconnections among the functional blocks;
- c) individual functional units within the functional blocks;
- d) mutual interconnections among the individual functional blocks;
- e) function of each external connection;
- f) inter-dependence between the separate functional blocks.

The block diagram should identify the function of each external connection, and where no ambiguity can arise, can also show the terminal symbols and/or numbers. If the encapsulation has metallic parts, any connection to them from external terminals should be indicated. The connections with any associated external electrical elements should be stated, where necessary.

For the purpose of providing additional information, the complete electrical circuit diagram can be reproduced, though this will not necessarily involve giving indications of the function. Rules governing such diagrams may be obtained from IEC 60617.

#### 4.3.2 Identification and function of terminals

All terminals should be identified on the block diagram (supply terminals, input or output terminals, input/output terminals).

The terminal functions 1) to 4) should be indicated in a table as follows:

	Terminal symbol	1) Terminal designation	2) Function	Function of terminal	
Terminal number				3) Input/output identification	4) Type of input/output circuits

1) Terminal designation

A terminal name indicating the function of the terminal should be given. Supply terminals, ground terminals, blank terminals (with abbreviation NC) and non-usable terminals (with abbreviation NU) should be distinguished.

2) Function

A brief indication of terminal function should be given:

- each function of multi-role terminals, i.e. terminals having multiple functions;
- each function of integrated circuits selected by mutual pin connections or function selection data applied to the function selection pin such as mode selection pin.
- 3) Input/output identification

Input, output, input/output, and multiple input/output terminals should be distinguished.

https://4) Type of input/output circuits /iec/5edb76c9-5d52-4822-9709-41ad11d0128a/iec-60747-16-2-2001

The type of input and output circuits, for example, input/output impedances, with or without d.c. block, etc., should be distinguished.

5) Type of ground

If the baseplate of the package is used as ground, this should be stated.

Example:

