INTERNATIONAL STANDARD

ISO/IEC 9594-3

Sixth edition 2008-12-15

Information technology — Open Systems Interconnection — The Directory: Abstract service definition

Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — L'annuaire: Définition du service abstrait

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 9594-3:2008 https://standards.iteh.ai/catalog/standards/sist/b3c67eb6-6122-4a6a-a8ae-a4e76a0e0f47/iso-iec-9594-3-2008



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 9594-3:2008

https://standards.iteh.ai/catalog/standards/sist/b3c67eb6-6122-4a6a-a8ae-a4e76a0e0f47/iso-iec-9594-3-2008



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org
Published by ISO in 2009

CONTENTS

			rug			
Fore	word		,			
Intro	duction		v			
1	Scope	2				
2	Norm	ative references				
	2.1	Identical Recommendations International Standards				
	2.2	Other references.				
3	Defin	Definitions				
	3.1	Basic Directory definitions.				
	3.2	Directory model definitions				
	3.3	Directory information base definitions				
	3.4	Directory entry definitions				
	3.5	Name definitions				
	3.6	Distributed operations definitions				
	3.7	Abstract service definitions				
4	Abbre	eviations				
5	Conv	entions				
6	Overv	view of the Directory service				
7	Inform	nation types and common procedures				
	7.1	**				
	7.2	Introduction				
	7.3	Common arguments. (at and a red a it ah ai)				
	7.4	Common results				
	7.5	Service controls				
	7.6	Entry information selection 180/1102 9394-3,2006	1			
	7.7	Entry information	1.			
	7.8	Filter	1			
	7.9	Paged results	1			
	7.10	Security parameters	2			
	7.11	Common elements of procedure for access control.	2			
	7.12	Managing the DSA Information Tree	2			
	7.13	Procedures for families of entries	2.			
8		and Unbind operations	2			
	8.1	Directory Bind.	2			
	8.2	Directory Unbind	2			
9		tory Read operations	2			
	9.1	Read	2			
	9.2	Compare	3			
	9.3	Abandon	3			
10		tory Search operations	3:			
	10.1	List	3			
	10.2	Search	3			
11		tory Modify operations	4			
	11.1	Add Entry	4			
	11.2	Remove Entry	4			
	11.3	Modify Entry	5			
	11.4	Modify DN	5			
12		S	5			
	12.1	Error precedence	5			
	12.2	Abandoned	5			
	12.3	Abandon Failed	5			

ISO/IEC 9594-3:2008(E)

			Page	
	12.4	Attribute Error	58	
	12.5	Name Error	58	
	12.6	Referral	59	
	12.7	Security Error	60	
	12.8	Service Error	60	
	12.9	Update Error	62	
13	Analysis of search arguments			
	13.1	General check of search filter	63	
	13.2	Check of request-attribute-profiles	65	
	13.3	Check of controls and hierarchy selections	66	
	13.4	Check of matching use	67	
Annex	: A – A	bstract Service in ASN.1	68	
Annex	B – O	perational semantics for Basic Access Control	79	
Annex	C – E	xamples of searching families of entries	92	
	C.1	Single family example	92	
	C.2	Multiple families example	93	
Annex	D – E	xternal ASN.1 module	96	
Annex	E – A	mendments and corrigenda	100	

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 9594-3:2008

https://standards.iteh.ai/catalog/standards/sist/b3c67eb6-6122-4a6a-a8ae-a4e76a0e0f47/iso-iec-9594-3-2008

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 9594-3:2008 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.511 (11/2008).

This sixth edition cancels and replaces the fifth edition (ISO/IEC 9594-3:2005), which has been technically revised.

ISO/IEC 9594-3:2008

ISO/IEC 9594 consists of the following parts under the general title Information technology — Open Systems Interconnection — The Directory: 44e76a0e0f47/iso-iec-9594-3-2008

- Part 1: Overview of concepts, models and services
- Part 2: Models
- Part 3: Abstract service definition
- Part 4: Procedures for distributed operation
- Part 5: Protocol specifications
- Part 6: Selected attribute types
- Part 7: Selected object classes
- Part 8: Public-key and attribute certificate frameworks
- Part 9: Replication
- Part 10: Use of systems management for administration of the Directory

Introduction

This Recommendation | International Standard, together with the other Recommendations | International Standards, has been produced to facilitate the interconnection of information processing systems to provide directory services. A set of such systems, together with the directory information that they hold, can be viewed as an integrated whole, called the *Directory*. The information held by the Directory, collectively known as the Directory Information Base (DIB), is typically used to facilitate communication between, with or about objects such as application entities, people, terminals, and distribution lists.

The Directory plays a significant role in Open Systems Interconnection, whose aim is to allow, with a minimum of technical agreement outside of the interconnection standards themselves, the interconnection of information processing systems:

- from different manufacturers;
- · under different managements;
- · of different levels of complexity; and
- · of different ages.

This Recommendation | International Standard defines the capabilities provided by the Directory to its users.

This Recommendation | International Standard provides the foundation frameworks upon which industry profiles can be defined by other standards groups and industry forums. Many of the features defined as optional in these frameworks, may be mandated for use in certain environments through profiles. This sixth edition technically revises and enhances, but does not replace, the fifth edition of this Recommendation | International Standard. Implementations may still claim conformance to the fifth edition. However, at some point, the fifth edition will not be supported (i.e., reported defects will no longer be resolved). It is recommended that implementations conform to this sixth edition as soon as possible.

This sixth edition specifies versions 1 and 2 of the Directory protocols.

The first and second editions specified only version 1. Most of the services and protocols specified in this edition are designed to function under version 1. However some enhanced services and protocols, e.g., signed errors, will not function unless all Directory entities involved in the operation have negotiated version 2. Whichever version has been negotiated, differences between the services and between the protocols defined in the six editions, except for those specifically assigned to version 2, are accommodated using the rules of extensibility defined in ITU-T Rec. X.519 | ISO/IEC 9594-5.

Annex A, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module for the Directory abstract service.

Annex B, which is not an integral part of this Recommendation | International Standard, provides charts that describe the semantics associated with Basic Access Control as it applies to the processing of a Directory operation.

Annex C, which is not an integral part of this Recommendation | International Standard, gives examples of the use of families of entries.

Annex D, which is not an integral part of this Recommendation | International Standard, includes an updated copy of an external ASN.1 module referenced by this Directory Specification.

Annex E, which is not an integral part of this Recommendation | International Standard, lists the amendments and defect reports that have been incorporated to form this edition of this Recommendation | International Standard.

Information technology – Open Systems Interconnection – The Directory: Abstract service definition

1 Scope

This Recommendation | International Standard defines in an abstract way the externally visible service provided by the Directory.

This Recommendation | International Standard does not specify individual implementations or products.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations International Standards 21)

- ITU-T Recommendation X.200 (1994) | ISO/IEC 7498-1:1994, Information technology Open Systems Interconnection – Basic Reference Model: The Basic Model.
- ITU-T Recommendation X.500 (2008) | ISO/IEC 9594-1:2008, Information technology Open Systems Interconnection The Directory: Overview of concepts, models and services.
- ITU-T Recommendation X.501 (2008) | ISO/IEC 9594-2:2008, Information technology Open Systems Interconnection The Directory: Models.
- ITU-T Recommendation X.509 (2008) | ISO/IEC 9594-8:2008, Information technology Open Systems Interconnection The Directory: Public-key and attribute certificate frameworks.
- ITU-T Recommendation X.518 (2008) | ISO/IEC 9594-4:2008, Information technology Open Systems Interconnection – The Directory: Procedures for distributed operation.
- ITU-T Recommendation X.519 (2008) | ISO/IEC 9594-5:2008, Information technology Open Systems Interconnection – The Directory: Protocol specifications.
- ITU-T Recommendation X.520 (2008) | ISO/IEC 9594-6:2008, Information technology Open Systems Interconnection – The Directory: Selected attribute types.
- ITU-T Recommendation X.521 (2008) | ISO/IEC 9594-7:2008, Information technology Open Systems Interconnection – The Directory: Selected object classes.
- ITU-T Recommendation X.525 (2008) | ISO/IEC 9594-9:2008, Information technology Open Systems Interconnection – The Directory: Replication.
- ITU-T Recommendation X.530 (2008) | ISO/IEC 9594-10:2008, Information technology Open Systems Interconnection The Directory: Use of systems management for administration of the Directory.
- ITU-T Recommendation X.680 (2008) | ISO/IEC 8824-1:2008, Information technology Abstract Syntax Notation One (ASN.1): Specification of basic notation.
- ITU-T Recommendation X.681 (2008) | ISO/IEC 8824-2:2008, Information technology Abstract Syntax Notation One (ASN.1): Information object specification.
- ITU-T Recommendation X.682 (2008) | ISO/IEC 8824-3:2008, Information technology Abstract Syntax Notation One (ASN.1): Constraint specification.

ISO/IEC 9594-3:2008 (E)

- ITU-T Recommendation X.683 (2008) | ISO/IEC 8824-4:2008, Information technology - Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.

2.2 Other references

- IETF RFC 2025 (1996), The Simple Public-Key GSS-API Mechanism (SPKM).
- IETF RFC 4422 (2006), Simple Authentication and Security Layer (SASL).

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

3.1 Basic Directory definitions

The following terms are defined in ITU-T Rec. X.500 | ISO/IEC 9594-1:

- a) Directory;
- b) Directory Information Base;
- c) (Directory) User.

3.2 Directory model definitions

The following terms are defined in ITU-T Rec. X.501 | ISO/IEC 9594-2:

- a) Directory System Agent;
- b) Directory User Agent.

3.3 Directory information base definitions

The following terms are defined in ITU-T Rec. X.501 ISO/IEC 9594-2: ai)

a) alias entry;

- ISO/IEC 9594-3:2008
- b) Directory Information Tree: h.ai/catalog/standards/sist/b3c67eb6-6122-4a6a-a8ae-
- c) (Directory) entry;
- a4e76a0e0f47/iso-iec-9594-3-2008
- d) immediate superior;
- e) immediately superior entry/object;
- f) object;
- g) object class;
- h) object entry;
- i) subordinate;
- j) superior;
- k) ancestor;
- 1) family (of entries);
- m) compound entry.

3.4 Directory entry definitions

The following terms are defined in ITU-T Rec. X.501 | ISO/IEC 9594-2:

- a) attribute;
- b) attribute type;
- c) attribute value;
- d) attribute value assertion;
- e) context;
- f) context type;
- g) context value;

- h) operational attribute;
- i) user attribute;
- j) matching rule.

3.5 Name definitions

The following terms are defined in ITU-T Rec. X.501 | ISO/IEC 9594-2:

- a) alias, alias name;
- b) distinguished name;
- c) (directory) name;
- d) purported name;
- e) relative distinguished name.

3.6 Distributed operations definitions

The following terms are defined in ITU-T Rec. X.518 | ISO/IEC 9594-4:

- a) bound DSA;
- b) chaining;
- c) initial performer;
- d) referral.

3.7 Abstract service definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

- 3.7.1 additional search: A search that starts from joinBaseObject as specified by the originator in the search request.
- **3.7.2 contributing member:** A family member within a compound entry, which made a contribution to either a Read, Search or Modify Entry operation.

 SO/IEC 9594-3:2008

 https://standards.iteh.ai/catalog/standards/sist/b3c67eb6-6122-4a6a-a8ae-
- **3.7.3 explicitly unmarked entry**: An entry or a family member that is excluded from the **SearchResult** according to a specification given in a control attribute referenced by the governing-search-rule.
- **3.7.4 family grouping**: A set of members of a compound attribute that are grouped together for the purpose of operation evaluation.
- **3.7.5 filter**: An assertion about the presence or value of certain attributes of an entry in order to limit the scope of a search.
- **3.7.6 originator**: The user that originated an operation.
- **3.7.7 participation member**: A family member that is either a contributing member or is a member of a family grouping that as a whole matched a **search** filter.
- **3.7.8 primary search**: The search that starts from **baseObject** as specified by the originator in the search request.
- **3.7.9 relaxation**: A progressive modification of the behaviour of a filter during a search operation so as to achieve more matched entries if too few are received, or fewer matched entries if too many are received.
- **3.7.10 service controls**: Parameters conveyed as part of an operation, which constrain various aspects of its performance.
- **3.7.11 strand**: A family grouping comprising all the members in a path from a leaf family member up to the ancestor inclusive. A family member will reside in as many strands as there are leaf family members below it (as immediate or non-immediate subordinates).
- **3.7.12 streamed result**: A result of a single operation that is included in multiple responses.

4 Abbreviations

For the purposes of this Recommendation | International Standard, the following abbreviations apply.

AVA Attribute Value Assertion

DIB Directory Information Base

DIT Directory Information Tree

DMD Directory Management Domain

DSA Directory System Agent
DUA Directory User Agent

RDN Relative Distinguished Name

5 Conventions

The term "Directory Specification" (as in "this Directory Specification") shall be taken to mean ITU-T Rec. X.511 | ISO/IEC 9594-3. The term "Directory Specifications" shall be taken to mean the X.500-series Recommendations and all parts of ISO/IEC 9594.

This Directory Specification uses the term *first edition systems* to refer to systems conforming to the first edition of the Directory Specifications, i.e., the 1988 edition of the series of CCITT X.500 Recommendations and the ISO/IEC 9594:1990 edition.

This Directory Specification uses the term *second edition systems* to refer to systems conforming to the second edition of the Directory Specifications, i.e., the 1993 edition of the series of ITU-T X.500 Recommendations and the ISO/IEC 9594:1995 edition.

This Directory Specification uses the term *third edition systems* to refer to systems conforming to the third edition of the Directory Specifications, i.e., the 1997 edition of the series of ITU-T X.500 Recommendations and the ISO/IEC 9594:1998 edition.

This Directory Specification uses the term *fourth edition systems* to refer to systems conforming to the fourth edition of the Directory Specifications, i.e., the 2001 editions of ITU-T Recs X,500, X.501, X.511, X.518, X.519, X.520, X.521, X.525, and X.530, the 2000 edition of ITU-T Rec. X.509, and parts 1-10 of the ISO/IEC 9594:2001 edition.

This Directory Specification uses the term *fifth edition systems*-to refer to systems conforming to the fifth edition of the Directory Specifications, i.e., the 2005 edition of the series of ITU-T X.500 Recommendations and the ISO/IEC 9594:2005 edition.

This Directory Specification uses the term *sixth edition systems* to refer to systems conforming to the sixth edition of the Directory Specifications, i.e., the 2008 edition of the series of ITU-T X.500 Recommendations and the ISO/IEC 9594:2008 edition.

This Directory Specification presents ASN.1 notation in the bold Helvetica typeface. When ASN.1 types and values are referenced in normal text, they are differentiated from normal text by presenting them in the bold Helvetica typeface. The names of procedures, typically referenced when specifying the semantics of processing, are differentiated from normal text by displaying them in bold Times. Access control permissions are presented in italicized Times.

If the items in a list are numbered (as opposed to using "-" or letters), then the items shall be considered steps in a procedure.

6 Overview of the Directory service

As described in ITU-T Rec. X.501 | ISO/IEC 9594-2, the services of the Directory are provided through access points to DUAs, each acting on behalf of a user. These concepts are depicted in Figure 1. Through an access point, the Directory provides service to its users by means of a number of Directory operations.

Figure 1 – Access to the Directory

The Directory operations are of three different kinds:

- a) Directory Read operations, which interrogate a single Directory entry;
- b) Directory Search operations, which interrogate potentially several Directory entries; and
- c) Directory Modify operations.

The Directory Read operations, the Directory Search operations and the Directory Modify operations are specified in clauses 9, 10, and 11, respectively. Conformance to Directory operations is specified in ITU-T Rec. X.519 | ISO/IEC 9594-5.

7 Information types and common procedures

iTeh STANDARD PREVIEW

7.1 Introduction

This clause identifies, and in some cases defines, a number of information types which are subsequently used in the definition of Directory operations. The information types concerned are those which are common to more than one operation, are likely to be in the future, or which are sufficiently complex or self-contained as to merit being defined separately from the operation which uses them/catalog/standards/sist/b3c67eb6-6122-4a6a-a8ae-

Several of the information types used in the definition of the Directory Service are actually defined elsewhere. Subclause 7.2 identifies these types and indicates the source of their definition. Each of the subclauses (7.3 through 7.10) identifies and defines an information type.

This clause also specifies some common elements of procedure that apply to most or all of the Directory operations.

7.2 Information types defined elsewhere

The following information types are defined in ITU-T Rec. X.501 | ISO/IEC 9594-2:

- a) Attribute;
- b) AttributeType;
- c) AttributeValue;
- d) AttributeValueAssertion;
- e) Context;
- f) ContextAssertion;
- g) DistinguishedName;
- h) Name;
- i) **OPTIONALLY-PROTECTED**;
- j) OPTIONALLY-PROTECTED-SEQ;
- k) RelativeDistinguishedName.

The following information type is defined in ITU-T Rec. X.520 | ISO/IEC 9594-6:

a) PresentationAddress.

ISO/IEC 9594-3:2008 (E)

The following information types are defined in ITU-T Rec. X.509 | ISO/IEC 9594-8:

- a) Certificate;
- b) **SIGNED**;
- c) CertificationPath.

The following information type is defined in ITU-T Rec. X.880 | ISO/IEC 13712-1:

a) Invokeld.

The following information types are defined in ITU-T Rec. X.518 | ISO/IEC 9594-4:

- a) OperationProgress;
- b) ContinuationReference.

7.3 Common arguments

The **CommonArguments** information may be present to qualify the invocation of each operation that the Directory can perform.

```
CommonArguments ::= SET {
      serviceControls
                                    [30]
                                           ServiceControls
                                                                              DEFAULT { },
                                           SecurityParameters OPTIONAL,
      securityParameters
                                    [29]
                                          DistinguishedName OPTIONAL,
      requestor
                                    [28]
      operationProgress
                                    [27]
                                           OperationProgress
                                           DEFAULT { nameResolutionPhase notStarted },
      aliasedRDNs
                                    [26]
                                          INTEGER
                                                                      OPTIONAL,
      criticalExtensions
                                    [25]
                                          BIT STRING
                                                                      OPTIONAL,
      referenceType
                                    [24]
                                          ReferenceType
                                                                      OPTIONAL,
      entryOnly
                                          BOOLEAN
                                    [23]
                                                                      DEFAULT TRUE,
                                          Exclusions
      exclusions
                                                                      OPTIONAL,
                                    [22]
      nameResolveOnMaster leh
                                    [21]
                                          BOOLEAN
                                                                      DEFAULT FALSE,
                                    [20] ContextSelection (19) FamilyGrouping Ch. ai
      operationContexts
                                                                      OPTIONAL,
      familyGrouping
                                                                      DEFAULT entryOnly }
```

The **ServiceControls** component is specified in 7.5. Its absence is deemed equivalent to there being an empty set of controls.

https://standards.iteh.ai/catalog/standards/sist/b3c67eb6-6122-4a6a-a8ae-

The **SecurityParameters** component is specified in 7.10 iff the argument of the operation is to be signed by the requestor, the **SecurityParameters** component shall be included in the argument. The absence of the **SecurityParameters** component is deemed equivalent to an empty set.

The **requestor** Distinguished Name identifies the originator of a particular operation. It holds the name of the user as identified at the time of binding to the Directory. It may be required when the request is to be signed (see 7.10), and shall hold the name of the user who initiated the request.

NOTE 1 – Where a user has alternative distinguished names differentiated by context, the name used as the value of **requestor** shall be the primary distinguished name where known. Otherwise, authentication and access control based on the value of **requestor** may not work as desired.

The operationProgress, referenceType, entryOnly, exclusions and nameResolveOnMaster components are defined in ITU-T Rec. X.518 | ISO/IEC 9594-4. They are supplied by a DUA either:

- a) when acting on a continuation reference returned by a DSA in response to an earlier operation, and their values are copied by the DUA from the continuation reference; or
- b) when the DUA represents an administrative user that is managing the DSA Information Tree and the **manageDSAIT** option is set in the service controls.

The **aliasedRDNs** component indicates to the DSA that the **object** component of the operation was created by the dereferencing of an alias on an earlier operation attempt. The integer value indicates the number of RDNs in the name that came from dereferencing the alias. (The value would have been set in the referral response of the previous operation.)

NOTE 2 – This component is provided for compatibility with first edition implementations of the Directory. DUAs (and DSAs) implemented according to later editions of the Directory Specifications shall always omit this parameter from the **CommonArguments** of a subsequent request. In this way, the Directory will not signal an error if aliases dereference to further aliases.

The **operationContexts** component supplies a set of context assertions which are applied to attribute value assertions and entry information selection made within this operation, which do not otherwise contain context assertions for the same attribute type and context type. If **operationContexts** is not present or does not address a particular attribute type

or context type, then default context assertions shall be applied by the DSA as described in 7.6.1 and in 8.9.2.2 and 12.8 of ITU-T Rec. $X.501 \mid ISO/IEC$ 9594-2. If **allContexts** is chosen, then all contexts for all attribute types are valid and context defaults that might have been supplied by the DSA are overridden. (**ContextSelection** is defined in 7.6).

familyGrouping is used to describe which family members should be selected for processing by a given operation. It is described more fully in 7.3.2.

7.3.1 Critical extensions

The **criticalExtensions** component provides a mechanism to list a set of extensions that are critical to the performance of a Directory operation. If the originator of the extended operation wishes to indicate that the operation shall be performed with one or more extensions (i.e., that performing the operation without these extensions is not acceptable), it does so by setting the **criticalExtensions** bit(s) which corresponds to the extension(s). If the Directory, or some part of it, is unable to perform a critical extension, it returns an indication of **unavailableCriticalExtension** (as a **serviceError** or **PartialOutcomeQualifier**). If the Directory is unable to perform an extension that is not critical, it ignores the presence of the extension.

This Directory Specification does not establish rules regarding the order in which a performing DSA is to decode and process PDUs that it receives. A DSA that receives an unknown critical extension shall return a **ServiceError** with problem **unavailableCriticalExtension** to signal that the operation failed.

These Directory Specifications define a number of extensions. The extensions take such forms as additional numbered bits in a BIT STRING, or additional components of a SET or SEQUENCE, and are ignored by first edition systems. Each such extension is assigned an integer identifier, which is the number of the bit that may be set in **criticalExtensions**. If the criticality of an extension is defined to be critical, the DUA shall set the corresponding bit in **criticalExtensions**. If the defined criticality is non-critical, the DUA may or may not set the corresponding bit in **criticalExtensions**.

The extensions, their identifiers, the operations in which they are permitted, the recommended criticality, the clauses in which they are defined, and the corresponding LDAP controls (if any) are shown in Table 1.

ileh STA

(Sta Table 1 - Extensions

Extension	Identifier	Operations	Criticality	Defined (subclauses)	LDAP Control
subentries	1https://stan	lards.iteh.ai/catalog/standard	Non-critical	- 9 . <u>5</u> 22-4a6a-a8ae-	1.3.6.1.4.1.4203.1.10.1
copyShallDo	2	Read, Compare, List, Search	Non-critical	7.5	
attribute size limit	3	Read, Search	Non-critical	7.5	
extraAttributes	4	Read, Search	Non-critical	7.6	
modifyRightsRequest	5	Read	Non-critical	9.1	
pagedResultsRequest	6	List, Search	Non-critical	10.1	1.2.840.113556.1.4.319
matchedValuesOnly	7	Search	Non-critical	10.2	1.2.826.0.1.3344810.2.3
extendedFilter	8	Search	Non-critical	10.2	
targetSystem	9	Add Entry	Critical	11.1	
useAliasOnUpdate	10	Add Entry, Remove Entry, Modify Entry	Critical	11.1	
newSuperior	11	Modify DN	Critical	11.4	
manageDSAIT	12	All	Critical	7.5, 7.13	2.16.840.1.113730.3.4.2
useContexts	13	Read, Compare, List, Search, Add Entry, Modify Entry, Modify DN	Non-critical	7.6, 7.8	
partialNameResolution	14	Read, Search	Non-critical	7.5	
overspecFilter	15	Search	Non-critical	10.1.3 f)	
selectionOnModify	16	Modify Entry	Non-critical	11.3.2	
Security parameters – Response	17	All	Non-critical	7.10	
Security parameters – Operation code	18	All	Non-critical	7.10	

Table 1 – Extensions

Extension	Identifier	Operations	Criticality	Defined (subclauses)	LDAP Control
Security parameters – Attribute certification path	19	All	Non-critical	7.10	
Security parameters – Error Protection	20	All	Non-critical	7.10	
	21-24	Reserved			
Service administration	25	Read, Search, ModifyEntry	Critical	10.2.2, 13, clause 16 of ITU-T Rec. X.501 ISO/IEC 9594-2	
entryCount	26	Search	Non-critical	10.1.3	
hierarchySelection	27	Search	Non-critical	7.5	
relaxation	28	Search	Non-critical	7.8	
familyGrouping	29	Compare, Search, RemoveEntry	Non-critical Non-critical Critical	7.3.2, 7.8.3 & 9.2.2 10.2 11.2.2	
familyReturn	30 iTe	Read, Search, ModifyEntry h STANDAF	Non-critical Non-critical Non-critical	7.6.4, 7.7.1 & 9.1.3 10/2.3 11.3.3	
dnAttributes	31	Searchtandard	Non-critical	10.2.2	
friend attributes	32	Read, Search	Non-critical	7.6, 7.8.2	
Abandon of paged results	33	List, Search ISO/IEC 959	4criticals	7.9	
Paged results on the DSP	34	List, Search a0e0f47/iso-ic	Non-critical	7.9	
replaceValues	35	ModifyEntry	critical	11.3.1, 11.3.2	

NOTE 1 – The first extension is given the identifier 1 and corresponds to bit 1 of the BIT STRING. Bit 0 of the BIT STRING is not used.

NOTE 2 – Use of signing on errors Add Entry, Remove Entry, Modify Entry, Modify DN requires version 2 or higher of the protocol.

NOTE 3 - The SPKM credentials extension shall be critical unless used in associations established using version 2 or higher.

7.3.2 Family grouping

Family grouping allows a single family member, several family members or all family members of a compound entry, to be grouped together for joint consideration prior to operation evaluation. These semantics can then be applied to the following operations (as indicated in the descriptions below): Compare (to define the scope within which the compared attribute might lie), Search (to define the groupings for which filtering might take place), Remove Entry (to define the groupings for removal). The following ASN.1 is used to select members of a family:

FamilyGrouping ::= ENUMERATED {
 entryOnly (1),
 compoundEntry (2),
 strands (3),
 multiStrand (4) }

entryOnly means that the specific family member selected by the operation is to be considered in the group. This is the default value, and ensures backward compatibility with previous editions of the Directory Specifications.

compoundEntry means that the complete compound entry selected by the operation is to be considered as a unit by combining all the attributes. For Remove Entry operations, it is only applicable when the object name specified is that of an ancestor of a compound entry, and it causes all family members to be removed by the same operation (subject to access control).

strands means that all the strands associated with the family member are to be selected by the operation. This option is not valid for the Remove Entry operation. For the Search operation, individual strands are considered for filter purposes. If the combined set of attributes of one or more strands matches the filter, the compound entry is said to match the filter. If the base object is a child member, only those strands that go through the base object are considered. For Compare operations, all the attributes from all the family members in all the strands to which the entry belongs are to be used in the comparison.

multiStrand is only applicable to the Search operation, and qualifies the matching rule for filtering on family information. It is ignored for other operations. It specifies that one strand from each family within a compound entry is to be considered at one time, but in all combinations. **multiStrand** is not applicable if the base object is a child family member, in which this case **multiStrand** shall be ignored and **entryOnly** shall be substituted.

7.4 Common results

The **CommonResults** or **CommonResultsSeq** information is present to qualify the result of each retrieval operation that the Directory can perform. In addition, it is present in any returned error.

```
CommonResults ::= SET {
                                          SecurityParameters
      securityParameters
                                    [30]
                                                                     OPTIONAL,
                                          DistinguishedName
      performer
                                    [29]
                                                                     OPTIONAL.
      aliasDereferenced
                                    [28]
                                          BOOLEAN
                                                                     DEFAULT FALSE,
      notification
                                          SEQUENCE SIZE (1..MAX) OF Attribute{{SupportedAttributes}}
                                    [27]
                                                                     OPTIONAL }
CommonResultsSeg ::= SEQUENCE {
      securityParameters
                                    [30]
                                          SecurityParameters
                                                                     OPTIONAL,
      performer
                                    [29]
                                          DistinguishedName OPTIONAL,
      aliasDereferenced
                                    [28]
                                          BOOLEAN
                                                                     DEFAULT FALSE,
      notification
                                    [27]
                                          SEQUENCE SIZE (1..MAX) OF Attribute{{SupportedAttributes}}
                                                                     OPTIONAL }
```

NOTE – **CommonResults** and **CommonResultsSeq** consist of the same components. The former is used when included in set types by the **COMPONENT OF** type, while the latter is used similarly in sequence types.

The **SecurityParameters** component is specified in 7,10,1 If the result is to be signed by the Directory, the **SecurityParameters** component shall be included in the result. The absence of the **SecurityParameters** component is deemed equivalent to an empty set.

44e76a0e0f47/iso-iec-9594-3-2008

The **performer** Distinguished Name identifies the performer of a particular operation. It may be required when the result is to be signed (see 7.10) and shall hold the name of the DSA that signed the result.

The **aliasDereferenced** component is set to **TRUE** when the purported name of an object or base object which is the target of the operation included any aliases which were dereferenced.

The **notification** component shall be used to qualify returned result and error APDUs, for example providing more precise error information. Standard notification attributes are defined in 6.13 of ITU-T Rec. X.520 | ISO/IEC 9594-6. Such notification attributes are not necessarily stored in directory entries.

7.5 Service controls

A ServiceControls parameter contains the controls, if any, that are to direct or constrain the provision of the service.

```
ServiceControls ::= SET {
                                     ServiceControlOptions DEFAULT { },
      options
                               [0]
                                     INTEGER { low (0), medium (1), high (2) } DEFAULT medium,
      priority
                               [1]
      timeLimit
                               [2]
                                     INTEGER OPTIONAL,
                               [3]
                                     INTEGER OPTIONAL,
      sizeLimit
      scopeOfReferral
                               [4]
                                     INTEGER { dmd(0), country(1) } OPTIONAL,
      attributeSizeLimit
                               [5]
                                     INTEGER OPTIONAL,
                                     SEQUENCE {
      manageDSAITPlaneRef
            dsaName
                                           Name,
                                           AgreementID } OPTIONAL,
            agreementID
                                     OBJECT IDENTIFIER OPTIONAL,
      serviceType
                               [7]
                               [8]
                                     INTEGER OPTIONAL }
      userClass
ServiceControlOptions ::= BIT STRING {
            preferChaining
                                     (0),
            chainingProhibited
                                     (1),
```