

ETSI GS NFV-SOL 002 V2.4.1 (2018-02)



Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; RESTful protocols specification for the Ve-Vnfm Reference Point

iTeh SCAN AND REVIEW
Full standard:
<https://standards.iteh.ai/catalog/standards/etsi-gs-nfv-sol-002-v2.4.1-2018-02-4243-9elf-a2b1d835bd34/etsi-gs-nfv-sol-002-v2.4.1-2018-02-4243-9elf-a2b1d835bd34>

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

Reference
RGS/NFV-SOL002ed241

Keywords
API, NFV, protocol

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88.

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	14
Foreword.....	14
Modal verbs terminology.....	14
1 Scope	15
2 References	15
2.1 Normative references	15
2.2 Informative references.....	16
3 Definitions and abbreviations.....	17
3.1 Definitions	17
3.2 Abbreviations	17
4 General aspects.....	18
4.1 Overview	18
4.2 URI structure and supported content formats.....	18
4.3 Common procedures.....	19
4.3.1 Introduction.....	19
4.3.2 Attribute-based filtering.....	19
4.3.2.1 Overview and example (informative).....	19
4.3.2.2 Specification.....	20
4.3.3 Attribute selectors	21
4.3.3.1 Overview and example (informative).....	21
4.3.3.2 Specification.....	21
4.3.3.2.1 GET request.....	21
4.3.3.2.2 GET response	22
4.3.4 Usage of HTTP header fields.....	22
4.3.4.1 Introduction.....	22
4.3.4.2 Request header fields	22
4.3.4.3 Response header fields	23
4.3.5 Error reporting	23
4.3.5.1 Introduction.....	23
4.3.5.2 General mechanism	23
4.3.5.3 Type: ProblemDetails.....	24
4.3.5.4 Common error situations	24
4.3.5.5 Overview of HTTP error status codes	25
4.4 Common data types	26
4.4.1 Structured data types.....	26
4.4.1.1 Introduction	26
4.4.1.2 Type: Object.....	26
4.4.1.3 Type: Link.....	26
4.4.1.4 Type: KeyValuePairs	26
4.4.1.5 Type: VnfInstanceSubscriptionFilter	27
4.4.2 Simple data types and enumerations	27
4.4.2.1 Introduction	27
4.4.2.2 Simple data types	27
4.4.2.3 Enumerations	28
4.5 Authorization of API requests and notifications	28
4.5.1 Introduction.....	28
4.5.2 Flows (informative)	29
4.5.2.0 General	29
4.5.2.1 Authorization of API requests using OAuth 2.0 access tokens	29
4.5.2.1a Authorization of API requests using TLS certificates	31
4.5.2.2 Authorization of notifications using the HTTP Basic authentication scheme	32
4.5.2.3 Authorization of notifications using OAuth 2.0 access tokens	33
4.5.2.4 Authorization of notifications using TLS certificates	35
4.5.3 Specification	37

4.5.3.1	Introduction	37
4.5.3.2	General mechanism	37
4.5.3.3	Authorizing API requests	37
4.5.3.4	Authorizing the sending of notifications	38
4.5.3.5	Client roles	39
4.5.3.6	Negotiation of authorization method	40
4.5.3.6.1	Authorization of API requests	40
4.5.3.6.2	Authorization of notification requests	41
5	VNF Lifecycle Management interface	41
5.1	Description	41
5.2	Resource structure and methods	42
5.3	Sequence diagrams (informative)	44
5.3.1	Flow of the creation of a VNF instance resource	44
5.3.2	Flow of the deletion of a VNF instance resource	45
5.3.3	Flow of VNF lifecycle management operations triggered by task resources	46
5.3.4	Flow of automatic invocation of VNF scaling and VNF healing	49
5.3.5	Flow of the Query VNF operation	51
5.3.6	Flow of the Modify VNF Information operation	52
5.3.7	Flow of the Get Operation Status operation	53
5.3.8	Flow of managing subscriptions	54
5.3.9	Flow of sending notifications	56
5.3.10	Flow of retrying a VNF lifecycle management operation	57
5.3.11	Flow of rolling back a VNF lifecycle management operation	58
5.3.12	Flow of failing a VNF lifecycle management operation	59
5.3.13	Flow of cancelling a VNF lifecycle management operation	60
5.4	Resources	62
5.4.1	Introduction	62
5.4.2	Resource: VNF instances	62
5.4.2.1	Description	62
5.4.2.2	Resource definition	63
5.4.2.3	Resource methods	63
5.4.2.3.1	POST	63
5.4.2.3.2	GET	63
5.4.2.3.3	PUT	64
5.4.2.3.4	PATCH	64
5.4.2.3.5	DELETE	65
5.4.3	Resource: Individual VNF instance	65
5.4.3.1	Description	65
5.4.3.2	Resource definition	65
5.4.3.3	Resource methods	65
5.4.3.3.1	POST	65
5.4.3.3.2	GET	65
5.4.3.3.3	PUT	66
5.4.3.3.4	PATCH	66
5.4.3.3.5	DELETE	67
5.4.4	Resource: Instantiate VNF task	68
5.4.4.1	Description	68
5.4.4.2	Resource definition	68
5.4.4.3	Resource methods	68
5.4.4.3.1	POST	68
5.4.4.3.2	GET	69
5.4.4.3.3	PUT	69
5.4.4.3.4	PATCH	69
5.4.4.3.5	DELETE	69
5.4.5	Resource: Scale VNF task	69
5.4.5.1	Description	69
5.4.5.2	Resource definition	69
5.4.5.3	Resource methods	70
5.4.5.3.1	POST	70
5.4.5.3.2	GET	71
5.4.5.3.3	PUT	71

5.4.5.3.4	PATCH	71
5.4.5.3.5	DELETE	71
5.4.6	Resource: Scale VNF to Level task	72
5.4.6.1	Description	72
5.4.6.2	Resource definition	72
5.4.6.3	Resource methods	72
5.4.6.3.1	POST	72
5.4.6.3.2	GET	73
5.4.6.3.3	PUT	73
5.4.6.3.4	PATCH	73
5.4.6.3.5	DELETE	73
5.4.7	Resource: Change VNF Flavour task	74
5.4.7.1	Description	74
5.4.7.2	Resource definition	74
5.4.7.3	Resource methods	74
5.4.7.3.1	POST	74
5.4.7.3.2	GET	75
5.4.7.3.3	PUT	75
5.4.7.3.4	PATCH	75
5.4.7.3.5	DELETE	75
5.4.8	Resource: Terminate VNF task	76
5.4.8.1	Description	76
5.4.8.2	Resource definition	76
5.4.8.3	Resource methods	76
5.4.8.3.1	POST	76
5.4.8.3.2	GET	77
5.4.8.3.3	PUT	77
5.4.8.3.4	PATCH	77
5.4.8.3.5	DELETE	77
5.4.9	Resource: Heal VNF task	77
5.4.9.1	Description	77
5.4.9.2	Resource definition	77
5.4.9.3	Resource methods	78
5.4.9.3.1	POST	78
5.4.9.3.2	GET	79
5.4.9.3.3	PUT	79
5.4.9.3.4	PATCH	79
5.4.9.3.5	DELETE	79
5.4.10	Resource: Operate VNF task	80
5.4.10.1	Description	80
5.4.10.2	Resource definition	80
5.4.10.3	Resource methods	80
5.4.10.3.1	POST	80
5.4.10.3.2	GET	81
5.4.10.3.3	PUT	81
5.4.10.3.4	PATCH	81
5.4.10.3.5	DELETE	81
5.4.11	Resource: Change external VNF connectivity task	82
5.4.11.1	Description	82
5.4.11.2	Resource definition	82
5.4.11.3	Resource methods	82
5.4.11.3.1	POST	82
5.4.11.3.2	GET	83
5.4.11.3.3	PUT	83
5.4.11.3.4	PATCH	83
5.4.11.3.5	DELETE	83
5.4.12	Resource: VNF LCM operation occurrences	83
5.4.12.1	Description	83
5.4.12.2	Resource definition	83
5.4.12.3	Resource methods	84
5.4.12.3.1	POST	84
5.4.12.3.2	GET	84

5.4.12.3.3	PUT	85
5.4.12.3.4	PATCH.....	85
5.4.12.3.5	DELETE.....	85
5.4.13	Resource: Individual VNF LCM operation occurrence	85
5.4.13.1	Description	85
5.4.13.2	Resource definition	85
5.4.13.3	Resource methods	86
5.4.13.3.1	POST	86
5.4.13.3.2	GET	86
5.4.13.3.3	PUT	86
5.4.13.3.4	PATCH.....	86
5.4.13.3.5	DELETE.....	87
5.4.14	Resource: Retry operation task	87
5.4.14.1	Description	87
5.4.14.2	Resource definition	87
5.4.14.3	Resource methods	87
5.4.14.3.1	POST	87
5.4.14.3.2	GET	88
5.4.14.3.3	PUT	88
5.4.14.3.4	PATCH.....	88
5.4.14.3.5	DELETE.....	88
5.4.15	Resource: Rollback operation task	89
5.4.15.1	Description	89
5.4.15.2	Resource definition	89
5.4.15.3	Resource methods	89
5.4.15.3.1	POST	89
5.4.15.3.2	GET	90
5.4.15.3.3	PUT	90
5.4.15.3.4	PATCH.....	90
5.4.15.3.5	DELETE.....	90
5.4.16	Resource: Fail operation task	91
5.4.16.1	Description	91
5.4.16.2	Resource definition	91
5.4.16.3	Resource methods	91
5.4.16.3.1	POST	91
5.4.16.3.2	GET	92
5.4.16.3.3	PUT	92
5.4.16.3.4	PATCH.....	92
5.4.16.3.5	DELETE.....	92
5.4.17	Resource: Cancel operation task	93
5.4.17.1	Description	93
5.4.17.2	Resource definition	93
5.4.17.3	Resource methods	93
5.4.17.3.1	POST	93
5.4.17.3.2	GET	94
5.4.17.3.3	PUT	94
5.4.17.3.4	PATCH.....	94
5.4.17.3.5	DELETE.....	94
5.4.18	Resource: Subscriptions.....	95
5.4.18.1	Description	95
5.4.18.2	Resource definition	95
5.4.18.3	Resource methods	95
5.4.18.3.1	POST	95
5.4.18.3.2	GET	96
5.4.18.3.3	PUT	97
5.4.18.3.4	PATCH.....	97
5.4.18.3.5	DELETE.....	97
5.4.19	Resource: Individual subscription.....	97
5.4.19.1	Description	97
5.4.19.2	Resource definition	97
5.4.19.3	Resource methods	98
5.4.19.3.1	POST	98

5.4.19.3.2	GET	98
5.4.19.3.3	PUT	98
5.4.19.3.4	PATCH.....	98
5.4.19.3.5	DELETE.....	98
5.4.20	Resource: Notification endpoint	99
5.4.20.1	Description	99
5.4.20.2	Resource definition	99
5.4.20.3	Resource methods	99
5.4.20.3.1	POST	99
5.4.20.3.2	GET	100
5.4.20.3.3	PUT	100
5.4.20.3.4	PATCH.....	100
5.4.20.3.5	DELETE.....	101
5.5	Data model	101
5.5.1	Introduction.....	101
5.5.2	Resource and notification data types	101
5.5.2.1	Introduction.....	101
5.5.2.2	Type: VnfiInstance	101
5.5.2.3	Type: CreateVnfRequest.....	103
5.5.2.4	Type: InstantiateVnfRequest.....	104
5.5.2.5	Type: ScaleVnfRequest.....	104
5.5.2.6	Type: ScaleVnfToLevelRequest	105
5.5.2.7	Type: ChangeVnfFlavourRequest.....	105
5.5.2.8	Type: TerminateVnfRequest.....	105
5.5.2.9	Type: HealVnfRequest.....	106
5.5.2.10	Type: OperateVnfRequest.....	106
5.5.2.11	Type: ChangeExtVnfConnectivityRequest	107
5.5.2.12	Type: VnfiInfoModificationRequest	107
5.5.2.12a	Type: VnfiInfoModifications	108
5.5.2.13	Type: VnfLcmOpOcc.....	109
5.5.2.14	Type: CancelMode	111
5.5.2.15	Type: LccnSubscriptionRequest	111
5.5.2.16	Type: LccnSubscription	111
5.5.2.17	Type: VnfLcmOperationOccurrenceNotification	111
5.5.2.18	Type: VnfIdentifierCreationNotification	113
5.5.2.19	Type: VnfIdentifierDeletionNotification	113
5.5.3	Referenced structured data types	114
5.5.3.1	Introduction.....	114
5.5.3.2	Type: ExtVirtualLinkData.....	114
5.5.3.3	Type: ExtVirtualLinkInfo	114
5.5.3.4	Type: ExtManagedVirtualLinkData	115
5.5.3.5	Type: ExtManagedVirtualLinkInfo	115
5.5.3.6	Type: VnfExtCpData	115
5.5.3.6a	Type: VnfExtCpConfig	116
5.5.3.6b	Type: CpProtocolData	116
5.5.3.6c	Type: IpOverEthernetAddressData	117
5.5.3.7	Type: ScaleInfo	117
5.5.3.8	Type: VnfcResourceInfo	118
5.5.3.9	Type: VnfVirtualLinkResourceInfo	118
5.5.3.10	Type: VirtualStorageResourceInfo	118
5.5.3.11	Type: VnfLinkPortInfo	119
5.5.3.12	Type: ExtLinkPortInfo	119
5.5.3.12a	Type: ExtLinkPortData	119
5.5.3.13	Type: ResourceHandle	120
5.5.3.14	VOID.....	120
5.5.3.15	VOID.....	120
5.5.3.15a	Type: CpProtocolInfo	120
5.5.3.16	Type: IpOverEthernetAddressInfo	121
5.5.3.17	Type: MonitoringParameter	121
5.5.3.18	Type: LifecycleChangeNotificationsFilter	121
5.5.3.19	Type: AffectedVnfc	122
5.5.3.20	Type: AffectedVirtualLink.....	123

5.5.3.21	Type: AffectedVirtualStorage	124
5.5.3.22	Type: LccnLinks	124
5.5.3.23	Type: VnfcInfo.....	125
5.5.3.24	Type: VnfcInfoModifications	125
5.5.4	Referenced simple data types and enumerations	125
5.5.4.1	Introduction	125
5.5.4.2	Simple data types	125
5.5.4.3	Enumeration: VnfOperationalStateType.....	126
5.5.4.4	Void.....	126
5.5.4.5	Enumeration: LcmOperationType.....	126
5.5.4.6	Enumeration: LcmOperationStateType.....	126
5.5.4.7	Enumeration: CancelModeType	126
5.6	Handling of errors during VNF lifecycle management operations.....	127
5.6.1	Basic concepts (informative)	127
5.6.1.1	Motivation	127
5.6.1.2	Failure resolution strategies: Retry and Rollback	127
5.6.1.3	Error handling at VNFM and EM	128
5.6.2	States and state transitions of a VNF lifecycle management operation occurrence	129
5.6.2.1	General	129
5.6.2.2	States of a VNF lifecycle management operation occurrence	129
5.6.2.3	Error handling operations that change the state of a VNF lifecycle management operation occurrence	132
5.6.3	Detailed flows	133
5.6.3.1	Immediate failure	133
5.6.3.2	Failure in "STARTING" state	133
5.6.3.3	Failure during actual LCM operation execution	134
5.6.3.4	LCM operation cancellation.....	136
6	VNF Performance Management interface.....	136
6.1	Description	136
6.2	Resource structure and methods.....	136
6.3	Sequence diagrams (informative)	137
6.3.1	Flow of creating a PM job	137
6.3.2	Flow of querying/reading PM jobs	138
6.3.3	Flow of deleting a PM job	139
6.3.4	Flow of obtaining performance reports.....	139
6.3.5	Flow of creating a threshold	140
6.3.6	Flow of querying/reading thresholds	141
6.3.7	Flow of deleting thresholds.....	141
6.3.8	Flow of managing subscriptions	142
6.3.9	Flow of sending notifications.....	144
6.4	Resources	145
6.4.1	Introduction.....	145
6.4.2	Resource: PM jobs	145
6.4.2.1	Description	145
6.4.2.2	Resource definition	145
6.4.2.3	Resource methods	145
6.4.2.3.1	POST	145
6.4.2.3.2	GET	146
6.4.2.3.3	PUT	146
6.4.2.3.4	PATCH.....	147
6.4.2.3.5	DELETE.....	147
6.4.3	Resource: Individual PM job	147
6.4.3.1	Description	147
6.4.3.2	Resource definition	147
6.4.3.3	Resource methods	147
6.4.3.3.1	POST	147
6.4.3.3.2	GET	147
6.4.3.3.3	PUT	148
6.4.3.3.4	PATCH.....	148
6.4.3.3.5	DELETE.....	148
6.4.4	Resource: Individual performance report	149

6.4.4.1	Description	149
6.4.4.2	Resource definition	149
6.4.4.3	Resource methods	149
6.4.4.3.1	POST	149
6.4.4.3.2	GET	149
6.4.4.3.3	PUT	150
6.4.4.3.4	PATCH	150
6.4.4.3.5	DELETE	150
6.4.5	Resource: Thresholds	150
6.4.5.1	Description	150
6.4.5.2	Resource definition	150
6.4.5.3	Resource methods	150
6.4.5.3.1	POST	150
6.4.5.3.2	GET	151
6.4.5.3.3	PUT	152
6.4.5.3.4	PATCH	152
6.4.5.3.5	DELETE	152
6.4.6	Resource: Individual threshold	152
6.4.6.1	Description	152
6.4.6.2	Resource definition	152
6.4.6.3	Resource methods	153
6.4.6.3.1	POST	153
6.4.6.3.2	GET	153
6.4.6.3.3	PUT	153
6.4.6.3.4	PATCH	153
6.4.6.3.5	DELETE	153
6.4.7	Resource: Subscriptions	154
6.4.7.1	Description	154
6.4.7.2	Resource definition	154
6.4.7.3	Resource methods	154
6.4.7.3.1	POST	154
6.4.7.3.2	GET	155
6.4.7.3.3	PUT	156
6.4.7.3.4	PATCH	156
6.4.7.3.5	DELETE	156
6.4.8	Resource: Individual subscription	156
6.4.8.1	Description	156
6.4.8.2	Resource definition	156
6.4.8.3	Resource methods	157
6.4.8.3.1	POST	157
6.4.8.3.2	GET	157
6.4.8.3.3	PUT	157
6.4.8.3.4	PATCH	157
6.4.8.3.5	DELETE	157
6.4.9	Resource: Notification endpoint	158
6.4.9.1	Description	158
6.4.9.2	Resource definition	158
6.4.9.3	Resource methods	158
6.4.9.3.1	POST	158
6.4.9.3.2	GET	159
6.4.9.3.3	PUT	159
6.4.9.3.4	PATCH	159
6.4.9.3.5	DELETE	160
6.5	Data Model	160
6.5.1	Introduction	160
6.5.2	Resource and notification data types	160
6.5.2.1	Introduction	160
6.5.2.2	Type: PmSubscriptionRequest	160
6.5.2.3	Type: PmSubscription	160
6.5.2.4	Type: ThresholdCrossedNotification	160
6.5.2.5	Type: PerformanceInformationAvailableNotification	161
6.5.2.6	Type: CreatePmJobRequest	162

6.5.2.7	Type: PmJob	162
6.5.2.8	Type: CreateThresholdRequest.....	163
6.5.2.9	Type: Threshold	163
6.5.2.10	Type: PerformanceReport	164
6.5.3	Referenced structured data types	165
6.5.3.1	Introduction.....	165
6.5.3.2	Type: PmNotificationsFilter.....	165
6.5.3.3	Type: PmJobCriteria	165
6.5.3.4	Type: ThresholdCriteria	166
6.5.4	Referenced simple data types and enumerations	166
6.5.4.1	Introduction.....	166
6.5.4.2	Simple data types	166
6.5.4.3	Enumeration: CrossingDirectionType.....	166
7	VNF Fault Management interface	167
7.1	Description	167
7.2	Resource structure and methods.....	167
7.3	Sequence diagrams (informative).....	168
7.3.1	Flow of the Get Alarm List operation.....	168
7.3.2	Escalate perceived severity task flow	169
7.3.3	Flow of acknowledging alarm	169
7.3.4	Flow of managing subscriptions	170
7.3.5	Flow of sending notifications.....	171
7.4	Resources	172
7.4.1	Introduction.....	172
7.4.2	Resource: Alarms.....	172
7.4.2.1	Description	172
7.4.2.2	Resource definition	172
7.4.2.3	Resource methods	172
7.4.2.3.1	POST	172
7.4.2.3.2	GET	172
7.4.2.3.3	PUT	173
7.4.2.3.4	PATCH.....	173
7.4.2.3.5	DELETE.....	173
7.4.3	Resource: Individual alarm	173
7.4.3.1	Description	173
7.4.3.2	Resource definition	173
7.4.3.3	Resource methods	174
7.4.3.3.1	POST	174
7.4.3.3.2	GET	174
7.4.3.3.3	PUT	174
7.4.3.3.4	PATCH.....	174
7.4.3.3.5	DELETE.....	175
7.4.4	Resource: Escalate Perceived Severity task	175
7.4.4.1	Description	175
7.4.4.2	Resource definition	176
7.4.4.3	Resource Methods	176
7.4.4.3.1	POST	176
7.4.4.3.2	GET	176
7.4.4.3.3	PUT	176
7.4.4.3.4	PATCH.....	176
7.4.4.3.5	DELETE.....	177
7.4.5	Resource: Subscriptions	177
7.4.5.1	Description	177
7.4.5.2	Resource definition	177
7.4.5.3	Resource methods	177
7.4.5.3.1	POST	177
7.4.5.3.2	GET	178
7.4.5.3.3	PUT	179
7.4.5.3.4	PATCH.....	179
7.4.5.3.5	DELETE.....	179
7.4.6	Resource: Individual subscription	179

7.4.6.1	Description	179
7.4.6.2	Resource definition	179
7.4.6.3	Resource methods	180
7.4.6.3.1	POST	180
7.4.6.3.2	GET	180
7.4.6.3.3	PUT	180
7.4.6.3.4	PATCH	180
7.4.6.3.5	DELETE	180
7.4.7	Resource: Notification endpoint	181
7.4.7.1	Description	181
7.4.7.2	Resource definition	181
7.4.7.3	Resource methods	181
7.4.7.3.1	POST	181
7.4.7.3.2	GET	182
7.4.7.3.3	PUT	182
7.4.7.3.4	PATCH	182
7.4.7.3.5	DELETE	183
7.5	Data Model	183
7.5.1	Introduction	183
7.5.2	Resource and notification data types	183
7.5.2.1	Introduction	183
7.5.2.2	Type: FmSubscriptionRequest	183
7.5.2.3	Type: FmSubscription	183
7.5.2.4	Type: Alarm	184
7.5.2.5	Type: AlarmNotification	184
7.5.2.6	Type: AlarmClearedNotification	185
7.5.2.7	Type: PerceivedSeverityRequest	185
7.5.2.8	Type: AlarmListRebuiltNotification	185
7.5.2.9	Type: AlarmModifications	186
7.5.3	Referenced structured data types	186
7.5.3.1	Introduction	186
7.5.3.2	Type: FmNotificationsFilter	186
7.5.3.3	Type: FaultyResourceInfo	187
7.5.4	Referenced simple data types and enumerations	187
7.5.4.1	Introduction	187
7.5.4.2	Simple data types	187
7.5.4.3	Enumeration: PerceivedSeverityType	187
7.5.4.4	Enumeration: EventType	188
7.5.4.5	Enumeration: FaultyResourceType	188
8	VNF Indicator interface	189
8.1	Description	189
8.2	Resource structure and methods	189
8.3	Sequence diagrams (informative)	190
8.3.1	Flow of querying VNF indicators	190
8.3.2	Flow of reading a VNF indicator	191
8.3.3	Flow of managing subscriptions	191
8.3.4	Flow of sending notifications	193
8.4	Resources	194
8.4.1	Introduction	194
8.4.2	Resource: VNF indicators	194
8.4.2.1	Description	194
8.4.2.2	Resource definition	194
8.4.2.3	Resource methods	194
8.4.2.3.1	POST	194
8.4.2.3.2	GET	194
8.4.2.3.3	PUT	195
8.4.2.3.4	PATCH	195
8.4.2.3.5	DELETE	195
8.4.3	Resource: VNF indicators related to a VNF instance	195
8.4.3.1	Description	195
8.4.3.2	Resource definition	195

8.4.3.3	Resource methods	196
8.4.3.3.1	POST	196
8.4.3.3.2	GET	196
8.4.3.3.3	PUT	196
8.4.3.3.4	PATCH.....	196
8.4.3.3.5	DELETE.....	196
8.4.4	Resource: Individual VNF indicator.....	197
8.4.4.1	Description	197
8.4.4.2	Resource definition	197
8.4.4.3	Resource methods	197
8.4.4.3.1	POST	197
8.4.4.3.2	GET	197
8.4.4.3.3	PUT	198
8.4.4.3.4	PATCH.....	198
8.4.4.3.5	DELETE.....	198
8.4.5	Resource: Subscriptions.....	198
8.4.5.1	Description	198
8.4.5.2	Resource definition	198
8.4.5.3	Resource methods	198
8.4.5.3.1	POST	198
8.4.5.3.2	GET	199
8.4.5.3.3	PUT	200
8.4.5.3.4	PATCH.....	200
8.4.5.3.5	DELETE.....	200
8.4.6	Resource: Individual subscription.....	200
8.4.6.1	Description	200
8.4.6.2	Resource definition	200
8.4.6.3	Resource methods	201
8.4.6.3.1	POST	201
8.4.6.3.2	GET	201
8.4.6.3.3	PUT	201
8.4.6.3.4	PATCH.....	201
8.4.6.3.5	DELETE.....	201
8.4.7	Resource: Notification endpoint	202
8.4.7.1	Description	202
8.4.7.2	Resource definition	202
8.4.7.3	Resource methods	202
8.4.7.3.1	POST	202
8.4.7.3.2	GET	203
8.4.7.3.3	PUT	203
8.4.7.3.4	PATCH.....	203
8.4.7.3.5	DELETE.....	203
8.5	Data model	204
8.5.1	Introduction.....	204
8.5.2	Resource and notification data types	204
8.5.2.1	Introduction	204
8.5.2.2	Type: VnfIndicator.....	204
8.5.2.3	Type: VnfIndicatorSubscriptionRequest.....	204
8.5.2.4	Type: VnfIndicatorSubscription.....	204
8.5.2.5	Type: VnfIndicatorValueChangeNotification	205
8.5.3	Referenced structured data types	205
8.5.3.1	Introduction	205
8.5.3.2	Type: VnfIndicatorNotificationsFilter	205
8.5.4	Referenced simple data types and enumerations	206
9	VNF Configuration interface.....	206
9.1	Description	206
9.2	Resource structure and methods	206
9.3	Sequence diagrams (informative).....	207
9.3.1	Flow of setting the VNF configuration	207
9.4	Resources	207
9.4.1	Introduction.....	207

9.4.2	Resource: Configuration	207
9.4.2.1	Description	207
9.4.2.2	Resource definition	208
9.4.2.3	Resource methods	208
9.4.2.3.1	POST	208
9.4.2.3.2	GET	208
9.4.2.3.3	PUT	208
9.4.2.3.4	PATCH	209
9.4.2.3.5	DELETE	209
9.5	Data model	209
9.5.1	Introduction	209
9.5.2	Resource and notification data types	209
9.5.2.1	Introduction	209
9.5.2.2	Type: VnfConfigModifications	210
9.5.3	Referenced structured data types	210
9.5.3.1	Introduction	210
9.5.3.2	Type: VnfConfiguration	210
9.5.3.3	Type: VnfConfigurationData	211
9.5.3.4	Type: VnfcConfigurationData	211
9.5.3.5	Type: CpConfiguration	211
9.5.3.6	Type: CpAddress	212
9.5.4	Referenced simple data types and enumerations	212
Annex A (informative): Mapping operations to protocol elements.....		213
A.1	Overview	213
A.2	VNF Lifecycle Management interface	213
A.3	VNF Performance Management interface	214
A.4	VNF Fault Management interface	214
A.5	VNF Indicator interface	215
A.6	VNF Configuration interface	215
Annex B (informative): Explanations.....		216
B.1	Introduction	216
B.2	Scaling of a VNF instance	216
B.3	Examples of VNF connectivity patterns	218
B.3.1	Introduction	218
B.3.2	Example of a VNF with two different types of external connection points	218
B.3.3	Example of changing VNF connectivity	219
Annex C (informative): Differences between SOL002 and SOL003.....		220
C.1	Overview	220
C.2	Interfaces present in both SOL002 and SOL003	220
C.2.1	Basic principles	220
C.2.2	VNF Lifecycle Management interface	220
C.2.3	VNF Performance Management interface	221
C.2.4	VNF Fault Management interface	222
C.2.5	VNF Indicator interface	222
C.3	Interfaces present in one of SOL002 and SOL003	222
C.3.1	Interfaces only present in SOL002	222
C.3.2	Interfaces only present in SOL003	222
Annex D (informative): Authors & contributors.....		223
Annex E (informative): Change History		224
History		228