# ETSI GS NFV-SOL 004 V2.4.1 (2018-02)





Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.

It does not necessarily represent the views of the entire ETSI membership.

### Reference

RGS/NFV-SOL004ed241

Keywords

data, NFV, protocol, virtualisation

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

# Important notice

The present document can be downloaded from: http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <a href="https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx">https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx</a>

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommitteeSupportStaff.aspx

#### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018. All rights reserved.

**DECT**<sup>™</sup>, **PLUGTESTS**<sup>™</sup>, **UMTS**<sup>™</sup> and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**<sup>™</sup> and **LTE**<sup>™</sup> are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

**GSM**® and the GSM logo are trademarks registered and owned by the GSM Association.

## Contents

Intell	ectual Property Rights.		4		
Forev	word		4		
Moda	al verbs terminology		4		
1	Scope		5		
2	•				
2.1		S			
2.2		es			
3	Definitions and abbreviations				
3.1	Definitions				
3.2	Abbreviations		6		
4					
4.1	TOSCA YAML Cloud Service Archive (CSAR) overview				
4.1.1					
4.1.2		CA-Metadata directory			
4.1.3		t TOSCA-Metadata directory			
4.2	VNF package structu	re and format			
4.3 4.3.1	Conoral	ntents			
4.3.1	VNE pockogo mo	nifact file			
4.3.3	VNF package ma	inge history file	S		
4.3.4	VNF package end	ring files	C		
4.3.5	VNF package lice	ensing information As A A A A A A A A A A A A A A A A A A	Ç		
4.3.6	5 VNF package licensing information Certificate file				
4.3.7	Non-MANO artifact sets in a VNF package All All All All All All All All All Al				
5	Adding security to TO	SCA CSAR STATE THE TANK THE TA	10		
5.1	VNF package file contents  1 General				
5.2	VNF package authenticity and integrity				
5.3	Conventions in the manifest file				
5.4	Signature of individual artifacts				
5.5	Support for security sensitive artifacts				
<b>A</b>		TOSCA CSAR examples			
AIIII	ex A (informative):	-			
A.1	CSAR with the TOSC	A-Metadata directory	14		
A.2	CSAR without the TO	SCA-Metadata directory	14		
Anne	ex B (normative):	Non-MANO artifact sets registry	15		
B.1	General		15		
B.2	Non-MANO artifact s	et identifier format	15		
B.3	Registered information	1	15		
Anne	ex C (informative):	Authors & contributors	17		
	ex D (informative):	Change History			
		Change Hiswi y			
Histo	rv		19		

## Intellectual Property Rights

#### **Essential patents**

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

#### **Trademarks**

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

## Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

## Modal verbs terminology

In the present document "shall", "shall not", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 32 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

## 1 Scope

The present document specifies the structure and format of a VNF package file and its constituents, fulfilling the requirements specified in ETSI GS NFV-IFA 011 [1] for a VNF package.

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="https://docbox.etsi.org/Reference">https://docbox.etsi.org/Reference</a>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1]	ETSI GS NFV-IFA 011: "Network Functions Virtualisation (NFV); Management and
	Orchestration; VNF Packaging Specification".
[2]	TOSCA-Simple-Profile-YAML-v11-csprd01: "TOSCA Simple Profile in YAML Version 1.1".
	A STATE OF THE STA
[3]	IETF RFC 3339: "Date and Time on the Internet: Timestamps".
[4]	IANA register for Hash Function Textual Names.
	A SH Call Fill Atal sign

NOTE: Available at <a href="https://www.iana.org/assignments/hash-function-text-names/hash-funct

[5] IETF RFC 5652 (September 2009): "Cryptographic Message Syntax (CMS)".

[6] IETF RFC 7468: "Textual Encodings of PKIX, PKCS, and CMS Structures".

[7] IANA register for Media Types.

NOTE: Available at <a href="https://www.iana.org/assignments/media-types/media-types.txt">https://www.iana.org/assignments/media-types/media-types.txt</a>.

[8] Recommendation ITU-T X.509: "Information technology - Open Systems Interconnection - The Directory: Public-key and attribute certificate frameworks".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1] TOSCA-v1.0-os: "TOSCA Version 1.0".

[i.2] TOSCA-Simple-Profile-YAML-v1.0-csprd02: "TOSCA Simple Profile in YAML Version 1.0".

[i.3] ETSI GS NFV 003: "Network Functions Virtualisation (NFV); Terminology for Main Concepts in

NFV".

[i.4] ETSI GS NFV-SOL 001: "Network Functions Virtualisation (NFV) Release 2; Protocols and Data

Models; NFV Descriptors based on TOSCA".

ETSI NFV registry of non-MANO artifact sets. [i.5]

NOTE: Available at <a href="http://register.etsi.org/NFV">http://register.etsi.org/NFV</a>.

#### Definitions and abbreviations 3

#### **Definitions** 3.1

For the purposes of the present document, the terms and definitions given in ETSI GS NFV 003 [i.3] and the following apply:

non-MANO artifact: artifact for use by functional blocks beyond NFV-MANO

non-MANO artifact set: set of related non-MANO artifacts which are intended to be used together

#### 3.2 **Abbreviations**

For the purposes of the present document, the following abbreviations apply:

CA Certificate Authority

Cryptographic Message Syntax **CMS** 

Cloud Service Archive **CSAR** NFV Infrastructure NFVI

NFV Orchestrator **NFVO** 

Topology and Orchestration Specification for Cloud Applications **TOSCA** 

**URI** Universal Resource Identifier Unicode Transformation Format **UTF** 

**VNF** Virtualised Network Function

**VNFC VNF** Component **VNFD VNF** Descriptor

YAML YAML Ain't Markup Language

#### VNF package 4

#### TOSCA YAML Cloud Service Archive (CSAR) overview 4 1

#### 4.1.1 CSAR structure

TOSCA YAML CSAR file is an archive file using the ZIP file format whose structure complies with the TOSCA Simple Profile YAML v1.1 Specification [2]. The CSAR file may have one of the two following structures:

- CSAR containing a TOSCA-Metadata directory, which includes the TOSCA.meta metadata file providing an entry information for processing a CSAR file as defined in TOSCA v1.0 Specification [i.1].
- CSAR containing a single yaml (.yml or .yaml) file at the root of the archive. The yaml file is a TOSCA definition template that contains a metadata section with template\_name and template\_version metadata. This file is the CSAR Entry-Definitions file.

In addition, the CSAR file may optionally contain other directories with bespoke names and contents.

#### 4.1.2 CSAR with TOSCA-Metadata directory

The TOSCA meta metadata file includes block\_0 with the Entry-Definitions keyword pointing to a TOSCA definitions YAML file used as entry for parsing the contents of the overall CSAR archive.

Any TOSCA definitions files besides the one denoted by the *Entry-Definitions* keyword can be found by processing respective imports statements in the entry definitions file (or in recursively imported files).

Any additional artifacts files (e.g. scripts, binaries, configuration files) can be either declared explicitly through blocks in the TOSCA.meta file as described in TOSCA v1.0 Specification [i.1] or pointed to by relative path names through artifact definitions in one of the TOSCA definitions files contained in the CSAR file.

In order to indicate that the simplified structure (i.e. not all files need to be declared explicitly) of TOSCA.meta file allowed by TOSCA Simple profile YAML 1.0 [i.2] is used, the CSAR-Version keyword listed in block\_0 of the metafile denotes the version 1.1 as described in the below example. Otherwise the CSAR-Version keyword denotes the version 1.0 and all files are declared explicitly.

#### **EXAMPLE:**

```
TOSCA-Meta-File-Version: 1.0
CSAR-Version: 1.1
Created-by: Onboarding portal
Entry-Definitions: Definitions/ MainServiceTemplate.yaml
```

END OF EXAMPLE.

#### 413 CSAR zip without TOSCA-Metadata directory

The yaml file at the root of the archive is the CSAR Entry-Defontion file. The CSAR-Version is defined by the template\_version metadata as can be seen in the below example.

#### **EXAMPLE:**

```
tosca simple yam
                                      Sandards, heliance of his lets
tosca_definitions_version:
metadata:
   template_name: MainServiceTemplate
   template_author: Onboarding portal
   template_version: 1.0
```

END OF EXAMPLE.

#### VNF package structure and format 4.2

The structure and format of a VNF package shall conform to the TOSCA Simple Profile YAML v1.1 Specification of the CSAR format [2].

NOTE: This implies that the VNF package can be structured according to any of the two options described in clause 4.1.

#### VNF package file contents 4.3

#### 431 General

A VNF Package shall contain the VNFD as the main TOSCA definitions YAML file, and additional files, and shall be structured according to one of the CSAR structure options described in clause 4.1.

NOTE: ETSI GS NFV-SOL 001 [i.4] specifies the structure and format of the VNFD based on TOSCA specifications.

If the option with a TOSCA-Metadata directory is used and the CSAR-Version parameter indicates version 1.0, all files that are contained in the archive shall be referenced from the TOSCA.meta file. If the CSAR-Version parameter indicates version 1.1, the files that are referenced and pointed to by relative path names through artifact definitions in one of the TOSCA definitions files (e.g. the VNFD) contained in the CSAR need not be declared in the TOSCA.meta file.

Examples of VNF package options are described in annex A.

### 4.3.2 VNF package manifest file

A CSAR VNF package shall have a manifest file. The manifest file shall have an extension .mf and the same name as the main TOSCA definitions YAML file and be located at the root of the archive (archive without TOSCA-Metadata directory) or in the location specified by the TOSCA.meta file (archive with a TOSCA-Metadata directory). In the latter case, the corresponding entry shall be named "Entry-Manifest".

The manifest file shall start with the VNF package metadata in the form of a name-value pairs. Each pair shall appear on a different line. The "name" and the "value" shall be separated by a colon. The name shall be one of those specified in table 4.3.2-1 and the values shall comply with the provisions specified in table 4.3.2-1.

Table 4.3.2-1: List of valid names and values for VNF package metadata

Name	Value		
vnf_provider_id	A sequence of UTF-8 characters		
	See note.		
vnf_product_name	A sequence of UTF-8 characters0.		
	See note.		
vnf_release_data_time	String formatted according to IETF RFC 3339 [3].		
vnf_package_version	A sequence of groups of one or more digits separated by dots.		
	See note.		
NOTE: The value shall be identical to those specified in the VNFD.			

An example of valid manifest file metadata entries follows.

#### **EXAMPLE:**

```
metadata:

vnf_product_name: vMRF-1-0-0

vnf_provider_id: Acme

vnf_package_version: 1.0

vnf_release_data_time: 2017.01.01T10.00+03:00
```

#### END OF EXAMPLE.

If the VNF package refers to external files, the manifest file shall contain digests of individual files in the package, both local files contained in the package and external files referenced in the package.

If the VNF package does not refer to external files, the manifest files may contain digests of individual files contained in the package. If the manifest file does not include digests, the complete CSAR file shall be digitally signed by the VNF provider. A consumer of the VNF package verifies the digests in the manifest file by computing the actual digests and comparing them with the digests listed in the manifest file.

The manifest file, or alternatively, the signature of the CSAR file, is the key for decision regarding a VNF package integrity and validity in terms of its contained artifacts. The specification of the manifest file and specific algorithms used in digest creation and validation is described in the security related sub-clause.

## 4.3.3 VNF package change history file

A CSAR VNF package shall have a humanly readable text file describing any change in the constituency of the VNF package. All the changes in the VNF package shall be versioned, tracked and inventoried in the change history file.

The VNF package change history file shall be named "ChangeLog.txt" and be located at the root of the archive (archive without TOSCA-Metadata directory) or in the location specified by the TOSCA.meta file (archive with a TOSCA-Metadata directory). In the latter case, the corresponding entry shall be named "Entry-Change-Log".

### 4.3.4 VNF package testing files

To enable VNF package validation, a VNF Provider should include in a VNF package files containing necessary information (e.g. test description) in order to perform VNF testing. The contents of VNF testing information is outside the scope of the present document.

The VNF testing information shall be located in a directory named "Tests" located at the root of the archive (archive without TOSCA-Metadata directory) or in the location specified by the TOSCA.meta file (archive with a TOSCA-Metadata directory). In the latter case, the corresponding entry shall be named "Entry-Tests".

### 4.3.5 VNF package licensing information

As required in ETSI GS NFV-IFA 011 [1] the VNF package shall contain license information for the released VNF. The license information shall include a single license term for the whole VNF. In addition the license information may also include license terms for each of the VNF package artifacts if different from the one of the released VNF.

The VNF licensing information shall be located in a directory named "Licenses" located at the root of the archive (archive without TOSCA-Metadata directory) or in the location specified by the TOSCA.meta file (archive with a TOSCA-Metadata directory). In the latter case, the corresponding entry shall be named "Entry-Licenses".

#### 4.3.6 Certificate file

If the manifest file is signed by the VNF provider (see option 1 in clause 5.1), the CSAR VNF package shall contain a certificate file if the certificate is not included in the signature container (see note) within the manifest file. In this case, the certificate file shall have an extension .cert and the same name as the main TOSCA definitions YAML file and be located at the root of the archive (archive without TOSCA-Metadata directory) or in the location specified by the TOSCA.meta file (archive with a TOSCA-Metadata directory). In the latter case, the corresponding entry shall be named "Entry-Certificate".

NOTE: Signature container refers to a structure in a standard format (e.g. CMS) which contains signature and additional data needed to process the signature (e.g. certificates, algorithms, etc.).

If the complete CSAR file is signed by the VNF provider (see option 2 in clause 5.1), the certificate file shall be contained in a zip file together with the CSAR file and the signature file if the certificate is not included in the signature file. The certificate file shall have an extension cert and the same name as the CSAR file.

## 4.3.7 Non-MANO artifact sets in a VNF package

As required in ETSI GS NFV-IFA 011 [1] the VNF package shall allow to store and identify non-MANO artifact sets in the VNF package file.

Every non-MANO artifact set shall be identified by a non-MANO artifact set identifier which shall be registered in the registry (specified in annex B). A non-MANO artifact set identifier shall be a string that consists of sub-strings which shall not contain characters other than the following: digits (0-9), lowercase ASCII characters (a-z), and the special characters underscore "\_" and dash "-". Sub-strings shall be separated by the dot "." character.

All files belonging to the same non-MANO artifact set shall share a common path prefix other than the root of the package.

Non-MANO artifact sets shall be declared in the manifest file. If the package contains at least one non-MANO artifact set, an entry named "non\_mano\_artifact\_sets:" shall be present in the package on its own line after the "metadata" section that is defined in clause 4.3.2. The section defined by the "non\_mano\_artifact\_sets" keyname shall have the following structure:

- Every non-MANO artifact set shall be declared on its own line, by a key name that is equal to the non-MANO
  artifact set identifier.
- Below the key name, all artifacts that belong to the non-MANO artifact set shall be listed, each on its own line, starting with key name "Source", followed by a colon (":") and a blank, and further followed by a file name with path for a file in the CSAR archive that is not contained in the root of this archive.