

**SLOVENSKI STANDARD**  
**oSIST prEN 300 468 V1.16.1:2019**  
**01-julij-2019**

---

**Digitalna videoradiodifuzija (DVB) - Specifikacija za servisne informacije (SI) v sistemih DVB**

Digital Video Broadcasting (DVB) - Specification for Service Information (SI) in DVB systems

Ta slovenski standard je istoveten z: **ETSI EN 300 468 V1.16.1 (2019-05)**

**ICS:**

33.170	Televizijska in radijska difuzija	Television and radio broadcasting
--------	-----------------------------------	-----------------------------------

**oSIST prEN 300 468 V1.16.1:2019**      **en**

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

Full standard:  
<https://standards.iteh.ai/catalog/standard/standard/sist/c95e91cb-4cc6-4e5a-b202-c0e5a956f7d7/osist-pr-en-300-468-v1.16.1-2019>

# Draft ETSI EN 300 468 V1.16.1 (2019-05)



## Digital Video Broadcasting (DVB); Specification for Service Information (SI) in DVB systems

*TECHNICAL STANDARD FOR REVIEW  
(standards.iec.ch)  
Full standard:  
<https://standards.iec.ch/catalog/standards/sist/4cc6-4e5a-b202-c0e5a956f7d7/osist-pr-en-300-468-v1-16-1-2019>*



---

**Reference**

REN/JTC-DVB-376

---

**Keywords**broadcasting, digital, DVB, MPEG, service, TV,  
video**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

© European Broadcasting Union 2019.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	8
Foreword.....	8
Modal verbs terminology.....	9
1 Scope .....	10
2 References .....	10
2.1 Normative references .....	10
2.2 Informative references.....	13
3 Definition of terms, symbols and abbreviations.....	13
3.1 Terms.....	13
3.2 Symbols.....	17
3.3 Abbreviations .....	17
4 Service Information (SI) description.....	21
5 Service Information (SI) tables .....	23
5.1 SI table mechanism .....	23
5.1.1 Use of table sections .....	23
5.1.2 Mapping of sections into Transport Stream (TS) packets.....	24
5.1.3 Coding of PID and table_id fields .....	25
5.1.4 Repetition rates and random access .....	26
5.1.5 Scrambling .....	26
5.1.6 Bit order and transmission order.....	26
5.2 Table definitions.....	28
5.2.0 Introduction.....	28
5.2.1 Network Information Table (NIT).....	29
5.2.2 Bouquet Association Table (BAT) .....	30
5.2.3 Service Description Table (SDT).....	32
5.2.4 Event Information Table (EIT).....	33
5.2.5 Time and Date Table (TDT) .....	36
5.2.6 Time Offset Table (TOT) .....	36
5.2.7 Running Status Table (RST).....	37
5.2.8 Stuffing Table (ST).....	38
5.2.9 Discontinuity Information Table (DIT) .....	38
5.2.10 Selection Information Table (SIT).....	38
6 Descriptors .....	38
6.0 Introduction .....	38
6.1 Descriptor identification and location .....	38
6.2 Descriptor coding .....	40
6.2.0 General principles.....	40
6.2.1 Adaptation field data descriptor.....	40
6.2.2 Ancillary data descriptor.....	41
6.2.3 Announcement support descriptor.....	42
6.2.4 Bouquet name descriptor .....	44
6.2.5 CA identifier descriptor .....	44
6.2.6 Cell frequency link descriptor.....	44
6.2.7 Cell list descriptor.....	45
6.2.8 Component descriptor.....	46
6.2.9 Content descriptor.....	53
6.2.10 Country availability descriptor .....	56
6.2.11 Data broadcast descriptor.....	56
6.2.12 Data broadcast id descriptor.....	57
6.2.13 Delivery system descriptors.....	58
6.2.13.1 Cable delivery system descriptor .....	58
6.2.13.2 Satellite delivery system descriptor.....	59
6.2.13.3 S2 satellite delivery system descriptor .....	60

6.2.13.4	Terrestrial delivery system descriptor .....	61
6.2.14	DSNG descriptor .....	64
6.2.15	Extended event descriptor .....	64
6.2.16	Extension descriptor .....	65
6.2.17	Frequency list descriptor .....	65
6.2.18	FTA content management descriptor .....	66
6.2.18.0	Semantics and syntax of the FTA content management descriptor .....	66
6.2.18.1	Scope of the FTA content management descriptor .....	68
6.2.19	Linkage descriptor .....	69
6.2.19.0	Semantics and syntax of the linkage descriptor .....	69
6.2.19.1	Mobile hand-over linkage .....	70
6.2.19.2	Event linkage .....	71
6.2.19.3	Extended event linkage .....	72
6.2.20	Local time offset descriptor .....	75
6.2.21	Mosaic descriptor .....	76
6.2.22	Multilingual bouquet name descriptor .....	78
6.2.23	Multilingual component descriptor .....	79
6.2.24	Multilingual network name descriptor .....	80
6.2.25	Multilingual service name descriptor .....	80
6.2.26	Near Video On Demand (NVOD) reference descriptor .....	81
6.2.27	Network name descriptor .....	82
6.2.28	Parental rating descriptor .....	82
6.2.29	Partial Transport Stream (TS) descriptor .....	82
6.2.30	PDC descriptor .....	83
6.2.31	Private data specifier descriptor .....	83
6.2.32	Scrambling descriptor .....	83
6.2.33	Service descriptor .....	84
6.2.34	Service availability descriptor .....	86
6.2.35	Service list descriptor .....	86
6.2.36	Service move descriptor .....	87
6.2.37	Short event descriptor .....	87
6.2.38	Short smoothing buffer descriptor .....	88
6.2.39	Stream identifier descriptor .....	89
6.2.40	Stuffing descriptor .....	90
6.2.41	Subtitling descriptor .....	90
6.2.42	Telephone descriptor .....	91
6.2.43	Teletext descriptor .....	92
6.2.44	Time shifted event descriptor .....	93
6.2.45	Time shifted service descriptor .....	93
6.2.46	Transport stream descriptor .....	94
6.2.47	VBI data descriptor .....	94
6.2.48	VBI teletext descriptor .....	95
6.3	Extended descriptor identification and location .....	96
6.4	Extended descriptor coding .....	96
6.4.0	Introduction .....	96
6.4.1	Audio preselection descriptor .....	97
6.4.2	CI ancillary data descriptor .....	99
6.4.3	CP descriptor .....	100
6.4.4	CP identifier descriptor .....	100
6.4.5	CPCM delivery signalling descriptor .....	100
6.4.6	Delivery system descriptors .....	101
6.4.6.1	C2 delivery system descriptor .....	101
6.4.6.2	SH delivery system descriptor .....	103
6.4.6.3	T2 delivery system descriptor .....	107
6.4.6.4	C2 bundle delivery system descriptor .....	109
6.4.6.5	S2X satellite delivery system descriptor .....	110
6.4.7	Image icon descriptor .....	113
6.4.8	Message descriptor .....	115
6.4.9	Network change notify descriptor .....	115
6.4.10	Service relocated descriptor .....	117
6.4.11	Supplementary audio descriptor .....	118
6.4.12	Target region descriptor .....	120

6.4.13	Target region name descriptor .....	121
6.4.14	T2-MI descriptor.....	123
6.4.15	URI linkage descriptor.....	123
6.4.16	Video depth range descriptor.....	124
6.4.16.0	Semantics and syntax of the video depth range descriptor.....	124
6.4.16.1	Production disparity hint .....	125
6.5	Scoping rules for scoping descriptors.....	126
7	Storage Media Interoperability (SMI) measures .....	126
7.0	Introduction .....	126
7.1	SMI tables .....	126
7.1.0	General principles.....	126
7.1.1	Discontinuity Information Table (DIT) .....	127
7.1.2	Selection Information Table (SIT).....	127
7.2	SMI descriptors .....	129
7.2.0	Introduction.....	129
7.2.1	Partial Transport Stream (TS) descriptor.....	129
<b>Annex A (normative):    Coding of text characters .....</b>		<b>130</b>
A.0	General principles .....	130
A.1	Control codes.....	130
A.2	Selection of character table .....	130
<b>Annex B:    Void .....</b>		<b>144</b>
<b>Annex C (informative):    Conversion between time and date conventions .....</b>		<b>145</b>
<b>Annex D (normative):    Service information implementation of AC-3, Enhanced AC-3, and AC-4 audio in DVB systems.....</b>		<b>147</b>
D.0	Introduction .....	147
D.1	AC-3 and Enhanced AC-3 component types.....	147
D.2	AC-3 descriptor .....	148
D.3	AC-3 descriptor syntax and semantics .....	148
D.4	Enhanced_AC-3 descriptor .....	150
D.5	Enhanced_AC-3 descriptor syntax and semantics .....	150
D.6	AC-4 descriptor .....	152
D.7	AC-4 descriptor syntax and semantics .....	152
D.8	Use of the supplementary audio descriptor with AC-4 .....	154
<b>Annex E (normative):    Usage of the Scrambling_descriptor .....</b>		<b>155</b>
<b>Annex F (informative):    ISO 639 Language Descriptor for "original audio" Soundtrack .....</b>		<b>156</b>
<b>Annex G (normative):    Service information implementation of DTS coded audio in DVB systems .....</b>		<b>157</b>
G.0	Introduction .....	157
G.1	DTS and DTS-HD descriptors .....	157
G.2	DTS Descriptor .....	157
G.2.0	Use of the DTS descriptor.....	157
G.2.1	Syntax and semantics for the DTS descriptor .....	157
G.3	DTS-HD descriptor .....	160
G.3.1	DTS-HD descriptor syntax.....	160
G.3.2	Substream information .....	162



G.3.3	Asset information .....	163
G.3.4	Component type .....	165
G.4	Use of DTS-HD in Receiver Mixed Applications for Single PID and Multiple PID Implementations .....	166
<b>Annex H (normative):</b>	<b>Service information implementation of AAC coded audio in DVB systems .....</b>	<b>167</b>
H.0	Introduction .....	167
H.1	AAC Audio descriptor.....	167
H.2	AAC descriptor .....	167
H.2.0	Use of the AAC descriptor .....	167
H.2.1	Syntax and semantics for the AAC descriptor.....	167
<b>Annex I (normative):</b>	<b>Assignment and interpretation of the service_type field.....</b>	<b>169</b>
I.1	Background .....	169
I.2	Assignment of service_type .....	169
I.2.0	General principles.....	169
I.2.1	service_type "digital television service" (0x01).....	169
I.2.2	service_type "H.264/AVC" (various).....	170
I.2.3	service_type "H.264/AVC frame compatible stereoscopic HD" (various).....	170
I.2.4	service_type "advanced codec digital radio sound service" (0x0A).....	171
I.2.5	service_type "HEVC digital television service" (0x1F).....	171
I.2.5.0	General principles.....	171
I.2.5.1	Signalling for service frame compatible plano-stereoscopic 3DTV for HEVC coded services.....	172
I.2.5.2	Signalling for HDR and/or frame rate of 100 Hz, 120 000/1 001 Hz, or 120 Hz, but with a HEVC half frame rate temporal video sub-bitstream frame rate lower than or equal to 60 Hz.....	174
I.2.5.3	Spatial, temporal and dynamic range characteristics .....	174
I.2.5.4	Summary of signalling for different bitstream profiles using service_type 0x1F.....	175
I.2.6	service_type "HEVC digital television service with HDR and/or a frame rate of 100 Hz, 120 000/1 001 Hz, or 120 Hz" (0x20).....	176
I.2.6.1	General principles.....	176
I.2.6.2	Summary of signalling for different bitstream profiles using service_type 0x20 .....	178
I.2.7	Summary of signalling for HEVC bitstream profiles using service_type 0x1F or 0x20 (informative).....	179
<b>Annex J (normative):</b>	<b>Signalling of Supplementary Audio .....</b>	<b>180</b>
J.1	Overview .....	180
J.2	Receiver-mix supplementary audio.....	180
J.2.1	Introduction .....	180
J.2.2	PSI PMT signalling .....	181
J.2.3	EIT signalling.....	181
J.2.3.0	General principles .....	181
J.2.3.1	Visually impaired audio description .....	181
J.3	Broadcast-mix supplementary audio .....	182
J.3.1	Introduction .....	182
J.3.2	PSI PMT signalling .....	182
J.3.3	EIT signalling.....	182
J.3.3.0	General principles .....	182
J.3.3.1	Visually impaired audio description .....	182
J.4	PSI signalling of audio purpose.....	182
J.5	SAOC-DE parametric data streams.....	183
J.5.1	Introduction .....	183
J.5.2	PSI PMT signalling .....	183
J.5.3	EIT signalling.....	184
<b>Annex K (normative):</b>	<b>Extended event linkage descriptor usage.....</b>	<b>185</b>



<b>Annex L (normative):</b>	<b>Service information implementation of DTS Neural Surround™ coded audio in DVB systems .....</b>	<b>187</b>
L.0	Introduction .....	187
L.1	DTS Neural Descriptor.....	187
<b>Annex M (normative):</b>	<b>Signalling of next-generation audio.....</b>	<b>189</b>
M.1	Overview .....	189
M.2	PSI PMT Signalling .....	189
M.3	Mapping of codec specific values to the audio preselection descriptor (informative).....	189
<b>Annex N (informative):</b>	<b>Bibliography.....</b>	<b>191</b>
<b>Annex O (informative):</b>	<b>Change History .....</b>	<b>192</b>
History .....		194

**ITEH STANDARD PREVIEW**  
(standards.iteh.ai)

Full standard:  
<https://standards.iteh.ai/catalog/standard/standards/sist/c95e91cb-4cc6-4e5a-b202-c0e5a956f7d7/osist-pr-en-300-468-v1.16.1-2019>

---

## Intellectual Property Rights

### Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

### Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

## Foreword

This draft European Standard (EN) has been produced by Joint Technical Committee (JTC) Broadcast of the European Broadcasting Union (EBU), Comité Européen de Normalisation ELECTrotechnique (CENELEC) and the European Telecommunications Standards Institute (ETSI), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

**NOTE:** The EBU/ETSI JTC Broadcast was established in 1990 to co-ordinate the drafting of standards in the specific field of broadcasting and related fields. Since 1995 the JTC Broadcast became a tripartite body by including in the Memorandum of Understanding also CENELEC, which is responsible for the standardization of radio and television receivers. The EBU is a professional association of broadcasting organizations whose work includes the co-ordination of its members' activities in the technical, legal, programme-making and programme-exchange domains. The EBU has active members in about 60 countries in the European broadcasting area; its headquarters is in Geneva.

European Broadcasting Union  
CH-1218 GRAND SACONNEX (Geneva)  
Switzerland  
Tel: +41 22 717 21 11  
Fax: +41 22 717 24 81

The Digital Video Broadcasting Project (DVB) is an industry-led consortium of broadcasters, manufacturers, network operators, software developers, regulatory bodies, content owners and others committed to designing global standards for the delivery of digital television and data services. DVB fosters market driven solutions that meet the needs and economic circumstances of broadcast industry stakeholders and consumers. DVB standards cover all aspects of digital television from transmission through interfacing, conditional access and interactivity for digital video, audio and data. The consortium came together in 1993 to provide global standardization, interoperability and future proof specifications.

<b>Proposed national transposition dates</b>	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

---

## Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are **NOT** allowed in ETSI deliverables except when used in direct citation.

**ITEH STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standard/sist/c5e91cb-4cc6-4e5a-b202-c0e5a956f7d7/osist-pr-en-300-468-v1.16.1-2019>

---

# 1 Scope

The present document specifies the Service Information (SI) data which forms a part of DVB bitstreams, in order that the user can be provided with information to assist in selection of services and/or events within the bitstream, and so that the Integrated Receiver Decoder (IRD) can automatically configure itself for the selected service. SI data for automatic configuration is mostly specified within ISO/IEC 13818-1 [15] as Program Specific Information (PSI).

The present document specifies additional data which complements the PSI by providing data to aid automatic tuning of IRDs, and additional information intended for display to the user. The manner of presentation of the information is not specified in the present document, and IRD manufacturers have freedom to choose appropriate presentation methods.

It is expected that Electronic Programme Guides (EPGs) will be a feature of Digital TV transmissions.

The definition of an EPG is outside the scope of the present document (i.e. the SI specification), but the data contained within the SI specified in the present document may be used as the basis for an EPG.

Rules of operation for the implementation of the present document are specified in ETSI TS 101 211 [i.1].

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 300 231: "Television systems; Specification of the domestic video Programme Delivery Control system (PDC)".
- [2] ETSI EN 300 401: "Radio Broadcasting Systems; Digital Audio Broadcasting (DAB) to mobile, portable and fixed receivers".
- [3] ETSI EN 300 706: "Enhanced Teletext specification".
- [4] ETSI EN 301 192: "Digital Video Broadcasting (DVB); DVB specification for data broadcasting".
- [5] ETSI EN 301 210: "Digital Video Broadcasting (DVB); Framing structure, channel coding and modulation for Digital Satellite News Gathering (DSNG) and other contribution applications by satellite".
- [6] ETSI EN 301 775: "Digital Video Broadcasting (DVB); Specification for the carriage of Vertical Blanking Information (VBI) data in DVB bitstreams".
- [7] ETSI EN 301 790: "Digital Video Broadcasting (DVB); Interaction channel for satellite distribution systems".
- [8] ETSI EN 302 307-1: "Digital Video Broadcasting (DVB); Second generation framing structure, channel coding and modulation systems for Broadcasting, Interactive Services, News Gathering and other broadband satellite applications; Part 1: DVB-S2".
- [9] ETSI TS 101 154: "Digital Video Broadcasting (DVB); Specification for the use of Video and Audio Coding in Broadcast and Broadband Applications".

- [10] ETSI TS 102 005: "Digital Video Broadcasting (DVB); Specification for the use of Video and Audio Coding in DVB services delivered directly over IP protocols".
- [11] ETSI TS 102 006: "Digital Video Broadcasting (DVB); Specification for System Software Update in DVB Systems".
- [12] ETSI TS 102 323: "Digital Video Broadcasting (DVB); Carriage and signalling of TV-Anytime information in DVB transport streams".
- [13] ETSI TS 102 812: "Digital Video Broadcasting (DVB); Multimedia Home Platform (MHP) Specification 1.1.3".
- [14] ISO/IEC 10646: "Information technology - Universal Coded Character Set (UCS)".
- [15] ISO/IEC 13818-1: "Information technology - Generic coding of moving pictures and associated audio information - Part 1: Systems".
- [16] ISO/IEC 6937: "Information technology - Coded graphic character set for text communication - Latin alphabet".
- [17] ISO/IEC 8859-1: "Information technology - 8-bit single-byte coded graphic character sets - Part 1: Latin alphabet No. 1".
- [18] ISO/IEC 8859-2: "Information technology - 8-bit single-byte coded graphic character sets - Part 2: Latin alphabet No. 2".
- [19] ISO/IEC 8859-3: "Information technology - 8-bit single-byte coded graphic character sets - Part 3: Latin alphabet No. 3".
- [20] ISO/IEC 8859-4: "Information technology - 8-bit single-byte coded graphic character sets - Part 4: Latin alphabet No. 4".
- [21] ISO/IEC 8859-5: "Information technology - 8-bit single-byte coded graphic character sets - Part 5: Latin/Cyrillic alphabet".
- [22] ISO/IEC 8859-6: "Information technology - 8-bit single-byte coded graphic character sets - Part 6: Latin/Arabic alphabet".
- [23] ISO/IEC 8859-7: "Information technology - 8-bit single-byte coded graphic character sets - Part 7: Latin/Greek alphabet".
- [24] ISO/IEC 8859-8: "Information technology - 8-bit single-byte coded graphic character sets - Part 8: Latin/Hebrew alphabet".
- [25] ISO/IEC 8859-9: "Information technology - 8-bit single-byte coded graphic character sets - Part 9: Latin alphabet No. 5".
- [26] ISO/IEC 8859-10: "Information technology - 8-bit single-byte coded graphic character sets - Part 10: Latin alphabet No. 6".
- [27] ISO/IEC 8859-11: "Information technology - 8-bit single-byte coded graphic character sets - Part 11: Latin/Thai alphabet".
- [28] ISO/IEC 8859-13: "Information technology - 8-bit single-byte coded graphic character sets - Part 13: Latin alphabet No. 7".
- [29] ISO/IEC 8859-14: "Information technology - 8-bit single-byte coded graphic character sets - Part 14: Latin alphabet No. 8 (Celtic)".
- [30] ISO/IEC 8859-15: "Information technology - 8-bit single-byte coded graphic character sets - Part 15: Latin alphabet No. 9".
- [31] CENELEC EN 50221: "Common interface specification for conditional access and other digital video broadcasting decoder applications".
- [32] IEC 61883 (parts 1 and 4): "Consumer audio/video equipment - Digital interface".