



SLOVENSKI STANDARD
SIST EN 60898:1995/A13:1997
01-november-1997

**Circuit-breakers for overcurrent protection for household and similar installations
- Amendment A13**

Circuit-breakers for overcurrent protection for household and similar installations

Leitungsschutzschalter für den Haushalt und ähnliche Anwendungen

Disjoncteurs pour installations domestiques et analogues pour la protection contre les
surintensités

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: EN 60898:1991/A13:1995

SIST EN 60898:1995/A13:1997
<https://standards.iteh.ai/catalog/standards/sist/cad290c2-c965-41ca-ad86-8d0411f43e5/sist-en-60898-1995-a13-1997>

ICS:

29.120.40 Stikala Switches

SIST EN 60898:1995/A13:1997 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60898:1995/A13:1997](https://standards.iteh.ai/catalog/standards/sist/en-60898-1995-a13-1997)

<https://standards.iteh.ai/catalog/standards/sist/en-60898-1995-a13-1997>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60898/A13

August 1995

UDC 621.316.57:64.06-83:614.8
ICS 29.120.40; 29.120.60

Descriptors: Electrical installation LT, household electrical equipment, overcurrent circuit-breaker, characteristic, construction, test

English version

Circuit-breakers for overcurrent protection for household and similar installations

Disjoncteurs pour installations
domestiques et analogues pour la
protection contre les surintensités

Leitungsschutzschalter für den Haushalt
und ähnliche Anwendungen

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60898:1995/A13:1997](https://standards.iteh.ai/catalog/standards/sist/en-60898-1995-a13-1997)

<https://standards.iteh.ai/catalog/standards/sist/en-60898-1995-a13-1997>

This amendment A13 modifies the European Standard EN 60898:1991; it was approved by CENELEC on 1994-09-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 23E(CO)141, future amendment to IEC 898:1987, prepared by SC 23E, Circuit-breakers and similar equipment for household use, of IEC TC 23, Electrical accessories, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as amendment A13 to EN 60898:1991 on 1994-09-01.

NOTE: The text of document 23E(CO)141 has been included in IEC 898:1995.

The following dates were fixed:

- latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 1996-08-15
- latest date by which the national standards conflicting with the amendment have to be withdrawn (dow) 1996-08-15

For products which have complied with EN 60898:1991 + A11:1994 + A12:1995 before 1996-08-15, as shown by the manufacturer or by a certification body, this previous standard may continue to apply for production until 2001-08-15.

Add in Table C III in the boxes of test sequence A the reference to the additional note i).

Add the following note: (standards.iteh.ai)

- i) When multiple circuit breakers are submitted, a maximum of four screw-type terminals for external conductors are subjected to the tests of 8.5, i.e. two supply and two load terminals.

[8d0411f43ef5/sist-en-60898-1995-a13-1997](https://standards.iteh.ai/catalog/standards/sist/en-60898-1995-a13-1997)