
ReferenceRTS/MTS-103255ed141

KeywordsATS, IXIT, testing, TTCN, XML

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword.....	4
Modal verbs terminology.....	4
1 Scope	5
2 References	5
2.1 Normative references	5
2.2 Informative references.....	6
3 Definition of terms and abbreviations	6
3.1 Terms.....	6
3.2 Abbreviations	7
4 Abstract Test Method (ATM).....	7
5 The ATS development process.....	8
5.1 Requirements and test purposes	8
5.2 ATS structure	8
5.2.0 Introduction.....	8
5.2.1 Test case grouping	9
5.2.2 Test case identifiers	10
5.2.3 Naming convention inside XSD files	11
5.3 ATS specification framework.....	11
5.3.1 Use of TTCN-3	11
5.3.1.1 General	11
5.3.1.2 TTCN-3 naming conventions.....	12
5.3.1.3 TTCN-3 comment tags.....	13
5.3.2 Module parameters	16
5.3.3 Test case structure.....	16
5.3.4 External functions.....	18
5.4 ATS archive.....	18
6 PIXIT conformance	19
7 ATS conformance	19
Annex A (normative): Abstract Test Suite (ATS).....	20
A.1 The ATS in TTCN-3 core (text) format	20
Annex B (normative): Partial IXIT pro forma.....	21
B.1 The right to copy	21
B.2 Overview	21
History	22

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document specifies the Abstract Test Suite (ATS) for the conformance test suite for using XML Schema with TTCN-3, as defined in ETSI ES 201 873-9 [1].

The objective of the present document is to provide a basis for conformance tests for TTCN-3 tools supporting "Using XML Schema with TTCN-3" extension [1]. The conformance test suite should give a high probability of standard conformance with respect to TTCN-3 tools from different vendors. In the present document only using XML Schema with TTCN-3, specified in ETSI ES 201 873-9 [1] have been considered but not the core language [9], tool implementation (see ETSI ES 201 873-5 [i.1] and ETSI ES 201 873-6 [i.2]), language mapping (see [i.3] and [i.4]) and language extension (see e.g. ETSI ES 202 781 [i.5], ETSI ES 202 784 [i.6] and ETSI ES 202 785 [i.7]) aspects. The test notation used in the ATS attached in a zipped file is in TTCN-3 and it is part of the present document.

Annex A provides the Tree and Tabular Combined Notation (TTCN-3) part of the ATS.

Annex B provides the Partial Implementation Extra Information for Testing (PIXIT) Pro forma of the ATS.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI ES 201 873-9 (V4.9.1): "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 9: Using XML schema with TTCN-3".
- [2] ETSI ES 201 873-10 (V4.4.1): "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 10: TTCN-3 Documentation Comment Specification".
- [3] ETSI TS 102 351: "Methods for Testing and Specification (MTS); Internet Protocol Testing (IPT); IPv6 Testing: Methodology and Framework".
- [4] ISO/IEC 9646-1 (1992): "Information Technology - Open Systems Interconnection - Conformance Testing Methodology and Framework - Part 1: General concepts".
- [5] ISO/IEC 9646-4: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 4: Test realization".
- [6] ISO/IEC 9646-5: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 5: Requirements on test laboratories and clients for the conformance assessment process".
- [7] ISO/IEC 9646-7 (1994): "Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [8] ETSI TS 103 253: "Methods for Testing and Specification (MTS); TTCN-3 Conformance Test Suite for use of XML schema; Implementation Conformance Statement".
- [9] ETSI ES 201 873-1 (V4.9.1): "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 1: TTCN-3 Core Language".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI ES 201 873-5: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 5: TTCN-3 Runtime Interface (TRI)".
- [i.2] ETSI ES 201 873-6: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 6: TTCN-3 Control Interface (TCI)".
- [i.3] ETSI ES 201 873-7: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 7: Using ASN.1 with TTCN-3".
- [i.4] ETSI ES 201 873-8: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 8: The IDL to TTCN-3 Mapping".
- [i.5] ETSI ES 202 781: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Configuration and Deployment Support".
- [i.6] ETSI ES 202 784: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Advanced Parameterization".
- [i.7] ETSI ES 202 785: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Behaviour Types".

3 Definition of terms and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ISO/IEC 9646-1 [4], ISO/IEC 9646-7 [7], ETSI ES 201 873-1 [9] (TTCN-3) and the following apply:

Abstract Test Method (ATM): description of how an IUT is to be tested, given at an appropriate level of abstraction to make the description independent of any particular realization of a Means of Testing, but with enough detail to enable abstract test cases to be specified for this method

Abstract Test Suite (ATS): test suite composed of abstract test cases

ICS pro forma: document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS

Implementation Conformance Statement (ICS): statement made by the supplier of an implementation claimed to conform to a given specification, stating which capabilities have been implemented

Implementation eXtra Information for Testing (IXIT): statement made by a supplier or implementor of an IUT which contains or references all of the information related to the IUT and its testing environment, which will enable the test laboratory to run an appropriate test suite against the IUT

IXIT pro forma: document, in the form of a questionnaire, which when completed for the IUT becomes the IXIT

Implementation Under Test (IUT): implementation of one or more OSI protocols in an adjacent user/provider relationship, being part of a real open system which is to be studied by testing

Means Of Testing (MOT): combination of equipment and procedures that can perform the derivation, selection, parameterization and execution of test cases, in conformance with a reference standardized ATS and can produce a conformance log

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ATM	Abstract Test Method
ATS	Abstract Test Suite
ETS	Executable Test Suite
ICS	Implementation Conformance Statement
IUT	Implementation Under Test
IXIT	Implementation eXtra Information for Testing
MOT	Means Of Testing
TC	Test Case
TCI	TTCN-3 Control Interface
TP	Test Purpose
TRI	TTCN-3 Runtime Interface
TS	Test System
TSS	Test Suite Structure
TSS&TP	Test Suite Structure and Test Purposes
TTCN-3	Testing and Test Control Notation edition 3
UTF	Unicode Transformation Format
XML	eXtensible Markup Language
XSD	XML Schema Definition

4 Abstract Test Method (ATM)

This clause describes the ATM used to test the conformance of TTCN-3 tool implementations as described in ETSI ES 201 873-9 [1]. Hereafter the TTCN-3 extension "Using XML Schema with TTCN-3" will be referred to as TTCN-XML.

In the ATM, the work is performed on two levels:

- The TTCN-3 tool level. In TTCN-XML conformance tests, it is the TTCN-3 tool which is under test, i.e. the IUT. However, unlike in protocol conformance testing, it is not standardized how test inputs, i.e. TTCN-3 modules and XML Schema, are provided. Neither are there any standardized interfaces to monitor the reaction of the TTCN-3 tool to the test input. Outputs can only be observed indirectly by monitoring tool outputs such as tool specific command line information, graphical user interfaces, or test execution logs. The tool output is processed further in the tool output evaluation level in order to derive the tool conformance verdicts.
- The TTCN-3 tool output evaluation level. Here, the output of a TTCN-3 tool is indirectly observed, e.g. rejection of TTCN-3 code due to a compile-time error in a command line notification, logging of one or multiple test verdicts in a tool specific window or an execution trace. The observation is evaluated to assess the tool conformance as a result of stimulating the tool with the TTCN-3 modules. Compliance or support of the logging interface specified as part of the TTCN-3 Control Interface standard (TCI) is not required.

NOTE: The loading of the TTCN-3 modules and presentation of the output by the TTCN-3 tools is beyond the scope of the present document.

The ATS document contains the test inputs, i.e. TTCN-3 modules and XML Schemas, for TTCN-3 tools do not automate the execution of TTCN-3 tool conformance tests. TTCN-3 tool conformance test decisions shall be made on the basis of expected outputs as specified in the test purposes provided in the documentation and as part of the documentation of TTCN-3 tests in the ATS. Three different tool output classifications for TTCN-3 inputs exist:

- Rejection as invalid, i.e. the TTCN-3 input is declared syntactically or semantically incorrect by the tool. This can either happen at compile-time or at runtime.
- Rejection to execute, i.e. an ETS is produced from the test input, but an execution does not take place.

- Execution with results, i.e. the compiled or interpreted TTCN-3 code is executed and different kinds of outputs are produced that can be subject of an evaluation, for example, a logged TTCN-3 test verdict in a test execution trace (none, pass, fail, inconc) in a file or the console output. The respective tool outputs shall specify the expected execution results in order to be able to evaluate whether the conformance test is successful.

A conformance test for XML-supporting TTCN-3 tool can attempt to trigger every kind of such outputs in a controlled way, i.e. a test input that is rejected as invalid does not imply a failing conformance test verdict, but instead results in a pass verdict for the conformance test if the test is designed to trigger the rejection. More generally: a TTCN-3 tool conformance test passes if the tool output corresponds to the expected output. The range of expected outputs is described by the tool output classification above.

For a detailed description on how test verdict and test purposes are encoded and how they shall be evaluated with the ATS of annex A, please refer to clause 5.3.1.3 and the descriptions for the document tags @verdict and @purpose.

5 The ATS development process

5.1 Requirements and test purposes

For each test purpose there is a table defined in clause A.2 of ETSI TS 103 253 [8]. The requirements applicable to this TP are given by a reference to ETSI ES 201 873-9 [1]. There are no explicit formulations of requirements.

5.2 ATS structure

5.2.0 Introduction

The ATS is split into folders, where each folder represents a clause in ETSI ES 201 873-9 [1]. Clauses on a lower scope or hierarchy are mapped into subfolders. The names of the folders are derived from the clause names in the following way:

- 1) All clause and subclause numbers are converted to a two digit format: if the number consists of a single digit, it is prefixed with zero.
- 2) All spaces and dots in the clause number are removed and all digits are concatenated.
- 3) The clause name is transformed by converting all upper case letters to lower case and replacing spaces with low lines.
- 4) The transformed clause number and clause name are concatenated with a low line character inserted between them.
- 5) If a clause contains subclauses and there are also a test case defined for the requirements defined in this clause, a special subfolder is created to accommodate these test cases. The folder name consists of a transformed clause number according to the above specified rules and the string "_top_level".

EXAMPLE: Clause 5 "Mapping XML schemas" of ETSI ES 201 873-9 [1] contains clauses 5.1 "Namespaces and document references" and 5.2 "Name conversion". It is mapped to the following folder structure:

```
+ 05_mapping_xml_schemas
+ 05_top_level
+ 0501_namespaces_and_document_references
+ 0502_name_conversion
...
```


5.2.1 Test case grouping

A test case typically checks a single requirement specified in ETSI ES 201 873-9 [1]. However, tests for multiple requirements are possible, especially in cases when the requirements are interconnected and testing them individually would not be feasible.

Test cases consist of several files that are wrapped into folders in the lowest scope of the ATS hierarchy. The test case folders are created in the location that corresponds to their position in ETSI ES 201 873-9 [1]. A folder containing test cases cannot contain folders for subclauses; top_level folders are created for testing requirements of clauses that include numbered subclauses.

Test case folder name is derived from the clause folder name in the following way:

- 1) The clause name is prefixed with "Pos_" in case of test cases that shall compile successfully and execute without runtime errors. These test cases are called positive test cases.

Positive semantic tests shall be correct with respect to the TTCN-3BNF, the static semantics of TTCN-3, should include correct XML schema inputs, and meet the respective text clauses of ETSI ES 201 873-9 [1]. They shall produce an ETS. If an ETS is produced and if it contains a control-part or a test case, it should be executed.

- 2) The clause name is prefixed with "Neg_" in case of test cases that either shall produce compilation errors or whose execution shall lead to a runtime error. These test cases are called negative test cases.

Negative tests shall be correct with respect to the TTCN-3BNF and the static semantics of TTCN-3, and should include correct XML schema inputs, but violate the semantics one specific text clause of ETSI ES 201 873-9 [1]. They may produce an ETS. If an ETS is produced and if it contains a control-part or a test case, it should be executed.

- 3) The clause name shall be suffixed with the low line character followed by a three-digit ordinal number of the test case. The ordinal number of the first test case defined inside a (sub)clause folder is 001 and for each following test case it increases by 1 (e.g. the ordinal number of the 4th test case is 004).
- 4) Positive and negative test cases are numbered separately, so there can be positive and negative test cases with the same ordinal number.

Tables 1 and 2 present test sample test case structure for clause 6.1 "Mapping of facets" of the clause 6 "Basic types" of ETSI ES 201 873-9 [1].

The test cases shall conform to the following correctness rules:

- The test case identifiers and their group index do not imply the correct execution order of a TTCN-3 tool conformance test.
- Grouping and subgrouping in the ATS is realized with the help of the ATS directory structure.

Table 1: Example ATS structure of positive tests

Group	Subgroup	Group Index
Mapping of facets Clause 6.1	Length Clause 6.1.1	Pos_060101_length
	Mininclusive Clause 6.1.7	Pos_060107_mininclusive
	Maxinclusive Clause 6.1.8	Pos_060108_maxinclusive
	Maxexclusive Clause 6.1.10	Pos_060110_maxexclusive

Table 2: Example ATS structure of negative tests

Group	Subgroup	Group Index
Mapping of facets Clause 6.1	Mininclusive Clause 6.1.1	Neg_060101_length_001
	Maxexclusive Clause 6.1.10	Neg_060110_maxexclusive_001

Test case folders contain several files with the testing code. Two of these files are mandatory:

- XSD file: specifies the schema with declarations that are the subject of testing.
- TTCN-3 file: contains test description, expected result declaration and TTCN-3 module used for validation of the imported XSD declarations.

Depending on a test case type, additional files can be present as well:

- XML file: used for validation of messages generated from XSD declarations; it contains the expected encoding result and it is mandatory for positive test cases.
- Additional XSD files: used in case of various import scenarios and namespace tests.

TTCN-3 and XML file names and names of the mandatory XSD file consist of the name of the enclosing test case folder and a mandatory extension:

- <TC_folder_name>.ttn (for TTCN-3 files)
- <TC_folder_name>.xml (for XML files)
- <TC_folder_name>.xsd (for XSD files)

In case of additional XSD files, the file name is derived from the name of the main XSD file, with low line and an additional single-digit ordinal number inserted between the test case name and the file extension:

- <TC_folder_name>_1.xml (for extra XML file)
- <TC_folder_name>_1.xsd (for extra XSD file)

EXAMPLE: Folder structure for a test case Pos_050103_imports_001:

- Containing folder: 05_mapping_xml_schemas\0501_namespaces_and_document_references\050103_imports\
 - Folder: Pos_050103_imports_001; contains files:
 - Pos_050103_imports_001.ttn
 - Pos_050103_imports_001.xsd
 - Pos_050103_imports_001_1.xsd
 - Pos_050103_imports_001.xml

5.2.2 Test case identifiers

The test case names are built up according to the following schema:

```
<"TC">"_ "<Group index>"_ "<TC number>"
```

where:

- double quotes (") are used to enclose literal strings;
- <Group index> containing positive and negative syntactic and semantic test, refers to ETSI ES 201 873-1 [9] clause numbers and names;