

**SLOVENSKI STANDARD**  
**SIST EN 300 175-5 V2.8.1:2020**  
**01-februar-2020**

---

**Digitalne izboljšane brezvrvične telekomunikacije (DECT) - Skupni vmesnik (CI) - 5.  
del: Omrežna plast (NWK)**

Digital Enhanced Cordless Telecommunications (DECT) - Common Interface (CI) - Part  
5: Network (NWK) layer

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

**Ta slovenski standard je istoveten z:** [SIST EN 300 175-5 V2.8.1 \(2019-12\)  
https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-cdb00c5cd078/sist-en-300-175-5-v2-8-1-2020](https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-cdb00c5cd078/sist-en-300-175-5-v2-8-1-2020)

---

**ICS:**

33.070.30	Digitalne izboljšane brezvrvične telekomunikacije (DECT)	Digital Enhanced Cordless Telecommunications (DECT)
35.100.30	Omrežni sloj	Network layer

**SIST EN 300 175-5 V2.8.1:2020** **en**

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

SIST EN 300 175-5 V2.8.1:2020

<https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-cdb00c5cd078/sist-en-300-175-5-v2-8-1-2020>

# ETSI EN 300 175-5 v2.8.1 (2019-12)



## Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 5: Network (NWK) layer

[SIST EN 300 175-5 V2.8.1:2020](https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-cdb00c5cd078/sist-en-300-175-5-v2-8-1-2020)  
<https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-cdb00c5cd078/sist-en-300-175-5-v2-8-1-2020>

---

Reference

REN/DECT-00325

---

Keywords

DECT, IMT-2000, mobility, radio, TDD, TDMA

***ETSI***

650 Route des Lucioles  
 F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
 Association à but non lucratif enregistrée à la  
 Sous-Préfecture de Grasse N° 7303/88

## iTeh STANDARD PREVIEW (standards.iteh.ai)

***Important notice***SIST EN 300 175-5 V2.8.1:2020

<https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-cab00c2e0178/sist-en-300-175-5-v2-2-2-1-2020>  
 The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.  
 Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

***Copyright Notification***

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
 The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.  
 All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and  
 of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and  
 of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Contents

Intellectual Property Rights .....	16
Foreword.....	16
Modal verbs terminology.....	16
1 Scope .....	17
2 References .....	18
2.1 Normative references .....	18
2.2 Informative references.....	22
3 Definition of terms, symbols and abbreviations.....	23
3.1 Terms.....	23
3.2 Symbols.....	23
3.3 Abbreviations .....	24
4 Overview of the NWK layer .....	28
5 Overview of procedures .....	29
5.1 General .....	29
5.2 Overview of Call Control (CC) .....	30
5.2.1 General.....	30
5.2.2 Call establishment.....	30
5.2.2.1 Call setup .....	30
5.2.2.2 Service negotiation .....	31
5.2.3 Call connect .....	31
5.2.4 Call information.....	31
5.2.5 Service change .....	31
5.2.6 Call release.....	32
5.3 Overview of Supplementary Services SIST(SS) 300.175-5 V2.8.1:2020 .....	32
5.3.1 General..... <a href="https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-5db00c5cd078/sist-en-300-175-5-v2-8-1-2020">https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-5db00c5cd078/sist-en-300-175-5-v2-8-1-2020</a>	32
5.3.2 Keypad protocol.....	33
5.3.3 Feature key management protocol .....	33
5.3.4 Functional protocol .....	33
5.4 Overview of Connection Oriented Message Service (COMS) .....	33
5.4.1 General.....	33
5.4.2 COMS establishment .....	34
5.4.3 Service negotiation .....	34
5.4.4 COMS connect.....	34
5.4.5 COMS data transfer .....	34
5.4.6 COMS suspend and resume .....	34
5.4.7 COMS release .....	35
5.5 Overview of ConnectionLess Message Service (CLMS) .....	35
5.5.0 General.....	35
5.5.1 Fixed length message service.....	35
5.5.2 Variable length message service .....	35
5.6 Overview of Mobility Management (MM) .....	35
5.6.1 General.....	35
5.6.2 Identity procedures .....	36
5.6.3 Authentication procedures .....	36
5.6.4 Location procedures.....	37
5.6.5 Access rights procedures .....	37
5.6.6 Key allocation procedure .....	37
5.6.7 Parameter retrieval procedure .....	38
5.6.8 Ciphering related procedure.....	38
5.6.9 External protocol information procedure .....	38
5.7 Overview of Link Control Entity (LCE) .....	38
5.7.1 General.....	38
5.7.2 Data Link Endpoint Identifier (DLEI) .....	38
5.7.3 Data link establishment.....	39

5.7.4	Data link re-establishment .....	39
5.7.5	Data link release .....	39
5.7.6	Data link suspend and resume.....	40
5.7.7	Queuing of messages .....	40
5.7.8	Request paging.....	40
6	Message functional definitions.....	40
6.1	Overview of message structures.....	40
6.1.1	Messages.....	40
6.1.2	Information elements .....	41
6.2	Message summaries.....	42
6.2.1	Summary of CC messages .....	42
6.2.2	Summary of CISS messages .....	42
6.2.3	Summary of COMS messages .....	43
6.2.4	Summary of CLMS messages.....	43
6.2.5	Summary of MM messages .....	44
6.2.6	Summary of LCE messages .....	44
6.3	S-FORMAT message functional contents.....	45
6.3.1	S-FORMAT message overview .....	45
6.3.2	CC-messages.....	45
6.3.2.1	{CC-SETUP} .....	45
6.3.2.2	{CC-INFO} .....	47
6.3.2.3	{CC-SETUP-ACK} .....	48
6.3.2.4	{CC-CALL-PROC} .....	49
6.3.2.5	{CC-ALERTING} .....	50
6.3.2.6	{CC-CONNECT} .....	51
6.3.2.7	{CC-CONNECT-ACK} .....	52
6.3.2.8	{CC-RELEASE} .....	52
6.3.2.9	{CC-RELEASE-COM} .....	53
6.3.2.10	{CC-SERVICE-CHANGE} .....	54
6.3.2.11	{CC-SERVICE-ACCEPT} .....	55
6.3.2.12	{CC-SERVICE-REJECT} .....	55
6.3.2.13	{CC-NOTIFY} .....	56
6.3.2.14	{IWU-INFO} .....	57
6.3.3	SS-messages (call related and call independent) .....	58
6.3.3.1	{FACILITY} .....	58
6.3.3.2	{HOLD} .....	59
6.3.3.3	{HOLD-ACK} .....	59
6.3.3.4	{HOLD-REJECT} .....	60
6.3.3.5	{RETRIEVE} .....	60
6.3.3.6	{RETRIEVE-ACK} .....	61
6.3.3.7	{RETRIEVE-REJECT} .....	61
6.3.3.8	{CISS-REGISTER} .....	62
6.3.3.9	{CISS-RELEASE-COM} .....	63
6.3.4	COMS-messages.....	63
6.3.4.1	{COMS-SETUP} .....	63
6.3.4.2	{COMS-INFO} .....	64
6.3.4.3	{COMS-ACK} .....	64
6.3.4.4	{COMS-CONNECT} .....	65
6.3.4.5	{COMS-RELEASE} .....	65
6.3.4.6	{COMS-RELEASE-COM} .....	66
6.3.4.7	{COMS-NOTIFY} .....	66
6.3.5	CLMS-message.....	67
6.3.5.1	{CLMS-VARIABLE} .....	67
6.3.6	MM-messages.....	68
6.3.6.1	{ACCESS-RIGHTS-ACCEPT} .....	68
6.3.6.2	{ACCESS-RIGHTS-REJECT} .....	68
6.3.6.3	{ACCESS-RIGHTS-REQUEST} .....	69
6.3.6.4	{ACCESS-RIGHTS-TERMINATE-ACCEPT} .....	69
6.3.6.5	{ACCESS-RIGHTS-TERMINATE-REJECT} .....	70
6.3.6.6	{ACCESS-RIGHTS-TERMINATE-REQUEST} .....	70
6.3.6.7	{AUTHENTICATION-REJECT} .....	71

6.3.6.8	{AUTHENTICATION-REPLY} .....	71
6.3.6.9	{AUTHENTICATION-REQUEST} .....	72
6.3.6.10	{CIPHER-REJECT} .....	73
6.3.6.11	{CIPHER-REQUEST} .....	73
6.3.6.12	{CIPHER-SUGGEST} .....	74
6.3.6.13	{DETACH} .....	74
6.3.6.14	{IDENTITY-REPLY} .....	75
6.3.6.15	{IDENTITY-REQUEST} .....	75
6.3.6.16	{KEY-ALLOCATE} .....	76
6.3.6.17	{LOCATE-ACCEPT} .....	77
6.3.6.18	{LOCATE-REJECT} .....	77
6.3.6.19	{LOCATE-REQUEST} .....	78
6.3.6.20	{MM-INFO-ACCEPT} .....	79
6.3.6.21	{MM-INFO-REJECT} .....	79
6.3.6.22	{MM-INFO-REQUEST} .....	80
6.3.6.23	{MM-INFO-SUGGEST} .....	80
6.3.6.24	{TEMPORARY-IDENTITY-ASSIGN} .....	81
6.3.6.25	{TEMPORARY-IDENTITY-ASSIGN-ACK} .....	82
6.3.6.26	{TEMPORARY-IDENTITY-ASSIGN-REJ} .....	82
6.3.6.27	{MM-IWU} .....	83
6.3.6.28	{MM-NOTIFY} .....	83
6.3.7	LCE-messages .....	84
6.3.7.1	{LCE-PAGE-RESPONSE} .....	84
6.3.7.2	{LCE-PAGE-REJECT} .....	84
6.4	B-FORMAT message functional contents .....	85
6.4.1	B-FORMAT message overview .....	85
6.4.2	{LCE-REQUEST-PAGE} .....	85
6.4.3	{CLMS-FIXED} .....	86
7	S-FORMAT message structures .....	86
7.1	Overview .....	86
7.2	Protocol Discrimination (PD) element .....	87
7.3	Transaction Identifier (TI) element .....	87
7.4	Message type element .....	88
7.4.0	General .....	88
7.4.1	Messages for CC .....	89
7.4.2	Messages for SS .....	89
7.4.3	Messages for COMS .....	89
7.4.4	Messages for CLMS .....	90
7.4.5	Messages for MM .....	90
7.4.6	Messages for LCE .....	90
7.5	Other information elements .....	91
7.5.1	Coding rules .....	91
7.5.2	Extensions of codesets .....	93
7.5.3	Locking shift procedure .....	93
7.5.4	Non-locking shift procedure .....	94
7.5.5	Display and keypad elements .....	94
7.5.6	Repeated elements .....	94
7.6	Fixed length information elements .....	95
7.6.1	Summary .....	95
7.6.2	Sending complete, delimiter request and use TPUI .....	95
7.6.3	Repeat indicator .....	96
7.6.4	Basic service .....	96
7.6.5	Single display .....	97
7.6.6	Single keypad .....	97
7.6.7	Release reason .....	97
7.6.8	Signal .....	99
7.6.9	Timer restart .....	100
7.6.10	Test hook control .....	100
7.7	Variable length information elements .....	100
7.7.1	Summary .....	100
7.7.2	Allocation type .....	102

7.7.3	Alphanumeric .....	103	
7.7.4	Auth type .....	104	
7.7.5	Call attributes.....	106	
7.7.6	Call identity .....	111	
7.7.7	Called party number.....	112	
7.7.8	Called party subaddress .....	113	
7.7.9	Calling party number .....	113	
7.7.10	Cipher info .....	114	
7.7.11	Connection attributes .....	115	
7.7.12	Connection identity.....	124	
7.7.13	Duration .....	125	
7.7.14	End-to-end compatibility .....	125	
7.7.15	Facility .....	128	
7.7.16	Feature activate .....	129	
7.7.17	Feature indicate.....	131	
7.7.18	Fixed identity .....	133	
7.7.19	Identity type .....	134	
7.7.20	Info type.....	135	
7.7.21	InterWorking Unit (IWU) attributes .....	136	
7.7.22	IWU packet .....	140	
7.7.23	IWU to IWU .....	142	
7.7.24	Key.....	144	
7.7.25	Location area .....	144	
7.7.26	Multi-display.....	145	
7.7.27	Multi-keypad.....	146	
7.7.28	NetWorK (NWK) assigned identity .....	146	
7.7.29	Network parameter .....	147	
7.7.30	Portable identity .....	149	
7.7.31	Progress indicator .....	152	
7.7.32	RAND .....	153	
7.7.33	Rate parameters .....	154	
7.7.34	Reject reason .....	155	
7.7.35	RES .....	<a href="https://standards.iteh.ai/catalog/standards/sist/6d0ah75b-h1d1-409fa692-cdb00c5cd078/sist-en-300-175-5-v2-8-1-2020">https://standards.iteh.ai/catalog/standards/sist/6d0ah75b-h1d1-409fa692-cdb00c5cd078/sist-en-300-175-5-v2-8-1-2020</a>	156
7.7.36	RS .....	156	
7.7.37	Segmented info .....	157	
7.7.38	Service change info.....	157	
7.7.39	Service class.....	159	
7.7.40	Setup capability .....	159	
7.7.41	Terminal capability .....	161	
7.7.42	Transit delay .....	167	
7.7.43	Window size .....	168	
7.7.44	ZAP field .....	169	
7.7.45	Escape to proprietary .....	169	
7.7.46	Model identifier .....	170	
7.7.47	MMS Generic Header .....	171	
7.7.48	MMS Object Header.....	171	
7.7.49	MMS Extended header .....	171	
7.7.50	Time-Date .....	171	
7.7.51	Ext h/o indicator .....	173	
7.7.52	Called party Name .....	174	
7.7.53	Calling party Name .....	175	
7.7.54	Codec List .....	175	
7.7.55	Events notification .....	177	
7.7.55.1	General structure .....	177	
7.7.55.2	Event types.....	178	
7.7.56	Call information.....	182	
7.7.57	List change details .....	186	
7.7.58	ULE MAC Configuration Info.....	188	
8	B-FORMAT message structures .....	188	
8.1	General .....	188	
8.2	LCE request paging messages .....	189	

8.2.0	General.....	189
8.2.1	Short format message.....	189
8.2.2	Full format message.....	190
8.2.3	Long format message.....	192
8.2.4	Message elements .....	192
8.2.4.1	LCE paging header.....	192
8.2.4.2	Info fields (Full format) .....	193
8.2.4.3	Default setup behaviour .....	194
8.2.4.4	Address elements in collective or group ringing.....	195
8.3	CLMS-FIXED messages .....	196
8.3.1	General message structure .....	196
8.3.2	Message elements .....	196
8.3.3	Standard message structures .....	198
8.3.3.1	General .....	198
8.3.3.2	Messages using 4-bit characters.....	198
8.3.3.3	Messages using 8-bit characters.....	198
9	Call Control (CC) procedures.....	199
9.1	General .....	199
9.2	Call Control (CC) states .....	202
9.2.1	States at PT .....	202
9.2.1.0	General.....	202
9.2.1.1	State T-00: "NULL" .....	202
9.2.1.2	State T-19: "RELEASE PENDING" .....	202
9.2.1.3	State T-10: "ACTIVE" .....	202
9.2.1.4	State T-01: "CALL INITIATED" .....	202
9.2.1.5	State T-02: "OVERLAP SENDING" .....	202
9.2.1.6	State T-03: "CALL PROCEEDING" .....	202
9.2.1.7	State T-04: "CALL DELIVERED" .....	202
9.2.1.8	State T-06: "CALL PRESENT" .....	202
9.2.1.9	State T-07: "CALL RECEIVED" .....	202
9.2.1.10	State T-08: "CONNECT PENDING" .....	202
9.2.2	States at FT <a href="https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-1db00c5cd078/sist-en-300-175-5-v2-8-1-2020">https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-1db00c5cd078/sist-en-300-175-5-v2-8-1-2020</a> .....	203
9.2.2.0	General.....	203
9.2.2.1	State F-00: "NULL" .....	203
9.2.2.2	State F-19: "RELEASE PENDING" .....	203
9.2.2.3	State F-10: "ACTIVE" .....	203
9.2.2.4	State F-01: "CALL-INITIATED" .....	203
9.2.2.5	State F-02: "OVERLAP SENDING" .....	203
9.2.2.6	State F-03: "CALL PROCEEDING" .....	203
9.2.2.7	State F-04: "CALL DELIVERED" .....	203
9.2.2.8	State F-06: "CALL PRESENT" .....	203
9.2.2.9	State F-07: "CALL RECEIVED" .....	203
9.2.3	Optional states (PT and FT).....	204
9.2.3.0	General.....	204
9.2.3.1	States T-22 and F-22: "OVERLAP RECEIVING" .....	204
9.2.3.2	States T-23 and F-23: "INCOMING CALL PROCEEDING" .....	204
9.3	Call establishment procedures .....	204
9.3.1	PT initiated call establishment (outgoing call).....	204
9.3.1.0	General .....	204
9.3.1.1	Call request .....	204
9.3.1.2	Call accept or reject .....	205
9.3.1.3	Selection of lower layer resources .....	205
9.3.1.4	Connection of U-plane .....	206
9.3.1.5	Overlap sending .....	206
9.3.1.6	Call proceeding .....	207
9.3.1.7	Call confirmation .....	207
9.3.1.8	Call connection .....	208
9.3.1.9	Expiry of timer <CC.04> .....	208
9.3.2	FT initiated call establishment (incoming call).....	208
9.3.2.0	General .....	208
9.3.2.1	Call request .....	208

9.3.2.2	Call accept or reject .....	209
9.3.2.3	Selection of lower layer resources .....	209
9.3.2.4	Connection of U-plane .....	210
9.3.2.5	Overlap receiving .....	210
9.3.2.6	Call proceeding .....	210
9.3.2.7	Call confirmation .....	210
9.3.2.8	Call connection .....	211
9.3.2.9	Sending of <<TERMINAL-CAPABILITY>> .....	211
9.3.2.10	Expiry of timer <CC.04> .....	211
9.4	Call information procedures .....	211
9.5	Call release procedures .....	212
9.5.1	Normal call release .....	212
9.5.2	Abnormal call release .....	212
9.5.2.1	Definitions .....	212
9.5.2.2	Abnormal release general description (PT or FT) .....	213
9.5.2.3	Abnormal release in case of call setup collisions .....	214
9.5.3	Release collisions .....	217
9.6	Service change procedures .....	217
9.6.1	General .....	217
9.6.2	Change of Bandwidth parameters (including changes in connection type) .....	218
9.6.3	Service rerouting .....	218
9.6.4	NWK layer service suspension and resumption .....	218
9.6.5	Modulation scheme change .....	219
9.7	NWK layer Packet mode procedures .....	219
9.7.1	General .....	219
9.7.2	PT initiated access .....	220
9.7.3	FT initiated access .....	220
9.7.4	NWK layer suspend and resume .....	220
9.7.4.1	General .....	220
9.7.4.2	C-plane NWK layer suspend and resume .....	221
9.7.4.3	U-plane NWK layer suspend and resume .....	221
9.8	Emergency call procedure .....	221
9.9	Segmentation of information in CC procedures .....	222
10	Supplementary Services procedures .....	223
10.1	General .....	223
10.2	Keypad protocol .....	224
10.3	Feature key management protocol .....	224
10.4	Functional protocol .....	225
10.4.0	General .....	225
10.4.1	Separate messages approach .....	225
10.4.1.0	General .....	225
10.4.1.1	Hold procedures .....	225
10.4.1.2	Retrieve procedures .....	225
10.4.1.3	Auxiliary states for hold and retrieve .....	226
10.4.2	Common information element approach .....	226
10.4.2.0	General .....	226
10.4.2.1	Call Related Supplementary Services (CRSS) procedures .....	226
10.4.2.2	Call Independent Supplementary Services (CISS) procedures .....	226
10.4.2.2.0	General .....	226
10.4.2.2.1	Transport of CISS .....	227
10.4.2.3	Connectionless Supplementary Service (CLSS) procedure .....	227
10.5	Co-existence of multiple protocols .....	228
10.6	Application protocols .....	228
10.6.1	DECT standard functional supplementary services .....	228
10.6.2	DECT specific supplementary services .....	229
10.6.2.0	General .....	229
10.6.2.1	Queue management .....	229
10.6.2.2	Indication of subscriber number .....	229
10.6.2.3	Control of echo control functions .....	230
10.6.2.4	Cost information .....	230

11	Connection Oriented Message Service (COMS).....	231
11.1	General .....	231
11.2	COMS states.....	231
11.2.1	States at PT .....	231
11.2.1.1	State TS-0: "NULL" .....	231
11.2.1.2	State TS-1: "CONNECT PENDING" .....	231
11.2.1.3	State TS-2: "RELEASE PENDING" .....	231
11.2.1.4	State TS-3: "ACTIVE" .....	231
11.2.2	States at FT .....	231
11.2.2.1	State FS-0: "NULL" .....	231
11.2.2.2	State FS-1: "CONNECT PENDING" .....	231
11.2.2.3	State FS-2: "RELEASE PENDING" .....	231
11.2.2.4	State FS-3: "ACTIVE" .....	232
11.3	COMS establishment procedures .....	232
11.3.1	PT initiated COMS establishment .....	232
11.3.1.1	COMS request.....	232
11.3.1.2	COMS connection.....	232
11.3.2	FT initiated COMS establishment .....	233
11.3.2.1	COMS request.....	233
11.3.2.2	COMS connection.....	233
11.4	COMS data transfer procedures .....	233
11.4.1	Procedure at the sending side.....	233
11.4.2	Procedure at the receiving side .....	234
11.5	COMS NWK layer suspend and resume procedures.....	235
11.6	COMS release procedures .....	235
11.6.1	Normal COMS release.....	235
11.6.2	Release collisions.....	235
12	ConnectionLess Message Service (CLMS).....	236
12.1	General .....	236
12.2	CLMS states .....	236
12.3	CLMS message transmission procedures.....	236
12.3.1	Fixed length messages.....	236
12.3.1.0	General.....	236
12.3.1.1	Procedure in the Fixed radio Termination (FT) .....	236
12.3.1.2	Procedure in the Portable radio Termination (PT) .....	237
12.3.2	Variable length messages.....	237
12.3.2.0	General .....	237
12.3.2.1	Procedure at the sending side .....	237
12.3.2.2	Procedure at the receiving side.....	237
12.3.2.3	Restrictions for portable side initiated messages.....	238
13	Mobility Management (MM) procedures .....	238
13.1	General .....	238
13.2	Identity procedures .....	239
13.2.0	General.....	239
13.2.1	Procedure for identification of PT .....	239
13.2.2	Procedure for temporary identity assignment .....	240
13.3	Authentication procedures.....	241
13.3.0	General.....	241
13.3.1	Authentication of a PT .....	241
13.3.2	Authentication of the user.....	243
13.3.3	Authentication of a FT .....	244
13.4	Location procedures .....	245
13.4.0	General.....	245
13.4.1	Location registration .....	245
13.4.2	Detach.....	247
13.4.3	Location update .....	247
13.5	Access rights procedure.....	248
13.5.1	Obtaining the access rights .....	248
13.5.2	Termination of access rights .....	249
13.5.3	Modification of access rights .....	251

13.6	Key allocation procedure.....	251
13.7	Parameter retrieval procedure.....	253
13.8	Ciphering related procedure .....	254
13.9	External protocol information procedure .....	257
13.9.0	General.....	257
13.9.1	Procedure for external protocol information initiated by the FT .....	257
13.9.2	Procedure for external protocol information initiated by the PT .....	257
13.9.3	Segmentation of information in MM procedures.....	258
14	Link Control Entity (LCE) procedures.....	259
14.1	General .....	259
14.2	Connection oriented link control procedures.....	260
14.2.1	Link establishment.....	260
14.2.2	Direct PT initiated link establishment.....	260
14.2.3	Indirect (paged) FT initiated link establishment .....	261
14.2.4	Direct FT initiated link establishment.....	262
14.2.5	Link maintenance.....	263
14.2.6	Link suspend and resume.....	263
14.2.6.0	General.....	263
14.2.6.1	Link suspend .....	263
14.2.6.2	Link resume.....	264
14.2.7	Link release.....	264
14.2.7.0	General .....	264
14.2.7.1	NLR notification without "partial release" as release reason .....	264
14.2.7.2	NLR notification with "partial release" as release reason .....	265
14.3	Connectionless link control procedures.....	265
14.3.1	Message routing.....	265
14.3.2	Broadcast announce procedure .....	266
14.3.3	LCE paging codes for connectionless service .....	266
14.4	Procedure for collective and group ringing .....	266
14.5	LCE paging procedures for DPRS .....	267
14.5.1	DPRS initial setup paging..... <a href="#">SIST EN 300 175-5 V2.8.1:2020</a>	267
14.5.1.0	General .....	267
14.5.1.1	Assumptions for Short paging format or for Full format with IPUI <a href="https://standards.iteh.ai/catalog/standards/sist/0d0ab75b-b1d1-409f-a692-000000000000">https://standards.iteh.ai/catalog/standards/sist/0d0ab75b-b1d1-409f-a692-000000000000</a>	267
14.5.1.2	Coding for Full paging format with TPUI.....	268
14.5.2	DPRS Resume paging .....	268
14.5.2.0	General .....	268
14.5.2.1	Assumptions for Short paging format or for Full format with IPUI.....	268
14.5.2.2	Coding for Full paging format with TPUI.....	268
14.5.2.3	LCE Resume Procedure description.....	269
14.5.3	Special cases .....	269
14.5.3.1	Rule for DPRS Class 1 devices .....	269
14.5.3.2	Rule for backcompatibility with former A/B 1 devices .....	269
15	Management procedures.....	270
15.1	Lower Layer Management Entity (LLME) .....	270
15.2	Service mapping and negotiation .....	270
15.2.1	General.....	270
15.2.2	Prioritized list negotiation.....	271
15.2.3	Exchanged attribute negotiation .....	271
15.2.4	Operating parameter negotiation.....	271
15.2.5	Peer attribute negotiation .....	272
15.3	Service modification procedures .....	272
15.4	Resource management.....	272
15.5	Management of MM procedures .....	272
15.6	Call ciphering management .....	274
15.7	External Handover.....	274
15.7.0	General.....	274
15.7.1	Handover candidate procedures.....	275
15.7.1.1	General .....	275
15.7.1.2	Handover candidate indication .....	275
15.7.1.3	Handover candidate retrieval .....	275

15.7.1.4	Target FP selection.....	276
15.7.2	Handover reference procedure.....	276
15.7.2.1	General.....	276
15.7.2.2	Handover reference indication .....	276
15.7.2.3	Handover reference retrieval.....	277
15.7.3	External handover suggested by FP.....	277
15.7.4	NWK layer set up procedure.....	277
15.7.4.0	General.....	277
15.7.4.1	Handover request .....	277
15.7.4.2	Handover confirm .....	278
15.7.4.3	Handover accept.....	278
15.7.4.4	Handover reject .....	278
15.7.4.5	Release of old connection .....	278
15.7.4.6	Handover Fall Back.....	278
15.7.5	U-plane handling .....	279
15.7.6	Ciphering procedure .....	279
15.7.7	Interaction with location registration .....	280
15.8	Test management procedures .....	280
15.8.0	General.....	280
15.8.1	Test call back procedure .....	280
15.8.2	Test hook control procedures.....	281
15.8.3	Upper tester procedure.....	281
15.9	Application assistance procedures.....	282
15.9.1	DECT Identity Resolution (Retrieval) Procedure .....	282
15.9.1.0	General.....	282
15.9.1.1	FT (or HyP) initiated Connectionless Identity Resolution procedure .....	282
15.9.1.2	PT initiated Connectionless Identity Resolution procedure .....	282
15.9.1.3	Connection oriented Identity Resolution procedure .....	283
15.9.2	Application Address Resolution (Retrieval) Procedure .....	283
15.9.3	Application Parameter Allocation Procedure .....	283
15.9.3.0	General.....	283
15.9.3.1	FT initiated application parameter allocation procedure .....	283
15.9.3.2	PT initiated application parameter allocation procedure .....	283
15.9.4	Application parameter information procedure .....	284
15.9.4.0	General.....	284
15.9.4.1	FT initiated connection oriented Application parameter information procedure .....	284
15.9.4.2	PT initiated connection oriented Application parameter information procedure .....	284
15.9.4.3	FT initiated connectionless Application parameter information procedure .....	284
15.9.4.4	PT initiated connectionless Application parameter information procedure .....	285
15.9.5	Application Parameter Indication procedure .....	285
16	Primitives .....	286
16.1	Primitive types.....	286
16.2	Primitives to lower layer (DLC layer).....	286
16.3	Primitives to IWU .....	286
16.3.0	General.....	286
16.3.1	Parameter definitions .....	286
16.3.2	MNCC primitives .....	287
16.3.2.0	List of primitives .....	287
16.3.2.1	MNCC_SETUP primitive .....	288
16.3.2.2	MNCC_SETUP_ACK primitive.....	288
16.3.2.3	MNCC_REJECT primitive .....	289
16.3.2.4	MNCC_CALL_PROC primitive.....	289
16.3.2.5	MNCC_ALERT primitive .....	290
16.3.2.6	MNCC_CONNECT primitive.....	290
16.3.2.7	MNCC_RELEASE primitive .....	291
16.3.2.8	MNCC_FACILITY primitive .....	291
16.3.2.9	MNCC_INFO primitive .....	292
16.3.2.10	MNCC MODIFY primitive.....	292
16.3.2.11	MNCC_HOLD primitive .....	292
16.3.2.12	MNCC_RETRIEVE primitive .....	293
16.3.2.13	MNCC_IWU_INFO primitive .....	293

16.3.3	MNSS primitives .....	293
16.3.3.0	List of primitives .....	293
16.3.3.1	MNSS_SETUP primitive .....	293
16.3.3.2	MNSS_FACILITY primitive .....	294
16.3.3.3	MNSS_RELEASE primitive .....	294
16.3.4	MNCO primitives .....	294
16.3.4.0	List of primitives .....	294
16.3.4.1	MNCO_SETUP primitive .....	295
16.3.4.2	MNCO_CONNECT primitive .....	295
16.3.4.3	MNCO_INFO primitive .....	295
16.3.4.4	MNCO_ACK primitive .....	295
16.3.4.5	MNCO_RELEASE primitive .....	296
16.3.4.6	MNCO_REJECT primitive .....	296
16.3.5	MNCL primitives .....	296
16.3.5.0	List of primitives .....	296
16.3.5.1	MNCL_UNITDATA primitive .....	296
16.3.6	MM primitives .....	297
16.3.6.0	List of primitives .....	297
16.3.6.1	MM_IDENTITY primitive .....	297
16.3.6.2	MM_IDENTITY_ASSIGN primitive .....	297
16.3.6.3	MM_AUTHENTICATE primitive .....	298
16.3.6.4	MM_LOCATE primitive .....	298
16.3.6.5	MM_DETACH primitive .....	298
16.3.6.6	MM_ACCESS_RIGHTS primitive .....	299
16.3.6.7	MM_ACCESS_RIGHTS_TERMINATE primitive .....	299
16.3.6.8	MM_KEY_ALLOCATE primitive .....	299
16.3.6.9	MM_INFO primitive .....	300
16.3.6.10	MM_CIPHER primitive .....	300
16.3.6.11	MM_IWU primitive .....	300
17	Handling of error and exception conditions .....	301
17.0	General .....	301
17.1	Protocol discrimination error .....	301
17.2	Message too short .....	301
17.3	Transaction identifier error .....	301
17.3.1	Illegal and unsupported transaction identifier value .....	301
17.3.2	Transaction identifier procedural errors and exception conditions .....	301
17.3.2.1	Unknown active CC call .....	301
17.3.2.2	Unknown active CISS call .....	302
17.3.2.3	Unknown active COMS call .....	302
17.3.2.4	Unknown active CLMS call .....	302
17.3.2.5	Unknown active MM transaction .....	302
17.3.2.6	Unknown active LCE transaction .....	302
17.3.3	Call Resource Contention .....	302
17.4	Message type or message sequence errors .....	303
17.4.1	CC message error .....	303
17.4.2	CISS message error .....	303
17.4.3	COMS or CLMS message error .....	303
17.4.4	MM message error .....	303
17.4.5	LCE message error .....	303
17.5	General information element errors .....	303
17.5.0	General .....	303
17.5.1	Information element out of sequence .....	303
17.5.2	Duplicated information elements .....	304
17.6	Mandatory information element errors .....	304
17.6.1	Mandatory information element missing in CC messages .....	304
17.6.2	Mandatory information element content error in CC messages .....	304
17.6.3	Mandatory information element error in COMS or CLMS messages .....	304
17.6.4	Mandatory information element error in MM messages .....	305
17.6.5	Mandatory information element error in LCE messages .....	305
17.7	Non-mandatory information element errors .....	305
17.7.0	General .....	305

17.7.1	Unrecognized information element.....	305
17.7.2	Non-mandatory information element content error .....	305
17.8	Data link reset.....	306
17.9	Data link failure.....	306
<b>Annex A (normative):</b>	<b>System parameters.....</b>	<b>307</b>
A.1	CC timers.....	307
A.2	SS timers .....	308
A.3	COMS timers.....	308
A.4	CLMS timer.....	309
A.5	MM timers.....	309
A.6	LCE timers .....	312
A.7	NWK layer constants.....	312
A.8	Restart.....	313
<b>Annex B (normative):</b>	<b>CC state transition tables .....</b>	<b>314</b>
B.1	CC state transitions at PT side.....	314
B.1.1	CC state table at PT side.....	314
B.1.2	CC transition procedures at PT side .....	315
B.2	CC state transitions at FT side.....	317
B.2.1	CC state table at FT side.....	317
B.2.2	CC transition procedures at FT side .....	317
<b>Annex C (informative):</b>	<b>DLC states as viewed by the LCE .....</b>	<b>320</b>
<b>Annex D (normative):</b>	<b>DECT standard character sets1.2020.....</b>	<b>321</b>
D.1	General .....	321
	<a href="https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-cdb00c5cd078/sist-en-300-175-5-v2-8-1-2020">https://standards.iteh.ai/catalog/standards/sist/6d0ab75b-b1d1-409f-a692-cdb00c5cd078/sist-en-300-175-5-v2-8-1-2020</a>	
D.2	DECT standard 8-bit characters .....	321
D.2.1	General .....	321
D.2.2	Control codes.....	322
D.2.3	Standard IA5 codes .....	323
D.2.4	extended codes and escape to alternative character sets.....	323
D.3	DECT standard 4-bit characters .....	323
<b>Annex E (normative):</b>	<b>Default coding of information elements .....</b>	<b>324</b>
E.1	Default coding of <<IWU-ATTRIBUTES>> and <CALL-ATTRIBUTES>> information elements for basic speech .....	324
E.2	Default coding of <<IWU-ATTRIBUTES>>, <<CALL-ATTRIBUTES>> and <<CONNECTION-ATTRIBUTES>> information elements for wideband speech .....	324
E.2.0	General .....	324
E.2.1	Default setup attributes for basic service wideband speech .....	325
<b>Annex F (normative):</b>	<b>Broadcast attributes coding .....</b>	<b>326</b>
F.1	Higher layer capabilities.....	326
F.2	Extended higher layer capabilities .....	327
F.3	Extended higher layer capabilities (part 2).....	327
F.4	Extended higher layer capabilities (part 3).....	329
<b>Annex G (normative):</b>	<b>Use of &lt;&lt;IWU-PACKET&gt;&gt; and &lt;&lt;IWU-TO-IWU&gt;&gt; information elements .....</b>	<b>330</b>