TECHNICAL REPORT

ISO/TR 13392

First edition 2014-09-01

Health and safety in welding and allied processes — Arc welding fume components

Hygiène et sécurité en soudage et techniques connexes — Composants des fumées de soudage dans l'arc

iTeh STANDARD PREVIEW (standards.iteh.ai)



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TR 13392:2014 https://standards.iteh.ai/catalog/standards/sist/23ed3336-d244-4750-92bf-6093a209ee32/iso-tr-13392-2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Cont	tents Pa	ige	
Forew	ord	.iv	
Introd	uction	v	
1	Scope	1	
2	Normative references	1	
3	Terms and definitions	1	
4	Background	1	
Biblio	graphy	1 1 1	

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

ISO/TR 13392 was prepared by the International Institute of Welding, Commission VIII Health and Safety. IIW is recognized as an international standardizing body in the field of welding in accordance with Council Resolution 42/1999.

Introduction

This Technical Report constitutes the considered judgement of experts on the range of principal components of fume which can be emitted from arc welding processes and identifies, as key components, those which are of greatest occupational hygiene significance and therefore require the most stringent control measures to ensure that a welder is not exposed to an excessive level of the substance concerned.

The report is intended to assist in hazard appreciation, risk assessment and risk control and thus contribute to improving the health and safety of welders and those working with them. It is also intended to assist medical professionals in their care of welders and others exposed to welding fume.

The constituent components of particular consumables and the fume arising from their use should be gained from the Safety Data Sheet produced by the manufacturer and supplied with the consumables.

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Health and safety in welding and allied processes — Arc welding fume components

1 Scope

This Technical Report provides guidance, based on the experiences of experts, on the components of fume emitted from a range of arc welding processes and consumable types.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TR 25901, Welding and related processes — Vocabulary

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TR 25901 apply.

4 Background

(standards.iteh.ai)

Arc welding processes emit fume. This is a complex dynamic mixture of particulates derived mainly from the welding consumable but also the metal and any coatings and contaminants present. Most of the particles are in the respirable range which means that they can penetrate to the innermost area of the lung where they have the greatest potential to do harm. Many particles contain metal compounds, often as complex oxides and sometimes within a core surrounded by a shell. Some of the components of the fume are at least potentially biologically active. It is essential to be aware of these components when undertaking health and safety risk assessments of welding processes.

Table 1¹⁾ provides a general awareness to those responsible for making assessments or for the health care of welders and those who work with them. It identifies the principal and key components likely to be contained within the fume from a range of welding processes and consumable types. In this context, a *principal component*²⁾ is a component that is of some occupational hygiene significance while the *key component*³⁾ is the one that has the greatest occupational hygiene significance and therefore requires the most stringent control measures to ensure that a welder is not exposed to an excessive level of the substance concerned, i.e. it is the component whose limit value is exceeded at the lowest welding fume concentration.

¹⁾ This table is derived from that shown in ISO 15011-4.

²⁾ A principal component is a component of occupational hygiene significance.

³⁾ Key components have the greatest occupational hygiene significance and therefore require the most stringent control measures to ensure that a welder is not exposed to an excessive level of the substance(s) concerned, i.e. a component whose limit value is exceeded at the lowest welding fume concentration.

Table 1 — Principal and key components of commonly encountered arc welding fumes

Type of process ^a	Type of consumable	Typical principal components	Other possible principal components	Typical key component
MMA (SMAW)	Unalloyed and low alloy steel ^b	Fe, Mn, Cr, Cr(VI) Ni, Cu	F	Mn, Cr or Cr(VI) ^d
111	High alloy steel ^c	Cr, Cr(VI), Fe, Mn, Ni	F	Cr(VI) or Ni
	Aluminium	Al, Cu, Mg, Mn, Zn	Be, Cl, F	Al, Mn or Zn
	Cast iron	Ni, Cu, Fe, Mn	Ba, F	Ni or Cu
	Hardfacing	Co, Cr, Cr(VI), Fe, Ni, Mn	V	Co, Cr, Cr(VI) Ni or Mn
	Work hardening	Fe, Mn, Cr		Mn
	Nickel-based	Co, Cr, Cr(VI)	Fe	Cr, Cr(VI) or Ni
		Fe, Ni, Mn		
	Copper-based	Cu, Ni		Cu or Ni
MIG/MAG/TIG	Unalloyed and low	Fe, Mn, Cr, Cr(VI)		Mn, Cr or Cr(VI) d
(GMAW/GTAW)	alloy steel ^b	Ni, Cu		
131, 135, 141	High alloy steel ^c	Cr, Cr(VI), Fe, Mn, Ni		Cr, Cr(VI) or Ni
	Aluminium alloys	Al, Mg, Mn, Zn	FAIFA	Al, Mn or Zn
	Nickel-based	taco dracr (VI), Mn Nh a	j Fe	Cr, Cr(VI) or Ni
	Copper-based	Cu, Ni		Cu or Ni
Gas-shielded tubular cored arc welding	Unalloyed and low alloy steel brds.iteh	Fe, MR, Ci3 Cr (VI) .ai/catalog/standards/sist/23ed333 6093a209ee3VisCur-13392-201	F 6-d244-4750- 4	Mn, Cr or Cr(VI) 92bf-
(FCAW)	High alloy steel ^c	Cr, Cr(VI), Fe, Mn, Ni	F	Cr(VI) or Ni
132, 133, 136, 137, 143	Hardfacing	Co, Cr, Cr(VI), Fe, Ni, Mn	V	Co, Cr, Cr(VI) Ni or Mn
113	Nickel-based	Co, Cr, Cr(VI). Mn. Ni	Fe	Cr, Cr(VI) or Ni
Self-shielded tubular cored arc welding	Unalloyed and low alloy steel ^b	Fe, Mn, Cr, Ni, Cu, Al	Ba, F	Mn
(FCAW)	High alloy steel ^c	Cr, Cr(VI), Fe, Mn, Ni, Al	Ba, F	Cr(VI) or Ni
114	Hardfacing	Co, Cr, Cr(VI), Fe, Ni, Mn, Al	V	Co, Cr, Cr(VI) Ni or Mn

a For welding process numbers, see ISO 4063.

b Unalloyed and low alloyed steels are here considered to have < 5 % combined alloying elements.

c High alloyed steels are here considered to have \geq 5 % combined alloying elements.

For the unalloyed and low alloyed steels, the Cr(VI) amount can be considered negligible compared to Cr(VI) from high alloyed steels (e.g. Cr(VI) in high alloyed steels is 3–6% and in low alloyed steel 0,05% in the fume box, see ISO 15011-1).

Bibliography

- [1] ISO 4063, Welding and allied processes Nomenclature of processes and reference numbers
- [2] ISO 15011-1, Health and safety in welding and allied processes Laboratory method for sampling fume and gases Part 1: Determination of fume emission rate during arc welding and collection of fume for analysis
- [3] ISO 15011-4, Health and safety in welding and allied processes Laboratory method for sampling fume and gases Part 4: Fume data sheets

iTeh STANDARD PREVIEW (standards.iteh.ai)