## INTERNATIONAL STANDARD

ISO 15609-5

> Second edition 2011-10-01

Corrected version 2011-12-01

# Specification and qualification of welding procedures for metallic materials — Welding procedure specification —

Part 5: **Resistance welding** 

Partie 5: Soudage par résistance

ISO 15609-5:2011 https://standards.iteh.ai/catalog/standards/sist/7e282b54-21c7-4bce-84bc-e6de6ba5ee9b/iso-15609-5-2011



## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 15609-5:2011 https://standards.iteh.ai/catalog/standards/sist/7e282b54-21c7-4bce-84bc-e6de6ba5ee9b/iso-15609-5-2011



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

### Contents

Page

Forewo	ord	.iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Technical contents of welding procedure specification	2
4.1	General	2
4.2	Product manufacturer	
4.3	Parent materials	2
4.3.1	Composition	2
4.3.2	Dimensions	
4.4	Common to all welding procedures	2
4.4.1	Welding process	2
4.4.2	Machine specification	3
4.4.3	Joint design	3
4.4.4	Surface and edge preparation	3
4.4.5	Welding technique	4
4.4.6	Welding techniqueResistance welding electrodes and auxiliaries	4
4.4.7	Machine parameters and control settings	4
Annex	Machine parameters and control settings	5
	B (informative) Example of a WPS Quality acceptance criteria	
Annex	C (informative) Example of a WPS Welding machine set up 84bc-	7
Annex	D (informative) Examples of parameters in resistance welding	8
Bibliod	ıraphy	13

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15609-5 was prepared by Technical Committee ISO/TC 44, *Welding and allied processes*, Subcommittee SC 6, *Resistance welding and allied mechanical joining*.

This second edition cancels and replaces the first edition (ISO 15609-5:2004), which has been technically revised.

(standards.iteh.ai)

ISO 15609 consists of the following parts, under the general title Specification and qualification of welding procedures for metallic materials — Welding procedure specification:

https://standards.itch.ai/catalog/standards/sist/7e282b54-21c7-4bce-84bc-

e6de6ba5ee9b/iso-15609-5-2011

- Part 1: Arc welding
- Part 2: Gas welding
- Part 3: Electron beam welding
- Part 4: Laser beam welding
- Part 5: Resistance welding
- Part 6: Laser-arc hybrid welding

This corrected version of ISO 15609-5:2011 incorporates the following corrections:

- correction of the French title on the cover page of the English version;
- removal of "16" at the end of key item 17 in Figure D.1;
- replacement of the graphic in Figure D.5 raising the lower arrow near "10";
- removal of the second key item 13 in Figure D.5.

Requests for official interpretations of any aspect of this part of ISO 15609 should be directed to the Secretariat of ISO/TC 44/SC 6 via your national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org">www.iso.org</a>.

## Specification and qualification of welding procedures for metallic materials — Welding procedure specification —

#### Part 5:

### Resistance welding

#### 1 Scope

This part of ISO 15609 specifies requirements for the content of welding procedure specifications for resistance spot, seam, butt and projection welding processes. It is necessary to establish the acceptability of applying the principles of this part of ISO 15609 to other resistance and related welding processes before any qualification is undertaken.

NOTE Details of ISO 15609 (all parts — for titles, see Foreword) are given in ISO 15607:2003, Annex A.

Variables listed in this part of ISO 15609 are those influencing either weld dimensions (quality), weld nugget dimension, weld pattern positioning, mechanical properties or geometry of the welded joint.

#### (standards.iteh.ai)

#### 2 Normative references

ISO 15609-5:2011

https://standards.iteh.ai/catalog/standards/sist/7e282b54-21c7-4bce-84bcThe following referenced documents\_dare\_ain\_dispensable\_for\_0 the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 669, Resistance welding — Resistance welding equipment — Mechanical and electrical requirements

ISO 4063, Welding and allied processes — Nomenclature of processes and reference numbers

ISO 5183 (all parts), Resistance welding equipment — Electrode adaptors, male taper 1:10

ISO 5184, Straight resistance spot welding electrodes

ISO 5821, Resistance welding — Spot welding electrode caps

ISO 5827, Spot welding — Electrode back-ups and clamps

ISO 8205-1, Water-cooled secondary connection cables for resistance welding — Part 1: Dimensions and requirements for double-conductor connection cables

ISO 8205-2, Water-cooled secondary connection cables for resistance welding — Part 2: Dimensions and requirements for single-conductor connection cables

ISO 8430 (all parts), Resistance spot welding — Electrode holders

ISO 15607:2003, Specification and qualification of welding procedures for metallic materials — General rules

ISO 15614-12, Specification and qualification of welding procedures for metallic materials — Welding procedure test — Part 12: Spot, seam and projection welding

ISO 15614-13, Specification and qualification of welding procedures for metallic materials — Welding procedure test — Part 13: Resistance butt and flash welding

ISO 17677-1, Resistance welding — Vocabulary — Part 1: Spot, projection and seam welding

#### 3 Terms and definitions

For the purposes of this International Standard, the terms and definitions given in ISO 15607, ISO 17677-1 and ISO 669 apply.

#### 4 Technical contents of welding procedure specification

#### 4.1 General

The welding procedure specification (WPS) shall provide all information required to make a weld. The minimum information required in a WPS for resistance welding processes is listed in 4.2 to 4.4.

For some applications, it is necessary to supplement the list. All relevant information shall be specified in the WPS.

Tolerance ranges shall be specified.

Examples of the WPS format are shown in Annexes A, B and C, these forms should be modified according to actual practice.

(standards.iteh.ai)

#### 4.2 Product manufacturer

ISO 15609-5:2011

- Identification of the product manufacturerai/catalog/standards/sist/7e282b54-21c7-4bce-84bce6de6ba5ee9b/iso-15609-5-2011
- Identification of the WPS.
- Reference to the welding procedure qualification record (WPQR see ISO 15614-12 and ISO 15614-13).

#### 4.3 Parent materials

#### 4.3.1 Composition

- Designation and type(s) of the material(s) and referenced standard(s).
- In case of coating(s), type, thickness, single or double sided.

#### 4.3.2 Dimensions

- Thickness of material(s).
- Dimensions of cross-section of pipe or section (butt welding).

#### 4.4 Common to all welding procedures

#### 4.4.1 Welding process

— Welding process(es) specified shall be designated as listed in ISO 4063:

a)	Spot welding (21):				
		manual,			
		multi,			
		— direct			
		— indirect			
		— push-pull			
		— series,			
		mechanized,			
	_	automated,			
	_	robotic,			
		weld bonding;			
b)	Sea	am welding (22) (roll spot welding):			
c)	— Pro	manual/mechanized/automatic/robotic;  iTeh STANDARD PREVIEW  jection welding (23):  (standards.iteh.ai)			
		single/multiple,			
	_	ISO 15609-5:2011 embossed/solid;standards.iteh.ai/catalog/standards/sist/7e282b54-21c7-4bce-84bc-			
d)	Flas	e6de6ba5ee9b/iso-15609-5-2011 sh welding (24):			
		flashing/upsetting,			
		with/without preheating;			
e)	Ups	set welding (Resistance butt welding) (25).			
4.4	.2	Machine specification			
Тур	Type of machine used and appropriate identification.				
4.4	.3 .	Joint design			
		erlap, edge distance, pitch, sequence and pattern, spot or projection dimensions, shall be specified and mply with the appropriate standards, as applicable.			

#### 4.4.4 Surface and edge preparation

NOTE

- Degreasing, wire brushing, chemical etching, etc.
- For butt welding, any mechanical edge/joint-face preparation (e.g. facing, finishing).

A sketch can be used to show the joint design/configuration.

— For spot, seam and projection welding any removal of edge burrs to avoid shunting.

4.4.	5	We	ıldi	na t	ech	nia	ue
7.7.	•		IMI	IIG L	CUII	шч	uu

- Manual, mechanized, automated, robotic welding.
- Access details, weld sequence and/or pattern.
- Clamping or guidance systems, tack welding, etc.
- Procedures to minimize distortion, indentation, contamination, corrosion, etc. (e.g. use of face or backing electrodes).

Operator protection shall be taken into consideration.

#### 4.4.6 Resistance welding electrodes and auxiliaries

- Geometry and material composition of electrodes (see ISO 5184), caps (see ISO 5821), and adaptors (see ISO 5183).
- Geometry and material composition of backing electrodes (see ISO 5827).
- Geometry and material composition of auxiliaries, e.g. electrode holder (see ISO 8430), cables (see ISO 8205-1 and ISO 8205-2).
- Applicable tolerances for the maintenance of the specified quality requirements.

### iTeh STANDARD PREVIEW

4.4.7 Machine parameters and control settings (standards.iteh.ai)

- Type of power source (alternating current, direct current, capacitor discharge).
  - ISO 15609-5:2011
- Transformer setting(s). <a href="https://standards.iteh.ai/catalog/standards/sist/7e282b54-21c7-4bce-84bc-">https://standards.iteh.ai/catalog/standards/sist/7e282b54-21c7-4bce-84bc-</a>

e6de6ba5ee9b/iso-15609-5-2011

- Controller settings (see Annex D), e.g.:
  - welding current value(s);
  - squeeze time;
  - heat time:
  - number of impulses, cool time;
  - hold time;
  - off time;
  - post-weld heat treatment (chill time, post heat time, post heat current);
  - up-slope, down-slope.
- Electrode force.
- Secondary voltage readings (for flash welding recorded for information only).
- Seam welding speed.
- Cooling requirements for electrical components and electrodes.

NOTE For further information see ISO 14327.

5

## Annex A

(informative)

## Example of a WPS — I: Planned process requirements

			No.:
Issue/Revision:	No. of welding pro	ocedure specification for next	
Date:	operational seque	ence for this joint/assembly:	
Customer:			
Manufacturer:			
Product			
Description:		Quality requirements:	
Assembly name:		Product identification No.a:	
Joint location/operation		Assembly No.a:	
Number/identification code <sup>a</sup> :		Joint type:	
Parent material:		Form:	
Surface condition:		Weld pattern/sequence (sketch) <sup>a</sup> :	
Number of welds per joint:		Quality acceptance specification:	Annex B
Welding Procedure Specification			
Process:		Welding rate (welds/min or m/min):	
Environmental constraints Teh STA	NDARD	Location; V R VV	
Machine identification No.:		Machine type:	b
Manual/mechanized/automated: Stall	ndards.it	Machine size/capacity:	
Electrode set-up <sup>a</sup> :		Tooling <sup>a</sup> :	
Special services needed:	ISO 15609-5:201	Electrode change/dressing program:	Annex C
Machine control type: https://standards.iteh.ai/car	talog/standards/sist/	Control settings (program) chart No.:	
Electrode holder drilled/not drilled: e6de6	6ba5ee9b/iso-15609	Welding current form:	
Machine control identification number:		Monitor type:	
Auxiliary services:		Welding current (kA):	
Type of actuator (air cylinder):	С	Secondary voltage (V):	
		Electrode force (kN):	
		Forge force:	
		Cooling type/flow rate (I/min):	
		Specified post-weld treatment:	Annex C
		Post-weld treatment equipment:	
Special instructions: Prepared by: Date:	- -		
a Insert drawing number.			
b Enter identification letter from chart, e.g.:	ps:		
SP = pedestal spot weld equipment; PW = projection weld equipment; CG = portable C-gun; MW = multiweld equipment; SG = portable scissor gun; PS = portable seam weld equipment; RW = welding robot; SW = seam weld equipment.	D = dual stro H = hydraulic S = soft desc n = other (e.	· ;	

© ISO 2011 – All rights reserved

S = single stroke;
D = dual stroke;
P = diaphragm;
R = flow restrictors.