# INTERNATIONAL STANDARD

First edition 2013-11-01

## Foodstuffs — Principles of selection and criteria of validation for varietal identification methods using specific nucleic acid

Produits alimentaires — Principes de sélection et critères de validation des méthodes d'identification variétale utilisant des acides nucléiques spécifiques

# (https://standards.iteh.ai) Document Preview

ISO 13495:2013

https://standards.iteh.ai/catalog/standards/iso/cdc058a8-5275-433d-a061-008eda21f2f1/iso-13495-2013



Reference number ISO 13495:2013(E)

# iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 13495:2013

https://standards.iteh.ai/catalog/standards/iso/cdc058a8-5275-433d-a061-008eda21f2f1/iso-13495-2013



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

## Contents

Page

Foreword			iv	
Intro	Introduction			
1	Scop	е	1	
2	Norn	native references	1	
3	<b>Term</b> 3.1 3.2 3.3 3.4 3.5 3.6	and definitions Terms related to variety Terms related to DNA/RNA extraction and purification Terms related to PCR amplification of nucleic acids Terms related to detection Terms related to controls Terms related to markers	1 1 2 2 3 3 4	
4	Qual	ity assurance on the test results	4	
5	Selec	tion of methods	6	
6	Mark 6.1 6.2 6.3 6.4	<b>Xers selection</b> General criteria Marker set selection SSR markers Single nucleotide polymorphism (SNP)	<b>6</b> 	
7	<b>Labo</b> 7.1 7.2 7.3	ratory samples 11en Standards Sample	<b>7</b> 7 7	
8	<b>Labo</b> 8.1 8.2 8.3	ratory validation Ocument Preview General Intralaboratory validation criteria Interlaboratory validation criteria	8 	
9 9	<b>Inter</b> 9.1 9.2 9.3 9.4	pretation and expression of the results General Data annotation system Analysis of results Expression of results	10 10 10 10 11 11	
10	Test	report		
Bibli	Bibliography			

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 34, *Food products*, Subcommittee SC 16, *Horizontal methods for molecular biomarker analysis*.

# (https://standards.iteh.ai) Document Preview

#### ISO 13495:2013

https://standards.iteh.ai/catalog/standards/iso/cdc058a8-5275-433d-a061-008eda21f2f1/iso-13495-2013

### Introduction

This International Standard outlines guidelines designed to support decision-making and validation on the protocols used to produce high-quality molecular data for varietal identification.

Varietal identification testing requires high-quality markers, which are able to provide reproducible data using a variety of equipment, chemistries and reagents. Accordingly, this International Standard only addresses specific amplification methods.

The aims of this International Standard are to ensure that the methods of analysis are compatible with customer requests, to list the different steps towards method validation, and to define acceptance criteria. It also guarantees that the general principles employed in performing these analyses will be the same across all laboratories (reference material, sample size, laboratory sample, test portion, extraction, results analysis and interpretation, certificate of analysis).

Finally, this International Standard plays a role in standardizing the results obtained by different laboratories.

# iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 13495:2013

https://standards.iteh.ai/catalog/standards/iso/cdc058a8-5275-433d-a061-008eda21f2f1/iso-13495-2013

# iTeh Standards (https://standards.iteh.ai) Document Preview

<u>ISO 13495:2013</u>

https://standards.iteh.ai/catalog/standards/iso/cdc058a8-5275-433d-a061-008eda21f2f1/iso-13495-2013

# Foodstuffs — Principles of selection and criteria of validation for varietal identification methods using specific nucleic acid

#### 1 Scope

This International Standard specifies molecular tools for generating molecular profiles of varieties of plant species, enabling varietal identification, i.e. confirmation of identity in relation to one or more references.

This International Standard is applicable to various matrices, seeds, leaves, roots, industrial products composed of only one variety. Matrices presented in the form of mixtures of varieties (such as purees, compotes, flours) are excluded from the scope of this document.

This International Standard does not deal with genetic purity.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable to its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 17025:2005, General requirements for the competence of testing and calibration laboratories

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1 Terms related to variety ISO 13495:2013

ttps://standards.iteh.ai/catalog/standards/iso/cdc058a8-5275-433d-a061-008eda21f2f1/iso-13495-2013 3.1.1

#### cultivar

group of cultivated plants which may be clearly defined by morphological, physical, cytological, chemical or other characteristics and which, after sexual or asexual reproduction, keeps its distinct character

[SOURCE: ISO 7563:1998, definition 1.12]

Note 1 to entry: The concept of "cultivar" is essentially different from the concept of the botanical variety "varietas", in that

— "cultivar" is an infraspecific division resulting from controlled selection, even if empirical;

— "varietas" is an infraspecific division resulting from natural selection.

The terms "cultivar" and "variety" (in the sense of cultivated variety) are equivalent. In translations or adaptations of botanical nomenclature for particular uses, the terms "cultivar" or "variety" (or their equivalents in other languages) may be used in text.

Note 2 to entry: The names of botanical varieties and species are always in Latin form and are governed by botanical nomenclature.

#### 3.1.2

#### species

group of organisms that have a high level of genetic (DNA) similarity and are capable of interbreeding: often containing subspecies, varieties or races

Note 1 to entry: A species is designated in italics by the genus name followed by the specific name, e.g. Ananas comosus.

3.1.3

variety

unique and uniform member of a species of plant (except for hybrid species) that retains its characteristics from generation to generation through its natural mode of reproduction

[SOURCE: ISO 5527:—, definition 2.1.7, modified — the other preferred term "cultivar" has been deleted.]

#### 3.2 Terms related to DNA/RNA extraction and purification

#### 3.2.1

#### nucleic acid extraction

sample treatment for the liberation of target nucleic acid

Note 1 to entry: The nucleic acid extraction procedure is used for isolating nucleic acids from other cellular components, such as protein, lipids, carbohydrates and other impurities in a test sample.

[SOURCE: ISO 22174:2005, definition 3.2.1, modified — Note 1 has been added.]

#### 3.2.2

#### nucleic acid purification

method resulting in a more purified DNA

Note 1 to entry: A procedure or process involving sequential steps used to separate DNA and/or RNA from other components in a sample. A highly purified DNA or RNA sample contains negligible observable or measurable effects attributable to inhibitors of the polymerase chain reaction.

Note 2 to entry: In this context, purity refers to the reduction of observable and measurable effects of PCR inhibitors.

[SOURCE: ISO 22174:2005, definition 3.2.2, modified — Note 1 has been added; Note 2 has been modified.]

#### 3.3 Terms related to PCR amplification of nucleic acids VI eW

#### 3.3.1

amplicon

#### SO 13495:2013

specific DNA fragment produced by a DNA-amplification technology, such as the polymerase chain reaction (PCR)

#### 3.3.2

#### hybridization

specific binding of complementary nucleic acid sequences under suitable reaction conditions

[SOURCE: ISO 22174:2005, definition 3.6.3]

#### 3.3.3

#### multiplex PCR

PCR that uses multiple pairs of primers in different loci combined within a single reaction mixture to produce multiple amplicons simultaneously

[SOURCE: ISO 22174:2005, definition 3.4.11, modified — the phrase following "primers" has been added.]

#### 3.3.4 polymerase chain reaction PCR

enzymatic procedure which allows *in vitro* amplification of DNA

[SOURCE: ISO 22174:2005, definition 3.4.1]

#### 3.3.5

#### primer

oligonucleotide of defined length and sequence complementary to a segment of an analytically relevant DNA sequence

[SOURCE: ISO 22174:2005, definition 3.4.12]

#### 3.3.6

#### probe

labelled nucleic acid molecule with a defined sequence used to detect target DNA by hybridization

[SOURCE: ISO 22174:2005, definition 3.6.1, modified — the term was originally "DNA probe".]

#### 3.3.7

#### specificity

property of a method to respond exclusively to the characteristic or analyte under investigation

Note 1 to entry: It describes the ability to specifically recognize the nucleic acid sequence to be detected by distinguishing it from other nucleic acid sequences, and the tendency for a primer or probe to hybridize with its intended target and not hybridize with other non-target sequences.

[SOURCE: ISO 24276:2006, definition 3.1.4, modified — Note 1 has been added.]

#### 3.3.8

#### thermocycler

automated laboratory apparatus used to repeatedly raise and lower the temperature of a sample by cycling through a series of discrete, pre-programmed steps

Note 1 to entry: This cycling of temperatures drives the PCR process.

### 3.4 Terms related to detection ment Preview

#### 3.4.1

#### electrophoresis

method of separating electrically-charged particles by their differential migration under an electric field

Note 1 to entry: PCR products can be separated by various types of electrophoresis.

#### 3.5 Terms related to controls

#### 3.5.1

### reference sample

#### reference material

material or substance, one or more of whose property values are sufficiently homogeneous and well established to be used for the calibration of an apparatus, the assessment of a measurement method, or for assigning values to materials

Note 1 to entry: The reference material may be either provided by the customer, internal to the laboratory, or an officially-designated reference.

[SOURCE: ISO Guide 30]

[SOURCE: ISO 24276:2006, definition 3.5.1, modified — Note 1 has been added.]

#### 3.5.2

#### test control

one or more samples that have undergone all or part of the analytical process designed for the target samples and which can reveal known alleles of the markers used, thereby signalling any process errors and providing reference alleles which can facilitate the reading of results

#### 3.6 Terms related to markers

#### 3.6.1

#### allele competition

preferential amplification of one allele over another in a heterozygote or a mixture

#### 3.6.2

#### allele frequency

measure of how common an allele is in a population; the proportion or percentage of all of the occurrences of a locus that is occupied by a given allele

#### 3.6.3

#### marker

genetic marker that typically applies to DNA fragments matching a given locus that gives information on the genotype of the carrier or on the genotype of neighbouring loci

#### 3.6.4

#### null allele

<context of PCR> sequence variant that precludes PCR amplification of a particular target, resulting in the absence of detectable PCR product

#### 3.6.5

#### repeat region

genomic region in which a particular DNA or RNA sequence occurs as multiple copies

#### 3.6.6

#### simple sequence repeat

#### SSR

region of DNA consisting of a short (1 bp to 6 bp) sequence (repeat unit) that is tandemly repeated many (typically five to 50) times

Note 1 to entry: SSRs are commonly known as microsatellites.

Note 2 to entry: The number of repeat units present at a specified SSR, and thus the overall length of the SSR, often varies among individuals.

#### 3.6.7

#### single nucleotide polymorphism

#### **SNP**

single nucleotide variation in a genetic sequence that occurs at appreciable frequency in the population

Note 1 to entry: SNP is often pronounced "snip".

[SOURCE: ISO 25720:2009, definition 4.23, modified — Note 1 has been added.]

#### 4 Quality assurance on the test results

The requirements and guidelines set out in <u>Table 1</u> are coded as follows:

- C: compulsory;
- R: Recommended.