

SLOVENSKI STANDARD**oSIST ISO 16589-1:2014****01-januar-2014**

**Fluidna tehnika - Ustnične gredne tesnilke s termoplastičnimi tesnilnimi elementi -
1. del: Nazivne mere in tolerance**

Rotary shaft lip-type seals incorporating thermoplastic sealing elements - Part 1: Nominal dimensions and tolerances

Bagues d'étanchéité à lèvres pour arbres tournants incorporant des éléments d'étanchéité thermoplastiques - Partie 1: Dimensions nominales et tolérances

Ta slovenski standard je istoveten z: ISO 16589-1:2011

ICS:

23.100.60	Filtri, tesnila in onesnaževanje tekočin	Filters, seals and contamination of fluids
-----------	---	---

oSIST ISO 16589-1:2014**en,fr**

INTERNATIONAL
STANDARD

ISO
16589-1

Second edition
2011-04-15

**Rotary shaft lip-type seals incorporating
thermoplastic sealing elements —**

**Part 1:
Nominal dimensions and tolerances**

*Bagues d'étanchéité à lèvres pour arbres tournants incorporant des
éléments d'étanchéité thermoplastiques —*

Partie 1: Dimensions nominales et tolérances



Reference number
ISO 16589-1:2011(E)

© ISO 2011

ISO 16589-1:2011(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions	1
4 Symbols.....	1
5 Seal types and examples.....	2
5.1 Seal outside diameter construction	2
5.2 Sealing lip arrangements.....	2
6 Pressure and nominal dimensions.....	3
6.1 Pressure	3
6.2 Nominal dimensions	3
7 Shafts.....	4
7.1 Shaft ends	4
7.2 Diametral tolerance	5
7.3 Surface roughness and hardness	5
7.3.1 Surface roughness	5
7.3.2 Surface hardness	6
8 Housings	6
8.1 Dimensions	6
8.2 Housing bore tolerance	7
8.3 Housing bore surface roughness	7
9 Seal tolerances	7
9.1 Seal width.....	7
9.2 Seal outside diameter	7
10 Size identification code.....	8
11 Identification statement (Reference to this part of ISO 16589).....	9
Annex A (informative) Seal specification	10
Bibliography.....	13

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16589-1 was prepared by Technical Committee ISO/TC 131, *Fluid power systems*, Subcommittee SC 7, *Sealing devices*.

This second edition cancels and replaces the first edition (ISO 16589-1:2001), which has been technically revised.

ISO 16589 consists of the following parts, under the general title *Rotary shaft lip-type seals incorporating thermoplastic sealing elements*:

- *Part 1: Nominal dimensions and tolerances*
- *Part 2: Vocabulary*
- *Part 3: Storage, handling and installation*
- *Part 4: Performance test procedures*
- *Part 5: Identification of visual imperfections*

Introduction

Rotary shaft lip-type seals are used to retain fluid in equipment where the differential pressure is relatively low. Typically, the shaft rotates and the housing is stationary, although in some applications the shaft is stationary and the housing rotates.

Dynamic sealing is normally the result of a designed interference fit between the shaft and a flexible element incorporated in the seal.

Similarly, a designed interference fit between the outside diameter of the seal and the diameter of the housing bore retains the seal and prevents static leakage.

Careful storage and handling and proper installation of all seals are necessary to avoid hazards, both prior to and during installation, which would adversely affect service life.

