

#### SLOVENSKI STANDARD SIST ETS 300 926 E2:2003

01-december-2003

### 8][]HUb]'WY] b]'HYY\_caib]\_UW]'g\_]'g]ghYa'fZUnU'&ŽŁË'Ghcf]hYj'[cjcfbYfUX]cX]Zin]'Y'fU6GŁË'Ghcdb'U'%fl, GA'\$&'\*-zfUn`]]WU)''''Ł

Digital cellular telecommunications system (Phase 2+) (GSM); Voice Broadcast Service (VBS); Stage 1 (GSM 02.69 version 5.1.3)

### iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten z SIST ETS 300 926 Edition 2 standard je istoveten z SIST ETS 300 926 Edition 2 standard sien z SIST ETS 2 standard sien z SIST ETS 2 standard sien z SIST ETS 2 s

b0666a43f922/sist-ets-300-926-e2-2003

ICS:

33.070.50 Globalni sistem za mobilno Global System for Mobile

telekomunikacijo (GSM) Communication (GSM)

SIST ETS 300 926 E2:2003 en

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 926 E2:2003

https://standards.iteh.ai/catalog/standards/sist/40acb725-38e1-4065-a838-b0666a43f922/sist-ets-300-926-e2-2003



# EUROPEAN TELECOMMUNICATION STANDARD

ETS 300 926

August 1997

**Second Edition** 

Source: ETSI SMG Reference: RE/SMG-010269QR1

ICS: 33.020

Key words: Digital cellular telecommunications system, Global System for Mobile communications (GSM)



Digital cellular telecommunications system (Phase 2+);

Voice Broadcast Service (VBS) - Stage 1 (GSM 02.69 version 5.1.3)

#### **ETSI**

European Telecommunications Standards Institute

#### **ETSI Secretariat**

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - Internet: secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

Page 2

ETS 300 926 (GSM 02.69 version 5.1.3): August 1997

### iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 926 E2:2003 https://standards.iteh.ai/catalog/standards/sist/40acb725-38e1-4065-a838-b0666a43f922/sist-ets-300-926-e2-2003

#### ETS 300 926 (GSM 02.69 version 5.1.3): August 1997

#### **Contents**

Fore	word		5				
1	Scope		7				
2	Normative references						
3	Definitions and abbreviations						
	3.1	Definitions	8				
	3.2	Abbreviations					
4	Descri	ption	9				
5	Norma	Il operation with successful outcome	12				
	5.1	Provision					
	5.2	Withdrawal	12				
	5.3	Network related service configuration					
	5.4	Normal operation for voice broadcast call establishment					
	5.5	Charging requirements					
6	Excep	tional procedures or unsuccessful outcome	13				
7	Interac	ction with GSM services and features	13				
	7.1	Calling Line Identification Presentation (CLIP)					
	7.2	Calling Line Identification Restriction (CLIR) 21.	13				
	7.3	Connected Line Identification Presentation (COLP)	13				
	7.4	Connected Line Identification Restriction (COLR)	13				
	7.5	Call Forwarding Unconditional (CFL)	13				
	7.6	Call Forwarding Unconditional (CFU)  Call Forwarding on mobile subscriber Busy (CFB) 1-4065-axx8-	14				
	7.7	Call Forwarding on No Reply (CFNRy) 226-62-2003	14				
	7.8	Call Forwarding on mobile subscriber Not Reachable (CFNRc)	14				
	7.9	Call Waiting (CW)					
	7.10	Call Hold (HOLD)					
	7.11	Multi-party Service (MPTY)					
	7.12	Closed User Group (CUG)					
	7.13	Advice of Charge (AoC)					
	7.14	Barring of All Outgoing Calls (BAOC)					
	7.15	Barring of Outgoing International Calls (BOIC)					
	7.16	Barring of Outgoing International Calls except those directed to the Home PLMN					
	0	country (BOIC-exHC)	15				
	7.17	Barring of All Incoming Calls (BAIC)					
	7.18	Barring of Incoming Calls when Roaming outside the home PLMN country (BIC-Roam)					
	7.19	Explicit Call Transfer (ECT)					
	7.10	enhanced Multi-Level Precedence and Pre-emption service (eMLPP)					
	7.21	Short Message Service (SMS)					
	7.22	Operator Determined Barring (ODB)					
8	Interwe	orking considerations	15				
Ann	ex A (info	ormative): Status of Technical Specification GSM 02.69	16				
∐ict/			17				

Page 4

ETS 300 926 (GSM 02.69 version 5.1.3): August 1997

Blank page

### iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 926 E2:2003

https://standards.iteh.ai/catalog/standards/sist/40acb725-38e1-4065-a838-b0666a43f922/sist-ets-300-926-e2-2003

#### **Foreword**

This European Telecommunication Standard (ETS) has been produced by the Special Mobile Group (SMG) of the European Telecommunications Standards Institute (ETSI).

This ETS specifies the stage one description of the Voice Broadcast Service (VBS) within the digital cellular telecommunications system.

The contents of this ETS is subject to continuing work within SMG and may change following formal SMG approval. Should SMG modify the contents of this ETS, it will be resubmitted for OAP by ETSI with an identifying change of release date and an increase in version number as follows:

Version 5.x.y

#### where:

- y the third digit is incremented when editorial only changes have been incorporated in the specification;
- x the second digit is incremented for all other types of changes, i.e. technical enhancements, corrections, updates, etc.

Transposition dates								
Date of adoption:	18 April 1997							
Date of latest announcement of this ETS (doa):	30 November 1997							
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	E 3 May 1998							
Date of withdrawal of any conflicting National Standard (dow):	31 May 1998							

<u>SIST ETS 300 926 E2:2003</u> https://standards.iteh.ai/catalog/standards/sist/40acb725-38e1-4065-a838-b0666a43f922/sist-ets-300-926-e2-2003

Page 6

ETS 300 926 (GSM 02.69 version 5.1.3): August 1997

Blank page

### iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 926 E2:2003

https://standards.iteh.ai/catalog/standards/sist/40acb725-38e1-4065-a838-b0666a43f922/sist-ets-300-926-e2-2003

#### 1 Scope

This European Telecommunication Standard (ETS) specifies the stage one description of the Voice Broadcast Service (VBS) which allows the distribution of speech (or other signals which can be transmitted via the speech codec), generated by a service subscriber, into a predefined geographical area to all or a group of service subscribers located in this area.

The Voice Broadcast Service (VBS) is applicable to all mobile stations in a certain network and area which have the technical capability and the respective subscription to receive a VBS call.

NOTE: It is not considered as requirement that normal GSM Phase 2 mobile stations will be able to be used for this service.

The service is described from the service subscriber's and user's point of view; in particular:

- the procedure for normal operation with successful outcome;
- the action to be taken in exceptional circumstances;
- the interaction with other GSM services and features.

This ETS does not deal with the Man-Machine Interface (MMI) requirements, but makes reference to the appropriate Global System for Mobile communications (GSM) specifications.

This ETS defines a teleservice of the digital cellular telecommunication system GSM. Any interaction with other services and/or networks not dealt within clauses 8 or 9 are outside the scope of this ETS.

#### 2 Normative references AND ARD PREVIEW

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by the amendment or revision. For undated references, the latest edition of the publication referred to applies.

[1]	GSM 01.04 (ETR 350): "Digital cellular telecommunications system (Phase 2+);
	Abbreviations and acronyms".

[2]	GSM 02.67	(ETS 300 9	924):	"Digita	l cellular	telecon	nmunications	system
	(Phase 2+);	enhanced	Multi-	Level	Precedence	e and	Pre-emption	service
	(eMLPP) - St	age 1".						

[3] GSM 12.05 (ETS 300 616): "Digital cellular telecommunications system (Phase 2); Subscriber related event and call data".