

---

---

**Information technology — Abstract  
Syntax Notation One (ASN.1):  
Specification of basic notation**

*Technologies de l'information — Notation de syntaxe abstraite numéro  
un (ASN.1): Spécification de la notation de base*

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 8824-1:2008](https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-8dbb-688893ee68b4/iso-iec-8824-1-2008)

[https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-  
8dbb-688893ee68b4/iso-iec-8824-1-2008](https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-8dbb-688893ee68b4/iso-iec-8824-1-2008)

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[ISO/IEC 8824-1:2008](https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-8dbb-688893ee68b4/iso-iec-8824-1-2008)

<https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-8dbb-688893ee68b4/iso-iec-8824-1-2008>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published by ISO in 2009

Published in Switzerland

## CONTENTS

	<i>Page</i>
Foreword .....	viii
Introduction .....	ix
1 Scope .....	1
2 Normative references .....	1
2.1 Identical Recommendations   International Standards .....	1
2.2 Additional references .....	2
3 Definitions .....	2
3.1 International Object Identifier tree specification .....	2
3.2 Information object specification .....	2
3.3 Constraint specification .....	3
3.4 Parameterization of ASN.1 specification .....	3
3.5 Structure for identification of organizations .....	3
3.6 Universal Multiple-Octet Coded Character Set (UCS) .....	3
3.7 Representation of dates and times .....	3
3.8 Additional definitions .....	4
4 Abbreviations .....	9
5 Notation .....	10
5.1 General .....	10
5.2 Productions .....	10
5.3 The alternative collections .....	10
5.4 Non-spacing indicator .....	10
5.5 Example of a production .....	10
5.6 Layout .....	11
5.7 Recursion .....	11
5.8 References to permitted sequences of lexical items .....	11
5.9 References to a lexical item .....	11
5.10 Short-hand notations .....	11
5.11 Value references and the typing of values .....	12
6 The ASN.1 model of type extension .....	12
7 Extensibility requirements on encoding rules .....	13
8 Tags .....	13
9 Encoding instructions .....	14
10 Use of the ASN.1 notation .....	15
11 The ASN.1 character set .....	15
12 ASN.1 lexical items .....	17
12.1 General rules .....	17
12.2 Type references .....	17
12.3 Identifiers .....	17
12.4 Value references .....	18
12.5 Module references .....	18
12.6 Comments .....	18
12.7 Empty lexical item .....	18
12.8 Numbers .....	18
12.9 Real numbers .....	18
12.10 Binary strings .....	19
12.11 XML binary string item .....	19
12.12 Hexadecimal strings .....	19

12.13	XML hexadecimal string item.....	19
12.14	Character strings .....	19
12.15	XML character string item.....	20
12.16	The simple character string lexical item.....	22
12.17	Time value character strings .....	22
12.18	XML time value character string item .....	22
12.19	The property and setting names lexical item.....	22
12.20	Assignment lexical item.....	22
12.21	Range separator.....	22
12.22	Ellipsis.....	23
12.23	Left version brackets.....	23
12.24	Right version brackets.....	23
12.25	Encoding references.....	23
12.26	Integer-valued Unicode labels.....	23
12.27	Non-integer Unicode labels .....	23
12.28	XML end tag start item .....	23
12.29	XML single tag end item.....	24
12.30	XML boolean true item.....	24
12.31	XML boolean extended-true item .....	24
12.32	XML boolean false item.....	24
12.33	XML boolean extended-false item.....	24
12.34	XML real not-a-number item .....	24
12.35	XML real infinity item.....	25
12.36	XML tag names for ASN.1 types.....	25
12.37	Single character lexical items.....	26
12.38	Reserved words.....	27
13	Module definition.....	27
14	Referencing type and value definitions.....	31
15	Notation to support references to ASN.1 components.....	33
16	Assigning types and values .....	34
17	Definition of types and values.....	35
18	Notation for the boolean type.....	38
19	Notation for the integer type .....	39
20	Notation for the enumerated type.....	40
21	Notation for the real type.....	41
22	Notation for the bitstring type .....	42
23	Notation for the octetstring type.....	44
24	Notation for the null type .....	45
25	Notation for sequence types .....	45
26	Notation for sequence-of types.....	48
27	Notation for set types .....	51
28	Notation for set-of types.....	52
29	Notation for choice types .....	52
30	Notation for selection types.....	54
31	Notation for prefixed types .....	55
31.1	General.....	55
31.2	The tagged type.....	55
31.3	The encoding prefixed type.....	56
32	Notation for the object identifier type.....	57
33	Notation for the relative object identifier type .....	58

<https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-911b-688893ec68b4/iso-iec-8824-1-2008>  
 ITeh STANDARD PREVIEW  
 (standards.iteh.ai)

34	Notation for the OID internationalized resource identifier type.....	60
35	Notation for the relative OID internationalized resource identifier type.....	60
36	Notation for the embedded-pdv type.....	61
37	Notation for the external type.....	63
38	The time type.....	64
	38.1 General.....	64
	38.2 Time properties and settings of time abstract values .....	64
	38.3 Basic value notation and XML value notation for time abstract values with specified property settings .....	68
	38.4 Useful time types.....	72
39	The character string types.....	74
40	Notation for character string types.....	74
41	Definition of restricted character string types .....	75
42	Naming characters, collections and property category sets.....	79
43	Canonical order of characters.....	82
44	Definition of unrestricted character string types .....	83
45	Notation for types defined in clauses 46 to 48 .....	84
46	Generalized time.....	84
47	Universal time .....	86
48	The object descriptor type .....	86
49	Constrained types .....	87
50	Element set specification.....	88
51	Subtype elements.....	90
	51.1 General.....	90
	51.2 Single value.....	92
	51.3 Contained subtype.....	92
	51.4 Value range.....	92
	51.5 Size constraint.....	92
	51.6 Type constraint.....	93
	51.7 Permitted alphabet.....	93
	51.8 Inner subtyping .....	93
	51.9 Pattern constraint.....	95
	51.10 Property settings.....	95
	51.11 Duration range .....	96
	51.12 Time point range .....	96
	51.13 Recurrence range.....	97
52	The extension marker .....	97
53	The exception identifier.....	99
54	Encoding control sections .....	99
	Annex A ASN.1 regular expressions.....	101
	A.1 Definition .....	101
	A.2 Metacharacters .....	101
	Annex B The defined time types .....	105
	B.1 General.....	105
	B.2 The ASN.1 defined time types module .....	105
	Annex C Rules for type and value Compatibility.....	110
	C.1 The need for the value mapping concept (tutorial introduction).....	110
	C.2 Value mappings.....	112
	C.3 Identical type definitions.....	113
	C.4 Specification of value mappings .....	115

# ISO/IEC 8824-1:2008(E)

C.5	Additional value mappings defined for the character string types.....	115
C.6	Specific type and value compatibility requirements .....	116
C.7	Examples.....	117
Annex D	Assigned object identifier and OID internationalized resource identifier values.....	119
D.1	Values assigned in this Recommendation   International Standard.....	119
D.2	Object identifiers in the ASN.1 and encoding rules standards.....	119
Annex E	Encoding references .....	121
Annex F	Assignment and use of arcs in the International Object Identifier tree.....	122
F.1	General.....	122
F.2	Use of the International Object Identifier tree by the object identifier (OBJECT IDENTIFIER) type .....	122
F.3	Use of the International Object Identifier tree by the OID internationalized resource identifier (OID-IRI) type .....	122
Annex G	Examples and hints .....	123
G.1	Example of a personnel record.....	123
G.1.1	Informal description of Personnel Record .....	123
G.1.2	ASN.1 description of the record structure.....	123
G.1.3	ASN.1 description of a record value .....	124
G.2	Guidelines for use of the notation .....	124
G.2.1	Boolean .....	125
G.2.2	Integer .....	125
G.2.3	Enumerated .....	125
G.2.4	Real .....	126
G.2.5	Bit string.....	127
G.2.6	Octet string.....	128
G.2.7	UniversalString, BMPString and UTF8String .....	129
G.2.8	CHARACTER STRING.....	129
G.2.9	Null .....	130
G.2.10	Sequence and sequence-of .....	130
G.2.11	Set and set-of .....	132
G.2.12	Tagged .....	134
G.2.13	Choice .....	135
G.2.14	Selection type .....	137
G.2.16	Embedded-pdv .....	138
G.2.17	External .....	138
G.2.18	Instance-of.....	138
G.2.19	Object identifier .....	139
G.2.20	OID internationalized resource identifier.....	139
G.2.21	Relative object identifier .....	139
G.3	Value notation and property settings (TIME type and useful time types).....	140
G.3.1	Date .....	140
G.3.2	Time of day .....	140
G.3.3	Date and time of day .....	141
G.3.4	Time interval .....	141
G.3.5	Recurring interval .....	142
G.4	Identifying abstract syntaxes.....	142
G.5	Subtypes.....	143
Annex H	Tutorial annex on ASN.1 character strings.....	147
H.1	Character string support in ASN.1 .....	147
H.2	The UniversalString, UTF8String and BMPString types.....	147
H.3	On ISO/IEC 10646 conformance requirements .....	148
H.4	Recommendations for ASN.1 users on ISO/IEC 10646 conformance .....	148
H.5	Adopted subsets as parameters of the abstract syntax.....	149
H.6	The CHARACTER STRING type .....	149
Annex I	Tutorial annex on the ASN.1 model of type extension.....	150
I.1	Overview.....	150

I.2	Meaning of version numbers.....	151
I.3	Requirements on encoding rules.....	152
I.4	Combination of (possibly extensible) constraints.....	152
I.4.1	Model.....	152
I.4.2	Serial application of constraints.....	152
I.4.3	Use of set arithmetic.....	153
I.4.4	Use of the Contained Subtype notation.....	154
Annex J	Tutorial annex on the TIME type.....	155
J.1	The collections of ASN.1 types for times and dates.....	155
J.2	ISO 8601 key concepts.....	155
J.3	Abstract values of the TIME type.....	156
J.4	Time properties of the time abstract values.....	157
J.5	Value notation.....	157
J.6	Use of the ASN.1 subtype notation.....	158
J.7	The property settings subtype notation.....	158
Annex K	Analyzing TIME type value notation.....	160
K.1	General.....	160
K.2	Analyzing the full string.....	160
K.3	Analysis of a string containing an interval.....	161
K.4	Analysis of a string containing a date.....	161
K.5	Analysis of a string containing a year.....	162
K.6	Analysis of a string containing a century.....	162
K.7	Analysis of a string containing a time.....	162
K.8	Analysis of a string containing a simple time.....	163
Annex L	Summary of the ASN.1 notation.....	164

[ISO/IEC 8824-1:2008](https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-8dbb-688893ec68b4/iso-iec-8824-1-2008)

<https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-8dbb-688893ec68b4/iso-iec-8824-1-2008>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 8824-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology, Subcommittee SC 6, Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.680 (11/2008).

This fourth edition cancels and replaces the third edition (ISO/IEC 8824-1:2002), which has been technically revised. It also incorporates the Amendments ISO/IEC 8824-1:2002/Amd.1:2004, ISO/IEC 8824-1:2002/Amd.2:2005, ISO/IEC 8824-1:2002/Amd.3:2006 and ISO/IEC 8824-1:2002/Amd.4:2008, and the Technical Corrigendum ISO/IEC 8824-1:2002/Cor.1:2006.

ISO/IEC 8824 consists of the following parts, under the general title *Information technology — Abstract Syntax Notation One (ASN.1)*:

- *Part 1: Specification of basic notation*
- *Part 2: Information object specification*
- *Part 3: Constraint specification*
- *Part 4: Parameterization of ASN.1 specifications*



## Introduction

This Recommendation | International Standard presents a standard notation for the definition of data types and values. A *data type* (or *type* for short) is a category of information (for example, numeric, textual, still image or video information). A *data value* (or *value* for short) is an instance of such a type. This Recommendation | International Standard defines several basic types and their corresponding values, and rules for combining them into more complex types and values.

In some protocol architectures, each message is specified as the binary value of a sequence of octets. However, standards-writers need to define quite complex data types to carry their messages, without concern for their binary representation. In order to specify these data types, they require a notation that does not necessarily determine the representation of each value. ASN.1 is such a notation. This notation is supplemented by the specification of one or more algorithms called *encoding rules* that determine the value of the octets that carry the application semantics (called the *transfer syntax*). ITU-T Rec. X.690 | ISO/IEC 8825-1, ITU-T Rec. X.691 | ISO/IEC 8825-2 and ITU-T Rec. X.693 | ISO/IEC 8825-4 specify three families of standardized encoding rules, called *Basic Encoding Rules (BER)*, *Packed Encoding Rules (PER)*, and *XML Encoding Rules (XER)*.

Some users wish to redefine their legacy protocols using ASN.1, but cannot use standardized encoding rules because they need to retain their existing binary representations. Other users wish to have more complete control over the exact layout of the bits on the wire (the transfer syntax). These requirements are addressed by ITU-T Rec. X.692 | ISO/IEC 8825-3 which specifies an *Encoding Control Notation (ECN)* for ASN.1. ECN enables designers to formally specify the abstract syntax of a protocol using ASN.1, but to then (if they so wish) take complete or partial control of the bits on the wire by writing an accompanying ECN specification (which may reference standardized Encoding Rules for some parts of the encoding).

A very general technique for defining a complicated type at the abstract level is to define a small number of *simple types* by defining all possible values of the simple types, then combining these simple types in various ways. Some of the ways of defining new types are as follows:

- a) given an (ordered) list of existing types, a value can be formed as an (ordered) sequence of values, one from each of the existing types; the collection of all possible values obtained in this way is a new type (if the existing types in the list are all distinct, this mechanism can be extended to allow omission of some values from the list);
- b) given an unordered set of (distinct) existing types, a value can be formed as an (unordered) set of values, one from each of the existing types; the collection of all possible unordered sets of values obtained in this way is a new type (the mechanism can again be extended to allow omission of some values);
- c) given a single existing type, a value can be formed as an (ordered) list or (unordered) set of zero, one or more values of the existing type; the collection of all possible lists or sets of values obtained in this way is a new type;
- d) given a list of (distinct) types, a value can be chosen from any one of them; the set of all possible values obtained in this way is a new type;
- e) given a type, a new type can be formed as a subset of it by using some structure or order relationship among the values.

An important aspect of combining types in this way is that encoding rules should recognize the combining constructs, providing unambiguous encodings of the collection of values of the basic types. Thus, every basic type defined using the notation specified in this Recommendation | International Standard is assigned a *tag* to aid in the unambiguous encoding of values.

Tags are mainly intended for machine use, and are not essential for the human notation defined in this Recommendation | International Standard. Where, however, it is necessary to require that certain types be distinct, this is expressed by requiring that they have distinct tags. The allocation of tags is therefore an important part of the use of this notation, but (since 1994) it is possible to specify the automatic allocation of tags.

NOTE 1 – Within this Recommendation | International Standard, tag values are assigned to all simple types and construction mechanisms. The restrictions placed on the use of the notation ensure that tags can be used in transfer for unambiguous identification of values.

It is also possible to assign encoding instructions to a type in order to affect the encoding of that type. This can be done either by a type prefix placed before a type definition or use of a type reference, or by an encoding control section placed at the end of an ASN.1 module. The generic syntax of type prefixes and encoding control sections is specified in this Recommendation | International Standard, and includes an encoding reference to identify the encoding rules that

## ISO/IEC 8824-1:2008(E)

are modified by the encoding instruction. The semantics and detailed syntax of encoding instructions are specified in the encoding rules Recommendation | International Standard identified by the encoding reference.

An ASN.1 specification will initially be produced with a set of fully defined ASN.1 types. At a later stage, however, it may be necessary to change those types (usually by the addition of extra components in a sequence or set type). If this is to be possible in such a way that implementations using the old type definitions can interwork with implementations using the new type definitions in a defined way, encoding rules need to provide appropriate support. The ASN.1 notation supports the inclusion of an *extension marker* on a number of types. This signals to encoding rules the intention of the designer that this type is one of a series of related types (i.e., versions of the same initial type) called an *extension series*, and that the encoding rules are required to enable information transfer between implementations using different types that are related by being part of the same extension series.

Clauses 11 to 33 (inclusive) define the simple types supported by ASN.1, and specify the notation to be used for referencing simple types and for defining new types using them. Clauses 11 to 33 also specify notations to be used for specifying values of types defined using ASN.1. Two value notations are provided. The first is called the basic ASN.1 value notation, and has been part of the ASN.1 notation since its first introduction. The second is called the XML ASN.1 Value Notation, and provides a value notation using Extensible Markup Language (XML).

NOTE 2 – The XML Value Notation provides a means of representing ASN.1 values using XML. Thus, an ASN.1 type definition also specifies the structure and content of an XML element. This makes ASN.1 a simple schema language for XML.

Clauses 36 to 37 (inclusive) define the types supported by ASN.1 for carrying within them the complete encoding of ASN.1 types.

Clause 38 and Annex B define the types that provide support for ISO 8601.

Clauses 39 to 44 (inclusive) define the character string types.

Clauses 45 to 48 (inclusive) define certain types which are considered to be of general utility, but which require no additional encoding rules.

Clauses 49 to 51 (inclusive) define a notation which enables subtypes to be defined from the values of a parent type.

Clause 52 defines a notation which allows ASN.1 types specified in a "version 1" specification to be identified as likely to be extended in "version 2", and for additions made in subsequent versions to be separately listed and identified with their version number.

Clause 53 defines a notation which allows ASN.1 type definitions to contain an indication of the intended error handling if encodings are received for values which lie outside those specified in the current standardized definition.

Annex A forms an integral part of this Recommendation | International Standard, and specifies ASN.1 regular expressions.

Annex B forms an integral part of this Recommendation | International Standard, and defines an ASN.1 module containing the definition of a set of time types providing the full functionality of ISO 8601. These types can be imported from this ASN.1 module by an application designer if the useful time types specified in clause 38 are not adequate for the application.

Annex C forms an integral part of this Recommendation | International Standard, and specifies rules for type and value compatibility.

Annex D forms an integral part of this Recommendation | International Standard, and records object identifier and object descriptor values assigned in the ASN.1 series of Recommendations | International Standards.

Annex E forms an integral part of this Recommendation | International Standard and specifies the currently defined encoding references and the Recommendation | International Standard that defines the semantics and detailed syntax of encoding instructions with those encoding references.

Annex F does not form an integral part of this Recommendation | International Standard, and references the specification of the top-level arcs of the International Object Identifier tree and the use of that tree to form an OID internationalized resource identifier which can be used as an IRI or URI registered as the "oid" scheme with IANA.

Annex G does not form an integral part of this Recommendation | International Standard, and provides examples and hints on the use of the ASN.1 notation.

Annex H does not form an integral part of this Recommendation | International Standard, and provides a tutorial on ASN.1 character strings.

Annex I does not form an integral part of this Recommendation | International Standard, and provides a tutorial on the ASN.1 model of type extension.

Annex J does not form an integral part of this Recommendation | International Standard and provides a tutorial introduction to ISO 8601 and to the **TIME** type. It is recommended that this be read before the normative text.

Annex K does not form an integral part of this Recommendation | International Standard and provides information on how to identify the time properties of an abstract value from an instance of value notation.

Annex L does not form an integral part of this Recommendation | International Standard, and provides a summary of ASN.1 using the notation of clause 5.

## **iTeh STANDARD PREVIEW (standards.iteh.ai)**

[ISO/IEC 8824-1:2008](https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-8dbb-688893ee68b4/iso-iec-8824-1-2008)

<https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-8dbb-688893ee68b4/iso-iec-8824-1-2008>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO/IEC 8824-1:2008

<https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-8dbb-688893ee68b4/iso-iec-8824-1-2008>

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

## Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation

### 1 Scope

This Recommendation | International Standard provides a standard notation called Abstract Syntax Notation One (ASN.1) that is used for the definition of data types, values, and constraints on data types.

This Recommendation | International Standard:

- defines a number of simple types, with their tags, and specifies a notation for referencing these types and for specifying values of these types;
- defines mechanisms for constructing new types from more basic types, and specifies a notation for defining such types and assigning them tags, and for specifying values of these types;
- defines character sets (by reference to other Recommendations and/or International Standards) for use within ASN.1.

The ASN.1 notation can be applied whenever it is necessary to define the abstract syntax of information.

The ASN.1 notation is referenced by other standards which define encoding rules for the ASN.1 types.

### 2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

#### 2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.660 (2008) | ISO/IEC 9834-1:2008, *Information technology – Open Systems Interconnection – Procedures for the operation of OSI Registration Authorities: General procedures and top arcs of the International Object Identifier tree.*
- ITU-T Recommendation X.681 (2008) | ISO/IEC 8824-2:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- ITU-T Recommendation X.682 (2008) | ISO/IEC 8824-3:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- ITU-T Recommendation X.683 (2008) | ISO/IEC 8824-4:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.*
- ITU-T Recommendation X.690 (2008) | ISO/IEC 8825-1:2008, *Information technology – ASN.1 encoding Rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER).*
- ITU-T Recommendation X.691 (2008) | ISO/IEC 8825-2:2008, *Information technology – ASN.1 encoding rules: Specification of Packed Encoding Rules (PER).*
- ITU-T Recommendation X.692 (2008) | ISO/IEC 8825-3:2008, *Information technology – ASN.1 encoding rules: Specification of Encoding Control Notation (ECN).*

- ITU-T Recommendation X.693 (2008) | ISO/IEC 8825-4:2008, *Information technology – ASN.1 encoding rules: XML Encoding Rules (XER)*.
- ITU-T Recommendation X.695 (2008) | ISO/IEC 8825-6:2008, *Information technology – ASN.1 encoding rules: Registration and application of PER encoding instructions*.

## 2.2 Additional references

- ITU-R Recommendation TF.460-5 (1997), *Standard-frequency and time-signal emissions*.
- CCITT Recommendation T.100 (1988), *International information exchange for interactive videotex*.
- ITU-T Recommendation T.101 (1994), *International interworking for videotex services*.
- ISO *International Register of Coded Character Sets to be used with Escape Sequences*.
- ISO/IEC 646:1991, *Information technology – ISO 7-bit coded character set for information interchange*.
- ISO/IEC 2022:1994, *Information technology – Character code structure and extension techniques*.
- ISO/IEC 6523 (all parts), *Data interchange – Structure for the identification of organizations and organization parts*.
- ISO/IEC 7350:1991, *Information technology – Registration of repertoires of graphic characters from ISO/IEC 10367*.
- ISO 8601:2004, *Data elements and interchange formats – Information interchange – Representation of dates and times*.
- ISO/IEC 10646:2003, *Information technology – Universal Multiple-Octet Coded Character Set (UCS)*.
- The Unicode Standard, Version 3.2.0:2002. The Unicode Consortium. (Reading, MA, Addison-Wesley)
  - NOTE 1 – The above reference is included because it provides names for control characters and specifies categories of characters.
- W3C XML 1.0:2000, *Extensible Markup Language (XML) 1.0 (Second Edition)*, W3C Recommendation, Copyright © [6 October 2000] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University), <http://www.w3.org/TR/2000/REC-xml-20001006>.

NOTE 2 – The reference to a document within this Recommendation | International Standard does not give it, as a stand-alone document, the status of a Recommendation or International Standard.

## 3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

### 3.1 International Object Identifier tree specification

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.660 | ISO/IEC 9834-1:

- integer-valued Unicode label;
- international object identifier tree;
- OID internationalized resource identifier;
- long arc;
- object identifier;
- primary integer value;
- secondary identifier;
- Unicode label;

### 3.2 Information object specification

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.681 | ISO/IEC 8824-2:

- information object;
- information object class;

- c) information object set;
- d) instance-of type;
- e) object class field type.

### 3.3 Constraint specification

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.682 | ISO/IEC 8824-3:

- a) component relation constraint;
- b) table constraint.

### 3.4 Parameterization of ASN.1 specification

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.683 | ISO/IEC 8824-4:

- a) parameterized type;
- b) parameterized value.

### 3.5 Structure for identification of organizations

This Recommendation | International Standard uses the following terms defined in ISO/IEC 6523:

- a) issuing organization;
- b) organization code;
- c) International Code Designator.

### 3.6 Universal Multiple-Octet Coded Character Set (UCS)

This Recommendation | International Standard uses the following terms defined in ISO/IEC 10646:

- a) Basic Multilingual Plane (BMP); [ISO/IEC 8824-1:2008](https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-8dbb-688893ee68b4/iso-iec-8824-1-2008)
- b) cell;
- c) combining character; <https://standards.iteh.ai/catalog/standards/sist/5b186540-416b-4a90-8dbb-688893ee68b4/iso-iec-8824-1-2008>
- d) graphic symbol;
- e) group;
- f) limited subset;
- g) plane;
- h) row;
- i) selected subset.

### 3.7 Representation of dates and times

This Recommendation | International Standard uses the following terms defined in ISO 8601:

- a) basic format;
- b) calendar date;
- c) common year;
- d) duration;
- e) extended format;
- f) Gregorian calendar;
- g) instant;
- h) leap second;
- i) leap year;
- j) local time;
- k) ordinal date;
- l) recurring time interval
- m) time axis;