
Satelitske zemeljske postaje in sistemi (SES) - Sprejemniki globalnih navigacijskih satelitskih sistemov (GNSS) - Radijska oprema, ki deluje v frekvenčnih pasovih od 1164 MHz do 1300 MHz in od 1559 MHz do 1610 MHz - Harmonizirani standard za dostop do radijskega spektra

Satellite Earth Stations and Systems (SES) - Global Navigation Satellite System (GNSS) receivers - Radio equipment operating in the 1 164 MHz to 1 300 MHz and 1 559 MHz to 1 610 MHz frequency bands - Harmonised Standard for access to radio spectrum

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 303 413 V1.2.1:2021](https://standards.iteh.ai/catalog/standards/sist/acbd0dbc-6df0-4e6c-80c0-fa9d54c7c1d2/sist-en-303-413-v1-2-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/acbd0dbc-6df0-4e6c-80c0-fa9d54c7c1d2/sist-en-303-413-v1-2-1-2021>

Ta slovenski standard je istoveten z: ETSI EN 303 413 V1.2.1 (2021-04)

ICS:

33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.070.40	Satelit	Satellite

SIST EN 303 413 V1.2.1:2021 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 303 413 V1.2.1:2021](https://standards.iteh.ai/catalog/standards/sist/acbd0dbc-6df0-4e6c-80c0-fa9d54c7c1d2/sist-en-303-413-v1-2-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/acbd0dbc-6df0-4e6c-80c0-fa9d54c7c1d2/sist-en-303-413-v1-2-1-2021>

ETSI EN 303 413 V1.2.1 (2021-04)



**Satellite Earth Stations and Systems (SES);
Global Navigation Satellite System (GNSS) receivers;
Radio equipment operating in the 1 164 MHz to 1 300 MHz
and 1 559 MHz to 1 610 MHz frequency bands;
Harmonised Standard for access to radio spectrum**

SIST EN 303 413 V1.2.1:2021
Standard for Harmonised Standard for access to radio spectrum
fa9d54c7c1d2/sist-en-303-413-v1-2-1-2021

Reference

REN/SES-00445

Keywords

GNSS, harmonised standard, navigation, receiver, satellite

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.
All rights reserved.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	6
Executive summary	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms.....	9
3.2 Symbols.....	9
3.3 Abbreviations	9
4 Technical requirements specifications	10
4.1 Environmental profile.....	10
4.2 Conformance specifications	11
4.2.1 Receiver blocking	11
4.2.1.1 Definition	11
4.2.1.2 Specification.....	11
4.2.1.3 Conformance.....	12
4.2.2 Receiver spurious emissions.....	12
4.2.2.1 Definition	12
4.2.2.2 Specification.....	12
4.2.2.3 Conformance.....	13
5 Testing for conformance with technical requirements	13
5.1 Environmental conditions for testing	13
5.2 Void.....	13
5.3 Test methodology for receiver blocking.....	13
5.3.1 General.....	13
5.3.2 Test setup for conducted measurements	13
5.3.2.1 Test equipment.....	13
5.3.2.2 EUT configuration	14
5.3.3 Test setup for radiated measurements.....	14
5.3.3.1 General	14
5.3.3.2 Test equipment.....	14
5.3.3.3 EUT configuration	14
5.4 Receiver blocking test	15
5.4.1 General.....	15
5.4.2 Test conditions.....	15
5.4.3 Test method for GUE utilizing the 1 559 MHz to 1 610 MHz RNSS band.....	15
5.4.4 Test method for GUE utilizing the 1 164 MHz to 1 300 MHz RNSS band.....	16
5.5 Receiver spurious emissions test	16
5.5.1 General.....	16
5.5.2 Test conditions.....	16
5.5.3 Test method	17
5.5.3.1 Conducted measurement	17
5.5.3.1.1 Introduction	17
5.5.3.1.2 Pre-scan	17
5.5.3.1.3 Measurement of the emissions identified during the pre-scan.....	18
5.5.3.2 Radiated measurement	18

Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	19
Annex B (normative):	Details of parameters used in technical requirements specifications (clause 4)	20
B.1	Blocking signal.....	20
B.1.1	Definition	20
B.1.2	Measurement technique for validation of the blocking signal settings.....	21
B.2	GNSS signals.....	21
B.2.1	Definition	21
B.2.2	GNSS signal details.....	21
B.2.3	GNSS satellite details.....	22
Annex C (informative):	C/N₀ degradation metric.....	23
C.1	General	23
C.2	Definition	23
C.3	Example calculation of nominal 1 dB degradation of C/N ₀	23
Annex D (informative):	Test Report Application Form for ETSI EN 303 413	25
D.1	The right to copy	25
D.2	General	25
D.3	Information as required by clause 5.4.3 and clause 5.4.4.....	25
D.4	Information as required by clause 5.5	27
Annex E (informative):	GNSS Interface Specifications.....	29
Annex F (informative):	Background to Conformance specifications.....	30
F.1	Introduction	30
F.2	Metric used for measurements in GNSS receivers.....	30
F.3	Receiver sensitivity	30
F.3.1	Definition	30
F.3.2	Justification for non-inclusion.....	30
F.4	Receiver co-channel rejection	31
F.4.1	Definition	31
F.4.2	Justification for non-inclusion.....	31
F.5	Receiver Selectivity.....	31
F.5.1	Definition	31
F.5.2	Justification for non-inclusion.....	31
F.6	Other receiver effects	32
F.6.1	Receiver dynamic range	32
F.6.1.1	Definition.....	32
F.6.1.2	Justification for non-inclusion	32
F.6.2	Reciprocal mixing	32
F.6.2.1	Definition.....	32
F.6.2.2	Justification for non-inclusion	32
Annex G (informative):	Change history	33
History		34

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES).
SIST EN 303 413 V1.2.1:2021
<https://standards.iteh.ai/catalog/standards/sist/en-303-413-v1-2-1-2021>

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.8] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A-1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

National transposition dates

Date of adoption of this EN:	12 April 2021
Date of latest announcement of this EN (doa):	31 July 2021
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 January 2022
Date of withdrawal of any conflicting National Standard (dow):	31 January 2023

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Executive summary

The present document gives the technical requirements (clause 4) and test methodology (clause 5) for presumption of conformity of GNSS User Equipment with article 3.2 of Directive 2014/53/EU [i.1].

Introduction

The present document defines technical requirements to support the essential requirements of article 3.2 of Directive 2014/53/EU [i.1] which states "*Radio equipment shall be so constructed that it both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference*".

The present document does not contain any requirement, recommendation or information about the installation of the GNSS user equipment.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 303 413 V1.2.1:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/acbd0dbc-6df0-4e6c-80c0-fa9d54c7c1d2/sist-en-303-413-v1-2-1-2021>

1 Scope

The present document specifies technical characteristics and methods of measurements for Global Navigation Satellite System (GNSS) User Equipment (GUE).

Global Navigation Satellite System (GNSS) User Equipment (GUE) is capable of operating as part of one or more RadioNavigation-Satellite Service (RNSS) systems in the RNSS frequency bands given in table 1-1.

Table 1-1: RadioNavigation-Satellite Service (RNSS) frequency bands

RNSS frequency bands	Comments
1 164 MHz to 1 300 MHz	space-to-Earth
1 559 MHz to 1 610 MHz	space-to-Earth

A GUE receives radio signals from one or more GNSS constellation for the purpose of radiodetermination of the position, velocity and/or other characteristics of an object or the obtaining of information relating to those parameters, by means of the propagation properties of radio waves. RNSS is defined as "A radiodetermination-satellite service used for the purpose of radionavigation" (No. 1.43 of the ITU Radio Regulations [i.13]).

The present document applies to all GUE operating in the bands given in table 1-1 with the ability to receive any GNSS constellation (e.g. BeiDou (BDS), Galileo, Global Navigation Satellite System (GLONASS), Global Positioning System (GPS), Space Based Augmentation System (SBAS)).

NOTE: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.1] is given in annex A.

iTeh STANDARD PREVIEW

2 References (standards.iteh.ai)

2.1 Normative references

SIST EN 303 413 V1.2.1:2021

<https://standards.iteh.ai/catalog/standards/sist/acbd0dbc-6df0-4e6c-80c0-fa9d54c7c1d2/sist-en-303-413-v1-2-1-2021>

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 300 328 (V2.2.2): "Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.2] ETSI EG 203 336 (V1.2.1): "Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
- [i.3] Recommendation ITU-R M.1787: "Description of systems and networks in the radionavigation-satellite service (space-to-Earth and space-to-space) and technical characteristics of transmitting space stations operating in the bands 1 164-1 215 MHz, 1 215-1 300 MHz and 1 559-1 610 MHz".
- [i.4] Recommendation ITU-R M.1901: "Guidance on ITU-R Recommendations related to systems and networks in the radionavigation-satellite service operating in the frequency bands 1 164-1 215 MHz, 1 215-1 300 MHz, 1 559-1 610 MHz, 5 000-5 010 MHz and 5 010-5 030 MHz".
- [i.5] Recommendation ITU-R M.1902: "Characteristics and protection criteria for receiving earth stations in the radionavigation-satellite service (space-to-Earth) operating in the band 1 215-1 300 MHz".
- [i.6] Recommendation ITU-R M.1903: "Characteristics and protection criteria for receiving earth stations in the radionavigation-satellite service (space-to-Earth) and receivers in the aeronautical radionavigation service operating in the band 1 559-1 610 MHz".
- [i.7] Recommendation ITU-R M.1905: "Characteristics and protection criteria for receiving earth stations in the radionavigation-satellite service (space-to-Earth) operating in the band 1 164-1 215 MHz".
- [i.8] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.9] CISPR 16-1-4:2019: "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-4: Radio disturbance and immunity measuring apparatus - Antennas and test sites for radiated disturbance measurements".
- [i.10] ETSI TR 102 273 (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties".
- [i.11] Void.
- [i.12] Void.
- [i.13] ITU Radio Regulations (edition of 2016).
- [i.14] EN IEC 55016-1-1: "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus" (produced by CENELEC).
- [i.15] EN 55016-2-3: "Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-3: Methods of measurements of disturbances and immunity - Radiated disturbance measurements" (produced by CENELEC).
- [i.16] EN 55032: "Electromagnetic compatibility of multimedia equipment - Emission requirements" (produced by CENELEC).

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in Directive 2014/53/EU [i.1] and the following apply:

C/N_0 : carrier to noise-density ratio, expressed in dB-Hz

NOTE: The ratio of the received (GNSS) signal carrier power C , in dBW or dBm, to the noise power spectral density, in dBW/Hz or dBm/Hz, in the absence of interference.

$C/(N_0+I)$: carrier to noise-and-interference-density ratio, $C/(N_0+I)$, in dB-Hz

conducted measurements: measurements of the performance of the EUT made by direct wired connection to the antenna port

Equipment Under Test (EUT): equipment under test and subject to the performance requirements of the present document

GNSS User Equipment (GUE): radiodetermination equipment capable of receiving signals from one or more GNSS constellation

NOTE: Such a receiver can acquire and then track GNSS signals to determine its location and/or velocity and/or time and/or other related parameters.

radiated measurements: measurements of the performance of the EUT made by placing the EUT in a suitable shielded container and radiating the required signals to the EUT

NOTE: I.e. without using a direct wired connection to the antenna port.

RadioNavigation-Satellite Service (RNSS): services used for the purpose of radionavigation, that is for the determination of the position, velocity, and/or other characteristics of an object

NOTE: Includes the use of GNSS and other RNSS systems.

RNSS frequency band: continuous ranges of frequencies detailed in table 1-1, allocated by the ITU Radio Regulations [i.13] to the RNSS

spurious emissions: any unintentional GUE emissions, whether inside or outside the receiver bandwidth

NOTE: Since a GNSS receiver is receive-only, any emission is unintentional.

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AM(R)S	Aeronautical Mobile (Route) Service
ARNS	Aeronautical RadioNavigation Service
AWGN	Additive White Gaussian Noise
BDS	BeiDou Navigation Satellite System

NOTE: See Recommendation ITU-R M.1787 [i.3], annex 7.

CISPR	Comité International Spécial des Perturbations Radioélectriques
DDC	Digital Down Conversion
e.i.r.p.	effective isotropically radiated power
e.r.p.	effective radiated power

EC	European Commission
EFTA	European Free Trade Association
EGNOS	European Geostationary Navigation Overlay Service
EU	European Union
EUT	Equipment Under Test
GAGAN	GPS-Aided GEO Augmented Navigation System
GHz	Gigahertz
GLONASS	GLObalnaya NAvigatsionnaya Sputnikovaya Sistema

NOTE: Latin transliteration of the Cyrillic abbreviation ГЛОНАСС which stands for Глобальная навигационная спутниковая система translating to Global Navigation Satellite System (see Recommendation ITU-R M.1787 [i.3], annex 1).

GNSS	Global Navigation Satellite System
GPS	Global Positioning System

NOTE: See Recommendation ITU-R M.1787 [i.3], annex 2.

GUE	GNSS User Equipment
Hz	Hertz
IGSO	Inclined Geosynchronous Satellite Orbit
ITU	International Telecommunication Union
kHz	Kilohertz
LO	Local Oscillator
MEO	Medium Earth Orbit
MHz	Megahertz
MSAS	MTSAT Satellite Based Augmentation Navigation System
MSS	Mobile Satellite Service
OOBE	Out-Of-Band Emissions
RF	Radio Frequency
RMS	Root Mean Square
RNSS	RadioNavigation-Satellite Service

NOTE: See Recommendations ITU-R M.1901 [i.4], M.1902 [i.5], M.1903 [i.6] and M.1905 [i.7].

SBAS	Space Based Augmentation System
------	---------------------------------

NOTE: See Recommendation ITU-R M.1787 [i.3], annex 8.

WAAS	Wide Area Augmentation System
------	-------------------------------

4 Technical requirements specifications

4.1 Environmental profile

The technical requirements of the present document apply under the environmental profile for operation of the GUE, which shall be in accordance with its intended use. The GUE shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the operational environmental profile defined by its intended use.