

ETSI TS 101 154 V2.4.1 (2018-02)



Digital Video Broadcasting (DVB); Specification for the use of Video and Audio Coding in Broadcast and Broadband Applications

Full standard (standards.iteh.ai/catalog/standards/sist/135-087d-4e25-41ce-8037-ba5c066e0473/etsi-ts-101-154-v2.4.1-2018-02)

EBU
OPERATING EUROVISION

DVB[®]

Reference

RTS/JTC-DVB-377

Keywordsbroadcasting, digital, DVB, MPEG, TV, UHDTV,
video**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important noticeThe present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

© European Broadcasting Union 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	17
Foreword.....	17
Modal verbs terminology.....	18
Introduction	18
1 Scope	21
2 References	21
2.1 Normative references	21
2.2 Informative references.....	23
3 Definitions and abbreviations.....	25
3.1 Definitions.....	25
3.2 Abbreviations	33
4 Systems layer.....	36
4.0 Introduction	36
4.1 Broadcast bitstreams and Baseline IRDs.....	36
4.1.0 General.....	36
4.1.1 Introduction (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1 Introduction).....	36
4.1.2 Packetized Elementary Stream (PES) (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause Intro.4)	37
4.1.3 Transport stream system target decoder (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.2).....	37
4.1.4 Transport packet layer (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.2).....	37
4.1.4.1 Null packets.....	37
4.1.4.2 Transport packet header.....	37
4.1.4.2.1 Transport_error_indicator.....	37
4.1.4.2.2 Transport_priority.....	37
4.1.4.2.3 Transport_scrambling_control.....	37
4.1.4.2.4 Void.....	37
4.1.5 Adaptation field (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.4)	38
4.1.5.1 Random_access_indicator.....	38
4.1.5.2 Elementary_stream_priority_indicator.....	39
4.1.5.3 Program Clock Reference (PCR)	40
4.1.5.4 Other fields.....	40
4.1.6 Packetized Elementary Stream (PES) Packet (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.6).....	41
4.1.6.1 stream_id and stream_type.....	41
4.1.6.2 PES_scrambling_control.....	42
4.1.6.3 PES_priority.....	42
4.1.6.4 Copyright and original_or_copy	42
4.1.6.5 Trick mode fields	42
4.1.6.6 additional_copy_info.....	43
4.1.6.7 Optional fields.....	43
4.1.6.8 PES_extension_field	43
4.1.6.9 Multiple video pictures per PES packet	44
4.1.6.10 Presentation Time Stamp and Decoding Time Stamp occurrence	45
4.1.6.11 STD audio buffer size	46
4.1.7 Program Specific Information (PSI) (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.4).....	47
4.1.8 Use of program and elementary stream descriptors (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.6).....	47
4.1.8.0 Introduction.....	47
4.1.8.1 video_stream_descriptor and audio_stream_descriptor	47
4.1.8.2 hierarchy_descriptor.....	47
4.1.8.3 registration_descriptor.....	47

4.1.8.4	data_stream_alignment_descriptor.....	48
4.1.8.5	target_background_grid_descriptor.....	48
4.1.8.6	video_window_descriptor.....	48
4.1.8.7	Conditional Access CA_descriptor.....	48
4.1.8.8	ISO_639_Language_descriptor.....	48
4.1.8.9	system_clock_descriptor.....	48
4.1.8.10	multiplex_buffer_utilization_descriptor.....	49
4.1.8.11	copyright_descriptor.....	49
4.1.8.12	maximum_bitrate_descriptor.....	49
4.1.8.13	private_data_indicator_descriptor.....	49
4.1.8.14	smoothing_buffer_descriptor.....	49
4.1.8.15	STD_descriptor.....	49
4.1.8.16	IBP_descriptor.....	49
4.1.8.17	MPEG-4_audio_descriptor.....	49
4.1.8.18	AVC_video_descriptor.....	49
4.1.8.19	SVC_extension_descriptor.....	50
4.1.8.19a	HEVC_video_descriptor.....	50
4.1.8.20	Void.....	51
4.1.8.21	Void.....	51
4.1.8.22	Void.....	51
4.1.8.23	Void.....	51
4.1.8.24	Void.....	51
4.1.8.24.1	Void.....	51
4.1.8.24.2	Void.....	51
4.1.8.24.3	Void.....	51
4.1.8.25	Void.....	51
4.1.8.26	Void.....	51
4.1.8.27	MPEG-4 audio extension descriptor.....	51
4.1.8.28	MVC_extension_descriptor.....	51
4.1.8.29	Void.....	52
4.1.8.30	Void.....	52
4.1.8.31	MPEG-H_3dAudio_descriptor.....	52
4.1.8.32	Void.....	52
4.1.9	Compatibility with ISO/IEC 11172-1 (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.8).....	52
4.1.10	Storage Media Interoperability.....	52
4.2	Bitstreams from storage applications and IRDs with digital interfaces.....	53
4.2.0	Scope.....	53
4.2.1	Partial Transport Streams.....	53
4.2.2	Decoding of Trick Play data (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.7).....	53
5	Video.....	54
5.0	Introduction.....	54
5.1	25 Hz MPEG-2 SDTV IRDs and Bitstreams.....	55
5.1.0	General.....	55
5.1.1	Profile and level.....	55
5.1.2	Frame rate.....	55
5.1.3	Aspect ratio.....	55
5.1.4	Luminance resolution.....	56
5.1.5	Chromaticity Parameters.....	57
5.1.6	Chrominance.....	58
5.1.7	Video sequence header.....	58
5.2	25 Hz MPEG-2 HDTV IRDs and Bitstreams.....	58
5.2.0	General.....	58
5.2.1	Profile and level.....	58
5.2.2	Frame rate.....	58
5.2.3	Aspect ratio.....	59
5.2.4	Luminance resolution.....	59
5.2.5	Chromaticity Parameters.....	60
5.2.6	Chrominance.....	60
5.2.7	Video sequence header.....	60
5.2.8	Backwards Compatibility.....	60

5.3	30 Hz MPEG-2 SDTV IRDs and Bitstreams	61
5.3.0	General.....	61
5.3.1	Profile and level	61
5.3.2	Frame rate	61
5.3.3	Aspect ratio	61
5.3.4	Luminance resolution	62
5.3.5	Chromaticity Parameters.....	63
5.3.6	Chrominance	64
5.3.7	Video sequence header	64
5.4	30 Hz MPEG-2 HDTV IRDs and Bitstreams.....	64
5.4.0	General.....	64
5.4.1	Profile and level	64
5.4.2	Frame rate	64
5.4.3	Aspect ratio	65
5.4.4	Luminance resolution	65
5.4.5	Chromaticity Parameters.....	66
5.4.6	Chrominance.....	66
5.4.7	Video sequence header	66
5.4.8	Backwards Compatibility	66
5.5	Specifications Common to all H.264/AVC IRDs and Bitstreams	67
5.5.0	Scope	67
5.5.1	General.....	67
5.5.2	Sequence Parameter Set and Picture Parameter Set.....	67
5.5.2.0	General	67
5.5.2.1	pic_width_in_mbs_minus1 and pic_height_in_map_units_minus1	67
5.5.3	Video Usability Information	68
5.5.3.0	General	68
5.5.3.1	Aspect Ratio Information	68
5.5.3.2	Colour Parameter Information	68
5.5.3.3	Chrominance Information	68
5.5.3.4	Timing Information	68
5.5.3.5	Picture Structure Information	69
5.5.4	Supplemental Enhancement Information	69
5.5.4.0	General	69
5.5.4.1	Picture Timing SEI Message	69
5.5.4.2	Pan-Scan Rectangle SEI Message	70
5.5.4.3	Still pictures	70
5.5.5	Random Access Point	70
5.5.5.0	General	70
5.5.5.1	Time Interval Between RAPs.....	71
5.6	H.264/AVC SDTV IRDs and Bitstreams	71
5.6.1	Specifications Common to all H.264/AVC SDTV IRDs and Bitstreams	71
5.6.1.0	Scope.....	71
5.6.1.1	Sequence Parameter Set and Picture Parameter Set	71
5.6.1.2	Profile and level	72
5.6.1.3	Aspect ratio	72
5.6.2	25 Hz H.264/AVC SDTV IRD and Bitstream.....	72
5.6.2.0	General	72
5.6.2.1	Colour Parameter Information	72
5.6.2.2	Frame rate	73
5.6.2.3	Luminance resolution.....	73
5.6.3	30 Hz H.264/AVC SDTV IRD and Bitstream.....	74
5.6.3.0	General	74
5.6.3.1	Colour Parameter Information	74
5.6.3.2	Frame rate	75
5.6.3.3	Luminance resolution.....	75
5.7	H.264/AVC HDTV IRDs and Bitstreams	76
5.7.1	Specifications common to all H.264/AVC HDTV IRDs and Bitstreams	76
5.7.1.0	Scope.....	76
5.7.1.1	Sequence Parameter Set and Picture Parameter Set	76
5.7.1.2	Aspect ratio	77
5.7.1.3	Colour Parameter Information	77

5.7.1.4	Luminance resolution.....	77
5.7.2	25 Hz H.264/AVC HDTV IRD and Bitstream	78
5.7.2.0	General	78
5.7.2.1	Profile and level	78
5.7.2.2	Frame rate	78
5.7.2.3	Backwards Compatibility	79
5.7.3	30 Hz H.264/AVC HDTV IRD and Bitstream	79
5.7.3.0	General	79
5.7.3.1	Profile and level	79
5.7.3.2	Frame rate	79
5.7.3.3	Backwards Compatibility	79
5.7.4	50 Hz H.264/AVC HDTV IRD and Bitstream	80
5.7.4.0	General	80
5.7.4.1	Profile and level	80
5.7.4.2	Frame rate	80
5.7.4.3	Backwards Compatibility	80
5.7.5	60 Hz H.264/AVC HDTV IRD and Bitstream	80
5.7.5.0	General	80
5.7.5.1	Profile and level	80
5.7.5.2	Frame rate	81
5.7.5.3	Backwards Compatibility	81
5.8	SVC HDTV IRDs and Bitstreams	81
5.8.1	Specifications common to all SVC HDTV IRDs and Bitstreams	81
5.8.1.0	Introduction	81
5.8.1.1	Classes of SVC operation.....	81
5.8.1.1.0	General	81
5.8.1.1.1	Class S Bitstream.....	82
5.8.1.1.2	Class Q Bitstream	82
5.8.1.1.3	Class M Bitstream	82
5.8.1.2	System Considerations	83
5.8.1.3	SVC Sequence Parameter Set and Picture Parameter Set	83
5.8.1.3.0	General	83
5.8.1.3.1	pic_width_in_mbs_minus1 and pic_height_in_map_units_minus1	83
5.8.1.3.2	Subset Sequence Parameter Set	84
5.8.1.4	Video Usability Information	84
5.8.1.4.0	General	84
5.8.1.4.1	Aspect Ratio Information.....	85
5.8.1.4.2	Colour Parameter Information.....	85
5.8.1.4.3	Chrominance Information.....	85
5.8.1.4.4	Timing Information	86
5.8.1.4.5	Picture Structure Information	86
5.8.1.5	Supplemental Enhancement Information	86
5.8.1.5.0	General	86
5.8.1.5.1	Picture Timing SEI Message	87
5.8.1.5.2	Pan-Scan Rectangle SEI Message	87
5.8.1.5.3	Scalable Nesting SEI Message	87
5.8.1.5.4	Still pictures.....	88
5.8.1.6	SVC Random Access Point.....	88
5.8.1.6.0	General	88
5.8.1.6.1	Time Interval Between SVC RAPs	89
5.8.2	25 Hz SVC HDTV IRD and Bitstream.....	89
5.8.2.0	General	89
5.8.2.1	Profile and level	89
5.8.2.2	25 Hz SVC base layer bitstream	90
5.8.2.3	Frame rate	90
5.8.2.4	Luminance resolution.....	90
5.8.2.5	Aspect Ratio Information.....	91
5.8.2.6	Backwards Compatibility.....	91
5.8.3	30 Hz SVC HDTV IRD and Bitstream.....	91
5.8.3.0	General	91
5.8.3.1	Profile and level	91
5.8.3.2	30 Hz SVC base layer bitstream	92

5.8.3.3	Frame rate	92
5.8.3.4	Luminance resolution	92
5.8.3.5	Aspect Ratio Information	93
5.8.3.6	Backwards Compatibility	93
5.8.4	50 Hz SVC HDTV IRD and Bitstream	93
5.8.4.0	General	93
5.8.4.1	Profile and level	93
5.8.4.2	50 Hz SVC base layer bitstream	94
5.8.4.3	Frame rate	94
5.8.4.4	Luminance resolution	94
5.8.4.5	Aspect Ratio Information	95
5.8.4.6	Backwards Compatibility	95
5.8.5	60 Hz SVC HDTV IRD and Bitstream	95
5.8.5.0	General	95
5.8.5.1	Profile and level	95
5.8.5.2	60 Hz SVC base layer bitstream	96
5.8.5.3	Frame rate	96
5.8.5.4	Luminance resolution	97
5.8.5.5	Aspect Ratio Information	97
5.8.5.6	Backwards Compatibility	97
5.9	25 Hz VC-1 SDTV IRDs and Bitstreams	98
5.9.0	General	98
5.9.1	Profile, Level and Colour Difference Format	98
5.9.2	Frame rate	98
5.9.3	Aspect ratio	98
5.9.4	Luminance resolution	98
5.9.5	Colour Parameter Information	99
5.9.6	Random Access Point	99
5.10	25 Hz VC-1 HDTV IRDs and Bitstreams	100
5.10.0	General	100
5.10.1	Profile, Level and Colour Difference Format	100
5.10.2	Frame rate	100
5.10.3	Aspect ratio	100
5.10.4	Luminance resolution	100
5.10.5	Colour Parameter Information	101
5.10.6	Random Access Point	101
5.10.7	Backwards Compatibility	101
5.11	30 Hz VC-1 SDTV IRDs and Bitstreams	102
5.11.0	General	102
5.11.1	Profile and level	102
5.11.2	Frame rate	102
5.11.3	Aspect ratio	102
5.11.4	Luminance resolution	102
5.11.5	Colour Parameter Information	103
5.11.6	Random Access Point	103
5.12	30 Hz VC-1 HDTV IRDs and Bitstreams	104
5.12.0	General	104
5.12.1	Profile, Level and Colour Difference Format	104
5.12.2	Frame rate	104
5.12.3	Aspect ratio	104
5.12.4	Luminance resolution	105
5.12.5	Colour Parameter Information	105
5.12.6	Random Access Point	105
5.12.7	Backwards Compatibility	106
5.13	MVC Stereo HDTV IRDs and Bitstreams	106
5.13.1	Specifications common to all MVC Stereo HDTV IRDs and Bitstreams	106
5.13.1.0	General	106
5.13.1.1	Introduction	106
5.13.1.2	Composition of MVC Stereo HDTV Bitstreams	106
5.13.1.3	MVC Sequence Parameter Set and Picture Parameter Set	107
5.13.1.4	pic_width_in_mbs_minus1 and pic_height_in_map_units_minus1	107
5.13.1.5	Subset Sequence Parameter Set	107

5.13.1.6	Video Usability Information	108
5.13.1.6.0	General	108
5.13.1.6.1	MVC VUI parameters	108
5.13.1.6.2	Aspect Ratio	108
5.13.1.6.3	Colour Parameter Information	109
5.13.1.6.4	Luminance Resolution	109
5.13.1.7	HRD Conformance	109
5.13.1.8	Supplemental Enhancement Information	110
5.13.1.8.0	General	110
5.13.1.8.1	Prohibited SEI messages	110
5.13.1.8.2	Order of SEI Messages	111
5.13.1.8.3	Multiview View Position SEI message	111
5.13.1.9	Random Access Point	111
5.13.1.9.0	General	111
5.13.1.9.1	Time Interval Between RAPs	112
5.13.1.10	Additional constraints	112
5.13.1.10.1	Constraints Common to Base and Dependent Views	112
5.13.1.10.2	MVC Stereo Base view constraints	113
5.13.1.10.3	MVC Stereo Dependent view constraints	113
5.13.1.11	Access Unit Structure	114
5.13.2	25 Hz MVC Stereo HDTV IRD and Bitstream	115
5.13.2.0	General	115
5.13.2.1	Profile and level	115
5.13.2.2	Frame rate	115
5.13.2.3	Backwards Compatibility	116
5.13.3	30 Hz MVC Stereo HDTV IRD and Bitstream	116
5.13.3.0	General	116
5.13.3.1	Profile and level	116
5.13.3.2	Frame rate	116
5.13.3.3	Backwards Compatibility	116
5.14	HEVC IRDs and Bitstreams	116
5.14.1	Specifications Common to all HEVC IRDs and Bitstreams	116
5.14.1.0	Scope	116
5.14.1.1	General	118
5.14.1.2	Video Parameter Set	118
5.14.1.3	Sequence Parameter Set	118
5.14.1.4	Picture Parameter Set	119
5.14.1.5	Video Usability Information	119
5.14.1.5.0	General	119
5.14.1.5.1	Aspect Ratio and Overscan Information	119
5.14.1.5.2	Video Range	120
5.14.1.5.3	Colour Parameter Information	120
5.14.1.5.4	Chrominance Information	120
5.14.1.5.5	Picture Structure Information	121
5.14.1.5.6	Default Display Window	121
5.14.1.5.7	Timing Information	122
5.14.1.6	Supplemental Enhancement Information	122
5.14.1.6.0	General	122
5.14.1.6.1	Picture Timing SEI Message	122
5.14.1.6.2	Recovery Point SEI Message	123
5.14.1.7	Frame rate	123
5.14.1.8	Random Access Point	124
5.14.1.8.0	General	124
5.14.1.8.1	Time Interval Between Random Access Points	125
5.14.1.9	Scalability	125
5.14.1.9.0	General	125
5.14.1.9.1	Temporal sub-layers	126
5.14.1.9.2	Layer Sets	126
5.14.1.10	HEVC Seamless splicing	126
5.14.2	HEVC HDTV IRDs and Bitstreams	126
5.14.2.0	General	126
5.14.2.1	Profile, tier and level	127

5.14.2.2	Luminance resolution.....	128
5.14.2.3	Colour Parameter Information	128
5.14.3	HEVC UHD TV IRDs and Bitstreams	129
5.14.3.0	General.....	129
5.14.3.1	Profile, tier and level.....	129
5.14.3.2	Luminance resolution.....	130
5.14.3.3	Colour Parameter Information	130
5.14.3.4	Backwards Compatibility.....	131
5.14.4	HEVC HDR UHD TV IRDs and Bitstreams	131
5.14.4.1	General.....	131
5.14.4.2	Profiles, Tiers and Levels.....	131
5.14.4.3	Luminance Resolutions.....	131
5.14.4.4	High Dynamic Range and Colour Parameter Information	132
5.14.4.4.1	Signalling of colour primaries and matrix coefficients.....	132
5.14.4.4.2	HEVC HDR UHD TV IRDs and Bitstreams using HLG10.....	132
5.14.4.4.3	HEVC HDR UHD TV IRDs and Bitstreams using PQ10.....	134
5.14.4.5	Frame Rates.....	136
5.14.4.6	Backwards Compatibility.....	136
5.14.5	HEVC HDR HFR UHD TV IRDs and Bitstreams and HEVC HFR UHD TV Bitstreams	136
5.14.5.1	General.....	136
5.14.5.2	Profiles, Tiers and Levels.....	137
5.14.5.2.1	Common	137
5.14.5.2.2	HFR Bitstreams using dual PID and temporal scalability	137
5.14.5.2.3	HFR Bitstreams using single PID.....	138
5.14.5.3	Luminance Resolutions.....	138
5.14.5.4	Colour Parameter Information	138
5.14.5.5	High Frame Rates.....	139
5.14.5.5.1	General	139
5.14.5.5.2	Dynamic Changes in Frame Rate	140
5.14.5.6	HEVC temporal sub-layers for HFR Bitstreams using dual PID and temporal scalability.....	140
5.14.5.7	HEVC encoding structure for HFR Bitstreams using dual PID and temporal scalability.....	141
5.14.5.8	Constraint on TemporalId	142
5.14.5.9	Backwards Compatibility.....	143
6	Audio.....	143
6.0	Introduction	143
6.1	MPEG-1 and MPEG-2 backward compatible audio	143
6.1.0	General.....	143
6.1.1	Audio mode	144
6.1.2	Layer.....	145
6.1.3	Bitrate	145
6.1.4	Sampling frequency	145
6.1.5	Emphasis.....	145
6.1.6	Cyclic redundancy code.....	146
6.1.7	Prediction.....	146
6.1.8	Multilingual	146
6.1.9	Extension Stream.....	146
6.1.10	Ancillary Data.....	146
6.1.11	MPEG Surround configurations, profiles and levels	147
6.2	AC-3 and Enhanced AC-3 audio.....	147
6.2.0	General.....	147
6.2.1	AC-3 and Enhanced AC-3 PES constraints	147
6.2.1.1	Encoding	147
6.2.1.2	Decoding.....	148
6.2.1.3	Byte-alignment.....	148
6.2.2	Enhanced AC-3 with multiple independent substreams - PES constraints	149
6.2.2.1	Encoding	149
6.2.2.2	Decoding.....	150
6.3	DTS Audio	150
6.3.0	General.....	150
6.3.1	DTS Audio and DTS-HD PES Constraints.....	150
6.3.1.1	Encoding	150

6.3.1.2	Decoding	151
6.3.1.3	Byte-alignment	151
6.4	MPEG-4 AAC, MPEG-4 HE AAC and MPEG-4 HE AAC v2 audio	151
6.4.0	Introduction	151
6.4.1	LATM/LOAS formatting	152
6.4.2	Profiles and Levels	153
6.4.2.1	Profiles and Levels for AAC, HE AAC and HE AAC v2	153
6.4.2.2	Profiles and Levels for MPEG Surround in combination AAC, HE AAC and HE AAC v2	154
6.4.3	Dynamic Range Control	154
6.5	Random Access Points with MPEG-4 Audio	155
6.5.0	General	155
6.5.1	Definition of RAP with MPEG-4 Audio	155
6.5.1.0	Introduction	155
6.5.1.1	RAP with the LATM/LOAS transport header	155
6.5.1.2	RAP with the AAC Profile	155
6.5.1.3	RAP with the HE AAC Profile	155
6.5.1.4	RAP with the HE AAC v2 Profile	156
6.5.1.5	RAP with AAC-LC / HE AAC plus MPEG Surround	156
6.5.1.6	RAP with Dynamic Range Control and MPEG-4 Audio ancillary data	156
6.5.2	Time interval Between RAPs	157
6.6	AC-4 channel-based audio	157
6.6.0	Introduction	157
6.6.1	General	157
6.6.2	PES packaging for AC-4 elementary streams	158
6.6.3	PES packaging for AC-4 for receiver mix audio	158
6.6.4	DRC and Loudness	159
6.6.5	Dialogue Enhancement	160
6.6.6	Audio/Video Synchronization	160
6.6.7	AC-4 Sync Frame Format	161
6.7	AC-4 for channel-based, immersive and personalized audio	161
6.7.1	AC-4 specific NGA concepts	161
6.7.2	General requirements	161
6.7.3	PES packaging for AC-4 elementary streams	163
6.7.4	Multiple audio programme components	163
6.7.4.1	General	163
6.7.4.2	Single-stream delivery	164
6.7.4.3	Multi-stream delivery	164
6.7.5	DRC and Loudness	165
6.7.6	Dialogue Enhancement	166
6.7.7	Audio/Video frame rate matching	166
6.8	MPEG-H Audio	167
6.8.1	Introduction	167
6.8.2	Profiles and Levels for MPEG-H Audio	167
6.8.3	MHAS elementary stream formatting	168
6.8.4	Random Access Points with MPEG-H Audio	168
6.8.4.1	Definition of RAP with MPEG-H Audio	168
6.8.4.2	Time interval Between RAPs	169
6.8.4.3	Tune-In at a RAP	169
6.8.5	Configuration Change and Audio/Video Alignment	169
6.8.6	Metadata Audio Elements and Audio Preselections	170
6.8.7	MPEG-H Multi-Stream Audio	171
6.8.7.1	Encoding and Decoding of MPEG-H Multi-Stream Audio	171
6.8.7.2	Example of MPEG-H Multi-Stream Audio	171
6.8.8	Loudness and Dynamic Range Control	172
6.8.9	User Interactivity and Personalization	173
6.8.9.1	Audio Scene and User Interactivity Information	173
6.8.9.2	User Interface Examples (informative)	173
6.8.9.2.1	Introduction	173
6.8.9.2.2	MPEG-H Audio Decoder API for User Interface	173
6.8.9.2.3	User Interface on Systems Level	174

Annex A (informative):	Examples of Full screen luminance resolutions for SDTV and 25 Hz/30 Hz HDTV	175
Annex B (normative):	Auxiliary Data in the Video Elementary Stream	178
B.1	Overview	178
B.2	Common Syntax and Semantics	178
B.3	Active Format Description (AFD)	179
B.3.0	Introduction	179
B.3.1	Coded Frame in MPEG-2 Video	179
B.3.2	Coded Frame in H264/AVC Video	180
B.3.3	Coded Frame in VC-1 Video	180
B.3.4	Common Semantics of AFD	180
B.3.5	Relationship with Pan Vectors	182
B.3.6	Coded Frame in HEVC Video	182
B.4	Bar data	183
B.4.0	Syntax and semantics	183
B.4.1	Recommended Receiver Response to Bar Data	184
B.4.2	Relationship Between Bar Data and AFD	184
B.5	Closed Captions	185
B.5.0	Introduction	185
B.5.1	Syntax and Semantics of cc_data()	185
B.6	Auxiliary Data and MPEG-2 video	186
B.6.1	Coding	186
B.6.2	Syntax and Semantics	186
B.7	Auxiliary Data and H264/AVC, MVC Stereo or SVC video	187
B.7.1	Coding	187
B.7.2	Syntax and Semantics	187
B.7.3	Auxiliary Data in MVC Stereo HDTV Bitstreams	187
B.8	Auxiliary Data and VC-1 video	188
B.8.1	Coding	188
B.8.2	Syntax and Semantics	188
B.8a	Auxiliary Data and HEVC video	188
B.8a.1	Coding	188
B.8a.2	Syntax and Semantics	189
B.9	Relationship with Wide Screen Signalling (WSS)	189
B.10	Aspect Ratio Ranges	189
B.11	Multi Region Disparity	189
B.11.0	Introduction	189
B.11.1	Syntax and Semantics of Multi Region Disparity	190
Annex C (normative):	Implementation of Ancillary Data for MPEG Audio	195
C.1	Scope	195
C.2	Introduction	195
C.3	DVB Compliance	195
C.4	Detailed specification for MPEG1 and MPEG2	195
C.4.1	DVD-Video Ancillary Data	195
C.4.2	Extended ancillary data syntax	196
C.4.2.0	Syntax	196
C.4.2.1	ancillary_data_sync	197
C.4.2.2	bs_info	197
C.4.2.3	mpeg_audio_type	197
C.4.2.4	dolby_surround_mode	197

C.4.2.5	ancillary_data_bytes	197
C.4.2.6	ancillary_data_status.....	198
C.4.2.7	advanced_dynamic_range_control.....	198
C.4.2.8	dialog_normalization	199
C.4.2.8.0	Syntax	199
C.4.2.8.1	dialog_normalization_on.....	199
C.4.2.8.2	dialog_normalization_value	199
C.4.2.9	reproduction_level	199
C.4.2.9.0	Syntax	199
C.4.2.9.1	surround_reproduction_level	200
C.4.2.9.2	production_roomtype	200
C.4.2.9.3	reproduction_level_value	200
C.4.2.10	downmixing_levels_MPEG2.....	200
C.4.2.10.0	Syntax	200
C.4.2.10.1	center_mix_level_on.....	200
C.4.2.10.2	surround_mix_level_on.....	201
C.4.2.10.3	mix_level_value	201
C.4.2.11	audio_coding_mode.....	201
C.4.2.11.0	Syntax	201
C.4.2.11.1	compression_on	201
C.4.2.12	compression_value.....	202
C.4.2.13	coarse_grain_timecode	202
C.4.2.14	fine_grain_timecode	202
C.4.2.15	scale_factor_CRC	202
C.4.2.16	Void	203
C.4.2.17	Void	203
C.4.2.18	Void	203
C.4.3	Announcement Switching Data	203
C.4.4	Scale Factor Error Check	204
C.4.5	RDS data via UECF protocol	204
C.5	Detailed specification for MPEG4 AAC, HE AAC and HE AAC v2 Audio.....	205
C.5.1	Transmission of MPEG4 Audio ancillary data.....	205
C.5.2	MPEG4 Audio ancillary data syntax	206
C.5.2.0	Syntax	206
C.5.2.1	ancillary_data_sync	206
C.5.2.2	bs_info	206
C.5.2.2.0	Syntax	206
C.5.2.2.1	mpeg_audio_type	206
C.5.2.2.2	dolby_surround_mode.....	207
C.5.2.2.3	drc_presentation_mode	207
C.5.2.3	ancillary_data_status.....	207
C.5.2.4	downmixing_levels_MPEG4.....	208
C.5.2.4.0	General	208
C.5.2.4.1	center_mix_level_on.....	208
C.5.2.4.2	surround_mix_level_on.....	208
C.5.2.4.3	mix_level_value	209
C.5.2.5	audio_coding_mode.....	209
C.5.2.5.0	Syntax	209
C.5.2.5.1	compression_on	210
C.5.2.5.2	compression_value.....	210
C.5.2.6	coarse_grain_timecode	210
C.5.2.7	fine_grain_timecode	210
C.5.2.8	Persistence of MPEG4 ancillary data.....	210
C.5.3	Announcement Switching Data	211
C.5.4	DRC Presentation Mode.....	211

Annex D (normative): Coding of Data Fields in the Private Data Bytes of the Adaptation Field.....214

D.1	Introduction	214
D.2	Private data bytes detailed specification.....	214

D.2.0	General	214
D.2.0a	DVB Compliance	215
D.2.1	Announcement Switching Data	215
D.2.2	AU_information	215
D.3	PVR assistance	220
D.3.1	Introduction (informative)	220
D.3.2	Encoding of PVR assist information (normative)	220
D.3.3	Tier framework	221
D.3.3.0	Introduction	221
D.3.3.1	Background (informative)	221
D.3.3.2	Specification for H.264/AVC (normative)	221
D.3.3.2a	Specification for HEVC (normative)	222
D.3.3.3	Examples of tier number assignment for H.264/AVC and HEVC (informative)	223
D.3.4	Sub-stream framework	225
D.3.4.1	Background (informative)	225
D.3.4.2	Tier Signalling (normative)	225
D.3.4.3	Playback speed information (normative)	226
D.3.4.4	Sub-stream associated with a Playback speed (normative)	226
D.3.4.5	Examples of sub-streams (informative)	227
D.3.5	Segmentation signalling	227
D.3.6	PVR Assistance Signalling Syntax	228
Annex E (normative): Supplementary Audio Services		233
E.1	Overview	233
E.2	Syntax and semantics	233
E.3	Coding for Audio Description SA services	235
E.4	Coding for Clean Audio SA services	236
E.5	Decoder behaviour	237
E.6	Decoder user indicators	238
E.7	Advanced Clean Audio Services	238
E.7.0	Introduction	238
E.7.1	Basic Principle	238
E.7.2	Control Information	239
E.7.3	Coding for Dialogue Enhancement SA services	241
E.7.3.0	General	241
E.7.3.1	Supplementary SAOC-DE stream	242
E.7.4	Decoder and Renderer behaviour	242
E.7.4.0	Scope	242
E.7.4.1	Mono/Stereo service with Dialogue Enhancement	242
E.7.4.2	Multichannel service with Dialogue Enhancement	243
E.7.4.3	Loudness compensation	245
Annex F (informative): Encoding Guidelines to Enable Trick Play Support of H.264/AVC Streams		246
F.1	Introduction	246
F.1.1	Overview	246
F.1.2	Technical Requirements	246
F.2	Discardable Pictures	247
F.2.0	Introduction	247
F.2.1	MPEG-2 Discardable Pictures	247
F.2.2	H.264/AVC Discardable Pictures	248
F.2.3	Discardable Pictures and Trick Play Speeds	248
F.2.4	Smooth Trick Play and Compression Efficiency	249
F.2.5	Impact of Adaptive Encoding on Guidelines	250
Annex G (informative): Random Access Point Considerations for SVC		251