



Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Ve-Vnfm reference point - Interface and Information Model Specification

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

RGS/NFV-IFA008ed311

Keywordsconfiguration, interface, management, MANO,
NFV, virtualisation**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	13
Foreword.....	13
Modal verbs terminology.....	13
1 Scope	14
2 References	14
2.1 Normative references	14
2.2 Informative references.....	14
3 Definitions and abbreviations.....	15
3.1 Definitions.....	15
3.2 Abbreviations	15
4 Overview of interfaces and information elements associated to the Ve-Vnfm-em and Ve-Vnfm-vnf reference points	15
4.1 Introduction	15
4.2 Relation to other NFV Group Specifications.....	16
4.3 Conventions.....	16
5 Reference point and interface requirements	17
5.1 Introduction	17
5.2 Ve-Vnfm-em Reference Point Requirements.....	17
5.2.0 Requirements applicable to the Ve-Vnfm-em reference point.....	17
5.2.1 Interface Requirements	18
5.2.1.1 VNF Lifecycle Management interface requirements.....	18
5.2.1.2 Void.....	19
5.2.1.3 VNF Fault Management interface requirements.....	19
5.2.1.4 VNF Indicator interface requirements.....	20
5.2.1.5 Void.....	21
5.2.1.6 VNF Performance Management interface requirements.....	21
5.2.1.7 Policy Management interface requirements.....	21
5.2.1.8 VNFC Snapshot Package Management interface requirements.....	22
5.3 Ve-Vnfm-vnf Reference Point Requirements	23
5.3.0 Requirements applicable to the Ve-Vnfm-vnf reference point	23
5.3.1 Interface Requirements	23
5.3.1.1 VNF Lifecycle Management interface requirements	23
5.3.1.2 VNF Configuration interface requirements.....	24
5.3.1.3 VNF Indicator interface requirements.....	24
5.3.1.4 VNF Performance Management interface requirements.....	25
5.3.1.5 VNF Fault Management interface requirements	25
6 VNF exposed interfaces	26
6.1 Introduction	26
6.2 VNF configuration interface.....	26
6.2.1 Description.....	26
6.2.2 Void	27
6.2.3 Set Configuration.....	27
6.2.3.1 Description	27
6.2.3.2 Input parameters.....	27
6.2.3.3 Output parameters	27
6.2.3.4 Operation results	27
6.3 VNF Indicator interface.....	28
6.3.1 Description.....	28
6.3.2 Subscribe operation.....	28
6.3.2.1 Description	28
6.3.2.2 Input parameters.....	28
6.3.2.3 Output parameters	28
6.3.2.4 Operation results	28

6.3.3	Notify operation.....	29
6.3.3.1	Description.....	29
6.3.4	Get Indicator Value operation.....	29
6.3.4.1	Description.....	29
6.3.4.2	Input parameters.....	29
6.3.4.3	Output parameters.....	29
6.3.4.4	Operation results.....	29
6.3.5	Terminate Subscription operation.....	30
6.3.5.1	Description.....	30
6.3.5.2	Input parameters.....	30
6.3.5.3	Output parameters.....	30
6.3.5.4	Operation results.....	30
6.3.6	Query Subscription Info operation.....	30
6.3.6.1	Description.....	30
6.3.6.2	Input parameters.....	30
6.3.6.3	Output parameters.....	31
6.3.6.4	Operation results.....	31
7	VNFM exposed interfaces.....	31
7.1	Introduction.....	31
7.2	VNF Lifecycle Management interface.....	31
7.2.1	Description.....	31
7.2.2	Create VNF Identifier operation.....	32
7.2.2.1	Description.....	32
7.2.2.2	Input parameters.....	33
7.2.2.3	Output parameters.....	33
7.2.2.4	Operation results.....	33
7.2.3	Instantiate VNF operation.....	33
7.2.3.1	Description.....	33
7.2.3.2	Input parameters.....	34
7.2.3.3	Output parameters.....	34
7.2.3.4	Operation results.....	35
7.2.4	Scale VNF operation.....	35
7.2.4.1	Description.....	35
7.2.4.2	Input parameters.....	37
7.2.4.3	Output parameters.....	37
7.2.4.4	Operation results.....	37
7.2.5	Scale VNF to Level operation.....	38
7.2.5.1	Description.....	38
7.2.5.2	Input parameters.....	38
7.2.5.3	Output parameters.....	38
7.2.5.4	Operation results.....	39
7.2.6	Change VNF Flavour operation.....	39
7.2.6.1	Description.....	39
7.2.6.2	Input parameters.....	39
7.2.6.3	Output parameters.....	40
7.2.6.4	Operation results.....	40
7.2.7	Terminate VNF operation.....	40
7.2.7.1	Description.....	40
7.2.7.2	Input parameters.....	40
7.2.7.3	Output parameters.....	41
7.2.7.4	Operation results.....	41
7.2.8	Delete VNF Identifier operation.....	41
7.2.8.1	Description.....	41
7.2.8.2	Input parameters.....	41
7.2.8.3	Output parameters.....	41
7.2.8.4	Operation results.....	42
7.2.9	Query VNF operation.....	42
7.2.9.1	Description.....	42
7.2.9.2	Input parameters.....	42
7.2.9.3	Output parameters.....	42
7.2.9.4	Operation results.....	42

7.2.10	Heal VNF operation.....	43
7.2.10.1	Description	43
7.2.10.2	Input parameters.....	43
7.2.10.3	Output parameters	43
7.2.10.4	Operation results	43
7.2.11	Operate VNF operation.....	44
7.2.11.1	Description	44
7.2.11.2	Input parameters.....	45
7.2.11.3	Output parameters.....	45
7.2.11.4	Operation results	45
7.2.12	Modify VNF Information operation	45
7.2.12.1	Description	45
7.2.12.2	Input parameters.....	46
7.2.12.3	Output parameters.....	46
7.2.12.4	Operation results	46
7.2.13	Get Operation Status operation.....	46
7.2.13.1	Description	46
7.2.13.2	Input parameters.....	47
7.2.13.3	Output parameters.....	47
7.2.13.4	Operation results	47
7.2.14	Subscribe operation.....	47
7.2.14.1	Description	47
7.2.14.2	Input parameters.....	48
7.2.14.3	Output parameters.....	48
7.2.14.4	Operation results	48
7.2.15	Notify operation.....	48
7.2.15.1	Description	48
7.2.16	Terminate Subscription operation.....	49
7.2.16.1	Description	49
7.2.16.2	Input parameters.....	49
7.2.16.3	Output parameters.....	49
7.2.16.4	Operation results	49
7.2.17	Query Subscription Info operation.....	49
7.2.17.1	Description	49
7.2.17.2	Input parameters.....	50
7.2.17.3	Output parameters.....	50
7.2.17.4	Operation results	50
7.2.18	Change External VNF Connectivity operation	50
7.2.18.1	Description	50
7.2.18.2	Input parameters.....	50
7.2.18.3	Output parameters.....	51
7.2.18.4	Operation results	51
7.2.19	Query Snapshot Information operation.....	51
7.2.19.1	Description	51
7.2.19.2	Input parameters.....	52
7.2.19.3	Output parameters.....	52
7.2.19.4	Operation results	52
7.2.20	Create Snapshot operation	53
7.2.20.1	Description	53
7.2.20.2	Input parameters.....	53
7.2.20.3	Output parameters.....	53
7.2.20.4	Operation results	53
7.2.21	Revert-to Snapshot operation.....	54
7.2.21.1	Description	54
7.2.21.2	Input parameters.....	54
7.2.21.3	Output parameters.....	54
7.2.21.4	Operation results	54
7.2.22	Delete Snapshot Information operation	55
7.2.22.1	Description	55
7.2.22.2	Input parameters.....	55
7.2.22.3	Output parameters.....	55
7.2.22.4	Operation results	55

7.2.23	ConfirmVnfSnapshot operation	55
7.2.23.1	Description	55
7.2.23.2	Input parameters	56
7.2.23.3	Output parameters	56
7.2.23.4	Operation results	56
7.3	Void	56
7.4	VNF Performance Management interface	56
7.4.1	Description	56
7.4.2	Create PM Job operation	57
7.4.2.1	Description	57
7.4.2.2	Input parameters	57
7.4.2.3	Output parameters	58
7.4.2.4	Operation results	58
7.4.3	Delete PM Jobs operation	58
7.4.3.1	Description	58
7.4.3.2	Input parameters	59
7.4.3.3	Output parameters	59
7.4.3.4	Operation results	59
7.4.4	Subscribe operation	59
7.4.4.1	Description	59
7.4.4.2	Input parameters	59
7.4.4.3	Output parameters	60
7.4.4.4	Operation results	60
7.4.5	Notify operation	60
7.4.5.1	Description	60
7.4.6	Query PM Job operation	60
7.4.6.1	Description	60
7.4.6.2	Input parameters	61
7.4.6.3	Output parameters	61
7.4.6.4	Operation results	61
7.4.7	Create Threshold operation	61
7.4.7.1	Description	61
7.4.7.2	Input parameters	62
7.4.7.3	Output parameters	62
7.4.7.4	Operation results	62
7.4.8	Delete Thresholds operation	62
7.4.8.1	Description	62
7.4.8.2	Input parameters	62
7.4.8.3	Output parameters	63
7.4.8.4	Operation results	63
7.4.9	Query Threshold operation	63
7.4.9.1	Description	63
7.4.9.2	Input parameters	63
7.4.9.3	Output parameters	63
7.4.9.4	Operation results	64
7.4.10	Terminate Subscription operation	64
7.4.10.1	Description	64
7.4.10.2	Input parameters	64
7.4.10.3	Output parameters	64
7.4.10.4	Operation results	64
7.4.11	Query Subscription Info operation	64
7.4.11.1	Description	64
7.4.11.2	Input parameters	65
7.4.11.3	Output parameters	65
7.4.11.4	Operation results	65
7.5	VNF Fault Management interface	65
7.5.1	Description	65
7.5.2	Subscribe operation	66
7.5.2.1	Description	66
7.5.2.2	Input parameters	66
7.5.2.3	Output parameters	66
7.5.2.4	Operation results	66

7.5.3	Notify operation.....	66
7.5.3.1	Description.....	66
7.5.4	Get Alarm List operation.....	67
7.5.4.1	Description.....	67
7.5.4.2	Input parameters.....	67
7.5.4.3	Output parameters.....	67
7.5.4.4	Operation results.....	68
7.5.5	Terminate Subscription operation.....	68
7.5.5.1	Description.....	68
7.5.5.2	Input parameters.....	68
7.5.5.3	Output parameters.....	68
7.5.5.4	Operation results.....	68
7.5.6	Query Subscription Info operation.....	68
7.5.6.1	Description.....	68
7.5.6.2	Input parameters.....	69
7.5.6.3	Output parameters.....	69
7.5.6.4	Operation results.....	69
7.5.7	Escalate perceived severity operation.....	69
7.5.7.1	Description.....	69
7.5.7.2	Input parameters.....	69
7.5.7.3	Output parameters.....	70
7.5.7.4	Operation results.....	70
7.5.8	Acknowledge alarms operation.....	70
7.5.8.1	Description.....	70
7.5.8.2	Input parameters.....	70
7.5.8.3	Output parameters.....	71
7.5.8.4	Operation results.....	71
7.6	Void.....	71
7.7	Policy Management interface.....	71
7.7.1	Description.....	71
7.7.2	Transfer Policy operation.....	71
7.7.2.1	Description.....	71
7.7.2.2	Input parameters.....	72
7.7.2.3	Output parameters.....	72
7.7.2.4	Operation results.....	72
7.7.3	Delete Policy operation.....	72
7.7.3.1	Description.....	72
7.7.3.2	Input parameters.....	72
7.7.3.3	Output parameters.....	73
7.7.3.4	Operation results.....	73
7.7.4	Query Policy operation.....	73
7.7.4.1	Description.....	73
7.7.4.2	Input parameters.....	73
7.7.4.3	Output parameters.....	73
7.7.4.4	Operation results.....	74
7.7.5	Activate Policy operation.....	74
7.7.5.1	Description.....	74
7.7.5.2	Input parameters.....	74
7.7.5.3	Output parameters.....	74
7.7.5.4	Operation results.....	74
7.7.6	Deactivate Policy operation.....	75
7.7.6.1	Description.....	75
7.7.6.2	Input parameters.....	75
7.7.6.3	Output parameters.....	75
7.7.6.4	Operation results.....	75
7.7.7	Subscribe operation.....	75
7.7.7.1	Description.....	75
7.7.7.2	Input parameters.....	76
7.7.7.3	Output parameters.....	76
7.7.7.4	Operation results.....	76
7.7.8	Notify operation.....	76
7.7.8.1	Description.....	76

7.7.9	Terminate Subscription operation.....	76
7.7.9.1	Description	76
7.7.9.2	Input parameters	77
7.7.9.3	Output parameters	77
7.7.9.4	Operation results	77
7.7.10	Query Subscription Info operation.....	77
7.7.10.1	Description	77
7.7.10.2	Input parameters.....	77
7.7.10.3	Output parameters	77
7.7.10.4	Operation results	78
7.8	VNFC Snapshot Package Management interface.....	78
7.8.1	Description.....	78
7.8.2	Create VNFC Snapshot Package Info operation.....	78
7.8.2.1	Description	78
7.8.2.2	Input parameters.....	78
7.8.2.3	Output parameters	78
7.8.2.4	Operation results	79
7.8.3	Build VNFC Snapshot Package operation	79
7.8.3.1	Description	79
7.8.3.2	Input parameters.....	79
7.8.3.3	Output parameters	79
7.8.3.4	Operation results	80
7.8.4	Upload VNFC Snapshot Package operation	80
7.8.4.1	Description	80
7.8.4.2	Input parameters.....	80
7.8.4.3	Output parameters	80
7.8.4.4	Operation results	81
7.8.5	Extract VNFC Snapshot Package operation	81
7.8.5.1	Description	81
7.8.5.2	Input parameters.....	81
7.8.5.3	Output parameters	81
7.8.5.4	Operation results	82
7.8.6	Fetch VNFC Snapshot Package operation	82
7.8.6.1	Description	82
7.8.6.2	Input parameters.....	82
7.8.6.3	Output parameters	82
7.8.6.4	Operation results	82
7.8.7	Fetch VNFC Snapshot Package Artifacts operation	82
7.8.7.1	Description	82
7.8.7.2	Input parameters.....	83
7.8.7.3	Output parameters	83
7.8.7.4	Operation results	83
7.8.8	Query VNFC Snapshot Package Information operation.....	83
7.8.8.1	Description	83
7.8.8.2	Input parameters.....	84
7.8.8.3	Output parameters	84
7.8.8.4	Operation results	84
7.8.9	Delete VNFC Snapshot Package operation	85
7.8.9.1	Description	85
7.8.9.2	Input parameters.....	85
7.8.9.3	Output parameters	85
7.8.9.4	Operation results	85
8	EM exposed interfaces	85
8.1	Introduction	85
8.2	Indicator Interface	85
8.2.1	Description.....	85
8.2.2	Subscribe operation.....	86
8.2.2.1	Description	86
8.2.2.2	Input parameters.....	86
8.2.2.3	Output parameters	86
8.2.2.4	Operation results	86

8.2.3	Notify operation.....	87
8.2.3.1	Description.....	87
8.2.4	Get Indicator Value operation.....	87
8.2.4.1	Description.....	87
8.2.4.2	Input parameters.....	87
8.2.4.3	Output parameters.....	87
8.2.4.4	Operation results.....	88
8.2.5	Terminate Subscription operation.....	88
8.2.5.1	Description.....	88
8.2.5.2	Input parameters.....	88
8.2.5.3	Output parameters.....	88
8.2.5.4	Operation results.....	88
8.2.6	Query Subscription Info operation.....	88
8.2.6.1	Description.....	88
8.2.6.2	Input parameters.....	88
8.2.6.3	Output parameters.....	89
8.2.6.4	Operation results.....	89
9	Information elements exchanged over reference point Ve-Vnfm.....	89
9.1	Introduction.....	89
9.2	Information elements and notifications related to VNF Configuration Management.....	89
9.2.1	Introduction.....	89
9.2.2	VnfConfiguration information element.....	90
9.2.2.1	Description.....	90
9.2.2.2	Attributes.....	90
9.2.3	VnfcConfiguration information element.....	90
9.2.3.1	Description.....	90
9.2.3.2	Attributes.....	90
9.2.4	CpConfiguration information element.....	90
9.2.4.1	Description.....	90
9.2.4.2	Attributes.....	91
9.2.5	CpAddress information element.....	91
9.2.5.1	Description.....	91
9.2.5.2	Attributes.....	91
9.2.6	VnfcConfigurationKvp information element.....	91
9.2.6.1	Description.....	91
9.2.6.2	Attributes.....	91
9.2.7	Void.....	92
9.3	Information elements and notifications related to VNF Fault Management.....	92
9.3.1	Introduction.....	92
9.3.2	AlarmNotification.....	92
9.3.2.1	Description.....	92
9.3.2.2	Trigger conditions.....	92
9.3.2.3	Attributes.....	92
9.3.3	AlarmClearedNotification.....	93
9.3.3.1	Description.....	93
9.3.3.2	Trigger conditions.....	93
9.3.3.3	Attributes.....	93
9.3.4	Alarm information element.....	93
9.3.4.1	Description.....	93
9.3.4.2	Attributes.....	93
9.3.5	FaultyResourceInfo information element.....	94
9.3.5.1	Description.....	94
9.3.5.2	Attributes.....	94
9.3.6	AlarmListRebuiltNotification.....	95
9.3.6.1	Description.....	95
9.3.6.2	Trigger conditions.....	95
9.3.6.3	Attributes.....	95
9.4	Information elements related to VNF Lifecycle Management.....	95
9.4.1	Introduction.....	95
9.4.2	VnfInfo information element.....	95
9.4.2.1	Description.....	95

9.4.2.2	Attributes.....	95
9.4.3	InstantiatedVnfInfo information element.....	96
9.4.3.1	Description.....	96
9.4.3.2	Attributes.....	96
9.4.4	VnfcResourceInfo information element.....	97
9.4.4.1	Description.....	97
9.4.4.2	Attributes.....	97
9.4.5	VnfVirtualLinkResourceInfo information element.....	98
9.4.5.1	Description.....	98
9.4.5.2	Attributes.....	98
9.4.6	VirtualStorageResourceInfo information element.....	98
9.4.6.1	Description.....	98
9.4.6.2	Attributes.....	98
9.4.7	ResourceHandle information element.....	99
9.4.7.1	Description.....	99
9.4.7.2	Attributes.....	99
9.4.8	ScaleInfo information element.....	99
9.4.8.1	Description.....	99
9.4.8.2	Attributes.....	99
9.4.9	ExtVirtualLinkInfo information element.....	100
9.4.9.1	Description.....	100
9.4.9.2	Attributes.....	100
9.4.10	ExtManagedVirtualLinkInfo information element.....	100
9.4.10.1	Description.....	100
9.4.10.2	Attributes.....	100
9.4.11	VnfLinkPortInfo information element.....	101
9.4.11.1	Description.....	101
9.4.11.2	Attributes.....	101
9.4.12	ExtManagedVirtualLinkData information element.....	101
9.4.12.1	Description.....	101
9.4.12.2	Attributes.....	101
9.4.13	VnfcInfo information element.....	102
9.4.13.1	Description.....	102
9.4.13.2	Attributes.....	102
9.4.14	ExtLinkPortInfo information element.....	103
9.4.14.1	Description.....	103
9.4.14.2	Attributes.....	103
9.4.15	VnfcCpInfo information element.....	103
9.4.15.1	Description.....	103
9.4.15.2	Attributes.....	103
9.4.16	VnfSnapshotInfo information element.....	103
9.4.16.1	Description.....	103
9.4.16.2	Attributes.....	104
9.4.17	VnfcSnapshotInfo information element.....	104
9.4.17.1	Description.....	104
9.4.17.2	Attributes.....	104
9.5	Information elements and notifications related to VNF Lifecycle Changes.....	105
9.5.1	Introduction.....	105
9.5.2	VnfLcmOperationOccurrenceNotification.....	105
9.5.2.1	Description.....	105
9.5.2.2	Trigger conditions.....	105
9.5.2.3	Attributes.....	105
9.5.3	AffectedVnfc information element.....	106
9.5.3.1	Description.....	106
9.5.3.2	Attributes.....	107
9.5.4	AffectedVirtualLink information element.....	107
9.5.4.1	Description.....	107
9.5.4.2	Attributes.....	107
9.5.5	AffectedVirtualStorage information element.....	108
9.5.5.1	Description.....	108
9.5.5.2	Attributes.....	108
9.5.6	Void.....	109

9.5.7	VnfIdentifierCreationNotification	109
9.5.7.1	Description	109
9.5.7.2	Trigger conditions	109
9.5.7.3	Attributes	109
9.5.8	VnfIdentifierDeletionNotification	109
9.5.8.1	Description	109
9.5.8.2	Trigger conditions	109
9.5.8.3	Attributes	109
9.6	Information elements and notifications related to VNF indicators	109
9.6.1	Introduction	109
9.6.2	IndicatorValueChangeNotification	110
9.6.2.1	Description	110
9.6.2.2	Trigger conditions	110
9.6.2.3	Attributes	110
9.6.3	IndicatorInformation information element	110
9.6.3.1	Description	110
9.6.3.2	Attributes	110
9.7	Information elements and notifications related to VNF Performance Management	110
9.7.1	Introduction	110
9.7.2	ObjectSelection information element	111
9.7.2.1	Description	111
9.7.2.2	Attributes	111
9.7.3	PmJob information element	111
9.7.3.1	Description	111
9.7.3.2	Attributes	111
9.7.4	Threshold information element	112
9.7.4.1	Description	112
9.7.4.2	Attributes	112
9.7.5	PerformanceReport information element	113
9.7.5.1	Description	113
9.7.5.2	Attributes	113
9.7.6	PerformanceReportEntry information element	113
9.7.6.1	Description	113
9.7.6.2	Attributes	113
9.7.7	PerformanceValueEntry information element	114
9.7.7.1	Description	114
9.7.7.2	Attributes	114
9.7.8	PerformanceInformationAvailableNotification	114
9.7.8.1	Description	114
9.7.8.2	Trigger Conditions	114
9.7.8.3	Attributes	114
9.7.9	ThresholdCrossedNotification	115
9.7.9.1	Description	115
9.7.9.2	Trigger Condition	115
9.7.9.3	Attributes	115
9.8	Information elements and notifications related to multiple interfaces	115
9.8.1	Introduction	115
9.8.2	VnfExtCpInfo information element	115
9.8.2.1	Description	115
9.8.2.2	Attributes	115
9.8.2a	ExtLinkPortData information element	116
9.8.2a.1	Description	116
9.8.2a.2	Attributes	116
9.8.3	ExtVirtualLinkData information element	116
9.8.3.1	Description	116
9.8.3.2	Attributes	116
9.8.3a	VnfExtCpConfig information element	117
9.8.3a.1	Description	117
9.8.3a.2	Attributes	117
9.8.4	VnfExtCpData information element	118
9.8.4.1	Description	118
9.8.4.2	Attributes	118

9.8.5	Void	119
9.8.6	CpProtocolInfo information element	119
9.8.6.1	Description	119
9.8.6.2	Attributes	119
9.9	Information elements and notifications related to Policy Management	119
9.9.1	Introduction	119
9.9.2	Information elements related to Policy Management Operations	119
9.9.2.1	Introduction	119
9.9.2.2	PolicyInfo information element	119
9.9.2.2.1	Description	119
9.9.2.2.2	Attributes	119
9.9.3	PolicyChangeNotification	120
9.9.3.1	Description	120
9.9.3.2	Trigger Conditions	120
9.9.3.3	Attributes	120
9.9.4	PolicyConflictNotification	120
9.9.4.1	Description	120
9.9.4.2	Trigger Conditions	120
9.9.4.3	Attributes	120
9.10	Information elements related to VNFC Snapshot Package Management	120
9.10.1	Introduction	120
9.10.2	VnfcSnapshotPkgInfo information element	120
9.10.2.1	Description	120
9.10.2.2	Attributes	120
9.10.3	SnapshotPkgArtifactInformation information element	121
9.10.3.1	Description	121
9.10.3.2	Attributes	121
9.10.4	VnfcSnapshotImageInfo information element	122
9.10.4.1	Description	122
9.10.4.2	Attributes	122
Annex A (informative): Examples of VNF connectivity patterns		123
A.1	Introduction	123
A.2	Example of a VNF with two different types of external connection points	123
A.3	Example of changing VNF connectivity	124
Annex B (informative): Example VNF Configuration flows		125
B.1	Explicit change of VNF Configurable Properties	125
Annex C (informative): Authors & contributors		128
Annex D (informative): Change History		130
History		133

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.