

Contents	Page
Foreword.....	xix
0 Introduction.....	xxi
0.1 Purpose.....	xxi
0.2 Design criteria.....	xxi
1 Scope.....	1
2 Normative references.....	3
3 Terms, definitions, symbols, and abbreviated terms.....	5
3.1 Terms and definitions.....	5
3.2 Notation, symbols and abbreviated terms.....	5
4 Concepts.....	9
4.1 Introduction.....	9
4.2 Spatial objects and object-space.....	10
4.3 Position-space and normal embeddings.....	11
4.4 Reference datums.....	13
4.5 Object reference models.....	15
4.6 Coordinate systems.....	17
4.6.1 Abstract coordinate systems.....	17
4.6.2 Temporal coordinate systems.....	20
4.6.3 Spatial coordinate systems.....	20
4.7 Spatial reference frames.....	22
4.8 Designated spatial surfaces and vertical offsets.....	23
4.9 Spatial reference frame operations.....	24
4.10 Application program interface.....	25
4.11 SRM units.....	25
4.12 Profiles.....	25
4.13 Registration.....	25
5 Abstract coordinate systems.....	27
5.1 Introduction.....	27
5.2 Preliminaries.....	27
5.3 Abstract CS.....	27
5.4 CS types.....	29
5.5 Coordinate surfaces, induced surface CSs, and coordinate curves.....	30
5.5.1 Introduction.....	30
5.5.2 Coordinate-component surfaces and induced surface CSs.....	30
5.5.3 Coordinate-component curves.....	31
5.6 CS properties.....	32
5.6.1 Linearity.....	32
5.6.2 Orthogonality.....	33
5.6.3 Linear CS properties: Cartesian, and orthonormal.....	33
5.6.4 CS right-handedness and coordinate-component ordering.....	33
5.7 CS localization.....	34
5.8 Map projection coordinate systems.....	35
5.8.1 Map projections.....	35
5.8.2 Map projection as a surface CS.....	36
5.8.3 Map projection geometry.....	37
5.8.4 Relationship to projection functions.....	40
5.8.5 Map projection CS common parameters.....	43
5.8.6 Augmented map projections.....	44

5.9	CS specifications	45
5.9.1	Specification table elements and common functions and parameters	45
5.9.2	Euclidean 3D CS specification	49
5.9.3	Lococentric Euclidean 3D CS specification	50
5.9.4	Spherical CS specification	51
5.9.5	Lococentric spherical CS specification	53
5.9.6	Azimuthal spherical CS specification	54
5.9.7	Lococentric azimuthal spherical CS specification	56
5.9.8	Geodetic 3D CS specification	57
5.9.9	Planetodetic 3D specification	60
5.9.10	Cylindrical CS specification	62
5.9.11	Lococentric cylindrical CS specification	63
5.9.12	Mercator CS specification	64
5.9.13	Oblique Mercator spherical CS specification	67
5.9.14	Transverse Mercator CS specification	70
5.9.15	Lambert conformal conic CS specification	74
5.9.16	Polar stereographic CS specification	77
5.9.17	Equidistant cylindrical CS specification	80
5.9.18	Surface geodetic CS specification	82
5.9.19	Surface planetodetic CS specification	84
5.9.20	Lococentric surface Euclidean CS specification	85
5.9.21	Lococentric surface azimuthal CS specification	87
5.9.22	Lococentric surface polar CS specification	88
5.9.23	Euclidean 2D CS specification	90
5.9.24	Lococentric Euclidean 2D CS specification	91
5.9.25	Azimuthal CS specification	93
5.9.26	Lococentric azimuthal CS specification	94
5.9.27	Polar CS specification	95
5.9.28	Lococentric polar CS specification	96
5.9.29	Euclidean 1D CS specification	98
6	Temporal coordinate systems	101
6.1	Introduction	101
6.2	Temporal coordinate systems	101
6.2.1	Integrated and dynamic temporal coordinate systems	101
6.2.2	Universal time	101
6.2.3	International atomic time	102
6.2.4	Coordinated universal time	102
6.3	Specified temporal coordinate systems	102
6.4	Registered temporal coordinate systems	103
7	Reference datums, embeddings, and object reference models	105
7.1	Introduction	105
7.2	Reference datums	105
7.2.1	Introduction	105
7.2.2	Reference datums	105
7.2.3	Ellipsoidal RDs	108
7.2.4	RDs associated with physical objects	109
7.2.5	RD binding	111
7.3	Normal embeddings of position-space into object-space	111
7.3.1	Normal embeddings	111
7.3.2	Specification of 3D similarity transformations	112
7.3.3	Specification of 2D similarity transformations	114
7.4	Object reference model	114
7.4.1	Introduction	114
7.4.2	ORM	115
7.4.3	Binding constraint	116
7.4.4	ORM template	116

7.4.5	Standardized ORMs	125
7.5	Object binding rules for ORMT BI_AXIS_ORIGIN_3D realizations	129
7.5.1	Object binding rule set	129
7.5.2	Equatorial inertial	130
7.5.3	Solar ecliptic	132
7.5.4	Solar equatorial	133
7.5.5	Heliocentric Aries ecliptic	134
7.5.6	Heliocentric planet ecliptic	135
7.5.7	Heliocentric planet equatorial	136
7.5.8	Celestiomagnetic	137
7.5.9	Solar magnetic ecliptic	139
7.5.10	Solar magnetic dipole	140
8	Spatial reference frames	143
8.1	Introduction	143
8.2	Spatial coordinate systems	143
8.3	Spatial reference frame	144
8.3.1	Specification	144
8.3.2	SRF specification elements	144
8.4	SRF induced surface spatial reference frame	147
8.5	SRF templates	147
8.5.1	Introduction	147
8.5.2	Celestiocentric SRFT	150
8.5.3	Local space rectangular 3D SRFT	150
8.5.4	Celestiodetic SRFT	151
8.5.5	Planetodetic SRFT	152
8.5.6	Local tangent space Euclidean SRFT	153
8.5.7	Local tangent space azimuthal spherical SRFT	154
8.5.8	Local tangent space cylindrical SRFT	155
8.5.9	Lococentric Euclidean 3D SRFT	157
8.5.10	Celestiomagnetic SRFT	158
8.5.11	Equatorial inertial SRFT	158
8.5.12	Solar ecliptic SRFT	159
8.5.13	Solar equatorial SRFT	160
8.5.14	Solar magnetic ecliptic SRFT	160
8.5.15	Solar magnetic dipole SRFT	161
8.5.16	Heliospheric Aries ecliptic SRFT	161
8.5.17	Heliospheric Earth ecliptic SRFT	162
8.5.18	Heliospheric Earth equatorial SRFT	163
8.5.19	Mercator SRFT	163
8.5.20	Oblique Mercator spherical SRFT	164
8.5.21	Transverse Mercator SRFT	165
8.5.22	Lambert conformal conic SRFT	166
8.5.23	Polar stereographic SRFT	167
8.5.24	Equidistant cylindrical SRFT	168
8.5.25	Local space rectangular 2D SRFT	169
8.5.26	Local space azimuthal 2D SRFT	170
8.5.27	Local space polar 2D SRFT	170
8.6	Standardized SRFs	171
8.6.1	Introduction	171
8.6.2	British national grid	173
8.6.3	UK ordnance survey GRS80 grid	173
8.6.4	Delaware (US) state plane coordinate system	173
8.6.5	Geocentric WGS 1984	174
8.6.6	Geodetic Australia 1984	174
8.6.7	Geodetic WGS 1984	175
8.6.8	Geodetic north american 1983	175
8.6.9	Irish grid	175

8.6.10	Irish transverse Mercator.....	176
8.6.11	Lambert-93.....	176
8.6.12	Lambert II étendu (Lambert II wide).....	177
8.6.13	Mars planetocentric.....	177
8.6.14	Mars planetographic.....	178
8.6.15	Maryland (US) state plane coordinate system.....	178
8.7	Standardized SRF sets.....	179
8.7.1	Introduction.....	179
8.7.2	Alabama (US) state plane coordinate system.....	181
8.7.3	GTRS global coordinate system (GCS).....	182
8.7.4	Japan plane coordinate system.....	184
8.7.5	Lambert NTF.....	189
8.7.6	Universal polar stereographic.....	191
8.7.7	Universal transverse Mercator.....	192
8.7.8	Wisconsin (US) state plane coordinate system.....	193
9	Designated spatial surfaces and vertical offsets.....	195
9.1	Introduction.....	195
9.2	Designated spatial surface.....	195
9.3	Vertical offset surface.....	196
9.4	Geoidal separation.....	197
9.5	Vertical offset height and elevation.....	197
9.6	Use of vertical offset height in spatial referencing.....	198
9.7	Other vertical measurements.....	198
9.8	Geoidal and equipotential DSS specifications.....	199
10	SRF operations.....	203
10.1	Introduction.....	203
10.2	Notation and terminology.....	203
10.3	Operations on ORMs.....	204
10.3.1	Introduction.....	204
10.3.2	ORMs for a single object.....	204
10.3.3	Relating ORM for different objects.....	206
10.4	Operations to change spatial coordinates between SRFs.....	206
10.4.1	Introduction.....	206
10.4.2	Change coordinate SRF operation.....	207
10.4.3	The matched normal embeddings case.....	209
10.4.4	Map projection SRF and celestiodetic SRF with matched normal embeddings case.....	209
10.4.5	Linear orthonormal 3D SRF to linear orthonormal 3D SRF cases.....	210
10.4.6	Changing abstract space linear SRF coordinates to a linear SRF in the space of another object.....	211
10.5	Spatial directions and change SRF operations on directions.....	212
10.5.1	Introduction.....	212
10.5.2	Specification of direction.....	213
10.5.3	Changing the reference coordinate of a direction.....	214
10.5.4	Changing the SRF representation of a direction.....	215
10.6	Euclidean distance.....	216
10.7	Geodesic distance and azimuth on an oblate ellipsoid.....	216
10.7.1	Introduction.....	216
10.7.2	Geodesic distance.....	216
10.7.3	Geodetic azimuth.....	217
11	Application program interface.....	219
11.1	Introduction.....	219
11.2	Non-object data types.....	220
11.2.1	Overview.....	220
11.2.2	Abbreviations.....	220
11.2.3	Numbers.....	221

11.2.4	Logicals	221
11.2.5	Object_Reference	222
11.2.6	Enumerated data types	222
11.2.7	Selection data types	223
11.2.8	Array types	226
11.2.9	Structured data types	227
11.3	Object classes	231
11.3.1	Introduction	231
11.3.2	Class specification format	232
11.3.3	LifeCycleObject	233
11.3.4	Private objects	234
11.3.5	Abstract classes	236
11.3.6	SRF concrete subclasses of BaseSRF2D	261
11.3.7	SRF concrete subclasses of BaseSRF3D	263
11.3.8	SRF concrete subclasses of BaseSRFwithTangentPlaneSurface	273
11.3.9	SRF concrete subclass of BaseSRFwithEllipsoidalHeight	276
11.3.10	SRF concrete subclasses of BaseSRFMapProjection	278
11.4	Standard SRFs	286
11.5	SRF set classes	286
11.6	Implementation support query functions	287
11.7	Object inheritance hierarchy	288
11.8	Method precedence for life cycle objects and examples	292
11.9	Data storage structures	293
11.9.1	Introduction	293
11.9.2	SRFT_Parameters	293
11.9.3	SRFS_Info	294
11.9.4	SRF_Parameters_Info_Code	294
11.9.5	SRF_Parameters_Info	294
11.9.6	SRF_Reference_Surface_Info	295
11.9.7	Coordinate structures	295
11.9.8	Spatial_Coordinate_Code	298
11.9.9	Coordinate	299
11.9.10	RD_Code	300
11.9.11	OBRs_Code	300
12	Profiles	301
12.1	Introduction	301
12.2	Profile specification	301
12.3	Default profile	303
13	Registration	305
13.1	Introduction	305
13.2	Specification elements for SRM registered items	306
13.2.1	Introduction	306
13.2.2	Label	306
13.2.3	Code	307
13.2.4	Description	308
13.2.5	References	309
13.3	Guidelines for specific SRM concepts	309
13.3.1	Guidelines for registration of abstract CSs	309
13.3.2	Guidelines for registration of temporal CSs	310
13.3.3	Guidelines for registration of RDs	310
13.3.4	Guidelines for registration of ORMTs	311
13.3.5	Guidelines for registration of ORMs	311
13.3.6	Guidelines for registration of RTs	312
13.3.7	Guidelines for registration of OBRs	312
13.3.8	Guidelines for registration of SRFTs	313
13.3.9	Guidelines for registration of SRFs	314

13.3.10	Guidelines for registration of SRF sets and their members	314
13.3.11	Guidelines for registration of DSSs	316
13.3.12	Guidelines for registration of profiles	316
14	Conformance	319
14.1	Introduction	319
14.2	Functional implementation conformance	319
14.3	Conformance of exchange formats	320
14.4	Conformance of language bindings of the SRM API	320
14.5	Conformance of applications that use the SRM API	321
14.6	Conformance of specifications that reference this International Standard	321
Annex A	Mathematical foundations	323
A.1	Introduction	323
A.2	$\mathbf{R}^n$ as a real vector space	323
A.3	The point set topology of $\mathbf{R}^n$	324
A.4	Smooth functions on $\mathbf{R}^n$	324
A.5	Functional composition	325
A.6	Smooth surfaces in $\mathbf{R}^3$	326
A.6.1	Implicit definition	326
A.6.2	Ellipsoid surfaces	326
A.7	Smooth curves in $\mathbf{R}^n$	327
A.7.1	Parametric definition	327
A.7.2	Implicit definition	329
A.7.3	Arc length and geodesic distance	330
A.8	Special functions	330
A.8.1	Double argument arctangent function	330
A.8.2	Jacobian elliptic functions	330
A.9	Projection function	331
A.9.1	Geometric projection functions into a developable surface	331
A.9.2	Planar projection functions	331
A.9.3	Cylindrical projection function	333
A.9.4	Conic projection function	333
Annex B	Implementation notes	335
B.1	Introduction	335
B.2	General observations	335
B.2.1	Finite precision	335
B.2.2	Computational efficiency	335
B.2.3	Approximation	336
B.3	Guidelines for algorithm development for spatial operations	336
B.3.1	Introduction	336
B.3.2	The computational environment	336
B.3.3	Domain of application	337
B.3.4	Define a meaningful error measure	338
B.3.5	Avoid excessive computational accuracy	338
B.3.6	Determine the acceptable error before starting	338
B.3.7	Mathematical approaches	338
B.3.8	Good programming and formulation practices	339
B.3.9	Design in context	340
B.3.10	Software verification and computational error testing	340
B.3.11	Singularities and near singularities	341
B.3.12	Performance testing	341
B.4	Spherical reference models	342
B.5	Practical considerations	342
B.5.1	Distortion considerations	342
B.5.2	Validity checking	342
B.6	The Bursa-Wolfe equation	342