



Designation: C1364 – 07

## Standard Specification for Architectural Cast Stone<sup>1</sup>

This standard is issued under the fixed designation C1364; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

### 1. Scope

1.1 This specification covers the physical requirements, sampling, testing, and visual inspection of architectural cast stone.

1.2 Units covered by this specification may be made from facing and backup mixtures or from a homogeneous mixture. Either wet cast or dry cast production methods may be used.

1.3 Surface textures, finish, color, or other special features should be specified separately by the purchaser.

1.4 The values stated in inch-pound units are to be regarded as the standard. The values given in parentheses are for information only.

1.5 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

### 2. Referenced Documents

#### 2.1 ASTM Standards:<sup>2</sup>

**A615/A615M** Specification for Deformed and Plain Carbon-Steel Bars for Concrete Reinforcement

**C33** Specification for Concrete Aggregates

**C150** Specification for Portland Cement

**C173/C173M** Test Method for Air Content of Freshly Mixed Concrete by the Volumetric Method

**C231** Test Method for Air Content of Freshly Mixed Concrete by the Pressure Method

**C260** Specification for Air-Entraining Admixtures for Concrete

**C426** Test Method for Linear Drying Shrinkage of Concrete Masonry Units

**C494/C494M** Specification for Chemical Admixtures for Concrete

**C618** Specification for Coal Fly Ash and Raw or Calcined

Natural Pozzolan for Use in Concrete

**C666/C666M** Test Method for Resistance of Concrete to Rapid Freezing and Thawing

**C979** Specification for Pigments for Integrally Colored Concrete

**C989** Specification for Slag Cement for Use in Concrete and Mortars

**C1194** Test Method for Compressive Strength of Architectural Cast Stone

**C1195** Test Method for Absorption of Architectural Cast Stone

**D1729** Practice for Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials

**D2244** Practice for Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates

#### 2.2 ACI Standards:

**318** Building Code Requirements for Reinforced Concrete<sup>3</sup>

### 3. Terminology

#### 3.1 Definitions:

3.1.1 *cast stone, n*—an architectural precast concrete building unit intended to simulate natural cut stone.

3.1.2 *dry cast concrete products, n*—manufactured from zero slump concrete.

3.1.3 *wet cast concrete products, n*—manufactured from measurable slump concrete.

### 4. Materials and Design

4.1 *Raw Materials*—Materials shall conform to the following specifications:

4.1.1 *Portland Cement*—Specification **C150**.

4.1.2 *Aggregates*—Specification **C33**, except for grading requirements.

4.1.3 *Coloring Pigment*—Specification **C979**, except that carbon black pigment shall not be used.

4.1.4 *Reinforcement*—Specification **A615/A615M**.

4.1.5 *Chemical Admixtures*—Chemical admixtures shall conform to the following applicable specifications:

4.1.5.1 *Air Entraining Admixtures*—Specification **C260**, except for dry cast concrete products.

<sup>1</sup> This specification is under the jurisdiction of ASTM Committee **C27** on Precast Concrete Products and is the direct responsibility of Subcommittee **C27.20** on Architectural and Structural Products.

Current edition approved June 1, 2007. Published June 2007. Originally approved in 1997. Last previous edition approved in 2006 as C1364 – 06. DOI: 10.1520/C1364-07.

<sup>2</sup> For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

<sup>3</sup> Available from American Concrete Institute (ACI), P.O. Box 9094, Farmington Hills, MI 48333.