

ETSI TS 144 018 V12.7.0 (2018-01)



**Digital cellular telecommunications system (Phase 2+) (GSM);
Mobile radio interface layer 3 specification;
GSM/EDGE Radio Resource Control (RRC) protocol
(3GPP TS 44.018 version 12.7.0 Release 12)**

Standard PREVIEW
Full standard available at: <https://standards.iteh.ai/catalog/standards/siv/1177-8d5e-4c27-b61a-6c692d0337e9/etsi-ts-144-018-v12-7-0-2018-01>



ReferenceRTS/TSGR-0644018vc70

KeywordsGSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	18
1 Scope	19
1.1 Scope of the Technical Specification	19
1.2 Application to the interface structures.....	19
1.3 Structure of layer 3 procedures.....	19
1.4 Test procedures	19
1.5 Use of logical channels.....	20
1.6 Overview of control procedures	20
1.6.1 List of procedures	20
1.7 Applicability of implementations	21
1.7.1 Voice Group Call Service (VGCS) and Voice Broadcast Service (VBS).....	21
1.7.2 General Packet Radio Service (GPRS)	22
1.7.3 Multimedia Broadcast/Multicast Service (MBMS)	22
1.8 Restrictions	22
2 References	22
2.1 Abbreviations	26
2.1.1 Random values.....	26
2.1.2 Vocabulary.....	26
3 Radio Resource management procedures.....	29
3.1 Overview/General	29
3.1.1 General.....	29
3.1.2 Services provided to upper layers	29
3.1.2.1 Idle mode	29
3.1.2.2 Dedicated mode.....	30
3.1.2.3 Group receive mode	30
3.1.2.4 Group transmit mode.....	30
3.1.2.5 Packet idle mode	31
3.1.2.6 Packet transfer mode	31
3.1.2.7 Dual transfer mode (DTM).....	31
3.1.3 Services required from data link and physical layers.....	31
3.1.4 Change of dedicated channels.....	32
3.1.4.1 Change of dedicated channels using SAPI = 0.....	32
3.1.4.2 Change of dedicated channels using other SAPIs than 0	32
3.1.5 Procedure for Service Request and Contention Resolution	32
3.1.6 Preemption.....	34
3.2 Idle mode procedures and general procedures in packet idle and packet transfer modes.....	34
3.2.1 Mobile Station side	34
3.2.2 Network side	36
3.2.2.1 System information broadcasting	36
3.2.2.2 Paging	38
3.2.2.3 Sending of ETWS Primary Notification	38
3.2.3 Inter-RAT cell re-selection based on priority information.....	38
3.2.3.1 General	38
3.2.3.2 Common priorities information.....	39
3.2.3.3 Provision of individual priorities information	39
3.2.4 (void).....	40
3.3 RR connection establishment	40
3.3.1 RR connection establishment initiated by the mobile station	40
3.3.1.1 Entering the dedicated mode : immediate assignment procedure	40
3.3.1.1.1 Permission to access the network	41
3.3.1.1.1a Implicit reject indication from the network	41

3.3.1.1.2	Initiation of the immediate assignment procedure.....	41
3.3.1.1.3	Answer from the network.....	43
3.3.1.1.3.1	On receipt of a CHANNEL REQUEST message.....	43
3.3.1.1.3.2	Assignment rejection.....	43
3.3.1.1.3.2a	Implicit Reject procedure.....	44
3.3.1.1.4	Assignment completion.....	44
3.3.1.1.4.1	Early classmark sending.....	45
3.3.1.1.4.2	Service information sending.....	46
3.3.1.1.5	Abnormal cases.....	46
3.3.1.2	Entering the group transmit mode: uplink access procedure.....	46
3.3.1.2.1	Mobile station side.....	47
3.3.1.2.1.1	Uplink investigation procedure - talker priority not supported by the network.....	47
3.3.1.2.1.1a	Uplink investigation procedure - talker priority supported by the network.....	47
3.3.1.2.1.2	Uplink access procedure with talker priority not supported by the network.....	48
3.3.1.2.1.2a	Uplink access procedure - with talker priority supported by the network using uplink access procedure.....	48
3.3.1.2.1.2a.1	Talker priority normal, privileged or emergency.....	48
3.3.1.2.1.2a.2	Emergency mode reset request.....	49
3.3.1.2.1.2b	Priority uplink request procedure.....	50
3.3.1.2.1.2b.1	Talker priority privileged or emergency.....	50
3.3.1.2.1.2b.2	Emergency mode reset request.....	50
3.3.1.2.1.2b.3	Validation of priority uplink requests for ciphered voice group calls.....	51
3.3.1.2.1.2c	Uplink access procedure for sending application-specific data.....	51
3.3.1.2.1.2c.1	General.....	51
3.3.1.2.1.2c.2	Using the Voice Group Call Channel.....	51
3.3.1.2.1.2c.3	Using the RACH.....	51
3.3.1.2.2	Network side - talker priority not supported by the network.....	52
3.3.1.2.2a	Network side - network supports talker priority using uplink access procedure.....	52
3.3.1.2.2a.1	Uplink FREE.....	52
3.3.1.2.2a.1.1	Uplink Access cause - Normal, Privileged, or Emergency priority request.....	52
3.3.1.2.2a.1.2	Uplink Access cause - Emergency mode reset request.....	52
3.3.1.2.2a.2	Uplink BUSY.....	53
3.3.1.2.2a.2.1	Uplink Access with cause priority less than or equal to current talker priority.....	53
3.3.1.2.2a.2.2	Uplink Access with cause priority higher than current talker priority.....	53
3.3.1.2.2a.2.3	Uplink Access with cause Emergency mode reset request.....	53
3.3.1.2.2b	Network side - network supports talker priority using priority uplink procedure.....	53
3.3.1.2.2b.1	Uplink FREE.....	53
3.3.1.2.2b.1.1	Uplink Access cause - Normal, Privileged, or Emergency priority request.....	53
3.3.1.2.2b.1.2	Uplink Access cause - Emergency mode reset request.....	53
3.3.1.2.2b.2	Uplink BUSY.....	54
3.3.1.2.2b.2.1	Priority Uplink Request with cause priority less than or equal to current talker priority.....	54
3.3.1.2.2b.2.2	Priority Uplink Request with cause priority higher than current talker priority.....	54
3.3.1.2.2b.2.3	Priority Uplink Request with cause Emergency mode reset request.....	54
3.3.1.2.2b.2.4	Validation of Priority Uplink Requests for ciphered voice group calls.....	54
3.3.1.2.2c	Network side - network supports sending application-specific data by mobile station.....	55
3.3.1.2.2c.1	General.....	55
3.3.1.2.2c.2	Using the Voice Group Call Channel.....	55
3.3.1.2.2c.3	Using the RACH.....	55
3.3.1.2.3	Abnormal cases.....	55
3.3.1.3	Dedicated mode and GPRS.....	55
3.3.1.4	Preliminary Access Barring Check.....	55
3.3.2	Paging procedure for RR connection establishment.....	56
3.3.2.1	Paging initiation by the network.....	56
3.3.2.1.1	Paging initiation using paging subchannel on CCCH.....	56
3.3.2.1.2	Paging initiation using paging subchannel on PCCCH.....	57
3.3.2.1.3	Paging initiation using PACCH.....	57
3.3.2.2	Paging response.....	58
3.3.2.3	Abnormal cases.....	58
3.3.3	Notification procedure.....	58
3.3.3.1	Notification of a call.....	58
3.3.3.2	Joining a VGCS or VBS call.....	59
3.3.3.2.1	General.....	59

3.3.3.2.2	Segmentation of notifications	60
3.3.3.2.2.1	General	60
3.3.3.2.2.2	Segmentation of notifications on NCH	60
3.3.3.2.2.4	Segmentation of notifications on PCH	62
3.3.3.3	Reduced NCH monitoring mechanism	63
3.3.3.4	Notification response procedure	64
3.4	Procedures in dedicated mode and in group transmit mode	64
3.4.1	SACCH procedures	64
3.4.1.1	General	64
3.4.1.2	Measurement Report and Enhanced Measurement Report	65
3.4.1.2.1	Parameters for Measurements and Reporting	66
3.4.1.2.1.1	Deriving the 3G Neighbour Cell list from the 3G Neighbour Cell Description sent on BCCH or on SACCH	67
3.4.1.2.1.1a	Deriving the E-UTRAN Neighbour Cell list from the Repeated E-UTRAN Neighbour Cell information sent on BCCH or on SACCH	68
3.4.1.2.1.1b	Deriving the E-UTRAN Neighbour Cell list from the Repeated E-UTRAN Neighbour Cell information sent on BCCH or on SACCH (abnormal cases)	69
3.4.1.2.1.2	Deriving the GSM Neighbour Cell list from the BSICs and the BA (list)	70
3.4.1.2.1.3	Deriving the Neighbour Cell list from the GSM Neighbour Cell list and the 3G Neighbour Cell list	70
3.4.1.2.1.4	Real Time Differences	70
3.4.1.2.1.5	Report Priority Description	70
3.4.1.2.1.6	GPRS Parameters	71
3.4.1.2.1.7	The 3G Cell Reselection list	71
3.4.1.2.1.7a	(void)	71
3.4.1.2.1.7b	Closed Subscriber Group Information	71
3.4.1.2.1.7c	The 3G Frequency list	71
3.4.1.2.1.8	CCN Support description	72
3.4.1.2.1.9	3G_CCN_ACTIVE Description	72
3.4.1.2.1.9a	E-UTRAN_CCN_ACTIVE Description	72
3.4.1.2.1.10	GSM Neighbour Cell Selection parameters	72
3.4.1.2.1.11	Fast Acquisition of System Information	73
3.4.1.2.1.12	Reporting of CSG Cells and Hybrid Cells	74
3.4.1.3	Extended measurement report \$(MAFA)\$	74
3.4.2	Transfer of messages and link layer service provision	75
3.4.3	Channel assignment procedure	75
3.4.3.1	Channel assignment initiation	75
3.4.3.2	Assignment completion	77
3.4.3.3	Abnormal cases	77
3.4.4	Handover procedure	78
3.4.4.1	Handover initiation	79
3.4.4.2	Physical channel establishment	82
3.4.4.2.1	Finely synchronized cell case	82
3.4.4.2.2	Non synchronized cell case	82
3.4.4.2.3	Pseudo-synchronized cell case	83
3.4.4.2.4	Pre-synchronized cell case	83
3.4.4.3	Handover completion	84
3.4.4.4	Abnormal cases	84
3.4.4a	Handover to UTRAN procedure	85
3.4.4a.1	Handover to UTRAN initiation	86
3.4.4a.2	Handover to UTRAN completion	86
3.4.4a.3	Abnormal cases	86
3.4.4b	Handover to CDMA2000 procedure	87
3.4.4b.1	Handover to CDMA2000 initiation	87
3.4.4b.2	Handover to CDMA2000 completion	87
3.4.4b.3	Abnormal cases	87
3.4.4c	Intermode handover to GERAN <i>Iu mode</i> procedure	88
3.4.4c.1	General	88
3.4.4c.2	Initiation of the handover to GERAN <i>Iu mode</i> procedure	88
3.4.4c.3	Completion of the Handover to GERAN <i>Iu Mode</i> procedure	88
3.4.4c.4	Abnormal cases	89
3.4.4d	CS to PS SRVCC procedure	89

3.4.4d.1	CS to PS SRVCC procedure initiation	89
3.4.4d.2	CS to PS SRVCC procedure completion	90
3.4.4d.3	Abnormal cases	90
3.4.5	Frequency redefinition procedure	90
3.4.5.1	Abnormal cases	91
3.4.6	Channel mode modify procedure	91
3.4.6.1	Normal channel mode modify procedure	91
3.4.6.1.1	Initiation of the channel mode modify procedure	91
3.4.6.1.2	Completion of channel mode modify procedure	92
3.4.6.1.3	Abnormal cases	92
3.4.6.2	Channel mode modify procedure for a voice group call talker	92
3.4.6.2.1	Initiation of the channel mode modify procedure	92
3.4.6.2.2	Completion of mode change procedure	93
3.4.6.2.3	Abnormal cases	93
3.4.7	Ciphering mode setting procedure	93
3.4.7.1	Ciphering mode setting initiation	93
3.4.7.2	Ciphering mode setting completion	93
3.4.7a	Selective Ciphering of Downlink SACCH	94
3.4.8	Additional channel assignment procedure	94
3.4.8.1	Additional assignment procedure initiation	95
3.4.8.2	Additional assignment procedure completion	95
3.4.8.3	Abnormal cases	95
3.4.9	Partial channel release procedure	95
3.4.9.1	Partial release procedure initiation	95
3.4.9.2	Abnormal cases	95
3.4.10	Classmark change procedure	96
3.4.11	Classmark interrogation procedure	96
3.4.11.1	Classmark interrogation initiation	96
3.4.11.2	Classmark interrogation completion	96
3.4.12	Indication of notifications and paging information	97
3.4.13	RR connection release procedure	97
3.4.13.1	Normal release procedure	97
3.4.13.1.1	Channel release procedure initiation in dedicated mode and in group transmit mode	97
3.4.13.1.1a	Channel release procedure initiation in dual transfer mode	99
3.4.13.1.2	Abnormal cases	99
3.4.13.2	Radio link failure in dedicated mode or dual transfer mode	99
3.4.13.2.1	Mobile side	100
3.4.13.2.2	Network side	100
3.4.13.3	RR connection abortion in dedicated mode or dual transfer mode	100
3.4.13.4	Uplink release procedure	101
3.4.13.5	Radio link failure in group transmit mode	101
3.4.13.5.1	Mobile side	101
3.4.13.5.2	Network side	101
3.4.13.6	RR connection abortion requested by upper layers	102
3.4.14	Receiving a RR STATUS message by a RR entity	102
3.4.15	Group receive mode procedures	102
3.4.15.1	Mobile station side	102
3.4.15.1.1	Reception of the VGCS or VBS channel	102
3.4.15.1.1.1	General	102
3.4.15.1.1.2	Reception on ciphered VGCS or VBS channel	102
3.4.15.1.2	Monitoring of downlink messages and related procedures	102
3.4.15.1.2.1	(void)	103
3.4.15.1.2.2	(void)	103
3.4.15.1.2.3	Channel mode modify procedure	103
3.4.15.1.2.4	Notification and paging information	103
3.4.15.1.2.4.1	Use of Reduced NCH monitoring	103
3.4.15.1.2.5	Uplink status messages	103
3.4.15.1.2.6	Channel release message	104
3.4.15.1.2.7	Information on paging channel restructuring	104
3.4.15.1.3	Uplink reply procedure	104
3.4.15.1.4	Leaving the group receive mode	104
3.4.15.1.4.1	Returning to idle mode	104

3.4.15.1.4.2	Going to group transmit mode	104
3.4.15.2	Network side	105
3.4.15.2.1	Provision of messages on the VGCS or VBS channel downlink.....	105
3.4.15.2.1.1	General.....	105
3.4.15.2.1.2	Provision of general information messages	105
3.4.15.2.1.3	Provision of messages related to the voice group call uplink channel	106
3.4.15.2.1.4	Provision of messages related to the voice broadcast uplink channel.....	106
3.4.15.2.2	Release of the VGCS or VBS Channels	107
3.4.15.2a	VBS/VGCS reconfiguration procedure.....	107
3.4.15.2a.1	Normal behaviour	107
3.4.15.2a.2	Abnormal cases	107
3.4.15.3	Failure cases	108
3.4.15.3a	Additional Information procedure.....	108
3.4.15.3b	SMS to on going group call procedure.....	108
3.4.16	Configuration change procedure.....	109
3.4.16.1	Configuration change initiation.....	109
3.4.16.2	Configuration change completion	109
3.4.16.3	Abnormal cases	110
3.4.17	Mapping of user data substreams onto timeslots in a multislot configuration	110
3.4.18	Handling of classmark information at band change.....	110
3.4.19	(void)	111
3.4.20	(void)	111
3.4.21	Application Procedures.....	111
3.4.21.1	General	111
3.4.21.2	Location Services (LCS)	111
3.4.21.2A	Earthquake and Tsunami Warning System (ETWS).....	111
3.4.21.3	Application Information Transfer	111
3.4.21.3.1	Normal Procedure without Segmentation.....	111
3.4.21.3.2	Normal Procedure with Segmentation.....	111
3.4.21.3.3	Abnormal Cases.....	112
3.4.22	RR procedures related to packet resource establishment while in dedicated mode	113
3.4.22.1	Packet request procedure while in dedicated mode.....	113
3.4.22.1.1	Entering the dual transfer mode.....	113
3.4.22.1.1.1	Permission to access the network.....	113
3.4.22.1.1.2	Initiation of establishment of the packet request procedure.....	114
3.4.22.1.1.3	Answer from the network.....	114
3.4.22.1.1.3.1	Packet assignment.....	114
3.4.22.1.1.3.2	RR reallocation only	115
3.4.22.1.1.3.3	Packet request rejection	115
3.4.22.1.1.4	Packet request completion	115
3.4.22.1.1.5	Abnormal cases.....	116
3.4.22.2	Packet notification procedure in dedicated mode.....	117
3.4.22.2.1	Packet notification initiation by the network.....	117
3.4.22.2.2	Packet notification response	117
3.4.22.3	Packet downlink assignment in dedicated mode.....	117
3.4.22.3.1	Initiation of the packet downlink assignment procedure in dedicated mode	118
3.4.22.3.2	Packet downlink assignment completion.....	118
3.4.22.3.3	Abnormal cases	118
3.4.22.4	Modification of packet resources while in DTM	120
3.4.23	RR procedures related to packet resource maintenance while in dual transfer mode	120
3.4.23.1	General	120
3.4.23.2	RR and packet resource reallocation whilst in dual transfer mode	120
3.4.23.2.1	General	120
3.4.23.2.2	Normal resource reallocation case.....	121
3.4.23.2.3	Abnormal cases	122
3.4.24	RR procedures related to packet resource release while in dual transfer mode	123
3.4.25	GPRS suspension procedure	124
3.4.25.1	General	124
3.4.25.2	MS in class B mode of operation	124
3.4.25.3	Dual transfer mode not supported	124
3.4.26	GPRS Transparent Transport Procedure.....	124
3.4.27	RR procedures related to dedicated mode MBMS notification	125

3.4.27.1	General	125
3.4.27.2	MBMS announcement procedure in dedicated mode	125
3.4.27.2.1	General	125
3.4.27.2.2	MBMS announcement initiation by the network	125
3.4.27.2.3	MBMS notification response	125
3.4.28	Transmission of application-specific data by the talker	126
3.4.28.1	General	126
3.5	RR procedures on CCCH related to temporary block flow establishment	126
3.5.1	Packet paging procedure using CCCH	126
3.5.1.1	Packet paging initiation by the network	126
3.5.1.2	On receipt of a packet paging request	127
3.5.1.3	Packet Paging for MBMS notification on CCCH	127
3.5.1.3.1	General	127
3.5.1.3.2	MBMS pre-notification	128
3.5.1.3.3	MBMS notification	128
3.5.1.3.4	Response to MBMS notification	129
3.5.2	Packet access procedure using CCCH	129
3.5.2.1	Entering the packet transfer mode: packet access procedure	130
3.5.2.1.1	Permission to access the network	130
3.5.2.1.2	Initiation of the packet access procedure: channel request	130
3.5.2.1.3	Packet immediate assignment	133
3.5.2.1.3.1	On receipt of a CHANNEL REQUEST or EGPRS PACKET CHANNEL REQUEST message	133
3.5.2.1.3.2	One phase packet access	135
3.5.2.1.3.3	Single block packet access	136
3.5.2.1.3.3a	Multiblock packet access	137
3.5.2.1.3.4	Packet access rejection	138
3.5.2.1.4	Packet access completion	138
3.5.2.1.5	Abnormal cases	138
3.5.2.2	Sending an RLC/MAC control message: single block packet access procedure	139
3.5.3	Packet downlink assignment procedure using CCCH	139
3.5.3.1	Entering the packet transfer mode: packet downlink assignment procedure	139
3.5.3.1.2	Initiation of the packet downlink assignment procedure	139
3.5.3.1.3	Packet downlink assignment completion	141
3.5.3.1.4	Abnormal cases	142
3.5.3.2	Sending an RLC/MAC control message: single block packet downlink assignment procedure	142
3.5.3.2a	Sending an RLC/MAC control message: multiple blocks packet downlink assignment procedure	142
3.5.4	MBMS packet access procedure using CCCH	143
3.5.4.1	General	143
3.5.4.2	On receipt of a CHANNEL REQUEST message	143
3.5.4.3	On receipt of an IMMEDIATE ASSIGNMENT message	144
3.5.4.4	On receipt of an IMMEDIATE ASSIGNMENT REJECT message	144
3.5.4.5	On receipt of an MBMS ASSIGNMENT message	144
3.5.4.6	Abnormal cases	144
3.6	RR Procedures in packet transfer mode	144
3.6.1	RR Connection establishment using enhanced DTM CS establishment	144
3.6.2	Completion of RR Connection establishment	145
3.6.2.1	Connection established in response to an encapsulated IMMEDIATE ASSIGNMENT message	145
3.6.2.2	Connection established in response to an encapsulated DTM ASSIGNMENT COMMAND message	145
3.7	DTM Handover procedure	145
3.7.1	General	145
3.7.2	DTM Handover from GERAN A/Gb mode to GERAN A/Gb mode procedure	145
3.7.2.1	Abnormal cases	146
3.7.3	DTM Handover from GERAN A/Gb mode to UTRAN procedure	147
3.8	Network sharing	147
3.8.1	General	147
3.8.2	Network side	147
3.8.3	Mobile station side	148
3.8.4	Abnormal cases	149
4	Elementary procedures for Mobility Management	149

5	Elementary procedures for circuit-switched Call Control.....	150
6	Support for packet services	150
7	Examples of structured procedures	150
8	Handling of unknown, unforeseen, and erroneous protocol data	150
8.1	General	150
8.2	Message too short.....	151
8.3	(void).....	151
8.4	Unknown or unforeseen message type	151
8.5	Non-semantic mandatory information element errors	151
8.5.1	Radio resource management	152
8.6	Unknown and unforeseen IEs in the non-imperative message part.....	152
8.6.1	IEs unknown in the message	152
8.6.2	Out of sequence IEs	152
8.6.3	Repeated IEs	152
8.7	Non-imperative message part errors.....	152
8.7.1	Syntactically incorrect optional IEs	152
8.7.2	Conditional IE errors	153
8.8	Messages with semantically incorrect contents.....	153
8.9	Incomplete rest octets	153
9	Message functional definitions and contents.....	154
9.1	Messages for Radio Resources management.....	155
9.1.1	Additional assignment	157
9.1.1.1	Mobile Allocation	158
9.1.1.2	Starting Time.....	158
9.1.1.3	Extended TSC Set	158
9.1.2	Assignment command.....	158
9.1.2.1	Mode of the First Channel (Channel Set 1) and Mode of Channel Set "X" (2= X =<8).....	159
9.1.2.2	Description of the Second Channel.....	159
9.1.2.3	Mode of the Second Channel	160
9.1.2.4	Mobile Allocation and Frequency List, after the starting time.....	160
9.1.2.5	Starting Time.....	160
9.1.2.6	Reference cell frequency list	161
9.1.2.7	Cell Channel Description	161
9.1.2.8	Cipher Mode Setting	161
9.1.2.9	VGCS target mode Indication	161
9.1.2.10	Description of the multislot allocation	161
9.1.2.11	Multi Rate configuration	162
9.1.2.12	VGCS Ciphering Parameters	162
9.1.2.13	Extended TSC Set, after time	162
9.1.2.14	Extended TSC Set, before time	162
9.1.3	Assignment complete.....	162
9.1.4	Assignment failure.....	162
9.1.5	Channel mode modify.....	163
9.1.5.1	Channel Description	163
9.1.5.2	VGCS target mode Indication	163
9.1.5.3	Multi Rate configuration	164
9.1.5.4	VGCS Ciphering Parameters	164
9.1.5.5	Extended TSC Set	164
9.1.6	Channel mode modify acknowledge.....	164
9.1.6.1	Extended TSC Set	164
9.1.7	Channel release	164
9.1.7.1	Group Channel Description / Group Channel Description 2.....	165
9.1.7.2	Group Cipher Key Number	165
9.1.7.3	UTRAN Freq List	166
9.1.7.4	Cell Channel Description	166
9.1.7.5	VGCS Ciphering Parameters	166
9.1.7.6	Talker Identity.....	166
9.1.7.7	Talker Priority Status	166
9.1.7.8	VGCS AMR Configuration.....	166

9.1.7.9	Individual priorities	166
9.1.8	Channel request	166
9.1.9	Ciphering mode command	168
9.1.10	Ciphering mode complete	169
9.1.10.1	Mobile Equipment Identity	169
9.1.11	Classmark change	170
9.1.11.1	Additional Mobile Station Classmark Information	170
9.1.11.2	Mobile Station Classmark	170
9.1.11a	UTRAN Classmark Change	170
9.1.11b	cdma2000 Classmark Change	171
9.1.11c	(void)	172
9.1.11d	GERAN IU Mode Classmark Change	172
9.1.12	Classmark enquiry	172
9.1.12a	(void)	173
9.1.12b	Configuration change command	173
9.1.12b.1	Description of the multislot allocation	173
9.1.12b.2	Mode of Channel Set "X" ($1 \leq X \leq 8$)	173
9.1.12c	Configuration change acknowledge	174
9.1.12d	Configuration change reject	174
9.1.12e	DTM Assignment Command	174
9.1.12e.1	(void)	175
9.1.12e.2	RR Packet Uplink Assignment and RR Packet Downlink Assignment IEs	175
9.1.12e.3	MultiRate configuration	175
9.1.12e.4	Ciphering Mode Setting	176
9.1.12e.5	(void)	176
9.1.12e.6	Mobile Allocation and Frequency List	176
9.1.12e.7	Mobile Allocation C2, Frequency List C2, Channel Description C2 and Description of the Downlink Packet Channel Assignment Type 2	176
9.1.12e.8	Extended TSC Set	176
9.1.12f	DTM Assignment Failure	177
9.1.12g	DTM Information	177
9.1.12g.1	Routeing Area Identification	177
9.1.12h	DTM Reject	178
9.1.12i	DTM Request	178
9.1.13	Frequency redefinition	179
9.1.13.1	Cell Channel Description	179
9.1.13.2	Carrier Indication	179
9.1.13.3	Mobile Allocation C2 and Channel Description C2	179
9.1.13.4	Extended TSC Set	179
9.1.13a	(void)	180
9.1.13b	GPRS suspension request	180
9.1.13b.1	General	180
9.1.13b.2	Routeing Area Identification	180
9.1.13b.3	Temporary Logical Link Identity	180
9.1.14	Handover access	180
9.1.15	Handover command	182
9.1.15.1	Synchronization Indication	183
9.1.15.2	Mode of the First Channel (Channel Set 1) and Mode of Channel Set "X" ($2 \leq X \leq 8$)	183
9.1.15.3	Description of the Second Channel	183
9.1.15.4	Mode of the Second Channel	184
9.1.15.5	Frequency Channel Sequence, Frequency List, Frequency short list and Mobile Allocation, after time.	184
9.1.15.6	Starting Time	184
9.1.15.7	Reference cell frequency list	185
9.1.15.8	Real Time Difference	185
9.1.15.9	Timing Advance	185
9.1.15.10	Cipher Mode Setting	185
9.1.15.11	VGCS target mode indication	185
9.1.15.12	Description of the multislot allocation	186
9.1.15.13	MultiRate configuration	186
9.1.15.14	Dynamic ARFCN Mapping	186
9.1.15.15	VGCS Target cell Ciphering information	186

9.1.15.16	Dedicated Service Information.....	186
9.1.15.17	Extended TSC Set, after time.....	186
9.1.15.18	Extended TSC Set, before time.....	187
9.1.15a	Inter System To UTRAN Handover Command.....	187
9.1.15b	Inter System To cdma2000 Handover Command.....	187
9.1.15c	HANDOVER TO GERAN Iu MODE Command.....	188
9.1.15d	Inter System To E-UTRAN Handover Command.....	188
9.1.16	Handover complete.....	188
9.1.16.1	Mobile Observed Time Difference.....	189
9.1.16.2	Mobile Observed Time Difference on Hyperframe level.....	189
9.1.17	Handover failure.....	189
9.1.17.1	PS Cause.....	189
9.1.18	Immediate assignment.....	189
9.1.18.0a	Dedicated mode or TBF.....	190
9.1.18.0b	Channel Description.....	190
9.1.18.0c	Packet Channel Description.....	190
9.1.18.0d	Request Reference.....	191
9.1.18.0e	Timing Advance.....	191
9.1.18.1	Mobile Allocation.....	191
9.1.18.2	Starting Time.....	191
9.1.18.3	IA Rest Octets (Frequency parameters, before time).....	191
9.1.18.4	IA Rest Octets (assignment of uplink or downlink TBF).....	191
9.1.18.5	Extended TSC Set.....	192
9.1.18a	(void).....	192
9.1.18b	Immediate packet assignment.....	192
9.1.19	Immediate assignment extended.....	192
9.1.19.1	Unnecessary IEs.....	193
9.1.19.2	Mobile Allocation.....	193
9.1.19.3	Starting Time.....	193
9.1.19.4	Maximum message length.....	194
9.1.19.5	IAX Rest Octets.....	194
9.1.20	Immediate assignment reject.....	194
9.1.20.1	Use of the indexes.....	195
9.1.20.2	Filling of the message.....	195
9.1.20.2a	Request Reference.....	195
9.1.20.3	Wait Indication.....	195
9.1.20.4	IAR Rest Octets.....	195
9.1.21	Measurement report.....	195
9.1.21a	Notification/FACCH.....	196
9.1.21a.1	(void).....	199
9.1.21a.2	(void).....	199
9.1.21a.3	(void).....	199
9.1.21a.4	(void).....	199
9.1.21b	Notification/NCH.....	199
9.1.21b.1	(void).....	199
9.1.21b.2	(void).....	199
9.1.21c	(void).....	199
9.1.21d	Notification response.....	199
9.1.21e	(void).....	200
9.1.21f	Packet Assignment.....	200
9.1.21f.1	RR Packet Uplink Assignment and RR Packet Downlink Assignment IEs.....	201
9.1.21f.2	(void).....	201
9.1.21f.3	Frequency List C2, Mobile Allocation C2 and Description of the Downlink Packet Channel Assignment Type 2.....	201
9.1.21f.4	Extended TSC Set.....	201
9.1.21g	Packet Notification.....	201
9.1.21g.1	P-TMSI.....	202
9.1.21g.2	Mobile identity.....	202
9.1.21h	VBS/VGCS reconfigure.....	202
9.1.21i	VBS/VGCS reconfigure2.....	203
9.1.21j	MBMS Announcement.....	203
9.1.22	Paging request type 1.....	204

9.1.22.1	Unnecessary IE	205
9.1.22.2	Channels needed for Mobiles 1 and 2	205
9.1.22.3	Mobile Identities	205
9.1.22.4	P1 Rest Octets	205
9.1.23	Paging request type 2.....	205
9.1.23.1	Channels needed for Mobiles 1 and 2	206
9.1.23.2	Mobile Identity 3.....	206
9.1.23.3	P2 Rest Octets	206
9.1.24	Paging request type 3.....	206
9.1.24.1	Channels needed for Mobiles 1 and 2	207
9.1.24.2	P3 Rest Octets	207
9.1.25	Paging response	207
9.1.25.1	Mobile Station Classmark	208
9.1.25.2	Additional Update Parameters	208
9.1.26	Partial release.....	208
9.1.26.1	Channel Description.....	208
9.1.27	Partial release complete	209
9.1.28	Physical information	209
9.1.28a	(void)	209
9.1.29	RR Status	209
9.1.30a	Synchronization channel information	210
9.1.30b	COMPACT Synchronization channel information.....	210
9.1.31	System information type 1	211
9.1.32	System information type 2.....	211
9.1.33	System information type 2bis	212
9.1.34	System information type 2ter.....	212
9.1.34a	System information type 2quater	213
9.1.34b	System information type 2n.....	214
9.1.35	System information type 3.....	214
9.1.36	System information type 4.....	215
9.1.36.1	CBCH Channel description.....	216
9.1.36.2	CBCH Mobile Allocation	216
9.1.36.3	SI 4 Rest Octets.....	216
9.1.37	System information type 5.....	216
9.1.38	System information type 5bis	216
9.1.39	System information type 5ter.....	217
9.1.40	System information type 6.....	218
9.1.40.1	Cell Identity.....	218
9.1.40.2	Location Area Identification	218
9.1.40.3	Cell Options	218
9.1.40.4	NCC permitted	218
9.1.41	System information type 7.....	219
9.1.42	System information type 8.....	219
9.1.43	System information Type 9.....	219
9.1.43a	System information Type 13.....	220
9.1.43b	(void)	221
9.1.43c	(void)	221
9.1.43d	System information type 16.....	221
9.1.43e	System information type 17	221
9.1.43f	System information type 19.....	222
9.1.43g	System information type 18.....	222
9.1.43h	System information type 20.....	223
9.1.43i	System information type 14.....	223
9.1.43j	System information type 15.....	224
9.1.43k	System information Type 13alt.....	224
9.1.43m	System information type 21	225
9.1.43n	System information type 22	225
9.1.43o	System information type 23	225
9.1.44	Talker indication.....	226
9.1.44a	Priority Uplink Request	226
9.1.44b	Data Indication.....	227
9.1.44c	Data Indication 2.....	228