



## Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 1: TTCN-3 Core Language

*iTeh STANDARD PREVIEW*  
*(standards.iteh.ai)*  
*Full standard available on iTeh standards website*  
*https://standards.iteh.ai/catalog/standards/sis/1931644-8683-4d6c-90f8-2f0aabbf5e88/etsi-es-201-873-1-v4.11.1-2019-04*

---

**Reference**

RES/MTS-201873-1v4.11.1\_Core

---

**Keywords**

language, methodology, testing, TTCN-3

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	13
Foreword.....	13
Modal verbs terminology.....	13
1 Scope .....	14
2 References .....	14
2.1 Normative references .....	14
2.2 Informative references.....	15
3 Definition of terms, symbols and abbreviations.....	16
3.1 Terms.....	16
3.2 Symbols.....	21
3.3 Abbreviations .....	22
4 Introduction .....	23
4.0 General .....	23
4.1 The core language and presentation formats .....	23
4.2 Unanimity of the specification .....	25
4.3 Conformance .....	25
5 Basic language elements .....	25
5.0 General .....	25
5.1 Identifiers and keywords .....	26
5.2 Scope rules .....	26
5.2.0 General.....	26
5.2.1 Scope of formal parameters .....	29
5.2.2 Uniqueness of identifiers .....	29
5.3 Ordering of language elements.....	30
5.4 Parameterization.....	30
5.4.0 General.....	30
5.4.1 Formal parameters .....	31
5.4.1.0 General .....	31
5.4.1.1 Formal parameters of kind value.....	31
5.4.1.2 Formal parameters of kind template.....	34
5.4.2 Actual parameters .....	36
5.5 Cyclic Definitions.....	41
6 Types and values .....	42
6.0 General .....	42
6.1 Basic types and values.....	43
6.1.0 Simple basic types and values.....	43
6.1.1 Basic string types and values .....	44
6.1.1.0 General .....	44
6.1.1.1 Accessing individual string elements .....	46
6.1.2 Subtyping of basic types .....	47
6.1.2.0 General .....	47
6.1.2.1 Lists of templates .....	47
6.1.2.2 Lists of types .....	47
6.1.2.3 Ranges.....	48
6.1.2.4 String length restrictions .....	48
6.1.2.5 Pattern subtyping of character string types .....	49
6.1.2.6 Mixing subtyping mechanisms.....	49
6.1.2.6.1 Mixing patterns, lists and ranges .....	49
6.1.2.6.2 Using length restriction with other constraints .....	50
6.2 Structured types and values .....	50
6.2.0 General.....	50
6.2.1 Record type and values .....	52
6.2.1.0 General .....	52

6.2.1.1	Referencing fields of a record type .....	54
6.2.1.2	Optional elements in a record.....	56
6.2.1.3	Nested type definitions for field types .....	56
6.2.2	Set type and values .....	56
6.2.2.0	General .....	56
6.2.2.1	Referencing fields of a set type .....	57
6.2.2.2	Optional elements in a set .....	57
6.2.2.3	Nested type definition for field types .....	57
6.2.3	Records and sets of single types .....	57
6.2.3.0	General .....	57
6.2.3.1	Nested type definitions.....	60
6.2.3.2	Referencing elements of record of and set of types .....	60
6.2.4	Enumerated type and values .....	61
6.2.5	Unions.....	63
6.2.5.0	General.....	63
6.2.5.1	Referencing fields of a union type .....	64
6.2.5.2	Option and union.....	65
6.2.5.3	Nested type definition for field types .....	65
6.2.6	The anytype .....	65
6.2.7	Arrays .....	66
6.2.8	The default type .....	67
6.2.9	Communication port types.....	68
6.2.10	Component types .....	70
6.2.10.1	Component type definition.....	70
6.2.10.2	Reuse of component types .....	71
6.2.11	Component references .....	73
6.2.12	Addressing entities inside the SUT.....	75
6.2.13	Subtyping of structured types .....	77
6.2.13.0	General .....	77
6.2.13.1	Length subtyping of record ofs and set ofs .....	77
6.2.13.2	List subtyping of structured types and anytype.....	78
6.2.13.3	Subtyping of the iterated type of record ofs and set ofs .....	80
6.2.13.4	Mixing subtyping mechanisms.....	82
6.2.14	The timer type.....	82
6.3	Type compatibility .....	82
6.3.0	General.....	82
6.3.1	Compatibility of non-structured types.....	82
6.3.2	Compatibility of structured types.....	84
6.3.2.0	General .....	84
6.3.2.1	Compatibility of enumerated types .....	84
6.3.2.2	Compatibility of record and record of types .....	85
6.3.2.3	Compatibility of set and set of types .....	86
6.3.2.4	Compatibility of union types.....	87
6.3.2.5	Compatibility of anytype types .....	87
6.3.2.6	Compatibility between sub-structures .....	88
6.3.3	Compatibility of component types.....	88
6.3.4	Type compatibility of communication and connection operations .....	89
6.3.5	Type conversion.....	90
6.3.6	Type compatibility of port types.....	90
6.3.7	Type compatibility of timer types.....	90
6.4	Type synonym .....	90
7	Expressions.....	90
7.0	General .....	90
7.1	Operators .....	91
7.1.0	General.....	91
7.1.1	Arithmetic operators .....	92
7.1.2	List operator.....	93
7.1.3	Relational operators .....	93
7.1.4	Logical operators .....	96
7.1.5	Bitwise operators .....	96
7.1.6	Shift operators.....	97

7.1.7	Rotate operators .....	98
7.2	Field references and list elements.....	99
7.3	Decoded field reference.....	99
8	Modules.....	100
8.0	General .....	100
8.1	Definition of a module .....	100
8.2	Module definitions part .....	101
8.2.0	General.....	101
8.2.1	Module parameters .....	102
8.2.2	Groups of definitions .....	103
8.2.3	Importing from modules .....	104
8.2.3.0	General .....	104
8.2.3.1	General format of import .....	104
8.2.3.2	Importing single definitions .....	111
8.2.3.3	Importing groups.....	112
8.2.3.4	Importing definitions of the same kind .....	113
8.2.3.5	Importing all definitions of a module.....	113
8.2.3.6	Import definitions from other TTCN-3 editions and from non-TTCN-3 modules.....	114
8.2.3.7	Importing of import statements from TTCN-3 modules .....	116
8.2.3.8	Compatibility of language specifications in imports.....	117
8.2.4	Definition of friend modules.....	118
8.2.5	Visibility of definitions .....	118
8.3	Module control part.....	120
9	Port types, component types and test configurations .....	121
9.0	General .....	121
9.1	Communication ports .....	121
9.2	Test system interface .....	124
10	Declaring constants .....	126
11	Declaring variables.....	126
11.0	General .....	126
11.1	Value variables .....	127
11.2	Template variables .....	128
12	Declaring timers .....	129
13	Declaring messages .....	130
14	Declaring procedure signatures.....	131
15	Declaring templates.....	132
15.0	General .....	132
15.1	Declaring message templates .....	133
15.2	Declaring signature templates .....	135
15.3	Global and local templates .....	136
15.4	In-line Templates.....	137
15.5	Modified templates.....	138
15.6	Referencing elements of templates or template fields .....	142
15.6.0	General.....	142
15.6.1	Referencing individual string elements.....	142
15.6.2	Referencing <b>record</b> and <b>set</b> fields.....	142
15.6.3	Referencing <b>record of</b> and <b>set of</b> elements.....	143
15.6.4	Referencing signature parameters.....	146
15.6.5	Referencing <b>union</b> alternatives.....	147
15.7	Template matching mechanisms .....	148
15.7.0	General.....	148
15.7.1	Specific values .....	149
15.7.2	Special symbols that can be used instead of values .....	150
15.7.3	Special symbols that can be used inside values .....	151
15.7.4	Special symbols which describe attributes of values .....	151
15.8	Template Restrictions.....	152

15.9	Match Operation.....	154
15.10	Valueof Operation .....	156
15.11	Concatenating templates of string and list types .....	156
16	Functions, altsteps and testcases .....	159
16.0	General .....	159
16.1	Functions .....	159
16.1.0	General.....	159
16.1.1	Invoking functions .....	162
16.1.2	Predefined functions .....	162
16.1.3	External functions .....	165
16.1.4	Invoking functions from specific places .....	166
16.1.5	Explicit control functions.....	167
16.2	Altsteps.....	167
16.2.0	General.....	167
16.2.1	Invoking altsteps.....	169
16.3	Test cases.....	170
17	Void.....	171
18	Overview of program statements and operations .....	171
19	Basic program statements.....	174
19.0	General .....	174
19.1	Assignments .....	174
19.2	The If-else statement .....	176
19.3	The Select statements .....	176
19.3.1	The Select case statement .....	176
19.3.2	The Select union statement .....	177
19.4	The For statement.....	178
19.5	The While statement.....	179
19.6	The Do-while statement .....	179
19.7	The Label statement .....	180
19.8	The Goto statement .....	180
19.9	The Stop execution statement.....	181
19.10	The Return statement.....	182
19.11	The Log statement .....	183
19.12	The Break statement.....	184
19.13	The Continue statement.....	185
19.14	Statement block.....	186
20	Statement and operations for alternative behaviours.....	186
20.0	General .....	186
20.1	The snapshot mechanism.....	187
20.2	The Alt statement .....	187
20.3	The Repeat statement .....	191
20.4	The Interleave statement .....	192
20.5	Default Handling .....	194
20.5.0	General.....	194
20.5.1	The default mechanism.....	194
20.5.2	The Activate operation.....	195
20.5.3	The Deactivate operation .....	196
21	Configuration Operations .....	197
21.0	General .....	197
21.1	Connection Operations .....	198
21.1.0	General.....	198
21.1.1	The Connect and Map operations .....	198
21.1.2	The Disconnect and Unmap operations .....	201
21.2	Test case operations.....	202
21.2.0	General.....	202
21.2.1	Test case stop operation .....	202
21.3	Test Component Operations .....	203
21.3.0	General.....	203

21.3.1	The Create operation.....	203
21.3.2	The Start test component operation .....	204
21.3.3	The Stop test behaviour operation .....	205
21.3.4	The Kill test component operation.....	207
21.3.5	The Alive operation .....	207
21.3.6	The Running operation .....	208
21.3.7	The Done operation .....	210
21.3.8	The Killed operation .....	212
21.3.9	Summary of the use of any and all with components .....	214
21.3.10	The Call test component behaviour operation .....	214
22	Communication operations.....	216
22.0	General .....	216
22.1	The communication mechanisms .....	216
22.1.0	General.....	216
22.1.1	Principles of message-based communication.....	216
22.1.2	Principles of procedure-based communication .....	217
22.1.3	Principles of unicast, multicast and broadcast communication.....	217
22.1.4	General format of communication operations .....	218
22.1.4.0	General .....	218
22.1.4.1	General format of the sending operations .....	218
22.1.4.2	General format of the receiving operations .....	219
22.2	Message-based communication.....	220
22.2.0	General.....	220
22.2.1	The Send operation .....	220
22.2.2	The Receive operation .....	221
22.2.3	The Trigger operation.....	225
22.3	Procedure-based communication.....	228
22.3.0	General.....	228
22.3.1	The Call operation .....	228
22.3.2	The Getcall operation.....	232
22.3.3	The Reply operation.....	235
22.3.4	The Getreply operation .....	236
22.3.5	The Raise operation .....	239
22.3.6	The Catch operation.....	240
22.4	The Check operation .....	244
22.5	Controlling communication ports.....	246
22.5.0	General.....	246
22.5.1	The Clear port operation.....	246
22.5.2	The Start port operation.....	247
22.5.3	The Stop port operation .....	247
22.5.4	The Halt port operation.....	248
22.5.5	The Checkstate port operation .....	248
22.6	Use of any and all with ports.....	250
23	Timer operations .....	250
23.0	General .....	250
23.1	The timer mechanism .....	251
23.2	The Start timer operation.....	251
23.3	The Stop timer operation.....	252
23.4	The Read timer operation.....	252
23.5	The Running timer operation.....	253
23.6	The Timeout operation .....	254
23.7	Summary of use of any and all with timers .....	255
24	Test verdict operations .....	255
24.0	General .....	255
24.1	The Verdict mechanism.....	255
24.2	The Setverdict operation .....	256
24.3	The Getverdict operation.....	257
25	External actions .....	258
26	Module control .....	258

26.0	General .....	258
26.1	The Execute statement.....	259
26.2	Test suite execution .....	260
27	Specifying attributes.....	262
27.0	General .....	262
27.1	The Attribute mechanism .....	262
27.1.0	General.....	262
27.1.1	Scope of attributes .....	263
27.1.2	Overwriting rules for attributes.....	264
27.1.2.0	General .....	264
27.1.2.1	Additional default overwriting rules for variant attributes.....	266
27.1.2.2	Overwriting rules for multiple encoding.....	267
27.1.3	Changing attributes of imported language elements .....	267
27.2	The With statement .....	268
27.3	Display attributes.....	269
27.4	Encoding attributes.....	270
27.5	Variant attributes .....	271
27.6	Extension attributes .....	273
27.7	Optional attributes .....	273
27.8	Retrieving attribute values.....	275
27.9	Dynamic configuration of encoding used by ports.....	276
<b>Annex A (normative):</b>	<b>BNF and static semantics .....</b>	<b>278</b>
A.1	TTCN-3 BNF .....	278
A.1.0	General .....	278
A.1.1	Conventions for the syntax description .....	278
A.1.2	Statement terminator symbols .....	278
A.1.3	Identifiers .....	278
A.1.4	Comments.....	279
A.1.5	TTCN-3 terminals .....	279
A.1.5.0	General.....	279
A.1.5.1	Use of whitespaces and newlines.....	281
A.1.6	TTCN-3 syntax BNF productions .....	282
A.1.6.0	TTCN-3 module.....	282
A.1.6.1	Module definitions part.....	282
A.1.6.1.0	General .....	282
A.1.6.1.1	Typedef definitions .....	282
A.1.6.1.2	Constant definitions .....	284
A.1.6.1.3	Template definitions.....	284
A.1.6.1.4	Function definitions .....	286
A.1.6.1.5	Signature definitions .....	287
A.1.6.1.6	Testcase definitions.....	287
A.1.6.1.7	Altstep definitions .....	287
A.1.6.1.8	Import definitions.....	287
A.1.6.1.9	Group definitions .....	288
A.1.6.1.10	External function definitions.....	288
A.1.6.1.11	Void.....	288
A.1.6.1.12	Module parameter definitions .....	289
A.1.6.1.13	Friend module definitions .....	289
A.1.6.2	Module control function .....	289
A.1.6.3	Local definitions .....	289
A.1.6.3.1	Variable instantiation .....	289
A.1.6.3.2	Timer instantiation .....	289
A.1.6.4	Operations.....	289
A.1.6.4.1	Component operations .....	289
A.1.6.4.2	Port operations .....	290
A.1.6.4.3	Timer operations .....	292
A.1.6.4.4	Testcase operation.....	292
A.1.6.5	Type.....	292
A.1.6.6	Value.....	293
A.1.6.7	Parameterization .....	294



A.1.6.8	Statements.....	294
A.1.6.8.1	With statement .....	294
A.1.6.8.2	Behaviour statements .....	295
A.1.6.8.3	Basic statements.....	296
A.1.6.9	Miscellaneous productions .....	298

## **Annex B (normative): Matching values .....299**

B.1	Template matching mechanisms .....	299
B.1.0	General .....	299
B.1.1	Matching specific values .....	299
B.1.2	Matching mechanisms instead of values .....	299
B.1.2.0	General.....	299
B.1.2.1	Template list .....	299
B.1.2.2	Complemented template list .....	300
B.1.2.3	Any value.....	301
B.1.2.4	Any value or none.....	302
B.1.2.5	Value range.....	303
B.1.2.6	SuperSet.....	303
B.1.2.7	SubSet.....	304
B.1.2.8	Omitting optional fields .....	306
B.1.2.9	Matching decoded content .....	306
B.1.2.10	Matching enumerated value with value list .....	308
B.1.3	Matching mechanisms inside values .....	308
B.1.3.0	General.....	308
B.1.3.1	Any element.....	308
B.1.3.1.0	General.....	308
B.1.3.1.1	Using single character wildcards.....	308
B.1.3.2	Any number of elements or no element.....	309
B.1.3.2.0	General.....	309
B.1.3.2.1	Using multiple character wildcards.....	309
B.1.3.3	Permutation.....	309
B.1.4	Matching attributes of values .....	311
B.1.4.0	General.....	311
B.1.4.1	Length restrictions .....	311
B.1.4.2	The IfPresent indicator.....	312
B.1.5	Matching character pattern .....	313
B.1.5.0	General.....	313
B.1.5.1	Set expression .....	315
B.1.5.2	Reference expression .....	315
B.1.5.3	Match expression n times .....	317
B.1.5.4	Match a referenced character set.....	317
B.1.5.5	Type compatibility rules for patterns .....	318
B.1.5.6	Case insensitive pattern matching.....	318

## **Annex C (normative): Predefined TTCN-3 functions.....319**

C.0	General exception handling procedures .....	319
C.1	Conversion functions.....	319
C.1.1	Integer to character .....	319
C.1.2	Integer to universal character .....	319
C.1.3	Integer to bitstring .....	319
C.1.4	Integer to enumerated.....	320
C.1.5	Integer to hexstring.....	320
C.1.6	Integer to octetstring.....	320
C.1.7	Integer to charstring.....	321
C.1.8	Integer to float .....	321
C.1.9	Float to integer .....	321
C.1.10	Character to integer .....	321
C.1.11	Character to octetstring .....	321
C.1.12	Universal character to integer.....	322
C.1.13	Bitstring to integer.....	322

C.1.14	Bitstring to hexstring .....	322
C.1.15	Bitstring to octetstring .....	322
C.1.16	Bitstring to charstring .....	323
C.1.17	Hexstring to integer .....	323
C.1.18	Hexstring to bitstring .....	323
C.1.19	Hexstring to octetstring .....	324
C.1.20	Hexstring to charstring .....	324
C.1.21	Octetstring to integer .....	324
C.1.22	Octetstring to bitstring .....	324
C.1.23	Octetstring to hexstring .....	325
C.1.24	Octetstring to character string .....	325
C.1.25	Octetstring to character string, version II .....	325
C.1.26	Charstring to integer .....	326
C.1.27	Character string to hexstring .....	326
C.1.28	Character string to octetstring .....	326
C.1.29	Character string to float .....	327
C.1.30	Enumerated to integer .....	327
C.1.31	Octetstring to universal character string .....	328
C.1.32	Universal character string to octetstring .....	328
C.1.33	Value or template to universal charstring .....	329
C.2	Length/size functions .....	330
C.2.1	Length of strings and lists .....	330
C.2.2	Number of elements in a structured value .....	331
C.3	Presence checking functions .....	332
C.3.1	The IsPresent function .....	332
C.3.2	The IsChosen function .....	333
C.3.3	The IsValue function .....	334
C.3.4	The IsBound function .....	336
C.3.5	Matching mechanism detection .....	337
C.4	String/list handling functions .....	338
C.4.1	The Regexp function .....	338
C.4.2	The Substring function .....	339
C.4.3	The Replace function .....	340
C.5	Codec functions .....	341
C.5.1	The encoding function .....	341
C.5.2	The decoding function .....	341
C.5.3	The encoding to universal charstring function .....	342
C.5.4	The decoding from universal charstring function .....	343
C.5.5	The encoding to octetstring function .....	344
C.5.6	The decoding from octetstring function .....	344
C.5.7	Retrieving the type of string encoding .....	345
C.5.8	Removing BOMs of UCS encoding schemes .....	345
C.6	Other functions .....	346
C.6.1	The random number generator function .....	346
C.6.2	The testcasename function .....	346
C.6.3	The hostId function .....	347
<b>Annex D (normative):</b>	<b>Preprocessing macros .....</b>	<b>349</b>
D.0	General .....	349
D.1	Preprocessing macro <code>__MODULE__</code> .....	349
D.2	Preprocessing macro <code>__FILE__</code> .....	349
D.3	Preprocessing macro <code>__BFILE__</code> .....	349
D.4	Preprocessing macro <code>__LINE__</code> .....	349
D.5	Preprocessing macro <code>__SCOPE__</code> .....	350

<b>Annex E (informative):</b>	<b>Library of Useful Types .....</b>	<b>352</b>
E.1	Limitations .....	352
E.2	Useful TTCN-3 types .....	352
E.2.1	Useful simple basic types .....	352
E.2.1.0	Signed and unsigned single byte integers .....	352
E.2.1.1	Signed and unsigned short integers .....	352
E.2.1.2	Signed and unsigned long integers .....	353
E.2.1.3	Signed and unsigned longlong integers .....	353
E.2.1.4	IEEE 754 floats .....	353
E.2.2	Useful character string types .....	354
E.2.2.0	UTF-8 character string "utf8string" .....	354
E.2.2.1	BMP character string "bmpstring" .....	354
E.2.2.2	UTF-16 character string "utf16string" .....	354
E.2.2.3	ISO/IEC 10646 character string "iso8859string" .....	354
E.2.2.4	Status values for TTCN-3 objects .....	355
E.2.2.5	Template kinds of TTCN-3 objects .....	355
E.2.3	Useful structured types .....	355
E.2.3.0	Fixed-point decimal literal .....	355
E.2.4	Useful atomic string types .....	356
E.2.4.1	Single Recommendation ITU-T T.50 character type .....	356
E.2.4.2	Single universal character type .....	356
E.2.4.3	Single bit type .....	356
E.2.4.4	Single hex type .....	356
E.2.4.5	Single octet type .....	356
<b>Annex F (informative):</b>	<b>Operations on TTCN-3 active objects .....</b>	<b>357</b>
F.0	General .....	357
F.1	Test components .....	357
F.1.1	Test component references .....	357
F.1.2	Dynamic behaviour of PTCs .....	358
F.1.3	Dynamic behaviour of the MTC .....	360
F.2	Timers .....	361
F.3	Ports .....	361
F.3.0	General .....	361
F.3.1	Configuration Operations .....	361
F.3.2	Port Controlling Operations .....	362
F.3.3	Communication Operations .....	363
<b>Annex G (informative):</b>	<b>Deprecated language features .....</b>	<b>364</b>
G.1	Group style definition of module parameters .....	364
G.2	Void .....	364
G.3	Using <b>a11</b> in port type definitions .....	364
G.4	sizeof for length of lists .....	364
G.5	Void .....	364
G.6	Mixed ports .....	364
G.7	Void .....	364
G.8	Void .....	365
G.9	Void .....	365
G.10	Void .....	365
G.11	Void .....	365

G.12 Void.....	365
G.13 Assignment of less restrictive templates to more restrictive templates.....	365
G.14 Mixing case and case else branches in select statements .....	365
<b>Annex H (informative): Bibliography.....</b>	<b>366</b>
History .....	367

**ITeH STANDARD PREVIEW**  
(standards.iteh.ai)

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/1916ef44-8683-4d6c-90f8-2f0aabbf5e88/etsi-es-201-873-1-v4.11.1-2019-04>

---

## Intellectual Property Rights

### Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

### Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

## Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).

The present document is part 1 of a multi-part deliverable covering the Testing and Test Control Notation version 3, as identified below:

- Part 1:** "TTCN-3 Core Language";
- Part 2: "TTCN-3 Tabular presentation Format (TFT)";
- NOTE: Part 2 of this multi-part deliverable is in status "historical" and is not maintained.
- Part 3: "TTCN-3 Graphical presentation Format (GFT)";
- Part 4: "TTCN-3 Operational Semantics";
- Part 5: "TTCN-3 Runtime Interface (TRI)";
- Part 6: "TTCN-3 Control Interface (TCI)";
- Part 7: "Using ASN.1 with TTCN-3";
- Part 8: "The IDL to TTCN-3 Mapping";
- Part 9: "Using XML schema with TTCN-3";
- Part 10: "TTCN-3 Documentation Comment Specification";
- Part 11: "Using JSON with TTCN-3".

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.