

SLOVENSKI STANDARD
SIST ES 201 873-1 V4.11.1:2019
01-julij-2019

Metode za preskušanje in specificiranje (MTS) - 3. različica zapisa preskušanja in krmiljenja preskusov - 1. del: Jedrni jezik TTCN-3

Methods for Testing and Specification (MTS) - The Testing and Test Control Notation version 3 - Part 1: TTCN-3 Core Language

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: [SIST ES 201 873-1 V4.11.1:2019](#) **ETSI ES 201 873-1 V4.11.1 (2019-04)**
<https://standards.iteh.ai/catalog/standards/sist/943c2cab-6ee8-4b04-88fa-18b4c3d04584/sist-es-201-873-1-v4-11-1-2019>

ICS:

33.040.01	Telekomunikacijski sistemi na splošno	Telecommunication systems in general
35.060	Jeziki, ki se uporabljajo v informacijski tehniki in tehnologiji	Languages used in information technology

SIST ES 201 873-1 V4.11.1:2019 **en**

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ES 201 873-1 V4.11.1:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/943c2cab-6ee8-4b04-88fa-18b4c3d04584/sist-es-201-873-1-v4-11-1-2019>

ETSI ES 201 873-1 V4.11.1 (2019-04)



Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 1:TTCN-3 Core Language

[SIST ES 201 873-1 V4.11.1:2019](https://standards.iteh.ai/catalog/standards/sist/943c2cab-6ee8-4b04-88fa-18b4c3d04584/sist-es-201-873-1-v4-11-1-2019)
<https://standards.iteh.ai/catalog/standards/sist/943c2cab-6ee8-4b04-88fa-18b4c3d04584/sist-es-201-873-1-v4-11-1-2019>

Reference
RES/MTS-201873-1v4.11.1_Core
Keywords
language, methodology, testing, TTCN-3

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

Important notice

SIST ES 201 873-1 V4.11.1:2019

<https://standards.iteh.ai/catalog/standards/sist/943c2cab-6ee8-4b04-88fa-18b4c30f4384/SIST-ES-201-873-1-V4.11.1-2019>
The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	13
Foreword.....	13
Modal verbs terminology.....	13
1 Scope	14
2 References	14
2.1 Normative references	14
2.2 Informative references.....	15
3 Definition of terms, symbols and abbreviations.....	16
3.1 Terms.....	16
3.2 Symbols.....	21
3.3 Abbreviations	22
4 Introduction	23
4.0 General	23
4.1 The core language and presentation formats	23
4.2 Unanimity of the specification	25
4.3 Conformance	25
5 Basic language elements	25
5.0 General	25
5.1 Identifiers and keywords	26
5.2 Scope rules	26
5.2.0 General.....	26
5.2.1 Scope of formal parameters.....	29
5.2.2 Uniqueness of identifiers	29
5.3 Ordering of language elements	30
5.4 Parameterization https://standards.iteh.ai/catalog/standards/sist/943c2cab-6ee8-4b04-88fa-18b4c3d04584/sist-es-201-873-1-v4-11-1-2019	30
5.4.0 General.....	30
5.4.1 Formal parameters	31
5.4.1.0 General	31
5.4.1.1 Formal parameters of kind value.....	31
5.4.1.2 Formal parameters of kind template.....	34
5.4.2 Actual parameters	36
5.5 Cyclic Definitions.....	41
6 Types and values	42
6.0 General	42
6.1 Basic types and values.....	43
6.1.0 Simple basic types and values.....	43
6.1.1 Basic string types and values	44
6.1.1.0 General	44
6.1.1.1 Accessing individual string elements	46
6.1.2 Subtyping of basic types	47
6.1.2.0 General	47
6.1.2.1 Lists of templates	47
6.1.2.2 Lists of types	47
6.1.2.3 Ranges.....	48
6.1.2.4 String length restrictions	48
6.1.2.5 Pattern subtyping of character string types	49
6.1.2.6 Mixing subtyping mechanisms.....	49
6.1.2.6.1 Mixing patterns, lists and ranges	49
6.1.2.6.2 Using length restriction with other constraints	50
6.2 Structured types and values	50
6.2.0 General.....	50
6.2.1 Record type and values	52
6.2.1.0 General	52

6.2.1.1	Referencing fields of a record type	54
6.2.1.2	Optional elements in a record.....	56
6.2.1.3	Nested type definitions for field types	56
6.2.2	Set type and values	56
6.2.2.0	General.....	56
6.2.2.1	Referencing fields of a set type.....	57
6.2.2.2	Optional elements in a set	57
6.2.2.3	Nested type definition for field types	57
6.2.3	Records and sets of single types	57
6.2.3.0	General	57
6.2.3.1	Nested type definitions.....	60
6.2.3.2	Referencing elements of record of and set of types	60
6.2.4	Enumerated type and values	61
6.2.5	Unions.....	63
6.2.5.0	General	63
6.2.5.1	Referencing fields of a union type	64
6.2.5.2	Option and union.....	65
6.2.5.3	Nested type definition for field types	65
6.2.6	The anytype	65
6.2.7	Arrays	66
6.2.8	The default type	67
6.2.9	Communication port types.....	68
6.2.10	Component types	70
6.2.10.1	Component type definition.....	70
6.2.10.2	Reuse of component types	71
6.2.11	Component references	73
6.2.12	Addressing entities inside the SUT.....	75
6.2.13	Subtyping of structured types	77
6.2.13.0	General	77
6.2.13.1	Length subtyping of record ofs and set ofs	77
6.2.13.2	List subtyping of structured types and anytype	78
6.2.13.3	Subtyping of the iterated type of record ofs and set ofs <small>SIST ES 201 873-1 V4.11.1:2019 https://standards.iteh.ai/catalog/standards/sist/943c2cab-6ee8-4b04-88fa-18b4c3d04584/sist-es-201-873-1-v4-11-1-2019</small>	80
6.2.13.4	Mixing subtyping mechanisms <small>https://standards.iteh.ai/catalog/standards/sist/943c2cab-6ee8-4b04-88fa-18b4c3d04584/sist-es-201-873-1-v4-11-1-2019</small>	82
6.2.14	The timer type	82
6.3	Type compatibility	82
6.3.0	General.....	82
6.3.1	Compatibility of non-structured types	82
6.3.2	Compatibility of structured types.....	84
6.3.2.0	General	84
6.3.2.1	Compatibility of enumerated types	84
6.3.2.2	Compatibility of record and record of types	85
6.3.2.3	Compatibility of set and set of types	86
6.3.2.4	Compatibility of union types.....	87
6.3.2.5	Compatibility of anytype types	87
6.3.2.6	Compatibility between sub-structures	88
6.3.3	Compatibility of component types.....	88
6.3.4	Type compatibility of communication and connection operations	89
6.3.5	Type conversion.....	90
6.3.6	Type compatibility of port types.....	90
6.3.7	Type compatibility of timer types.....	90
6.4	Type synonym	90
7	Expressions.....	90
7.0	General	90
7.1	Operators	91
7.1.0	General.....	91
7.1.1	Arithmetic operators	92
7.1.2	List operator.....	93
7.1.3	Relational operators	93
7.1.4	Logical operators	96
7.1.5	Bitwise operators	96
7.1.6	Shift operators.....	97

7.1.7	Rotate operators	98
7.2	Field references and list elements.....	99
7.3	Decoded field reference.....	99
8	Modules.....	100
8.0	General	100
8.1	Definition of a module	100
8.2	Module definitions part	101
8.2.0	General.....	101
8.2.1	Module parameters	102
8.2.2	Groups of definitions	103
8.2.3	Importing from modules	104
8.2.3.0	General	104
8.2.3.1	General format of import	104
8.2.3.2	Importing single definitions	111
8.2.3.3	Importing groups.....	112
8.2.3.4	Importing definitions of the same kind	113
8.2.3.5	Importing all definitions of a module.....	113
8.2.3.6	Import definitions from other TTCN-3 editions and from non-TTCN-3 modules.....	114
8.2.3.7	Importing of import statements from TTCN-3 modules	116
8.2.3.8	Compatibility of language specifications in imports	117
8.2.4	Definition of friend modules.....	118
8.2.5	Visibility of definitions	118
8.3	Module control.....	120
9	Port types, component types and test configurations	121
9.0	General	121
9.1	Communication ports	121
9.2	Test system interface	124
10	Declaring constants	126
11	Declaring variables.....	126
11.0	General	126
11.1	Value variables	127
11.2	Template variables	128
12	Declaring timers	129
13	Declaring messages	130
14	Declaring procedure signatures	131
15	Declaring templates.....	132
15.0	General	132
15.1	Declaring message templates	133
15.2	Declaring signature templates	135
15.3	Global and local templates	136
15.4	In-line Templates.....	137
15.5	Modified templates.....	138
15.6	Referencing elements of templates or template fields	142
15.6.0	General.....	142
15.6.1	Referencing individual string elements.....	142
15.6.2	Referencing record and set fields.....	142
15.6.3	Referencing record of and set of elements	143
15.6.4	Referencing signature parameters.....	146
15.6.5	Referencing union alternatives.....	147
15.7	Template matching mechanisms	148
15.7.0	General.....	148
15.7.1	Specific values	149
15.7.2	Special symbols that can be used instead of values	150
15.7.3	Special symbols that can be used inside values	151
15.7.4	Special symbols which describe attributes of values	151
15.8	Template Restrictions	152

iTeh STANDARD PREVIEW
(standards.iteh.ai)

15.9	Match Operation.....	154
15.10	Valueof Operation	156
15.11	Concatenating templates of string and list types	156
16	Functions, altsteps and testcases	159
16.0	General	159
16.1	Functions	159
16.1.0	General.....	159
16.1.1	Invoking functions	162
16.1.2	Predefined functions	162
16.1.3	External functions	165
16.1.4	Invoking functions from specific places	166
16.1.5	Explicit control functions.....	167
16.2	Altsteps.....	167
16.2.0	General.....	167
16.2.1	Invoking altsteps.....	169
16.3	Test cases.....	170
17	Void.....	171
18	Overview of program statements and operations	171
19	Basic program statements.....	174
19.0	General	174
19.1	Assignments	174
19.2	The If-else statement	176
19.3	The Select statements	176
19.3.1	The Select case statement	176
19.3.2	The Select union statement	177
19.4	The For statement	178
19.5	The While statement.....	179
19.6	The Do-while statement	179
19.7	The Label statement	180
19.8	The Goto statement	180
19.9	The Stop execution statement.....	181
19.10	The Return statement.....	182
19.11	The Log statement	183
19.12	The Break statement.....	184
19.13	The Continue statement.....	185
19.14	Statement block	186
20	Statement and operations for alternative behaviours.....	186
20.0	General	186
20.1	The snapshot mechanism.....	187
20.2	The Alt statement	187
20.3	The Repeat statement	191
20.4	The Interleave statement	192
20.5	Default Handling	194
20.5.0	General.....	194
20.5.1	The default mechanism.....	194
20.5.2	The Activate operation.....	195
20.5.3	The Deactivate operation.....	196
21	Configuration Operations	197
21.0	General	197
21.1	Connection Operations	198
21.1.0	General.....	198
21.1.1	The Connect and Map operations	198
21.1.2	The Disconnect and Unmap operations	201
21.2	Test case operations.....	202
21.2.0	General.....	202
21.2.1	Test case stop operation	202
21.3	Test Component Operations	203
21.3.0	General.....	203

iTeh STANDARD PREVIEW
(standards.iteh.ai)

21.3.1	The Create operation.....	203
21.3.2	The Start test component operation	204
21.3.3	The Stop test behaviour operation	205
21.3.4	The Kill test component operation.....	207
21.3.5	The Alive operation	207
21.3.6	The Running operation	208
21.3.7	The Done operation	210
21.3.8	The Killed operation	212
21.3.9	Summary of the use of any and all with components	214
21.3.10	The Call test component behaviour operation	214
22	Communication operations.....	216
22.0	General	216
22.1	The communication mechanisms	216
22.1.0	General.....	216
22.1.1	Principles of message-based communication.....	216
22.1.2	Principles of procedure-based communication	217
22.1.3	Principles of unicast, multicast and broadcast communication.....	217
22.1.4	General format of communication operations	218
22.1.4.0	General	218
22.1.4.1	General format of the sending operations	218
22.1.4.2	General format of the receiving operations.....	219
22.2	Message-based communication.....	220
22.2.0	General.....	220
22.2.1	The Send operation	220
22.2.2	The Receive operation	221
22.2.3	The Trigger operation	225
22.3	Procedure-based communication.....	228
22.3.0	General.....	228
22.3.1	The Call operation	228
22.3.2	The Getcall operation.....	232
22.3.3	The Reply operation.....	235
22.3.4	The Getreply operation.....	236
22.3.5	The Raise operation	239
22.3.6	The Catch operation.....	240
22.4	The Check operation	244
22.5	Controlling communication ports.....	246
22.5.0	General.....	246
22.5.1	The Clear port operation	246
22.5.2	The Start port operation	247
22.5.3	The Stop port operation	247
22.5.4	The Halt port operation	248
22.5.5	The Checkstate port operation	248
22.6	Use of any and all with ports.....	250
23	Timer operations	250
23.0	General	250
23.1	The timer mechanism	251
23.2	The Start timer operation.....	251
23.3	The Stop timer operation	252
23.4	The Read timer operation	252
23.5	The Running timer operation.....	253
23.6	The Timeout operation	254
23.7	Summary of use of any and all with timers	255
24	Test verdict operations	255
24.0	General	255
24.1	The Verdict mechanism.....	255
24.2	The Setverdict operation	256
24.3	The Getverdict operation.....	257
25	External actions	258
26	Module control	258

26.0	General	258
26.1	The Execute statement.....	259
26.2	Test suite execution	260
27	Specifying attributes	262
27.0	General	262
27.1	The Attribute mechanism	262
27.1.0	General.....	262
27.1.1	Scope of attributes	263
27.1.2	Overwriting rules for attributes.....	264
27.1.2.0	General	264
27.1.2.1	Additional default overwriting rules for variant attributes	266
27.1.2.2	Overwriting rules for multiple encoding	267
27.1.3	Changing attributes of imported language elements	267
27.2	The With statement	268
27.3	Display attributes.....	269
27.4	Encoding attributes.....	270
27.5	Variant attributes	271
27.6	Extension attributes	273
27.7	Optional attributes	273
27.8	Retrieving attribute values.....	275
27.9	Dynamic configuration of encoding used by ports.....	276
Annex A (normative):	BNF and static semantics	278
A.1	TTCN-3 BNF	278
A.1.0	General	278
A.1.1	Conventions for the syntax description	278
A.1.2	Statement terminator symbols	278
A.1.3	Identifiers	278
A.1.4	Comments.....	279
A.1.5	TTCN-3 terminals	279
A.1.5.0	General.....	279
A.1.5.1	Use of whitespaces and newlines.....	281
A.1.6	TTCN-3 syntax BNF productions.....	282
A.1.6.0	TTCN-3 module.....	282
A.1.6.1	Module definitions part	282
A.1.6.1.0	General	282
A.1.6.1.1	Typedef definitions	282
A.1.6.1.2	Constant definitions	284
A.1.6.1.3	Template definitions.....	284
A.1.6.1.4	Function definitions	286
A.1.6.1.5	Signature definitions	287
A.1.6.1.6	Testcase definitions.....	287
A.1.6.1.7	Altstep definitions	287
A.1.6.1.8	Import definitions.....	287
A.1.6.1.9	Group definitions	288
A.1.6.1.10	External function definitions	288
A.1.6.1.11	Void.....	288
A.1.6.1.12	Module parameter definitions	289
A.1.6.1.13	Friend module definitions	289
A.1.6.2	Module control function	289
A.1.6.3	Local definitions	289
A.1.6.3.1	Variable instantiation	289
A.1.6.3.2	Timer instantiation	289
A.1.6.4	Operations.....	289
A.1.6.4.1	Component operations	289
A.1.6.4.2	Port operations	290
A.1.6.4.3	Timer operations	292
A.1.6.4.4	Testcase operation.....	292
A.1.6.5	Type	292
A.1.6.6	Value.....	293
A.1.6.7	Parameterization	294

A.1.6.8	Statements.....	294
A.1.6.8.1	With statement	294
A.1.6.8.2	Behaviour statements	295
A.1.6.8.3	Basic statements	296
A.1.6.9	Miscellaneous productions	298

Annex B (normative): Matching values 299

B.1	Template matching mechanisms	299
B.1.0	General	299
B.1.1	Matching specific values	299
B.1.2	Matching mechanisms instead of values	299
B.1.2.0	General.....	299
B.1.2.1	Template list	299
B.1.2.2	Complemented template list	300
B.1.2.3	Any value.....	301
B.1.2.4	Any value or none.....	302
B.1.2.5	Value range.....	303
B.1.2.6	SuperSet.....	303
B.1.2.7	SubSet.....	304
B.1.2.8	Omitting optional fields	306
B.1.2.9	Matching decoded content	306
B.1.2.10	Matching enumerated value with value list	308
B.1.3	Matching mechanisms inside values	308
B.1.3.0	General.....	308
B.1.3.1	Any element.....	308
B.1.3.1.0	General.....	308
B.1.3.1.1	Using single character wildcards.....	308
B.1.3.2	Any number of elements or no element.....	309
B.1.3.2.0	General.....	309
B.1.3.2.1	Using multiple character wildcards.....	309
B.1.3.3	Permutation.....	309
B.1.4	Matching attributes of values	311
B.1.4.0	General.....	311
B.1.4.1	Length restrictions	311
B.1.4.2	The IfPresent indicator.....	312
B.1.5	Matching character pattern	313
B.1.5.0	General.....	313
B.1.5.1	Set expression	315
B.1.5.2	Reference expression	315
B.1.5.3	Match expression n times	317
B.1.5.4	Match a referenced character set.....	317
B.1.5.5	Type compatibility rules for patterns	318
B.1.5.6	Case insensitive pattern matching.....	318

Annex C (normative): Predefined TTCN-3 functions..... 319

C.0	General exception handling procedures	319
C.1	Conversion functions.....	319
C.1.1	Integer to character	319
C.1.2	Integer to universal character	319
C.1.3	Integer to bitstring	319
C.1.4	Integer to enumerated	320
C.1.5	Integer to hexstring	320
C.1.6	Integer to octetstring	320
C.1.7	Integer to charstring	321
C.1.8	Integer to float	321
C.1.9	Float to integer	321
C.1.10	Character to integer	321
C.1.11	Character to octetstring	321
C.1.12	Universal character to integer.....	322
C.1.13	Bitstring to integer.....	322

C.1.14 Bitstring to hexstring	322
C.1.15 Bitstring to octetstring	322
C.1.16 Bitstring to charstring	323
C.1.17 Hexstring to integer	323
C.1.18 Hexstring to bitstring	323
C.1.19 Hexstring to octetstring	324
C.1.20 Hexstring to charstring	324
C.1.21 Octetstring to integer	324
C.1.22 Octetstring to bitstring	324
C.1.23 Octetstring to hexstring	325
C.1.24 Octetstring to character string	325
C.1.25 Octetstring to character string, version II	325
C.1.26 Charstring to integer	326
C.1.27 Character string to hexstring	326
C.1.28 Character string to octetstring	326
C.1.29 Character string to float	327
C.1.30 Enumerated to integer	327
C.1.31 Octetstring to universal character string	328
C.1.32 Universal character string to octetstring	328
C.1.33 Value or template to universal charstring	329
C.2 Length/size functions	330
C.2.1 Length of strings and lists	330
C.2.2 Number of elements in a structured value	331
C.3 Presence checking functions	332
C.3.1 The IsPresent function	332
C.3.2 The IsChosen function	333
C.3.3 The IsValue function	334
C.3.4 The IsBound function	336
C.3.5 Matching mechanism detection	337
C.4 String/list handling functions	338
C.4.1 The Regexp function	338
C.4.2 The Substring function	339
C.4.3 The Replace function	340
C.5 Codec functions	341
C.5.1 The encoding function	341
C.5.2 The decoding function	341
C.5.3 The encoding to universal charstring function	342
C.5.4 The decoding from universal charstring function	343
C.5.5 The encoding to octetstring function	344
C.5.6 The decoding from octetstring function	344
C.5.7 Retrieving the type of string encoding	345
C.5.8 Removing BOMs of UCS encoding schemes	345
C.6 Other functions	346
C.6.1 The random number generator function	346
C.6.2 The testcasename function	346
C.6.3 The hostId function	347
Annex D (normative): Preprocessing macros	349
D.0 General	349
D.1 Preprocessing macro __MODULE__	349
D.2 Preprocessing macro __FILE__	349
D.3 Preprocessing macro __BFILE__	349
D.4 Preprocessing macro __LINE__	349
D.5 Preprocessing macro __SCOPE__	350

Annex E (informative):	Library of Useful Types	352
E.1	Limitations	352
E.2	Useful TTCN-3 types	352
E.2.1	Useful simple basic types	352
E.2.1.0	Signed and unsigned single byte integers	352
E.2.1.1	Signed and unsigned short integers.....	352
E.2.1.2	Signed and unsigned long integers	353
E.2.1.3	Signed and unsigned longlong integers	353
E.2.1.4	IEEE 754 floats.....	353
E.2.2	Useful character string types	354
E.2.2.0	UTF-8 character string "utf8string"	354
E.2.2.1	BMP character string "bmpstring"	354
E.2.2.2	UTF-16 character string "utf16string"	354
E.2.2.3	ISO/IEC 10646 character string "iso8859string"	354
E.2.2.4	Status values for TTCN-3 objects.....	355
E.2.2.5	Template kinds of TTCN-3 objects	355
E.2.3	Useful structured types	355
E.2.3.0	Fixed-point decimal literal.....	355
E.2.4	Useful atomic string types	356
E.2.4.1	Single Recommendation ITU-T T.50 character type.....	356
E.2.4.2	Single universal character type	356
E.2.4.3	Single bit type	356
E.2.4.4	Single hex type	356
E.2.4.5	Single octet type	356
Annex F (informative):	iTEH STANDARD PREVIEW (standards.iteh.ai)	357
F.0	General	357
F.1	Test components.....	357
F.1.1	Test component references	357
F.1.2	Dynamic behaviour of PTCs	358
F.1.3	Dynamic behaviour of the MTC	360
F.2	Timers.....	361
F.3	Ports.....	361
F.3.0	General	361
F.3.1	Configuration Operations	361
F.3.2	Port Controlling Operations	362
F.3.3	Communication Operations.....	363
Annex G (informative):	Deprecated language features.....	364
G.1	Group style definition of module parameters.....	364
G.2	Void.....	364
G.3	Using all in port type definitions.....	364
G.4	sizeof for length of lists	364
G.5	Void.....	364
G.6	Mixed ports	364
G.7	Void.....	364
G.8	Void.....	365
G.9	Void.....	365
G.10	Void.....	365
G.11	Void.....	365

G.12 Void.....	365
G.13 Assignment of less restrictive templates to more restrictive templates.....	365
G.14 Mixing case and case else branches in select statements	365
Annex H (informative): Bibliography.....	366
History	367

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ES 201 873-1 V4.11.1:2019
<https://standards.iteh.ai/catalog/standards/sist/943c2cab-6ee8-4b04-88fa-18b4c3d04584/sist-es-201-873-1-v4-11-1-2019>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This ETSI Standard (ES) has **been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).**

The present document is part 1 of a multi-part deliverable covering the Testing and Test Control Notation version 3, as identified below:

[SIST ES 201 873-1 V4.11.1:2019](#)

Part 1: "TTCN-3 Core Language"; <https://standards.itech.ai/catalog/standards/sist/943c2cab-6ee8-4b04-88fa-18b4c3d04584/sist-es-201-873-1-v4-11-1-2019>

Part 2: "TTCN-3 Tabular presentation Format (TFT)" ;

NOTE: Part 2 of this multi-part deliverable is in status "historical" and is not maintained.

Part 3: "TTCN-3 Graphical presentation Format (GFT)" ;

Part 4: "TTCN-3 Operational Semantics" ;

Part 5: "TTCN-3 Runtime Interface (TRI)" ;

Part 6: "TTCN-3 Control Interface (TCI)" ;

Part 7: "Using ASN.1 with TTCN-3" ;

Part 8: "The IDL to TTCN-3 Mapping" ;

Part 9: "Using XML schema with TTCN-3" ;

Part 10: "TTCN-3 Documentation Comment Specification" ;

Part 11: "Using JSON with TTCN-3" .

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.