



**Methods for Testing and Specification (MTS);
The Testing and Test Control Notation version 3;
Part 1: TTCN-3 Core Language**

iTeh STANDARDS PREVIEW
(standards.iteh.ai)
Full standard available at
https://standards.iteh.ai/catalog/standards/sis/1931644-8683-4d6c-90f8-2f0aabbf5e88/etsi-es-201-873-1-v4.11.1-2019-02

Reference

RES/MTS-201873-1v4.11.1_Core

Keywords

language, methodology, testing, TTCN-3**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	13
Foreword.....	13
Modal verbs terminology.....	13
1 Scope	14
2 References	14
2.1 Normative references	14
2.2 Informative references.....	15
3 Definition of terms, symbols and abbreviations.....	16
3.1 Terms.....	16
3.2 Symbols.....	21
3.3 Abbreviations	22
4 Introduction	23
4.0 General	23
4.1 The core language and presentation formats	23
4.2 Unanimity of the specification	25
4.3 Conformance	25
5 Basic language elements	25
5.0 General	25
5.1 Identifiers and keywords	26
5.2 Scope rules	26
5.2.0 General.....	26
5.2.1 Scope of formal parameters	29
5.2.2 Uniqueness of identifiers	29
5.3 Ordering of language elements.....	30
5.4 Parameterization.....	30
5.4.0 General.....	30
5.4.1 Formal parameters	31
5.4.1.0 General	31
5.4.1.1 Formal parameters of kind value.....	31
5.4.1.2 Formal parameters of kind template.....	34
5.4.2 Actual parameters	36
5.5 Cyclic Definitions.....	41
6 Types and values	42
6.0 General	42
6.1 Basic types and values.....	43
6.1.0 Simple basic types and values.....	43
6.1.1 Basic string types and values	44
6.1.1.0 General	44
6.1.1.1 Accessing individual string elements	46
6.1.2 Subtyping of basic types	47
6.1.2.0 General	47
6.1.2.1 Lists of templates	47
6.1.2.2 Lists of types	47
6.1.2.3 Ranges.....	48
6.1.2.4 String length restrictions	48
6.1.2.5 Pattern subtyping of character string types	49
6.1.2.6 Mixing subtyping mechanisms.....	49
6.1.2.6.1 Mixing patterns, lists and ranges	49
6.1.2.6.2 Using length restriction with other constraints	50
6.2 Structured types and values	50
6.2.0 General.....	50
6.2.1 Record type and values	52
6.2.1.0 General	52

6.2.1.1	Referencing fields of a record type	54
6.2.1.2	Optional elements in a record.....	56
6.2.1.3	Nested type definitions for field types	56
6.2.2	Set type and values	56
6.2.2.0	General	56
6.2.2.1	Referencing fields of a set type	57
6.2.2.2	Optional elements in a set	57
6.2.2.3	Nested type definition for field types	57
6.2.3	Records and sets of single types	57
6.2.3.0	General	57
6.2.3.1	Nested type definitions.....	60
6.2.3.2	Referencing elements of record of and set of types	60
6.2.4	Enumerated type and values	61
6.2.5	Unions.....	63
6.2.5.0	General.....	63
6.2.5.1	Referencing fields of a union type	64
6.2.5.2	Option and union.....	65
6.2.5.3	Nested type definition for field types	65
6.2.6	The anytype	65
6.2.7	Arrays	66
6.2.8	The default type	67
6.2.9	Communication port types.....	68
6.2.10	Component types	70
6.2.10.1	Component type definition.....	70
6.2.10.2	Reuse of component types	71
6.2.11	Component references	73
6.2.12	Addressing entities inside the SUT.....	75
6.2.13	Subtyping of structured types	77
6.2.13.0	General	77
6.2.13.1	Length subtyping of record ofs and set ofs	77
6.2.13.2	List subtyping of structured types and anytype.....	78
6.2.13.3	Subtyping of the iterated type of record ofs and set ofs	80
6.2.13.4	Mixing subtyping mechanisms.....	82
6.2.14	The timer type.....	82
6.3	Type compatibility	82
6.3.0	General.....	82
6.3.1	Compatibility of non-structured types.....	82
6.3.2	Compatibility of structured types.....	84
6.3.2.0	General	84
6.3.2.1	Compatibility of enumerated types	84
6.3.2.2	Compatibility of record and record of types	85
6.3.2.3	Compatibility of set and set of types	86
6.3.2.4	Compatibility of union types.....	87
6.3.2.5	Compatibility of anytype types	87
6.3.2.6	Compatibility between sub-structures	88
6.3.3	Compatibility of component types.....	89
6.3.4	Type compatibility of communication and connection operations	89
6.3.5	Type conversion.....	90
6.3.6	Type compatibility of port types.....	90
6.3.7	Type compatibility of timer types.....	90
6.4	Type synonym	90
7	Expressions.....	90
7.0	General	90
7.1	Operators	91
7.1.0	General.....	91
7.1.1	Arithmetic operators	92
7.1.2	List operator.....	93
7.1.3	Relational operators	93
7.1.4	Logical operators	96
7.1.5	Bitwise operators	96
7.1.6	Shift operators.....	97

7.1.7	Rotate operators	98
7.2	Field references and list elements.....	99
7.3	Decoded field reference.....	99
8	Modules.....	100
8.0	General	100
8.1	Definition of a module	100
8.2	Module definitions part	101
8.2.0	General.....	101
8.2.1	Module parameters	102
8.2.2	Groups of definitions	103
8.2.3	Importing from modules	104
8.2.3.0	General	104
8.2.3.1	General format of import	104
8.2.3.2	Importing single definitions	111
8.2.3.3	Importing groups.....	112
8.2.3.4	Importing definitions of the same kind	113
8.2.3.5	Importing all definitions of a module.....	114
8.2.3.6	Import definitions from other TTCN-3 editions and from non-TTCN-3 modules.....	114
8.2.3.7	Importing of import statements from TTCN-3 modules	116
8.2.3.8	Compatibility of language specifications in imports.....	117
8.2.4	Definition of friend modules.....	118
8.2.5	Visibility of definitions	118
8.3	Module control part.....	120
9	Port types, component types and test configurations	121
9.0	General	121
9.1	Communication ports	121
9.2	Test system interface	124
10	Declaring constants	126
11	Declaring variables.....	126
11.0	General	126
11.1	Value variables	127
11.2	Template variables	128
12	Declaring timers	129
13	Declaring messages	130
14	Declaring procedure signatures.....	131
15	Declaring templates.....	132
15.0	General	132
15.1	Declaring message templates	133
15.2	Declaring signature templates	135
15.3	Global and local templates	136
15.4	In-line Templates.....	137
15.5	Modified templates.....	138
15.6	Referencing elements of templates or template fields	142
15.6.0	General.....	142
15.6.1	Referencing individual string elements.....	142
15.6.2	Referencing record and set fields.....	142
15.6.3	Referencing record of and set of elements.....	143
15.6.4	Referencing signature parameters.....	146
15.6.5	Referencing union alternatives.....	147
15.7	Template matching mechanisms	148
15.7.0	General.....	148
15.7.1	Specific values	149
15.7.2	Special symbols that can be used instead of values	150
15.7.3	Special symbols that can be used inside values	151
15.7.4	Special symbols which describe attributes of values	151
15.8	Template Restrictions.....	152

15.9	Match Operation.....	154
15.10	Valueof Operation	156
15.11	Concatenating templates of string and list types	156
16	Functions, altsteps and testcases	159
16.0	General	159
16.1	Functions	159
16.1.0	General.....	159
16.1.1	Invoking functions	162
16.1.2	Predefined functions	163
16.1.3	External functions	165
16.1.4	Invoking functions from specific places	166
16.1.5	Explicit control functions.....	167
16.2	Altsteps.....	167
16.2.0	General.....	167
16.2.1	Invoking altsteps.....	169
16.3	Test cases.....	171
17	Void.....	172
18	Overview of program statements and operations	172
19	Basic program statements.....	174
19.0	General	174
19.1	Assignments	175
19.2	The If-else statement	176
19.3	The Select statements	177
19.3.1	The Select case statement	177
19.3.2	The Select union statement	178
19.4	The For statement.....	179
19.5	The While statement.....	180
19.6	The Do-while statement	180
19.7	The Label statement	180
19.8	The Goto statement	181
19.9	The Stop execution statement.....	182
19.10	The Return statement.....	183
19.11	The Log statement	184
19.12	The Break statement.....	185
19.13	The Continue statement.....	186
19.14	Statement block.....	187
20	Statement and operations for alternative behaviours.....	187
20.0	General	187
20.1	The snapshot mechanism.....	188
20.2	The Alt statement	188
20.3	The Repeat statement	192
20.4	The Interleave statement	193
20.5	Default Handling.....	195
20.5.0	General.....	195
20.5.1	The default mechanism.....	196
20.5.2	The Activate operation.....	196
20.5.3	The Deactivate operation	197
21	Configuration Operations	198
21.0	General	198
21.1	Connection Operations	199
21.1.0	General.....	199
21.1.1	The Connect and Map operations	200
21.1.2	The Disconnect and Unmap operations	202
21.2	Test case operations.....	203
21.2.0	General.....	203
21.2.1	Test case stop operation	204
21.3	Test Component Operations	204
21.3.0	General.....	204

21.3.1	The Create operation.....	204
21.3.2	The Start test component operation	205
21.3.3	The Stop test behaviour operation	207
21.3.4	The Kill test component operation.....	208
21.3.5	The Alive operation	208
21.3.6	The Running operation	209
21.3.7	The Done operation	211
21.3.8	The Killed operation	213
21.3.9	Summary of the use of any and all with components	215
21.3.10	The Call test component behaviour operation	215
22	Communication operations.....	217
22.0	General	217
22.1	The communication mechanisms	217
22.1.0	General.....	217
22.1.1	Principles of message-based communication.....	217
22.1.2	Principles of procedure-based communication	218
22.1.3	Principles of unicast, multicast and broadcast communication.....	218
22.1.4	General format of communication operations	219
22.1.4.0	General	219
22.1.4.1	General format of the sending operations	219
22.1.4.2	General format of the receiving operations	220
22.2	Message-based communication.....	221
22.2.0	General.....	221
22.2.1	The Send operation	221
22.2.2	The Receive operation	222
22.2.3	The Trigger operation.....	226
22.3	Procedure-based communication.....	229
22.3.0	General.....	229
22.3.1	The Call operation	229
22.3.2	The Getcall operation.....	233
22.3.3	The Reply operation.....	236
22.3.4	The Getreply operation	237
22.3.5	The Raise operation	240
22.3.6	The Catch operation.....	241
22.4	The Check operation	245
22.5	Controlling communication ports.....	247
22.5.0	General.....	247
22.5.1	The Clear port operation.....	247
22.5.2	The Start port operation.....	248
22.5.3	The Stop port operation	248
22.5.4	The Halt port operation.....	249
22.5.5	The Checkstate port operation	250
22.6	Use of any and all with ports.....	251
23	Timer operations	252
23.0	General	252
23.1	The timer mechanism	252
23.2	The Start timer operation.....	252
23.3	The Stop timer operation.....	253
23.4	The Read timer operation.....	254
23.5	The Running timer operation.....	254
23.6	The Timeout operation	255
23.7	Summary of use of any and all with timers	256
24	Test verdict operations	256
24.0	General	256
24.1	The Verdict mechanism.....	257
24.2	The Setverdict operation	258
24.3	The Getverdict operation.....	259
25	External actions	259
26	Module control	259

26.0	General	259
26.1	The Execute statement.....	260
26.2	Test suite execution	262
27	Specifying attributes.....	263
27.0	General	263
27.1	The Attribute mechanism	264
27.1.0	General.....	264
27.1.1	Scope of attributes	264
27.1.2	Overwriting rules for attributes.....	265
27.1.2.0	General	265
27.1.2.1	Additional default overwriting rules for variant attributes.....	267
27.1.2.2	Overwriting rules for multiple encoding.....	268
27.1.3	Changing attributes of imported language elements	268
27.2	The With statement	269
27.3	Display attributes.....	270
27.4	Encoding attributes.....	270
27.5	Variant attributes	272
27.6	Extension attributes	274
27.7	Optional attributes	274
27.8	Retrieving attribute values.....	276
27.9	Dynamic configuration of encoding used by ports.....	277
Annex A (normative):	BNF and static semantics	279
A.1	TTCN-3 BNF	279
A.1.0	General	279
A.1.1	Conventions for the syntax description	279
A.1.2	Statement terminator symbols	279
A.1.3	Identifiers	279
A.1.4	Comments.....	280
A.1.5	TTCN-3 terminals	280
A.1.5.0	General.....	280
A.1.5.1	Use of whitespaces and newlines.....	282
A.1.6	TTCN-3 syntax BNF productions	283
A.1.6.0	TTCN-3 module.....	283
A.1.6.1	Module definitions part.....	283
A.1.6.1.0	General	283
A.1.6.1.1	Typedef definitions	283
A.1.6.1.2	Constant definitions	285
A.1.6.1.3	Template definitions.....	285
A.1.6.1.4	Function definitions	287
A.1.6.1.5	Signature definitions	288
A.1.6.1.6	Testcase definitions.....	288
A.1.6.1.7	Altstep definitions	288
A.1.6.1.8	Import definitions.....	288
A.1.6.1.9	Group definitions	289
A.1.6.1.10	External function definitions.....	289
A.1.6.1.12	Module parameter definitions	290
A.1.6.1.13	Friend module definitions	290
A.1.6.2	Module control function	290
A.1.6.3	Local definitions	290
A.1.6.3.1	Variable instantiation	290
A.1.6.3.2	Timer instantiation	290
A.1.6.4	Operations.....	290
A.1.6.4.1	Component operations	290
A.1.6.4.2	Port operations	291
A.1.6.4.3	Timer operations	293
A.1.6.4.4	Testcase operation.....	293
A.1.6.5	Type.....	293
A.1.6.6	Value.....	294
A.1.6.7	Parameterization	295
A.1.6.8	Statements.....	295

A.1.6.8.1	With statement	295
A.1.6.8.2	Behaviour statements	296
A.1.6.8.3	Basic statements	297
A.1.6.9	Miscellaneous productions	299

Annex B (normative): Matching values 300

B.1	Template matching mechanisms	300
B.1.0	General	300
B.1.1	Matching specific values	300
B.1.2	Matching mechanisms instead of values	300
B.1.2.0	General.....	300
B.1.2.1	Template list	300
B.1.2.2	Complemented template list	301
B.1.2.3	Any value.....	302
B.1.2.4	Any value or none.....	303
B.1.2.5	Value range.....	304
B.1.2.6	SuperSet.....	304
B.1.2.7	SubSet.....	305
B.1.2.8	Omitting optional fields	307
B.1.2.9	Matching decoded content	307
B.1.2.10	Matching enumerated value with value list	309
B.1.3	Matching mechanisms inside values	309
B.1.3.0	General.....	309
B.1.3.1	Any element.....	309
B.1.3.1.0	General.....	309
B.1.3.1.1	Using single character wildcards.....	309
B.1.3.2	Any number of elements or no element.....	310
B.1.3.2.0	General.....	310
B.1.3.2.1	Using multiple character wildcards.....	310
B.1.3.3	Permutation.....	310
B.1.4	Matching attributes of values	312
B.1.4.0	General.....	312
B.1.4.1	Length restrictions	312
B.1.4.2	The IfPresent indicator.....	313
B.1.5	Matching character pattern	314
B.1.5.0	General.....	314
B.1.5.1	Set expression	316
B.1.5.2	Reference expression	316
B.1.5.3	Match expression n times.....	318
B.1.5.4	Match a referenced character set.....	318
B.1.5.5	Type compatibility rules for patterns	319
B.1.5.6	Case insensitive pattern matching.....	319

Annex C (normative): Predefined TTCN-3 functions..... 320

C.0	General exception handling procedures	320
C.1	Conversion functions.....	320
C.1.1	Integer to character	320
C.1.2	Integer to universal character	320
C.1.3	Integer to bitstring	320
C.1.4	Integer to enumerated.....	321
C.1.5	Integer to hexstring.....	321
C.1.6	Integer to octetstring.....	321
C.1.7	Integer to charstring.....	322
C.1.8	Integer to float	322
C.1.9	Float to integer	322
C.1.10	Character to integer	322
C.1.11	Character to octetstring	322
C.1.12	Universal character to integer.....	323
C.1.13	Bitstring to integer.....	323
C.1.14	Bitstring to hexstring.....	323

C.1.15	Bitstring to octetstring	324
C.1.16	Bitstring to charstring	324
C.1.17	Hexstring to integer	324
C.1.18	Hexstring to bitstring	324
C.1.19	Hexstring to octetstring	325
C.1.20	Hexstring to charstring	325
C.1.21	Octetstring to integer	325
C.1.22	Octetstring to bitstring	326
C.1.23	Octetstring to hexstring	326
C.1.24	Octetstring to character string	326
C.1.25	Octetstring to character string, version II	326
C.1.26	Charstring to integer	327
C.1.27	Character string to hexstring	327
C.1.28	Character string to octetstring	327
C.1.29	Character string to float	328
C.1.30	Enumerated to integer	328
C.1.31	Octetstring to universal character string	329
C.1.32	Universal character string to octetstring	329
C.1.33	Value or template to universal charstring	330
C.2	Length/size functions	331
C.2.1	Length of strings and lists	331
C.2.2	Number of elements in a structured value	332
C.3	Presence checking functions	333
C.3.1	The IsPresent function	333
C.3.2	The IsChosen function	334
C.3.3	The IsValue function	335
C.3.4	The IsBound function	337
C.3.5	Matching mechanism detection	338
C.4	String/list handling functions	339
C.4.1	The Regexp function	339
C.4.2	The Substring function	340
C.4.3	The Replace function	341
C.5	Codec functions	342
C.5.1	The encoding function	342
C.5.2	The decoding function	342
C.5.3	The encoding to universal charstring function	343
C.5.4	The decoding from universal charstring function	344
C.5.5	The encoding to octetstring function	345
C.5.6	The decoding from octetstring function	345
C.5.7	Retrieving the type of string encoding	346
C.5.8	Removing BOMs of UCS encoding schemes	346
C.6	Other functions	347
C.6.1	The random number generator function	347
C.6.2	The testcasename function	347
C.6.3	The hostId function	348
Annex D (normative):	Preprocessing macros	349
D.0	General	349
D.1	Preprocessing macro <code>__MODULE__</code>	349
D.2	Preprocessing macro <code>__FILE__</code>	349
D.3	Preprocessing macro <code>__BFILE__</code>	349
D.4	Preprocessing macro <code>__LINE__</code>	349
D.5	Preprocessing macro <code>__SCOPE__</code>	350
Annex E (informative):	Library of Useful Types	352

E.1	Limitations	352
E.2	Useful TTCN-3 types	352
E.2.1	Useful simple basic types	352
E.2.1.0	Signed and unsigned single byte integers	352
E.2.1.1	Signed and unsigned short integers	352
E.2.1.2	Signed and unsigned long integers	353
E.2.1.3	Signed and unsigned longlong integers	353
E.2.1.4	IEEE 754 floats	353
E.2.2	Useful character string types	354
E.2.2.0	UTF-8 character string "utf8string"	354
E.2.2.1	BMP character string "bmpstring"	354
E.2.2.2	UTF-16 character string "utf16string"	354
E.2.2.3	ISO/IEC 10646 character string "iso8859string"	354
E.2.2.4	Status values for TTCN-3 objects	355
E.2.2.5	Template kinds of TTCN-3 objects	355
E.2.3	Useful structured types	355
E.2.3.0	Fixed-point decimal literal	355
E.2.4	Useful atomic string types	356
E.2.4.1	Single Recommendation ITU-T T.50 character type	356
E.2.4.2	Single universal character type	356
E.2.4.3	Single bit type	356
E.2.4.4	Single hex type	356
E.2.4.5	Single octet type	356
Annex F (informative):	Operations on TTCN-3 active objects	357
F.0	General	357
F.1	Test components	357
F.1.1	Test component references	357
F.1.2	Dynamic behaviour of PTCs	358
F.1.3	Dynamic behaviour of the MTC	360
F.2	Timers	361
F.3	Ports	361
F.3.0	General	361
F.3.1	Configuration Operations	361
F.3.2	Port Controlling Operations	362
F.3.3	Communication Operations	363
Annex G (informative):	Deprecated language features	364
G.1	Group style definition of module parameters	364
G.2	Void	364
G.3	Using a11 in port type definitions	364
G.4	sizeof for length of lists	364
G.5	Void	364
G.6	Mixed ports	364
G.7	Void	365
G.8	Void	365
G.9	Void	365
G.10	Void	365
G.11	Void	365
G.12	Void	365

G.13 Assignment of less restrictive templates to more restrictive templates.....	365
G.14 Mixing case and case else branches in select statements	365
Annex H (informative): Bibliography.....	367
History	368

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/1916ef44-8683-4d6c-90f8-2f0aabbf5e88/etsi-es-201-873-1-v4.11.1-2019-04>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This final draft ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS), and is now submitted for the ETSI standards Membership Approval Procedure.

The present document is part 1 of a multi-part deliverable covering the Testing and Test Control Notation version 3, as identified below:

- Part 1:** "TTCN-3 Core Language";
- Part 2: "TTCN-3 Tabular presentation Format (TFT)";
- NOTE: Part 2 of this multi-part deliverable is in status "historical" and is not maintained.
- Part 3: "TTCN-3 Graphical presentation Format (GFT)";
- Part 4: "TTCN-3 Operational Semantics";
- Part 5: "TTCN-3 Runtime Interface (TRI)";
- Part 6: "TTCN-3 Control Interface (TCI)";
- Part 7: "Using ASN.1 with TTCN-3";
- Part 8: "The IDL to TTCN-3 Mapping";
- Part 9: "Using XML schema with TTCN-3";
- Part 10: "TTCN-3 Documentation Comment Specification";
- Part 11: "Using JSON with TTCN-3".

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.