



Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; RESTful protocols specification for the Os-Ma-nfv Reference Point

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

RGS/NFV-SOL005ed251

Keywords

API, NFV, protocol

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	17
Foreword.....	17
Modal verbs terminology.....	17
1 Scope	18
2 References	18
2.1 Normative references	18
2.2 Informative references.....	20
3 Abbreviations	20
4 General Aspects.....	22
4.1 Overview	22
4.2 URI structure and supported content formats	22
4.3 Common procedures.....	23
4.3.1 Introduction.....	23
4.3.2 Attribute-based filtering.....	23
4.3.2.1 Overview and example (informative).....	23
4.3.2.2 Specification.....	24
4.3.3 Attribute selectors	25
4.3.3.1 Overview and example	25
4.3.3.2 Specification.....	26
4.3.3.2.1 GET request.....	26
4.3.3.2.2 GET response	26
4.3.4 Usage of HTTP header fields.....	27
4.3.4.1 Introduction	27
4.3.4.2 Request header fields	27
4.3.4.3 Response header fields	28
4.3.5 Error reporting	29
4.3.5.1 Introduction.....	29
4.3.5.2 General mechanism	29
4.3.5.3 Type: ProblemDetails.....	29
4.3.5.4 Common error situations	29
4.3.5.5 Overview of HTTP error status codes.....	31
4.4 Common data types	32
4.4.1 Structured data types.....	32
4.4.1.1 Introduction	32
4.4.1.2 Type: Object.....	32
4.4.1.3 Type: Link.....	32
4.4.1.3a Type: NotificationLink.....	33
4.4.1.4 Type: KeyValuePairs	33
4.4.1.5 Type: NsInstanceSubscriptionFilter	33
4.4.1.6 Type: ResourceHandle	34
4.4.1.7 Type: ApiVersionInformation.....	34
4.4.2 Simple data types	35
4.5 Authorization of API requests and notifications	36
4.5.1 Introduction.....	36
4.5.2 Flows (informative)	36
4.5.2.0 General	36
4.5.2.1 Authorization of API requests using OAuth 2.0 access tokens	36
4.5.2.1a Authorization of API requests using TLS certificates.....	38
4.5.2.2 Authorization of notifications using the HTTP Basic authentication scheme	39
4.5.2.3 Authorization of notifications using OAuth 2.0 access tokens.....	40
4.5.2.4 Authorization of notifications using TLS certificates	42
4.5.3 Specification	44
4.5.3.1 Introduction.....	44
4.5.3.2 General mechanism	44

4.5.3.3	Authorizing API requests	44
4.5.3.4	Authorizing the sending of notifications	45
4.5.3.5	Client roles	46
4.5.3.6	Negotiation of authorization method	47
4.5.3.6.1	Authorization of API requests	47
4.5.3.6.2	Authorization of notification requests	49
4.6	Version management	50
4.6.1	Version identifiers and parameters	50
4.6.1.1	Version identifiers	50
4.6.1.2	Version parameters	50
4.6.2	Rules for incrementing version identifier fields	50
4.6.2.1	General	50
4.6.2.2	Examples of backward and non-backward compatible changes	51
4.6.3	Version information retrieval	52
4.6.3.1	General	52
4.6.3.2	Resource structure and methods	52
4.6.3.3	Resource: API versions	53
4.6.3.3.1	Description	53
4.6.3.3.2	Resource definition	53
4.6.3.3.3	Resource methods	53
4.6.4	Version signalling	54
4.7	Handling of large query results	55
4.7.1	Description	55
4.7.2	Specification	55
4.7.2.1	Alternatives	55
4.7.2.2	Error response	55
4.7.2.3	Paged response	55
5	NSD Management interface	56
5.1	Description	56
5.1a	API version	57
5.2	Resource structure and methods	57
5.3	Sequence diagrams (informative)	58
5.3.1	Flow of the creation of an individual NS descriptor resource	58
5.3.2	Flow of the uploading of NSD content	59
5.3.3	Flow of the fetching of NSD content	59
5.3.4	Flow of the update of an individual NS descriptor resource	60
5.3.5	Flow of the deletion of an individual NS descriptor resource	61
5.3.6	Flow of the querying/reading of NS descriptor resources	62
5.3.7	Flow of the creation of an individual PNF descriptor resource	63
5.3.8	Flow of the uploading of PNFD content	64
5.3.9	Flow of the fetching of PNFD content	65
5.3.10	Flow of the deletion of an individual PNF descriptor resource	65
5.3.11	Flow of the querying/reading of PNF descriptor resources	66
5.3.12	Flow of managing subscriptions	67
5.3.13	Flow of sending notifications	69
5.4	Resources	70
5.4.1	Introduction	70
5.4.2	Resource: NS Descriptors	70
5.4.2.1	Description	70
5.4.2.2	Resource definition	70
5.4.2.3	Resource methods	71
5.4.2.3.1	POST	71
5.4.2.3.2	GET	71
5.4.2.3.3	PUT	72
5.4.2.3.4	PATCH	72
5.4.2.3.5	DELETE	72
5.4.3	Resource: Individual NS Descriptor	73
5.4.3.1	Description	73
5.4.3.2	Resource definition	73
5.4.3.3	Resource methods	73
5.4.3.3.1	POST	73

5.4.3.3.2	GET	73
5.4.3.3.3	PUT	74
5.4.3.3.4	PATCH.....	74
5.4.3.3.5	DELETE.....	75
5.4.4	Resource: NSD Content.....	76
5.4.4.1	Description.....	76
5.4.4.2	Resource definition	76
5.4.4.3	Resource methods	76
5.4.4.3.1	POST	76
5.4.4.3.2	GET	77
5.4.4.3.3	PUT	78
5.4.4.3.4	PATCH.....	79
5.4.4.3.5	DELETE.....	79
5.4.5	Resource: PNF Descriptors.....	80
5.4.5.1	Description.....	80
5.4.5.2	Resource definition	80
5.4.5.3	Resource methods	80
5.4.5.3.1	POST	80
5.4.5.3.2	GET	81
5.4.5.3.3	PUT	82
5.4.5.3.4	PATCH.....	82
5.4.5.3.5	DELETE.....	82
5.4.6	Resource: Individual PNF Descriptor.....	82
5.4.6.1	Description.....	82
5.4.6.2	Resource definition	83
5.4.6.3	Resource methods	83
5.4.6.3.1	POST	83
5.4.6.3.2	GET	83
5.4.6.3.3	PUT	83
5.4.6.3.4	PATCH.....	84
5.4.6.3.5	DELETE.....	84
5.4.7	Resource: PNFD Content.....	85
5.4.7.1	Description.....	85
5.4.7.2	Resource definition	85
5.4.7.3	Resource methods	85
5.4.7.3.1	POST	85
5.4.7.3.2	GET	85
5.4.7.3.3	PUT	86
5.4.7.3.4	PATCH.....	87
5.4.7.3.5	DELETE.....	87
5.4.8	Resource: Subscriptions.....	87
5.4.8.1	Description.....	87
5.4.8.2	Resource definition	87
5.4.8.3	Resource methods	88
5.4.8.3.1	POST	88
5.4.8.3.2	GET	88
5.4.8.3.3	PUT	89
5.4.8.3.4	PATCH.....	89
5.4.8.3.5	DELETE.....	89
5.4.9	Resource: Individual subscription.....	90
5.4.9.1	Description.....	90
5.4.9.2	Resource definition	90
5.4.9.3	Resource methods	90
5.4.9.3.1	POST	90
5.4.9.3.2	GET	90
5.4.9.3.3	PUT	91
5.4.9.3.4	PATCH.....	91
5.4.9.3.5	DELETE.....	91
5.4.10	Resource: Notification endpoint	91
5.4.10.1	Description.....	91
5.4.10.2	Resource definition	91
5.4.10.3	Resource methods	92

5.4.10.3.1	POST	92
5.4.10.3.2	GET	92
5.4.10.3.3	PUT	93
5.4.10.3.4	PATCH	93
5.4.10.3.5	DELETE	93
5.5	Data model	93
5.5.1	Introduction	93
5.5.2	Resource and notification data types	93
5.5.2.1	Type: NsdInfoModifications	93
5.5.2.2	Type: NsdInfo	94
5.5.2.3	Type: CreateNsdInfoRequest	95
5.5.2.4	Type: PnfdInfoModifications	95
5.5.2.5	Type: PnfdInfo	95
5.5.2.6	Type: CreatePnfdInfoRequest	96
5.5.2.7	Type: NsdmSubscriptionRequest	96
5.5.2.8	Type: NsdmSubscription	97
5.5.2.9	Type: NsdOnboardingNotification	97
5.5.2.10	Type: NsdOnboardingFailureNotification	98
5.5.2.11	Type: NsdChangeNotification	98
5.5.2.12	Type: NsdDeletionNotification	99
5.5.2.13	Type: PnfdOnboardingNotification	99
5.5.2.14	Type: PnfdOnboardingFailureNotification	99
5.5.2.15	Type: PnfdDeletionNotification	100
5.5.3	Referenced structured data types	100
5.5.3.1	Introduction	100
5.5.3.2	Type: NsdmNotificationsFilter	100
5.5.3.3	Type: NsdmLinks	101
5.5.3.4	Type: PnfdmLinks	102
5.5.4	Referenced simple data types and enumerations	102
5.5.4.1	Introduction	102
5.5.4.2	Simple data types	102
5.5.4.3	Enumeration: NsdOperationalStateType	102
5.5.4.4	Enumeration: NsdUsageStateType	102
5.5.4.5	Enumeration: NsdOnboardingStateType	103
5.5.4.6	Enumeration: PnfdOnboardingStateType	103
5.5.4.7	Enumeration: PnfdUsageStateType	103
6	NS Lifecycle Management interface	103
6.1	Description	103
6.1a	API version	104
6.2	Resource structure and methods	104
6.3	Sequence diagrams (informative)	106
6.3.1	Flow of the creation of a NS instance resource	106
6.3.2	Flow of the deletion of a NS instance resource	107
6.3.3	Flow of NS lifecycle management operations triggered by task resources	108
6.3.4	Flow of the get operations status operation	110
6.3.5	Flow of managing subscriptions	111
6.3.6	Flow of sending notifications	113
6.3.7	Flow of retrying a NS lifecycle management operation	114
6.3.8	Flow of rolling back a NS lifecycle management operation	115
6.3.9	Flow of continuing a NS lifecycle management operation	116
6.3.10	Flow of failing a NS lifecycle management operation	118
6.3.11	Flow of cancelling a NS lifecycle management operation	119
6.4	Resources	120
6.4.1	Introduction	120
6.4.2	Resource: NS Instances	120
6.4.2.1	Description	120
6.4.2.2	Resource definition	120
6.4.2.3	Resource methods	120
6.4.2.3.1	POST	120
6.4.2.3.2	GET	121
6.4.2.3.3	PUT	122

6.4.2.3.4	PATCH.....	122
6.4.2.3.5	DELETE.....	122
6.4.3	Resource: Individual NS Instance.....	122
6.4.3.1	Description.....	122
6.4.3.2	Resource definition.....	123
6.4.3.3	Resource methods.....	123
6.4.3.3.1	POST.....	123
6.4.3.3.2	GET.....	123
6.4.3.3.3	PUT.....	123
6.4.3.3.4	PATCH.....	123
6.4.3.3.5	DELETE.....	124
6.4.4	Resource: Instantiate NS task.....	124
6.4.4.1	Description.....	124
6.4.4.2	Resource definition.....	124
6.4.4.3	Resource methods.....	125
6.4.4.3.1	POST.....	125
6.4.4.3.2	GET.....	125
6.4.4.3.3	PUT.....	125
6.4.4.3.4	PATCH.....	125
6.4.4.3.5	DELETE.....	126
6.4.5	Resource: Scale NS task.....	126
6.4.5.1	Description.....	126
6.4.5.2	Resource definition.....	126
6.4.5.3	Resource methods.....	126
6.4.5.3.1	POST.....	126
6.4.5.3.2	GET.....	127
6.4.5.3.3	PUT.....	127
6.4.5.3.4	PATCH.....	127
6.4.5.3.5	DELETE.....	127
6.4.6	Resource: Update NS task.....	127
6.4.6.1	Description.....	127
6.4.6.2	Resource definition.....	128
6.4.6.3	Resource methods.....	128
6.4.6.3.1	POST.....	128
6.4.6.3.2	GET.....	129
6.4.6.3.3	PUT.....	129
6.4.6.3.4	PATCH.....	129
6.4.6.3.5	DELETE.....	129
6.4.7	Resource: Heal NS task.....	129
6.4.7.1	Description.....	129
6.4.7.2	Resource definition.....	129
6.4.7.3	Resource methods.....	129
6.4.7.3.1	POST.....	129
6.4.7.3.2	GET.....	130
6.4.7.3.3	PUT.....	130
6.4.7.3.4	PATCH.....	130
6.4.7.3.5	DELETE.....	130
6.4.8	Resource: Terminate NS task.....	130
6.4.8.1	Description.....	130
6.4.8.2	Resource definition.....	131
6.4.8.3	Resource methods.....	131
6.4.8.3.1	POST.....	131
6.4.8.3.2	GET.....	132
6.4.8.3.3	PUT.....	132
6.4.8.3.4	PATCH.....	132
6.4.8.3.5	DELETE.....	132
6.4.9	Resource: NS LCM operation occurrences.....	132
6.4.9.1	Description.....	132
6.4.9.2	Resource definition.....	132
6.4.9.3	Resource methods.....	132
6.4.9.3.1	POST.....	132
6.4.9.3.2	GET.....	132

6.4.9.3.3	PUT	134
6.4.9.3.4	PATCH	134
6.4.9.3.5	DELETE	134
6.4.10	Resource: Individual NS LCM operation occurrence	134
6.4.10.1	Description	134
6.4.10.2	Resource definition	134
6.4.10.3	Resource methods	134
6.4.10.3.1	POST	134
6.4.10.3.2	GET	134
6.4.10.3.3	PUT	135
6.4.10.3.4	PATCH	135
6.4.10.3.5	DELETE	135
6.4.11	Resource: Retry operation task	135
6.4.11.1	Description	135
6.4.11.2	Resource definition	135
6.4.11.3	Resource methods	136
6.4.11.3.1	POST	136
6.4.11.3.2	GET	137
6.4.11.3.3	PUT	137
6.4.11.3.4	PATCH	137
6.4.11.3.5	DELETE	137
6.4.12	Resource: Rollback operation task	137
6.4.12.1	Description	137
6.4.12.2	Resource definition	137
6.4.12.3	Resource methods	137
6.4.12.3.1	POST	137
6.4.12.3.2	GET	138
6.4.12.3.3	PUT	138
6.4.12.3.4	PATCH	138
6.4.12.3.5	DELETE	138
6.4.13	Resource: Continue operation task	139
6.4.13.1	Description	139
6.4.13.2	Resource definition	139
6.4.13.3	Resource methods	139
6.4.13.3.1	POST	139
6.4.13.3.2	GET	140
6.4.13.3.3	PUT	140
6.4.13.3.4	PATCH	140
6.4.13.3.5	DELETE	140
6.4.14	Resource: Fail operation task	141
6.4.14.1	Description	141
6.4.14.2	Resource definition	141
6.4.14.3	Resource methods	141
6.4.14.3.1	POST	141
6.4.14.3.2	GET	142
6.4.14.3.3	PUT	142
6.4.14.3.4	PATCH	142
6.4.14.3.5	DELETE	143
6.4.15	Resource: Cancel operation task	143
6.4.15.1	Description	143
6.4.15.2	Resource definition	143
6.4.15.3	Resource methods	143
6.4.15.3.1	POST	143
6.4.15.3.2	GET	144
6.4.15.3.3	PUT	144
6.4.15.3.4	PATCH	144
6.4.15.3.5	DELETE	145
6.4.16	Resource: Subscriptions	145
6.4.16.1	Description	145
6.4.16.2	Resource definition	145
6.4.16.3	Resource methods	145
6.4.16.3.1	POST	145

6.4.16.3.2	GET	146
6.4.16.3.3	PUT	147
6.4.16.3.4	PATCH.....	147
6.4.16.3.5	DELETE.....	147
6.4.17	Resource: Individual subscription.....	147
6.4.17.1	Description	147
6.4.17.2	Resource definition	147
6.4.17.3	Resource methods	148
6.4.17.3.1	POST	148
6.4.17.3.2	GET	148
6.4.17.3.3	PUT	148
6.4.17.3.4	PATCH.....	148
6.4.17.3.5	DELETE.....	148
6.4.18	Resource: Notification endpoint	149
6.4.18.1	Description	149
6.4.18.2	Resource definition	149
6.4.18.3	Resource methods	149
6.4.18.3.1	POST	149
6.4.18.3.2	GET	150
6.4.18.3.3	PUT	150
6.4.18.3.4	PATCH.....	150
6.4.18.3.5	DELETE.....	150
6.5	Data model	151
6.5.1	Introduction.....	151
6.5.2	Resource and notification data types	151
6.5.2.1	Introduction.....	151
6.5.2.2	Type: LccnSubscriptionRequest	151
6.5.2.3	Type: NsLcmOpOcc	151
6.5.2.4	Type: LccnSubscription	153
6.5.2.5	Type: NsLcmOperationOccurrenceNotification	153
6.5.2.6	Type: NsIdentifierCreationNotification	154
6.5.2.7	Type: NsIdentifierDeletionNotification	155
6.5.2.8	Type: NsChangeNotification.....	155
6.5.2.9	Type: CreateNsRequest.....	156
6.5.2.10	Type: NsInstance.....	156
6.5.2.11	Type: InstantiateNsRequest.....	157
6.5.2.12	Type: UpdateNsRequest.....	158
6.5.2.13	Type: HealNsRequest.....	160
6.5.2.14	Type: ScaleNsRequest.....	160
6.5.2.15	Type: TerminateNsRequest.....	161
6.5.2.16	Type: CancelMode.....	161
6.5.3	Referenced structured data types	161
6.5.3.1	Introduction.....	161
6.5.3.2	Type: AffectedVnf	161
6.5.3.3	Type: AffectedPnf.....	162
6.5.3.4	Type: AffectedVirtualLink.....	162
6.5.3.5	Type: AffectedVnffg	163
6.5.3.6	Type: AffectedNs	163
6.5.3.7	Type: AffectedSap	164
6.5.3.8	Type: LifecycleChangeNotificationsFilter	164
6.5.3.9	Type: LccnLinks	165
6.5.3.10	Type: SapData.....	166
6.5.3.11	Type: CpProtocolData.....	166
6.5.3.12	Type: IpOverEthernetAddressData	166
6.5.3.13	Type: PnfInfo	167
6.5.3.14	Type: AddPnfData	167
6.5.3.15	Type: ModifyPnfData	168
6.5.3.16	Type: PnfExtCpData	168
6.5.3.17	Type: PnfExtCpInfo	168
6.5.3.18	Type: IpOverEthernetAddressInfo	168
6.5.3.19	Type: VnfInstanceData	169
6.5.3.19a	Type: NestedNsInstanceData	169

6.5.3.20	Type: VnfLocationConstraint	170
6.5.3.21	Type: LocationConstraints	170
6.5.3.21a	Type: ParamsForNestedNs.....	170
6.5.3.22	Type: ParamsForVnf.....	170
6.5.3.23	Type: AffinityOrAntiAffinityRule.....	171
6.5.3.24	Type: InstantiateVnfData	171
6.5.3.25	Type: ChangeVnfFlavourData	172
6.5.3.26	Type: ExtVirtualLinkData	172
6.5.3.27	Type: ExtManagedVirtualLinkData.....	173
6.5.3.28	Type: ExtLinkPortData	173
6.5.3.29	Type: VnfExtCpData	173
6.5.3.30	Type: VnfExtCpConfig.....	174
6.5.3.31	Type: OperateVnfData.....	174
6.5.3.32	Type: ModifyVnfInfoData	175
6.5.3.33	Type: ChangeExtVnfConnectivityData	175
6.5.3.34	Type: AssocNewNsdVersionData.....	176
6.5.3.35	Type: MoveVnfInstanceData	176
6.5.3.36	Type: AddVnffgData	176
6.5.3.37	Type: UpdateVnffgData.....	177
6.5.3.38	Type: NfpData.....	177
6.5.3.39	Type: ChangeNsFlavourData	177
6.5.3.40	Type: NfpRule.....	178
6.5.3.41	Type: Mask	178
6.5.3.42	Type: PortRange	179
6.5.3.43	Type: HealNsData	179
6.5.3.44	Type: HealVnfData	179
6.5.3.45	Type: ScaleNsData.....	180
6.5.3.46	Type: ScaleNsByStepsData.....	180
6.5.3.47	Type: ScaleNsToLevelData	181
6.5.3.48	Type: NsScaleInfo.....	181
6.5.3.49	Type: ScaleVnfData	181
6.5.3.50	Type: ScaleToLevelData.....	182
6.5.3.51	Type: VnfScaleInfo	182
6.5.3.52	Type: ScaleByStepData	182
6.5.3.53	Type: NsVirtualLinkInfo	183
6.5.3.54	Void.....	183
6.5.3.55	Type: NsLinkPortInfo	183
6.5.3.56	Type: NsCpHandle.....	184
6.5.3.57	Type: VnfInstance.....	184
6.5.3.58	Type: CpProtocolInfo.....	186
6.5.3.59	Type: ExtManagedVirtualLinkInfo.....	187
6.5.3.60	Type: VnfcResourceInfo	187
6.5.3.61	Type: VnfVirtualLinkResourceInfo	187
6.5.3.62	Type: ExtVirtualLinkInfo	188
6.5.3.63	Type: ExtLinkPortInfo	188
6.5.3.64	Type: VnfLinkPortInfo	188
6.5.3.65	Type: VnffgInfo	189
6.5.3.66	Type: NfpInfo	189
6.5.3.67	Type: SapInfo.....	190
6.5.3.68	Type: NsMonitoringParameter.....	190
6.5.3.69	Type: VnfMonitoringParameter	190
6.5.3.70	Type: VnfExtCpInfo	191
6.5.3.71	Type: CpGroupInfo.....	191
6.5.3.72	Type: CpPairInfo.....	192
6.5.3.73	Type: ForwardingBehaviour InputParameters	192
6.5.4	Referenced simple data types and enumerations	193
6.5.4.1	Introduction.....	193
6.5.4.2	Simple data types	193
6.5.4.3	Enumeration: NsLcmOpType	193
6.5.4.4	Enumeration: NsLcmOperationStateType	193
6.5.4.5	Enumeration: NsComponentType.....	194
6.5.4.6	Enumeration: LcmOpNameForChangeNotificationType	194

6.5.4.7	Enumeration: LcmOpOccStatusForChangeNotificationType.....	194
6.5.4.8	Enumeration: OperationalStates.....	195
6.5.4.9	Enumeration: StopType	195
6.5.4.10	Enumeration: CancelModeType	195
6.6	Handling of errors during NS lifecycle management operations.....	196
6.6.1	Basic concepts (informative)	196
6.6.1.1	Motivation.....	196
6.6.1.2	Failure resolution strategies: Retry, Rollback and Continue	196
6.6.1.3	Error handling at NFVO and OSS/BSS	196
6.6.2	States and state transitions of a NS lifecycle management operation occurrence.....	198
6.6.2.1	General	198
6.6.2.2	States of a NS lifecycle management operation occurrence.....	198
6.6.2.3	Error handling operations that change the state of a NS lifecycle operation.....	201
6.6.3	Detailed flows	201
6.6.3.1	Immediate failure	201
6.6.3.2	Failure during actual NS LCM operation execution	202
6.6.3.3	LCM operation cancellation.....	203
7	NS Performance Management interface.....	204
7.1	Description	204
7.1a	API version.....	204
7.2	Resource structure and methods.....	204
7.3	Sequence diagrams (informative).....	205
7.3.1	Flow of creating a PM job	205
7.3.2	Flow of querying/reading PM jobs	206
7.3.3	Flow of deleting a PM job	207
7.3.4	Flow of obtaining performance reports.....	207
7.3.5	Flow of creating a threshold	208
7.3.6	Flow of querying/reading thresholds	209
7.3.7	Flow of deleting thresholds.....	209
7.3.8	Flow of managing subscriptions	210
7.3.9	Flow of sending notifications.....	212
7.4	Resources	213
7.4.1	Introduction.....	213
7.4.2	Resource: PM jobs.....	213
7.4.2.1	Description	213
7.4.2.2	Resource definition	213
7.4.2.3	Resource methods	213
7.4.2.3.1	POST	213
7.4.2.3.2	GET	214
7.4.2.3.3	PUT	215
7.4.2.3.4	PATCH.....	215
7.4.2.3.5	DELETE.....	215
7.4.3	Resource: Individual PM job	215
7.4.3.1	Description	215
7.4.3.2	Resource definition	216
7.4.3.3	Resource methods	216
7.4.3.3.1	POST	216
7.4.3.3.2	GET	216
7.4.3.3.3	PUT	216
7.4.3.3.4	PATCH.....	217
7.4.3.3.5	DELETE.....	217
7.4.4	Resource: Individual performance report	217
7.4.4.1	Description	217
7.4.4.2	Resource definition	217
7.4.4.3	Resource methods	218
7.4.4.3.1	POST	218
7.4.4.3.2	GET	218
7.4.4.3.3	PUT	218
7.4.4.3.4	PATCH.....	218
7.4.4.3.5	DELETE.....	218
7.4.5	Resource: Thresholds.....	218

7.4.5.1	Description	218
7.4.5.2	Resource definition	219
7.4.5.3	Resource methods	219
7.4.5.3.1	POST	219
7.4.5.3.2	GET	219
7.4.5.3.3	PUT	220
7.4.5.3.4	PATCH	220
7.4.5.3.5	DELETE	221
7.4.6	Resource: Individual threshold	221
7.4.6.1	Description	221
7.4.6.2	Resource definition	221
7.4.6.3	Resource methods	221
7.4.6.3.1	POST	221
7.4.6.3.2	GET	221
7.4.6.3.3	PUT	222
7.4.6.3.4	PATCH	222
7.4.6.3.5	DELETE	222
7.4.7	Resource: Subscriptions	222
7.4.7.1	Description	222
7.4.7.2	Resource definition	223
7.4.7.3	Resource methods	223
7.4.7.3.1	POST	223
7.4.7.3.2	GET	224
7.4.7.3.3	PUT	225
7.4.7.3.4	PATCH	225
7.4.7.3.5	DELETE	225
7.4.8	Resource: Individual subscription	225
7.4.8.1	Description	225
7.4.8.2	Resource definition	226
7.4.8.3	Resource methods	226
7.4.8.3.1	POST	226
7.4.8.3.2	GET	226
7.4.8.3.3	PUT	226
7.4.8.3.4	PATCH	227
7.4.8.3.5	DELETE	227
7.4.9	Resource: Notification endpoint	227
7.4.9.1	Description	227
7.4.9.2	Resource definition	227
7.4.9.3	Resource methods	227
7.4.9.3.1	POST	227
7.4.9.3.2	GET	228
7.4.9.3.3	PUT	228
7.4.9.3.4	PATCH	229
7.4.9.3.5	DELETE	229
7.5	Data Model	229
7.5.1	Introduction	229
7.5.2	Resource and notification data types	229
7.5.2.1	Introduction	229
7.5.2.2	Type: PmSubscriptionRequest	229
7.5.2.3	Type: PmSubscription	229
7.5.2.4	Type: ThresholdCrossedNotification	230
7.5.2.5	Type: PerformanceInformationAvailableNotification	230
7.5.2.6	Type: CreatePmJobRequest	231
7.5.2.7	Type: PmJob	231
7.5.2.8	Type: CreateThresholdRequest	232
7.5.2.9	Type: Threshold	232
7.5.2.10	Type: PerformanceReport	232
7.5.3	Referenced structured data types	233
7.5.3.1	Introduction	233
7.5.3.2	Type: PmNotificationsFilter	233
7.5.3.3	Type: PmJobCriteria	233
7.5.3.4	Type: ThresholdCriteria	234

7.5.4	Referenced simple data types and enumerations	235
7.5.4.1	Introduction	235
7.5.4.2	Simple data types	235
7.5.4.3	Enumeration: CrossingDirectionType	235
8	NS Fault Management interface	235
8.1	Description	235
8.1a	API version	236
8.2	Resource structure and methods	236
8.3	Sequence diagrams (informative)	237
8.3.1	Flow of the Get Alarm List operation	237
8.3.2	Flow of acknowledging alarm	238
8.3.3	Flow of managing subscriptions	238
8.3.4	Flow of sending notifications	240
8.4	Resources	240
8.4.1	Introduction	240
8.4.2	Resource: Alarms	241
8.4.2.1	Description	241
8.4.2.2	Resource definition	241
8.4.2.3	Resource methods	241
8.4.2.3.1	POST	241
8.4.2.3.2	GET	241
8.4.2.3.3	PUT	242
8.4.2.3.4	PATCH	242
8.4.2.3.5	DELETE	242
8.4.3	Resource: Individual alarm	242
8.4.3.1	Description	242
8.4.3.2	Resource definition	242
8.4.3.3	Resource methods	243
8.4.3.3.1	POST	243
8.4.3.3.2	GET	243
8.4.3.3.3	PUT	243
8.4.3.3.4	PATCH	243
8.4.3.3.5	DELETE	244
8.4.4	Resource: Subscriptions	244
8.4.4.1	Description	244
8.4.4.2	Resource definition	244
8.4.4.3	Resource methods	245
8.4.4.3.1	POST	245
8.4.4.3.2	GET	245
8.4.4.3.3	PUT	246
8.4.4.3.4	PATCH	246
8.4.4.3.5	DELETE	247
8.4.5	Resource: Individual subscription	247
8.4.5.1	Description	247
8.4.5.2	Resource definition	247
8.4.5.3	Resource methods	247
8.4.5.3.1	POST	247
8.4.5.3.2	GET	247
8.4.5.3.3	PUT	248
8.4.5.3.4	PATCH	248
8.4.5.3.5	DELETE	248
8.4.6	Resource: Notification endpoint	248
8.4.6.1	Description	248
8.4.6.2	Resource definition	249
8.4.6.3	Resource methods	249
8.4.6.3.1	POST	249
8.4.6.3.2	GET	249
8.4.6.3.3	PUT	250
8.4.6.3.4	PATCH	250
8.4.6.3.5	DELETE	250
8.5	Data Model	250