



**Digital cellular telecommunications system (Phase 2+) (GSM);  
Universal Mobile Telecommunications System (UMTS);  
LTE;  
Telecommunication management;  
Charging management;  
Charging Data Record (CDR) parameter description  
(3GPP TS 32.298 version 14.6.0 Release 14)**



---

ReferenceRTS/TSGS-0532298ve60

---

Keywords

---

GSM,LTE,UMTS

---

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

---

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M** logo is protected for the benefit of its Members.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

|                                                                    |    |
|--------------------------------------------------------------------|----|
| Intellectual Property Rights .....                                 | 2  |
| Foreword.....                                                      | 2  |
| Modal verbs terminology.....                                       | 2  |
| Foreword.....                                                      | 15 |
| 1 Scope .....                                                      | 16 |
| 2 References .....                                                 | 17 |
| 3 Definitions, symbols and abbreviations .....                     | 21 |
| 3.1 Definitions .....                                              | 21 |
| 3.2 Symbols.....                                                   | 21 |
| 3.3 Abbreviations .....                                            | 21 |
| 4 Architecture considerations .....                                | 23 |
| 5 CDR parameters and abstract syntax.....                          | 24 |
| 5.0 General .....                                                  | 24 |
| 5.1 CDR parameter description .....                                | 24 |
| 5.1.1 Generic CDR parameters .....                                 | 24 |
| 5.1.1.0 Introduction .....                                         | 24 |
| 5.1.1.1.0A 3GPP PS Data Off Status.....                            | 24 |
| 5.1.1.1 Serving Network Identity .....                             | 24 |
| 5.1.1.2 Service Context Id.....                                    | 24 |
| 5.1.1.3 Subscription Identifier.....                               | 25 |
| 5.1.1.4 Service Specific Info .....                                | 25 |
| 5.1.1.5 Service Specific Type .....                                | 25 |
| 5.1.1.6 Service Specific Data .....                                | 25 |
| 5.1.1.7 Subscriber Equipment Number .....                          | 25 |
| 5.1.2 Bearer level CDR parameters .....                            | 25 |
| 5.1.2.0 General .....                                              | 25 |
| 5.1.2.1 CS domain CDR parameters .....                             | 25 |
| 5.1.2.1.0 Introduction .....                                       | 25 |
| 5.1.2.1.1 Additional Charging Information .....                    | 25 |
| 5.1.2.1.2 AoC parameters/change of AoC parameters .....            | 25 |
| 5.1.2.1.3 Basic Service/change of service/ISDN Basic Service ..... | 26 |
| 5.1.2.1.4 Call duration .....                                      | 26 |
| 5.1.2.1.5 Call reference .....                                     | 28 |
| 5.1.2.1.6 Calling/called/connected/translated number.....          | 28 |
| 5.1.2.1.7 Calling Party Number.....                                | 28 |
| 5.1.2.1.8 CAMEL call leg information.....                          | 28 |
| 5.1.2.1.9 CAMEL information .....                                  | 29 |
| 5.1.2.1.10 CAMEL initiated CF indicator.....                       | 29 |
| 5.1.2.1.11 CAMEL modified Service Centre .....                     | 29 |
| 5.1.2.1.12 CAMEL SMS Information .....                             | 29 |
| 5.1.2.1.13 Cause for termination .....                             | 30 |
| 5.1.2.1.14 Channel Coding Accepted/Channel Coding Used.....        | 30 |
| 5.1.2.1.15 Data volume .....                                       | 30 |
| 5.1.2.1.16 Default call/SMS handling .....                         | 30 |
| 5.1.2.1.17 Destination Subscriber Number.....                      | 30 |
| 5.1.2.1.18 Diagnostics .....                                       | 30 |
| 5.1.2.1.19 EMS-Digits.....                                         | 31 |
| 5.1.2.1.20 EMS-Key.....                                            | 31 |
| 5.1.2.1.21 Entity number .....                                     | 31 |
| 5.1.2.1.22 Equipment id .....                                      | 31 |
| 5.1.2.1.23 Equipment type.....                                     | 31 |
| 5.1.2.1.24 Event time stamps.....                                  | 31 |
| 5.1.2.1.25 Fixed Network User Rate .....                           | 32 |

|             |                                                                         |    |
|-------------|-------------------------------------------------------------------------|----|
| 5.1.2.1.26  | Free format data.....                                                   | 32 |
| 5.1.2.1.27  | Free format data append indicator .....                                 | 32 |
| 5.1.2.1.28  | GsmSCF address .....                                                    | 32 |
| 5.1.2.1.29  | Guaranteed Bit Rate .....                                               | 32 |
| 5.1.2.1.30  | HSCSD parameters/Change of HSCSD parameters .....                       | 33 |
| 5.1.2.1.31  | Incoming/outgoing trunk group .....                                     | 33 |
| 5.1.2.1.32  | Interrogation result .....                                              | 33 |
| 5.1.2.1.33  | IMEI Check Event.....                                                   | 33 |
| 5.1.2.1.34  | IMEI Status.....                                                        | 33 |
| 5.1.2.1.35  | JIP Parameter.....                                                      | 34 |
| 5.1.2.1.36  | JIP Query Status Indicator.....                                         | 34 |
| 5.1.2.1.37  | JIP Source Indicator .....                                              | 34 |
| 5.1.2.1.38  | LCS Cause.....                                                          | 34 |
| 5.1.2.1.39  | LCS Client Identity.....                                                | 34 |
| 5.1.2.1.40  | LCS Client Type.....                                                    | 34 |
| 5.1.2.1.41  | LCS Priority .....                                                      | 34 |
| 5.1.2.1.42  | LCS QoS.....                                                            | 34 |
| 5.1.2.1.43  | Level of CAMEL service .....                                            | 35 |
| 5.1.2.1.44  | Location/change of location .....                                       | 35 |
| 5.1.2.1.45  | Location Estimate .....                                                 | 35 |
| 5.1.2.1.46  | Location Extension.....                                                 | 35 |
| 5.1.2.1.47  | Location Routing Number (LRN) .....                                     | 35 |
| 5.1.2.1.48  | Location Type.....                                                      | 35 |
| 5.1.2.1.49  | LRN Query Status Indicator .....                                        | 35 |
| 5.1.2.1.50  | LRN Source Indicator.....                                               | 36 |
| 5.1.2.1.51  | Maximum Bit Rate .....                                                  | 36 |
| 5.1.2.1.52  | Measure Duration .....                                                  | 36 |
| 5.1.2.1.53  | Message reference .....                                                 | 36 |
| 5.1.2.1.54  | MLC Number .....                                                        | 36 |
| 5.1.2.1.55  | Mobile station classmark/change of classmark .....                      | 36 |
| 5.1.2.1.56  | MOLR Type .....                                                         | 37 |
| 5.1.2.1.57  | MSC Address .....                                                       | 37 |
| 5.1.2.1.58  | MSC Server Indication.....                                              | 37 |
| 5.1.2.1.59  | Network Call Reference .....                                            | 37 |
| 5.1.2.1.60  | Notification to MS user .....                                           | 37 |
| 5.1.2.1.61  | Number of DP encountered .....                                          | 37 |
| 5.1.2.1.62  | Number of forwarding.....                                               | 37 |
| 5.1.2.1.63  | Old /new location .....                                                 | 37 |
| 5.1.2.1.64  | Partial Record Type.....                                                | 37 |
| 5.1.2.1.65  | Positioning Data .....                                                  | 37 |
| 5.1.2.1.66  | Positioning Data .....                                                  | 37 |
| 5.1.2.1.67  | Privacy Override.....                                                   | 38 |
| 5.1.2.1.68  | Radio channel requested/radio channel used/change of radio channel..... | 38 |
| 5.1.2.1.69  | Rate Indication.....                                                    | 38 |
| 5.1.2.1.70  | Reason for Service Change.....                                          | 38 |
| 5.1.2.1.71  | Record extensions.....                                                  | 38 |
| 5.1.2.1.72  | Record type.....                                                        | 38 |
| 5.1.2.1.73  | Recording Entity.....                                                   | 39 |
| 5.1.2.1.74  | Redial attempt.....                                                     | 39 |
| 5.1.2.1.74A | Related ICID.....                                                       | 39 |
| 5.1.2.1.75  | Roaming number .....                                                    | 39 |
| 5.1.2.1.76  | Routing number .....                                                    | 39 |
| 5.1.2.1.77  | Sequence number.....                                                    | 39 |
| 5.1.2.1.78  | Served IMEI .....                                                       | 39 |
| 5.1.2.1.79  | Served IMSI .....                                                       | 39 |
| 5.1.2.1.80  | Served MSISDN .....                                                     | 39 |
| 5.1.2.1.81  | Service centre address .....                                            | 39 |
| 5.1.2.1.82  | Service Change Initiator .....                                          | 39 |
| 5.1.2.1.83  | Service key .....                                                       | 40 |
| 5.1.2.1.84  | Short message service result.....                                       | 40 |
| 5.1.2.1.85  | Speech version supported/Speech version used.....                       | 40 |
| 5.1.2.1.86  | Supplementary service(s) .....                                          | 40 |

|              |                                                           |    |
|--------------|-----------------------------------------------------------|----|
| 5.1.2.1.87   | Supplementary service action.....                         | 40 |
| 5.1.2.1.88   | Supplementary service action result .....                 | 40 |
| 5.1.2.1.89   | Supplementary service parameters .....                    | 40 |
| 5.1.2.1.90   | Supplementary service(s) .....                            | 40 |
| 5.1.2.1.91   | System type .....                                         | 41 |
| 5.1.2.1.92   | Transparency indicator .....                              | 41 |
| 5.1.2.1.93   | Update result.....                                        | 41 |
| 5.1.2.2      | PS domain CDR parameters.....                             | 41 |
| 5.1.2.2.A    | Introduction .....                                        | 41 |
| 5.1.2.2.B    | Void .....                                                | 41 |
| 5.1.2.2.0    | 3GPP2 User Location Information .....                     | 41 |
| 5.1.2.2.0aA  | Access Availability Change Reason.....                    | 41 |
| 5.1.2.2.0A   | Access Line Identifier.....                               | 41 |
| 5.1.2.2.1    | Access Point Name (APN) Network/Operator Identifier ..... | 42 |
| 5.1.2.2.1A   | APN Rate Control.....                                     | 42 |
| 5.1.2.2.2    | APN Selection Mode.....                                   | 42 |
| 5.1.2.2.3    | CAMEL Charging Information .....                          | 42 |
| 5.1.2.2.4    | CAMEL Information .....                                   | 42 |
| 5.1.2.2.5    | Cause for Record Closing.....                             | 43 |
| 5.1.2.2.6    | Cell Identifier .....                                     | 44 |
| 5.1.2.2.7    | Charging Characteristics.....                             | 44 |
| 5.1.2.2.8    | Charging Characteristics selection mode.....              | 45 |
| 5.1.2.2.9    | Charging ID .....                                         | 45 |
| 5.1.2.2.9A   | CN Operator Selection Entity.....                         | 46 |
| 5.1.2.2.9Aa  | CP CIoT EPS Optimisation Indicator.....                   | 46 |
| 5.1.2.2.9B   | Charging per IP-CAN Session Indicator.....                | 46 |
| 5.1.2.2.10   | Destination Number.....                                   | 46 |
| 5.1.2.2.11   | Diagnostics .....                                         | 46 |
| 5.1.2.2.12   | Duration.....                                             | 46 |
| 5.1.2.2.13   | Dynamic Address Flag .....                                | 46 |
| 5.1.2.2.13A  | Dynamic Address Flag Extension .....                      | 46 |
| 5.1.2.2.13Aa | Enhanced Diagnostics .....                                | 47 |
| 5.1.2.2.13B  | EPC QoS Information.....                                  | 47 |
| 5.1.2.2.13C  | ePDG Address Used.....                                    | 47 |
| 5.1.2.2.13D  | ePDG IPv6 Address.....                                    | 47 |
| 5.1.2.2.14   | Event Time Stamps.....                                    | 47 |
| 5.1.2.2.15   | Void.....                                                 | 47 |
| 5.1.2.2.15A  | Fixed User Location Information .....                     | 47 |
| 5.1.2.2.16   | GGSN Address Used.....                                    | 47 |
| 5.1.2.2.16A  | Void.....                                                 | 47 |
| 5.1.2.2.17   | IMS Signalling Context.....                               | 47 |
| 5.1.2.2.18   | IMSI Unauthenticated Flag .....                           | 47 |
| 5.1.2.2.18A  | IP-CAN session Type .....                                 | 48 |
| 5.1.2.2.18B  | IP-Edge Address IPv6 .....                                | 48 |
| 5.1.2.2.18C  | IP-Edge Address Used.....                                 | 48 |
| 5.1.2.2.18D  | IP-Edge Operator Identifier .....                         | 48 |
| 5.1.2.2.18E  | Last MS Time Zone.....                                    | 48 |
| 5.1.2.2.18F  | Last User Location Information .....                      | 48 |
| 5.1.2.2.19   | LCS Cause.....                                            | 48 |
| 5.1.2.2.20   | LCS Client Identity.....                                  | 48 |
| 5.1.2.2.21   | LCS Client Type.....                                      | 48 |
| 5.1.2.2.22   | LCS Priority .....                                        | 48 |
| 5.1.2.2.23   | LCS QoS.....                                              | 48 |
| 5.1.2.2.24   | List of Service Data .....                                | 49 |
| 5.1.2.2.25   | List of Traffic Data Volumes.....                         | 52 |
| 5.1.2.2.26   | Local Record Sequence Number .....                        | 55 |
| 5.1.2.2.27   | Location Estimate .....                                   | 55 |
| 5.1.2.2.28   | Location Method .....                                     | 55 |
| 5.1.2.2.29   | Location Type.....                                        | 55 |
| 5.1.2.2.29A  | Low Priority Indicator .....                              | 55 |
| 5.1.2.2.29B  | NBIFOM Mode .....                                         | 55 |
| 5.1.2.2.29C  | NBIFOM Support.....                                       | 55 |

|             |                                                                     |    |
|-------------|---------------------------------------------------------------------|----|
| 5.1.2.2.30  | Measurement Duration .....                                          | 55 |
| 5.1.2.2.31  | Message reference .....                                             | 55 |
| 5.1.2.2.32  | MLC Number .....                                                    | 55 |
| 5.1.2.2.32A | MME Name .....                                                      | 55 |
| 5.1.2.2.32B | MME Realm .....                                                     | 56 |
| 5.1.2.2.33  | MS Network Capability .....                                         | 56 |
| 5.1.2.2.34  | MS Time Zone .....                                                  | 56 |
| 5.1.2.2.35  | Network Initiated PDP Context .....                                 | 56 |
| 5.1.2.2.36  | Node ID .....                                                       | 56 |
| 5.1.2.2.37  | Notification to MS user .....                                       | 56 |
| 5.1.2.2.37A | Originating Address .....                                           | 56 |
| 5.1.2.2.37B | P-GW Address IPv6 .....                                             | 56 |
| 5.1.2.2.38  | P-GW Address Used .....                                             | 56 |
| 5.1.2.2.39  | P-GW PLMN Identifier .....                                          | 56 |
| 5.1.2.2.40  | PDN Connection Charging ID .....                                    | 56 |
| 5.1.2.2.41  | PDP Type .....                                                      | 57 |
| 5.1.2.2.42  | PDP/PDN Type .....                                                  | 57 |
| 5.1.2.2.42A | PDP/PDN Type Extension .....                                        | 57 |
| 5.1.2.2.43  | Positioning Data .....                                              | 57 |
| 5.1.2.2.43A | Presence Reporting Area Information .....                           | 57 |
| 5.1.2.2.44  | Privacy Override .....                                              | 57 |
| 5.1.2.2.45  | PS Furnish Charging Information .....                               | 57 |
| 5.1.2.2.46  | QoS Requested/QoS Negotiated .....                                  | 58 |
| 5.1.2.2.47  | RAT Type .....                                                      | 58 |
| 5.1.2.2.48  | Record Extensions .....                                             | 58 |
| 5.1.2.2.49  | Record Opening Time .....                                           | 58 |
| 5.1.2.2.50  | Record Sequence Number .....                                        | 58 |
| 5.1.2.2.51  | Record Type .....                                                   | 58 |
| 5.1.2.2.52  | Recording Entity Number .....                                       | 58 |
| 5.1.2.2.52A | Retransmission .....                                                | 58 |
| 5.1.2.2.53  | RNC Unsent Downlink Volume .....                                    | 59 |
| 5.1.2.2.54  | Routing Area Code/Location/Cell Identifier/Change of location ..... | 59 |
| 5.1.2.2.54A | S-GW Address IPv6 .....                                             | 59 |
| 5.1.2.2.55  | S-GW Address Used .....                                             | 59 |
| 5.1.2.2.56  | S-GW Change .....                                                   | 59 |
| 5.1.2.2.57  | Served 3GPP2 MEID .....                                             | 59 |
| 5.1.2.2.57A | Served Fixed Subscriber Id .....                                    | 59 |
| 5.1.2.2.58  | Served IMEI .....                                                   | 59 |
| 5.1.2.2.58A | SCS/AS Address .....                                                | 59 |
| 5.1.2.2.59  | void .....                                                          | 60 |
| 5.1.2.2.60  | Served IMSI .....                                                   | 60 |
| 5.1.2.2.60A | Served IP-CAN session Address .....                                 | 60 |
| 5.1.2.2.60B | Served IP-CAN session Address Extension .....                       | 60 |
| 5.1.2.2.61  | Served MN NAI .....                                                 | 60 |
| 5.1.2.2.62  | Served MSISDN .....                                                 | 60 |
| 5.1.2.2.63  | Served PDP Address .....                                            | 60 |
| 5.1.2.2.64  | Served PDP/PDN Address .....                                        | 60 |
| 5.1.2.2.64A | Served PDP/PDN Address Extension .....                              | 60 |
| 5.1.2.2.64B | Served PDP/PDN Address prefix length .....                          | 60 |
| 5.1.2.2.65  | Service Centre Address .....                                        | 61 |
| 5.1.2.2.66  | Serving Node Address .....                                          | 61 |
| 5.1.2.2.66A | Serving Node IPv6 Address .....                                     | 61 |
| 5.1.2.2.67  | Serving Node PLMN Identifier .....                                  | 61 |
| 5.1.2.2.68  | Serving Node Type .....                                             | 61 |
| 5.1.2.2.68A | Serving PLMN Rate Control .....                                     | 61 |
| 5.1.2.2.68B | SGi PtP Tunnelling Method .....                                     | 61 |
| 5.1.2.2.69  | SGSN Address .....                                                  | 61 |
| 5.1.2.2.69A | Void .....                                                          | 61 |
| 5.1.2.2.70  | SGSN Change .....                                                   | 62 |
| 5.1.2.2.71  | Short Message Service (SMS) Result .....                            | 62 |
| 5.1.2.2.72  | Start Time .....                                                    | 62 |
| 5.1.2.2.73  | Stop Time .....                                                     | 62 |

|              |                                                 |    |
|--------------|-------------------------------------------------|----|
| 5.1.2.2.73aA | TDF Address Used .....                          | 62 |
| 5.1.2.2.73bA | TDF IPv6 Address Used.....                      | 62 |
| 5.1.2.2.73cA | TDF PLMN Identifier.....                        | 62 |
| 5.1.2.2.73dA | TWAG Address Used.....                          | 62 |
| 5.1.2.2.73eA | TWAG IPv6 Address .....                         | 62 |
| 5.1.2.2.73A  | TWAN User Location Information .....            | 62 |
| 5.1.2.2.73B  | UNI PDU CP Only Flag .....                      | 62 |
| 5.1.2.2.74   | User CSG Information.....                       | 63 |
| 5.1.2.2.75   | User Location Information .....                 | 63 |
| 5.1.2.2.75A  | User Location Information Time .....            | 63 |
| 5.1.2.2.76   | Void .....                                      | 63 |
| 5.1.2.2.77   | UWAN User Location Information .....            | 63 |
| 5.1.2.3      | Void.....                                       | 63 |
| 5.1.2.4      | CP data transfer domain CDR parameters .....    | 63 |
| 5.1.2.4.1    | Introduction .....                              | 63 |
| 5.1.2.4.2    | Access Point Name (APN) Network Identifier..... | 63 |
| 5.1.2.4.3    | APN Rate Control.....                           | 63 |
| 5.1.2.4.4    | Cause for Record Closing.....                   | 64 |
| 5.1.2.4.5    | Charging Characteristics.....                   | 64 |
| 5.1.2.4.6    | Charging Characteristics selection mode.....    | 65 |
| 5.1.2.4.7    | Charging ID .....                               | 65 |
| 5.1.2.4.8    | Diagnostics .....                               | 65 |
| 5.1.2.4.9    | Duration.....                                   | 66 |
| 5.1.2.4.10   | External-Identifier .....                       | 66 |
| 5.1.2.4.11   | List of NIDD Submissions .....                  | 66 |
| 5.1.2.4.12   | Local Record Sequence Number .....              | 66 |
| 5.1.2.4.13   | Node ID .....                                   | 67 |
| 5.1.2.4.14   | RAT Type.....                                   | 67 |
| 5.1.2.4.15   | Record Extensions .....                         | 67 |
| 5.1.2.4.16   | Record Opening Time .....                       | 67 |
| 5.1.2.4.17   | Record Sequence Number .....                    | 67 |
| 5.1.2.4.18   | Record Type .....                               | 67 |
| 5.1.2.4.19   | Retransmission .....                            | 67 |
| 5.1.2.4.20   | SCEF ID .....                                   | 67 |
| 5.1.2.4.21   | Served IMSI .....                               | 67 |
| 5.1.2.4.22   | Served MSISDN .....                             | 67 |
| 5.1.2.4.23   | Serving Node Identity.....                      | 68 |
| 5.1.2.4.24   | Serving Node PLMN Identifier .....              | 68 |
| 5.1.2.4.25   | Serving PLMN Rate Control .....                 | 68 |
| 5.1.3        | Subsystem level CDR parameters.....             | 69 |
| 5.1.3.0      | General .....                                   | 69 |
| 5.1.3.1      | IMS CDR parameters .....                        | 69 |
| 5.1.3.1.0    | Introduction .....                              | 69 |
| 5.1.3.1.1    | Access Correlation ID .....                     | 69 |
| 5.1.3.1.2    | Access Network Information.....                 | 69 |
| 5.1.3.1.2aA  | Access Transfer Type .....                      | 69 |
| 5.1.3.1.2A   | Additional Access Network Information.....      | 69 |
| 5.1.3.1.3    | Alternate Charged Party Address .....           | 69 |
| 5.1.3.1.3A   | AoC Information .....                           | 69 |
| 5.1.3.1.4    | Application Provided Called Parties.....        | 69 |
| 5.1.3.1.5    | Application Servers Information .....           | 69 |
| 5.1.3.1.6    | Application Servers Involved .....              | 69 |
| 5.1.3.1.7    | Void .....                                      | 70 |
| 5.1.3.1.8    | Bearer Service .....                            | 70 |
| 5.1.3.1.9    | Called Party Address .....                      | 70 |
| 5.1.3.1.10   | Carrier Select Routing .....                    | 70 |
| 5.1.3.1.11   | Cause for Record Closing.....                   | 70 |
| 5.1.3.1.11A  | Cellular Network Information .....              | 70 |
| 5.1.3.1.12   | Content Disposition .....                       | 70 |
| 5.1.3.1.13   | Content Length .....                            | 70 |
| 5.1.3.1.14   | Content Type .....                              | 71 |
| 5.1.3.1.15   | Event.....                                      | 71 |

|               |                                                       |    |
|---------------|-------------------------------------------------------|----|
| 5.1.3.1.16    | Expires .....                                         | 71 |
| 5.1.3.1.16aA  | FE Identifier List .....                              | 71 |
| 5.1.3.1.16A   | From Address .....                                    | 71 |
| 5.1.3.1.17    | GGSN Address .....                                    | 71 |
| 5.1.3.1.18    | GPRS Charging ID .....                                | 71 |
| 5.1.3.1.18A   | Void .....                                            | 71 |
| 5.1.3.1.19    | IMS Charging Identifier .....                         | 71 |
| 5.1.3.1.20    | IMS Communication Service Identifier .....            | 72 |
| 5.1.3.1.20A   | IMS Emergency Indicator .....                         | 72 |
| 5.1.3.1.20B   | IMS Visited Network Identifier .....                  | 72 |
| 5.1.3.1.21    | Incomplete CDR Indication .....                       | 72 |
| 5.1.3.1.21A   | Initial IMS Charging Identifier .....                 | 72 |
| 5.1.3.1.21Aa  | Instance Id .....                                     | 72 |
| 5.1.3.1.21Aaa | Inter-UE Transfer .....                               | 72 |
| 5.1.3.1.21B   | IP Realm Default Indication .....                     | 72 |
| 5.1.3.1.21C   | ISUP Cause .....                                      | 72 |
| 5.1.3.1.21Ca  | List of Access Network Info Change .....              | 73 |
| 5.1.3.1.21D   | List of Access Transfer Information .....             | 73 |
| 5.1.3.1.22    | List of Associated URI .....                          | 73 |
| 5.1.3.1.23    | List of Called Asserted Identity .....                | 73 |
| 5.1.3.1.23A   | List of Called Identity Changes .....                 | 73 |
| 5.1.3.1.24    | List of Calling Party Address .....                   | 74 |
| 5.1.3.1.25    | List of Early SDP Media Components .....              | 74 |
| 5.1.3.1.26    | List of Inter Operator Identifiers .....              | 74 |
| 5.1.3.1.27    | List of Message Bodies .....                          | 74 |
| 5.1.3.1.27A   | List of NNI Information .....                         | 74 |
| 5.1.3.1.28    | List of SDP Media Components .....                    | 75 |
| 5.1.3.1.28A   | List of Reason Header .....                           | 75 |
| 5.1.3.1.28B   | Local GW Inserted Indication .....                    | 75 |
| 5.1.3.1.29    | Local Record Sequence Number .....                    | 75 |
| 5.1.3.1.30    | Media Initiator Flag .....                            | 75 |
| 5.1.3.1.31    | Media Initiator Party .....                           | 75 |
| 5.1.3.1.31a   | MS Time Zone .....                                    | 75 |
| 5.1.3.1.31aA  | MSC Address .....                                     | 76 |
| 5.1.3.1.31A   | Neighbour Node Address .....                          | 76 |
| 5.1.3.1.31B   | NNI Type .....                                        | 76 |
| 5.1.3.1.31C   | Void .....                                            | 76 |
| 5.1.3.1.32    | Node Address .....                                    | 76 |
| 5.1.3.1.33    | Number Portability Routing .....                      | 76 |
| 5.1.3.1.33A   | Void .....                                            | 76 |
| 5.1.3.1.34    | Online Charging Flag .....                            | 76 |
| 5.1.3.1.35    | Originator .....                                      | 76 |
| 5.1.3.1.35A   | Outgoing Session ID .....                             | 76 |
| 5.1.3.1.36    | Private User ID .....                                 | 76 |
| 5.1.3.1.37    | Real Time Tariff Information .....                    | 76 |
| 5.1.3.1.38    | Record Closure Time .....                             | 77 |
| 5.1.3.1.39    | Record Extensions .....                               | 77 |
| 5.1.3.1.40    | Record Opening Time .....                             | 77 |
| 5.1.3.1.41    | Record Sequence Number .....                          | 77 |
| 5.1.3.1.42    | Record Type .....                                     | 77 |
| 5.1.3.1.42A   | Related IMS Charging Identifier .....                 | 77 |
| 5.1.3.1.42B   | Related IMS Charging Identifier Generation Node ..... | 77 |
| 5.1.3.1.42A   | Relationship Mode .....                               | 77 |
| 5.1.3.1.43    | Requested Party Address .....                         | 77 |
| 5.1.3.1.44    | Retransmission .....                                  | 77 |
| 5.1.3.1.45    | Role of Node .....                                    | 78 |
| 5.1.3.1.45A   | Route header received .....                           | 78 |
| 5.1.3.1.45B   | Route header transmitted .....                        | 78 |
| 5.1.3.1.46    | SDP Answer Timestamp .....                            | 78 |
| 5.1.3.1.47    | SDP Media Components .....                            | 78 |
| 5.1.3.1.48    | SDP Media Description: .....                          | 78 |
| 5.1.3.1.49    | SDP Media Name .....                                  | 79 |

|             |                                                  |    |
|-------------|--------------------------------------------------|----|
| 5.1.3.1.50  | SDP Offer Timestamp .....                        | 79 |
| 5.1.3.1.51  | SDP Session Description .....                    | 79 |
| 5.1.3.1.52  | SDP Type .....                                   | 79 |
| 5.1.3.1.53  | Served Party IP Address .....                    | 79 |
| 5.1.3.1.54  | Service Delivery End Time Stamp .....            | 79 |
| 5.1.3.1.54A | Service Delivery End Time Stamp Fraction .....   | 79 |
| 5.1.3.1.55  | Service Delivery Start Time Stamp .....          | 79 |
| 5.1.3.1.55A | Service Delivery Start Time Stamp Fraction ..... | 80 |
| 5.1.3.1.56  | Service ID .....                                 | 80 |
| 5.1.3.1.57  | Service Reason Return Code .....                 | 80 |
| 5.1.3.1.58  | Service Request Timestamp .....                  | 80 |
| 5.1.3.1.58A | Service Request Timestamp Fraction .....         | 80 |
| 5.1.3.1.58B | Session Direction .....                          | 80 |
| 5.1.3.1.59  | Session ID .....                                 | 80 |
| 5.1.3.1.60  | Session Priority .....                           | 80 |
| 5.1.3.1.61  | SIP Method .....                                 | 80 |
| 5.1.3.1.62  | SIP Request Timestamp .....                      | 80 |
| 5.1.3.1.63  | SIP Request Timestamp Fraction .....             | 80 |
| 5.1.3.1.64  | SIP Response Timestamp .....                     | 80 |
| 5.1.3.1.65  | SIP Response Timestamp Fraction .....            | 81 |
| 5.1.3.1.66  | S-CSCF Information .....                         | 81 |
| 5.1.3.1.66A | Status .....                                     | 81 |
| 5.1.3.1.66B | TAD Identifier .....                             | 81 |
| 5.1.3.1.67  | Tariff Information .....                         | 81 |
| 5.1.3.1.68  | Tariff XML .....                                 | 81 |
| 5.1.3.1.68A | Transcoder Inserted Indication .....             | 81 |
| 5.1.3.1.68B | Transit IOI List .....                           | 81 |
| 5.1.3.1.69  | Trunk Group ID Incoming/Outgoing .....           | 81 |
| 5.1.3.1.69A | User Location Information .....                  | 81 |
| 5.1.3.1.70  | VLR Number .....                                 | 81 |
| 5.1.4       | Service level CDR parameters .....               | 82 |
| 5.1.4.1     | MMS CDR parameters .....                         | 82 |
| 5.1.4.1.0   | Introduction .....                               | 82 |
| 5.1.4.1.1   | 3GPP MMS Version .....                           | 82 |
| 5.1.4.1.2   | Access Correlation .....                         | 82 |
| 5.1.4.1.3   | Acknowledgement Request .....                    | 82 |
| 5.1.4.1.4   | Attributes List .....                            | 82 |
| 5.1.4.1.5   | Billing Information .....                        | 82 |
| 5.1.4.1.6   | Charge Information .....                         | 82 |
| 5.1.4.1.7   | Content Type .....                               | 83 |
| 5.1.4.1.8   | Delivery Report Requested .....                  | 83 |
| 5.1.4.1.9   | Duration of Transmission .....                   | 83 |
| 5.1.4.1.10  | Earliest Time of Delivery .....                  | 83 |
| 5.1.4.1.11  | Forward Counter .....                            | 83 |
| 5.1.4.1.12  | Forwarding Address .....                         | 83 |
| 5.1.4.1.13  | Forwarding MMS Relay/Server Address .....        | 83 |
| 5.1.4.1.14  | Limit .....                                      | 83 |
| 5.1.4.1.15  | Linked ID .....                                  | 83 |
| 5.1.4.1.16  | Local Record Sequence Number .....               | 83 |
| 5.1.4.1.17  | Managing Address .....                           | 84 |
| 5.1.4.1.18  | Message Class .....                              | 84 |
| 5.1.4.1.19  | Message Distribution Indicator .....             | 84 |
| 5.1.4.1.20  | Message ID .....                                 | 84 |
| 5.1.4.1.21  | Message Reference .....                          | 84 |
| 5.1.4.1.22  | Message selection .....                          | 84 |
| 5.1.4.1.23  | Message Size .....                               | 84 |
| 5.1.4.1.24  | MMS Storage Information .....                    | 84 |
| 5.1.4.1.25  | MM component list .....                          | 85 |
| 5.1.4.1.26  | MM Date and Time .....                           | 85 |
| 5.1.4.1.27  | MM Listing .....                                 | 85 |
| 5.1.4.1.28  | MM Status Code .....                             | 85 |
| 5.1.4.1.28A | MS Time Zone .....                               | 85 |

|            |                                           |    |
|------------|-------------------------------------------|----|
| 5.1.4.1.29 | MSCF Information .....                    | 85 |
| 5.1.4.1.30 | Originator Address .....                  | 85 |
| 5.1.4.1.31 | Originator MMS Relay/Server Address ..... | 85 |
| 5.1.4.1.32 | Priority .....                            | 85 |
| 5.1.4.1.33 | Quotas .....                              | 85 |
| 5.1.4.1.34 | Quotas requested .....                    | 86 |
| 5.1.4.1.35 | Read Reply Requested .....                | 86 |
| 5.1.4.1.36 | Read Status .....                         | 86 |
| 5.1.4.1.37 | Recipient Address .....                   | 86 |
| 5.1.4.1.38 | Recipient MMS Relay/Server Address .....  | 86 |
| 5.1.4.1.39 | Recipients Address List .....             | 86 |
| 5.1.4.1.40 | Record Extensions .....                   | 86 |
| 5.1.4.1.41 | Record Time Stamp .....                   | 86 |
| 5.1.4.1.42 | Record Type .....                         | 86 |
| 5.1.4.1.43 | Reply Charging .....                      | 86 |
| 5.1.4.1.44 | Reply Charging ID .....                   | 86 |
| 5.1.4.1.45 | Reply Charging Size .....                 | 87 |
| 5.1.4.1.46 | Reply Deadline .....                      | 87 |
| 5.1.4.1.47 | Report allowed .....                      | 87 |
| 5.1.4.1.48 | Request Status code .....                 | 87 |
| 5.1.4.1.49 | Routeing Address .....                    | 87 |
| 5.1.4.1.50 | Routeing Address List .....               | 87 |
| 5.1.4.1.51 | Sender Address .....                      | 87 |
| 5.1.4.1.52 | Sender Visibility .....                   | 87 |
| 5.1.4.1.53 | Service code .....                        | 87 |
| 5.1.4.1.54 | Start .....                               | 88 |
| 5.1.4.1.55 | Status Text .....                         | 88 |
| 5.1.4.1.56 | Submission Time .....                     | 88 |
| 5.1.4.1.57 | Time of Expiry .....                      | 88 |
| 5.1.4.1.58 | Totals .....                              | 88 |
| 5.1.4.1.59 | Totals requested .....                    | 88 |
| 5.1.4.1.60 | Upload Time .....                         | 88 |
| 5.1.4.1.61 | VAS ID .....                              | 88 |
| 5.1.4.1.62 | VASP ID .....                             | 88 |
| 5.1.4.2    | LCS CDR parameters .....                  | 88 |
| 5.1.4.2.0  | Introduction .....                        | 88 |
| 5.1.4.2.1  | Home GMLC Identity .....                  | 88 |
| 5.1.4.2.2  | LCS Client Identity .....                 | 88 |
| 5.1.4.2.3  | LCS Client Type .....                     | 88 |
| 5.1.4.2.4  | LCS Priority .....                        | 89 |
| 5.1.4.2.5  | Location Estimate .....                   | 89 |
| 5.1.4.2.6  | Location Type .....                       | 89 |
| 5.1.4.2.7  | Positioning Data .....                    | 89 |
| 5.1.4.2.8  | Provider Error .....                      | 89 |
| 5.1.4.2.9  | Requesting GMLC Identity .....            | 89 |
| 5.1.4.2.10 | Result code .....                         | 89 |
| 5.1.4.2.11 | Target IMSI .....                         | 89 |
| 5.1.4.2.12 | Target MSISDN .....                       | 89 |
| 5.1.4.2.13 | User Error .....                          | 89 |
| 5.1.4.2.14 | Visited GMLC Identity .....               | 90 |
| 5.1.4.3    | PoC CDR parameters .....                  | 90 |
| 5.1.4.3.0  | Introduction .....                        | 90 |
| 5.1.4.3.1  | Called Party Address .....                | 90 |
| 5.1.4.3.2  | Charged Party .....                       | 90 |
| 5.1.4.3.3  | List of Talk Burst Exchange .....         | 90 |
| 5.1.4.3.4  | Number of participants .....              | 91 |
| 5.1.4.3.5  | Participant Access Priority .....         | 91 |
| 5.1.4.3.6  | Participants involved .....               | 91 |
| 5.1.4.3.7  | PoC controlling address .....             | 91 |
| 5.1.4.3.8  | PoC Event Type .....                      | 91 |
| 5.1.4.3.9  | PoC group name .....                      | 91 |
| 5.1.4.3.10 | PoC session id .....                      | 91 |

|            |                                         |    |
|------------|-----------------------------------------|----|
| 5.1.4.3.11 | PoC session initiation type .....       | 91 |
| 5.1.4.3.12 | PoC session type.....                   | 91 |
| 5.1.4.3.13 | User location info .....                | 91 |
| 5.1.4.3.14 | User Participating Type .....           | 91 |
| 5.1.4.4    | MBMS CDR parameters .....               | 92 |
| 5.1.4.4.0  | Introduction .....                      | 92 |
| 5.1.4.4.1  | CN IP Multicast Distribution.....       | 92 |
| 5.1.4.4.2  | MBMS 2G 3G Indicator .....              | 92 |
| 5.1.4.4.2A | MBMS Data Transfer Start.....           | 92 |
| 5.1.4.4.2B | MBMS Data Transfer Stop.....            | 92 |
| 5.1.4.4.3  | MBMS GW Address .....                   | 92 |
| 5.1.4.4.4  | MBMS Service Area .....                 | 92 |
| 5.1.4.4.5  | MBMS Service Type .....                 | 92 |
| 5.1.4.4.6  | MBMS Session Identity .....             | 92 |
| 5.1.4.4.7  | Required MBMS Bearer Capabilities ..... | 92 |
| 5.1.4.4.8  | TMGI.....                               | 92 |
| 5.1.4.5    | MMTel CDR parameters.....               | 93 |
| 5.1.4.5.0  | Introduction .....                      | 93 |
| 5.1.4.5.1  | Associated Party Address .....          | 93 |
| 5.1.4.5.2  | List of Supplementary services.....     | 93 |
| 5.1.4.5.3  | Number Of Diversions .....              | 93 |
| 5.1.4.5.4  | Participant Action Type.....            | 94 |
| 5.1.4.5.5  | Service Mode.....                       | 94 |
| 5.1.4.5.6  | Service Type.....                       | 94 |
| 5.1.4.5.7  | Void.....                               | 94 |
| 5.1.4.6    | SMS CDR parameters .....                | 94 |
| 5.1.4.6.0  | Introduction .....                      | 94 |
| 5.1.4.6.1  | Event Timestamp.....                    | 94 |
| 5.1.4.6.1A | External Identifier.....                | 94 |
| 5.1.4.6.2  | Local Record Sequence Number .....      | 94 |
| 5.1.4.6.3  | Message Class .....                     | 94 |
| 5.1.4.6.4  | Message Reference .....                 | 94 |
| 5.1.4.6.5  | Message Size .....                      | 94 |
| 5.1.4.6.6  | MTC IWF Address .....                   | 95 |
| 5.1.4.6.7  | Originator IMSI .....                   | 95 |
| 5.1.4.6.8  | Originator Info.....                    | 95 |
| 5.1.4.6.9  | Originator MSISDN .....                 | 95 |
| 5.1.4.6.10 | Originator Other Address.....           | 95 |
| 5.1.4.6.11 | Originator Received Address.....        | 95 |
| 5.1.4.6.12 | Originator SCCP Address.....            | 95 |
| 5.1.4.6.13 | RAT Type.....                           | 95 |
| 5.1.4.6.14 | Recipient IMSI .....                    | 95 |
| 5.1.4.6.15 | Recipient Info .....                    | 95 |
| 5.1.4.6.16 | Recipient MSISDN.....                   | 96 |
| 5.1.4.6.17 | Recipient Other Address.....            | 96 |
| 5.1.4.6.18 | Recipient Received Address.....         | 96 |
| 5.1.4.6.19 | Recipient SCCP Address .....            | 96 |
| 5.1.4.6.20 | Record Type .....                       | 96 |
| 5.1.4.6.21 | Record Extensions .....                 | 96 |
| 5.1.4.6.22 | Served IMEI .....                       | 96 |
| 5.1.4.6.23 | SM Data Coding Scheme .....             | 96 |
| 5.1.4.6.24 | SM Delivery Report Requested.....       | 96 |
| 5.1.4.6.25 | SM Destination Interface.....           | 96 |
| 5.1.4.6.26 | SM Device Trigger Indicator.....        | 96 |
| 5.1.4.6.27 | SM Device Trigger information .....     | 97 |
| 5.1.4.6.28 | SM Discharge Time.....                  | 97 |
| 5.1.4.6.29 | SM DT Priority Indication.....          | 97 |
| 5.1.4.6.30 | SM DT Reference Number.....             | 97 |
| 5.1.4.6.31 | SM DT Validity Period .....             | 97 |
| 5.1.4.6.32 | SM Message Type .....                   | 97 |
| 5.1.4.6.33 | SM Originator Interface.....            | 97 |
| 5.1.4.6.34 | SM Originator Protocol Id.....          | 97 |

|             |                                                                                  |     |
|-------------|----------------------------------------------------------------------------------|-----|
| 5.1.4.6.35  | SM Priority .....                                                                | 97  |
| 5.1.4.6.36  | SM Recipient Protocol Id .....                                                   | 97  |
| 5.1.4.6.37  | SM Reply Path Requested .....                                                    | 98  |
| 5.1.4.6.38  | SMS Application Port ID .....                                                    | 98  |
| 5.1.4.6.39  | SM Sequence Number .....                                                         | 98  |
| 5.1.4.6.40  | SM Serving Node .....                                                            | 98  |
| 5.1.4.6.41  | Void .....                                                                       | 98  |
| 5.1.4.6.42  | Void .....                                                                       | 98  |
| 5.1.4.6.43  | SM Status .....                                                                  | 98  |
| 5.1.4.6.44  | SM Total Number .....                                                            | 98  |
| 5.1.4.6.45  | SM User Data Header .....                                                        | 98  |
| 5.1.4.6.45A | SMS Node Address .....                                                           | 98  |
| 5.1.4.6.45B | SMS Result .....                                                                 | 98  |
| 5.1.4.6.46  | Submission Time .....                                                            | 98  |
| 5.1.4.6.47  | UE Time Zone .....                                                               | 98  |
| 5.1.4.6.48  | User Location Info .....                                                         | 99  |
| 5.1.4.7     | ProSe CDR parameters .....                                                       | 99  |
| 5.1.4.7.0   | Introduction .....                                                               | 99  |
| 5.1.4.7.0A  | Announcing PLMN ID .....                                                         | 99  |
| 5.1.4.7.1   | Announcing UE HPLMN Identifier .....                                             | 99  |
| 5.1.4.7.2   | Announcing UE VPLMN Identifier .....                                             | 99  |
| 5.1.4.7.3   | Application ID .....                                                             | 99  |
| 5.1.4.7.4   | Cause for Record Closing .....                                                   | 99  |
| 5.1.4.7.5   | Direct Discovery Model .....                                                     | 99  |
| 5.1.4.7.5A  | Discoveree UE HPLMN Identifier .....                                             | 99  |
| 5.1.4.7.5B  | Discoveree UE VPLMN Identifier .....                                             | 99  |
| 5.1.4.7.5C  | Discoverer UE HPLMN Identifier .....                                             | 100 |
| 5.1.4.7.5D  | Discoverer UE VPLMN Identifier .....                                             | 100 |
| 5.1.4.7.6   | Layer two Group ID .....                                                         | 100 |
| 5.1.4.7.6A  | List of Application Specific Data .....                                          | 100 |
| 5.1.4.7.6B  | List of Coverage Info .....                                                      | 100 |
| 5.1.4.7.6C  | List of Radio Parameter Sets .....                                               | 100 |
| 5.1.4.7.7   | List of Reception Data Containers and List of Transmission Data Containers ..... | 100 |
| 5.1.4.7.7A  | List of Transmitters .....                                                       | 101 |
| 5.1.4.7.8   | Monitored PLMN Identifier .....                                                  | 101 |
| 5.1.4.7.9   | Monitoring UE PLMN Identifier .....                                              | 101 |
| 5.1.4.7.10  | Monitoring UE Identifier .....                                                   | 101 |
| 5.1.4.7.11  | Monitoring UE VPLMN Identifier .....                                             | 101 |
| 5.1.4.7.12  | Node ID .....                                                                    | 101 |
| 5.1.4.7.13  | PC Three Control Protocol Cause .....                                            | 101 |
| 5.1.4.7.14  | PC Three EPC Control Protocol Cause .....                                        | 101 |
| 5.1.4.7.15  | ProSe Application ID .....                                                       | 101 |
| 5.1.4.7.16  | ProSe Event Type .....                                                           | 102 |
| 5.1.4.7.17  | ProSe Function ID .....                                                          | 102 |
| 5.1.4.7.18  | ProSe Function IP Address .....                                                  | 102 |
| 5.1.4.7.19  | ProSe Function PLMN Identifier .....                                             | 102 |
| 5.1.4.7.20  | ProSe Group IP multicast address .....                                           | 102 |
| 5.1.4.7.21  | ProSe Reason for Cancellation .....                                              | 102 |
| 5.1.4.7.22  | ProSe Request Timestamp .....                                                    | 102 |
| 5.1.4.7.22A | ProSe Target Layer-2 ID .....                                                    | 102 |
| 5.1.4.7.23  | ProSe UE ID .....                                                                | 102 |
| 5.1.4.7.23A | ProSe UE-to-Network Relay UE ID .....                                            | 102 |
| 5.1.4.7.24  | Proximity Alert Indication .....                                                 | 102 |
| 5.1.4.7.25  | Proximity Alert Timestamp .....                                                  | 103 |
| 5.1.4.7.26  | Proximity Cancellation Timestamp .....                                           | 103 |
| 5.1.4.7.27  | Proximity Request Renewal Info Block List .....                                  | 103 |
| 5.1.4.7.28  | Range Class .....                                                                | 103 |
| 5.1.4.7.29  | Reason for Cancellation .....                                                    | 103 |
| 5.1.4.7.30  | Record Type .....                                                                | 103 |
| 5.1.4.7.30A | Relay IP address .....                                                           | 103 |
| 5.1.4.7.31  | Requested Application Layer User ID .....                                        | 103 |
| 5.1.4.7.32  | Requested PLMN Identifier .....                                                  | 103 |