

SLOVENSKI STANDARD SIST EN 190102:2002

01-september-2002

Family specification: TTL-Schottky digital integrated circuits

Family Specification: TTL-Schottky digital integrated circuits - Series 54S, 64S, 74S, 84S

Familienspezifikation: Digitale integrierte TTL-Schottky-Schaltungen - Serien 54S, 64S,

74S, 84S

Spécification de famille: Circuits intégrés logiques TTL Schottky - Séries 54S, 64S, 74S, 84S (standards.iteh.ai)

Ta slovenski standard je istoveten zi EN 190102:1994

e17814211417/sist-en-190102-2002

ICS:

31.200 Integrirana vezja, Integrated circuits.
mikroelektronika Microelectronics

SIST EN 190102:2002 en

SIST EN 190102:2002

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 190102:2002</u> https://standards.iteh.ai/catalog/standards/sist/92538eda-86e5-4636-9884-e17814211417/sist-en-190102-2002

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 190102

May 1994

UDC

Supersedes CECC 90102 Issue 2:1989 |

Descriptors: Quality, electronic components, TTL Schottky digital integrated circuits

English version

Family Specification: TTL Schottky Digital Integrated Circuits Series 54S, 64S, 74S, 84S

Spécification de famille: Circuits intégrés logiques TTL Schottky Séries 54S, 64S, 74S, 84S Familienspezifikation: Digitale integrierte TTL-Schottky-Schaltungen Serien 54S, 64S, 74S, 84S

This European Standard was approved by the CENELEC Electronic Components Committee (CECC) on 30 April 1994. CENELEC members are bound to comply with CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration ist-en-190102-2002

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the General Secretariat of the CECC or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CECC General Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and United Kingdom. The membership of the CECC is identical, with the exception of the national electrotechnical committees of Greece, Iceland and Luxembourg.

CECC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B-1050 Brussels

Foreword

The CENELEC Electronic Components Committee (CECC) is composed of those member countries of the European Committee for Electrotechnical Standardization (CENELEC) who wish to take part in a harmonized System for electronic components of assessed quality.

The object of the System is to facilitate international trade by the harmonization of the specifications and quality assessment procedures for electronic components, and by the grant of an internationally recognized Mark, or Certificate, of Conformity. The components produced under the System are thereby acceptable in all member countries without further testing.

This European Standard was prepared by CECC WG 9, "Integrated Circuits".

The text of the draft based on document CECC 90102 Issue 2:1989 (with A1) was submitted to the formal vote for conversion to a European Standard; together with the voting report, circulated as document CECC(Secretariat) 3535 it DARD PREVIEW was approved by CECC as EN 190102 on 30 April 1994.

The following dates were fixed:

- latest date of announcement (doa) 1994-09-06T EN 190102:2002 of the EN at national level/standards.iteh.ai/catalog/standards/sist/92538eda-86e5-4636-9884-
- latest date of publication of (dop) 1995-703-4011417/sist-en-190102-2002 an identical national standarda
- latest date of withdrawal of (dow) 1996-03-01 conflicting national standards^a

© BSI 10-1999

^a National Standard (excluding National implementation of IECQ Specifications)

CECC 90 102

Förderverein für Elektrotechnische Normung (FEN) e. V. Cenelec Electronic Components Committee



Système Harmonisé d'Assurance de la Qualité des Composants Electroniques

SPECIFICATION DE FAMILLE:

CIRCUITS INTEGRES
LOGIQUES TTL
SCHOTTKY

Séries 54S, 64S, 74S, 84S

iTeh STANDARD PREVIEW (standards.iteh.ai)

Harmonized System of Quality Assessment for https://stable.components/documents/stable.components/stable.components/e17814211417/sist-en-190102-2002

FAMILY SPECIFICATION:

TTL SCHOTTKY DIGITAL INTEGRATED CIRCUITS

Series 54S, 64S, 74S, 84S

Harmonisiertes Gütebestätigungssystem für Bauelemente der Elektronik

FAMILIEN-SPEZIFIKATION:

DIGITALE INTEGRIERTE TTL-SCHOTTKY-SCHALTUNGEN

Serien 54S, 64S, 74S, 84S

2

Edition Issue Ausgabe

CECC 90 102

1989

EN 190102:1994

Contents

	Page	
Foreword	iii	
1 Limiting conditions of use for the family	1	
2 Recommended operating conditions and associated	_	
characteristics for the family	1	
3 Test methods and procedures	2	
4 Inspection requirements	5	
Figure 1 — Diagram for switching parameters	2	
Figure 2 — Signal waveform at the input of the		
component under test		

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 190102:2002 https://standards.iteh.ai/catalog/standards/sist/92538eda-86e5-4636-9884e17814211417/sist-en-190102-2002

Foreword

The CENELEC Electronic Components Committee (CECC) is composed of those member countries of the European Committee for Electrotechnical Standardization (CENELEC) who wish to take part in a harmonized System for electronic components of assessed quality.

The object of the System is to facilitate international trade by the harmonization of the specifications and quality assessment procedures for electronic components, and by the grant of an internationally recognized Mark, or Certificate, of Conformity. The components produced under the System are thereby acceptable in all member countries without further testing.

This specification has been formally approved by the CECC, and has been prepared for those countries taking part in the System who wish to issue national harmonized specifications for TTL SCHOTTKY DIGITAL INTEGRATED CIRCUITS. It should be read in conjunction with the current regulations for the CECC System.

At the date of printing of this specification the member countries of the CECC are Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and the United Kingdom, and copies of it can be obtained from the addresses shown on the blue fly sheet.

Preface

This Family Specification was prepared by CECC WG9 "INTEGRATED CIRCUITS".

eIt is based, wherever possible, on the Publications of the International Electrotechnical Commission and in particular on IEC 747: Semiconductor devices: Discrete devices and integrated circuits, IEC 748: Semiconductor devices: Integrated circuits, IEC 749: Semiconductor devices: Mechanical and climatic test methods.

It contains general information on TTL Schottky digital integrated circuits and defines the common characteristics for this family of integrated circuits.

Together with the device type detail specification (DS) of a component usually prepared nationally, this family specification forms a complete detail specification.

The text of this second Issue consists of the text of CECC 90102 Issue 1 (1979) amended in accordance with the ratified new material introduced by the following document.

Document Date of Voting Report on the Voting CECC(Secretariat) 2231 April 1988 CECC(Secretariat) 2287

In accordance with the decision of the CECC Management Committee this specification is published initially in French and English. The German text will follow as soon as it has been prepared.

Effective date

This second Issue of CECC 90102 shall become effective for all new qualification approvals on 15 November 1989. Issue 1 will continue to remain effective to cover all past approvals.

© BSI 10-1999

CECC 90 102



ISSUE 2 - 1989

Page 3

Total number of pages: 17

ELECTRONIC COMPONENTS OF ASSESSED QUALITY IN ACCORDANCE WITH:

CECC 90 000: Generic specification for Monolithic integrated circuits (GS) CECC 90 100: Sectional specification for Digital monolithic integrated circuits (SS)

OUTLINE AND DIMENSIONS: (See DS for the specific type)

TERMINAL CONNECTIONS (See DS for the specific type)

FAMILY SPECIFICATION FOR TTL SCHOTTKY DIGITAL INTEGRATED CIRCUITS

Series 54 S, 64 S, 74 S, 84 S

iTeh STAND

(standa

NOTE: This family specification shall be completed by a DS in accordance with this specification covering one or more specific types of circuits.

SIST EN 190102:2002

https://standards.iteh.ai/catalog/st e1781421141 lants/sict/92538erta_86e5_4636_9

TYPICAL CONSTRUCTION:

Silicon monolithic bipolar integrated circuits, cavity/non-cavity packages.

CAUTION: These are electrostatic sensitive devices.

ASSESSMENT LEVELS: P, Y, L

CONTENTS

54 S, 64 S, 74 S, 84 S

- 1 LIMITING CONDITIONS OF USE FOR THE FAMILY
- 2 RECOMMENDED OPERATING CONDITIONS AND ASSOCIATED CHARACTERISTICS FOR THE FAMILY
- 3 TEST METHODS AND PROCEDURES
- 4 INSPECTION REQUIREMENTS

Information about manufacturers who have components qualified to a detail specification written in accordance with this family specification is available in the current CECC 00 200: Qualified Products List.

1 Limiting conditions of use for the family

(Not for inspection purposes)

1.1 Maximum continuous supply voltage

$$V_{CC}$$
: - 0,5 V + 7,0 V

1.2 Maximum input voltages

1.2.1 Max. input voltage

$$V_{I}$$
: - 0,5 V + 5,5V

1.2.2 Max. input voltage between multiple emitter transistor inputs

 V_{II} : + 5,5 V

1.3 Minimum and maximum operating ambient temperatures

T_{amb} (°C)	54 S	64 S	74 S	84 S
min.	- 55	- 40	0	- 25
max.	+ 125	+ 85	+ 70	+ 85

1.4 Minimum and maximum storage temperatures REVIEW

$$\left. \begin{array}{l} T_{stg}:-65~^{\circ}C~min. \\ +150~^{\circ}C~max. \end{array} \right\}$$
 (unless otherwise specified in the DS) ai

2 Recommended operating conditions and associated characteristics for the family e17814211417/sist-en-190102-2002

(Not for inspection purposes)

(See also relevant DS)

These conditions apply to the total operating temperature range, unless otherwise prescribed.

2.1 Positive supply voltage

V_{CC}: 4,5 to 5,5 V (54 S)

2.2 Most negative low level input voltage at an input current $I_{IK} = -18 \text{ mA}$

 V_{IKB} : - 1,2 V

2.3 Minimum low level input voltage

VII.B: 0 V

2.4 Maximum low level input voltage

 V_{ILA} : 0,8 V

2.5 Minimum high level input voltage

VIHR: 2V

2.6 Maximum high level input voltage

 V_{IHA} : 5,5 V

2.7 Most positive low level output voltage at an output current of 2 mA \times the higher fanout (unless otherwise prescribed in the DS)

V_{OLA}: 0,5 V