

ETSI TS 102 658 V2.6.1 (2019-01)



Digital Private Mobile Radio (dPMR) using FDMA with a channel spacing of 6,25 kHz

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/89-129-451a-a123-8a6069f55efb/etsi-ts-102-658-v2.6.1-2019-01>

ReferenceRTS/ERM-TGDMM-375

Keywords

air interface, digital, FDMA, PMR, protocol, radio

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	14
Foreword.....	14
Modal verbs terminology.....	14
1 Scope	15
2 References	15
2.1 Normative references	15
2.2 Informative references.....	16
3 Definition of terms, symbols and abbreviations.....	16
3.1 Terms.....	16
3.2 Symbols.....	18
3.3 Abbreviations	18
4 Overview	20
4.0 General	20
4.1 Protocol architecture.....	21
4.1.0 General.....	21
4.1.1 Air Interface Physical Layer (layer 1).....	21
4.1.2 Air Interface Data Link Layer (layer 2).....	22
4.1.3 Air Interface Call Control Layer (layer 3)	22
4.1.4 Architectural Configurations	22
4.1.4.0 General	22
4.1.4.1 Peer-to-Peer Direct Network (Mode 1).....	23
4.1.4.2 Centralized Repeater Network (Mode 2).....	23
4.1.4.3 Managed Centralized Repeater Network (Mode 3).....	24
4.1.4.3.0 General	24
4.1.4.3.1 Beacon Channel.....	24
4.1.4.3.2 Traffic Channel.....	24
4.1.4.4 Services available.....	24
4.1.5 Channel Access Mechanisms.....	25
4.1.5.0 General	25
4.1.5.1 User Services.....	25
4.1.5.1.0 General	25
4.1.5.1.1 Voice calls	25
4.1.5.1.2 Status delivery	25
4.1.5.1.3 Status Polling Request.....	26
4.1.5.1.4 Short Data Delivery	26
4.1.5.1.5 Short Data Polling	26
4.1.5.1.6 Type 1 data	26
4.1.5.1.7 Type 2 data	26
4.1.5.1.8 Type 3 (packet) data	26
4.1.5.2 Random Access (Mode 1, Mode 2).....	26
4.1.5.3 Regulated Random Access (Mode 3).....	27
4.1.5.4 Polling.....	27
4.1.5.5 Beacon Signal	27
4.2 FDMA Structure.....	27
4.2.1 Overview of the transmission structure	27
4.2.2 Transmission format	28
4.2.2.0 General	28
4.2.2.1 Traffic Channel Message Frame	28
4.2.2.2 Traffic Channel Payload Frame	28
4.2.2.2.0 General	28
4.2.2.2.1 Traffic Channel Superframe	28
4.2.2.3 Traffic Channel Packet Data Header Frame.....	29
4.2.2.4 Traffic Channel End Frame.....	29
4.2.2.5 Beacon SYScast Frame	29

4.2.2.6	Appended Data Frame.....	30
4.2.3	Transmission sequences.....	30
4.2.3.1	Traffic Channel Voice or data payload item transmission	30
4.2.3.2	Traffic Channel Call set up, service request, etc	30
4.2.3.3	Traffic Channel Acknowledgement	30
4.2.3.4	Traffic Channel Status request acknowledgements:.....	31
4.2.3.5	Traffic Channel Disconnection:	31
4.2.3.6	Traffic Channel Preservation Message.....	31
4.2.3.7	Mode 3 Beacon Channel	31
4.2.3.8	Mode 1 Call Exchange	31
4.2.3.8.1	Mode 1 Voice Call.....	31
4.2.3.8.2	Mode 1 Data Call.....	33
4.2.3.9	Mode 2 Call Exchange	34
4.2.3.10	Co-channel BS networks	34
4.2.3.11	Mode 3 Operation	35
4.3	Addressing.....	37
4.4	Unified Data Transport Mechanism	37
4.5	Complementary Data.....	37
4.5.0	General.....	37
4.5.1	Support for Voice and Data call services.....	38
4.5.2	Transport of complementary data for MS control.....	38
5	Frame coding.....	38
5.0	General	38
5.1	Payload Frame [T].....	40
5.2	Message_Frame [BT].....	40
5.2.0	General.....	40
5.2.1	Communications_Start Header [T]	41
5.2.1.0	General	41
5.2.1.1	Concatenated Superframe to a Communications_Start Header[T]	42
5.2.2	Connection_Request Header [T].....	43
5.2.2.0	General	43
5.2.2.1	Called Party Check [T].....	43
5.2.2.2	Repeat Last Ack(RLA) [T]	44
5.2.2.3	Short Data Delivery Header message [T].....	44
5.2.2.4	Call Diversion [T]	45
5.2.3	Disconnect_Request Header [T]	45
5.2.4	T_ACK B_ACK Message [T]	45
5.2.4.0	General	45
5.2.4.1	Message Information for acknowledgements.....	46
5.2.5	Maintenance_Message [T].....	46
5.2.5.0	General	46
5.2.5.1	Idle Message [T]	47
5.2.5.2	Preservation message	47
5.2.5.3	Guard_Message [T].....	48
5.2.6	System_Request Header [T]	48
5.2.7	ACK header response to a System Request [T].....	49
5.2.8	System Delivery Header [T]	49
5.2.9	Mode 1 and Mode 2 Status Messages [T].....	49
5.2.10	Status Polling Request Message [T]	50
5.2.11	BS_Command header(U) and response(D) [T].....	50
5.2.12	BS_Access header(U) and response(D) [T].....	51
5.2.13	Broadcast Messages [B] [T].....	51
5.2.13.0	General	51
5.2.13.1	Broadcast Aloha Message [B].....	52
5.2.13.2	Broadcast Announcements [B].....	53
5.2.13.2.0	General	53
5.2.13.2.1	Broadcast Announcement - Call Timers [B]	54
5.2.13.2.2	Broadcast Announcement - Vote Now [B].....	54
5.2.13.2.3	Broadcast Announcement - Mass Registration [B]	55
5.2.13.2.4	Broadcast Announcement - Real Time [B].....	55
5.2.13.3	Move Channel Broadcast [BT]	56

5.2.13.4	Goto Channel Broadcast [BT].....	56
5.2.13.5	Ambience Listening [T].....	56
5.2.14	AHOY/Random Access Request Message [B].....	58
5.2.14.0	General.....	58
5.2.14.1	B_AHOY Message Downlink [B].....	58
5.2.14.2	Random Access Request Uplink [B].....	60
5.2.15	UDT Header messages [B].....	61
5.3	End_Frame.....	62
5.4	Packet Data Header [T].....	63
5.5	Field Descriptions.....	63
5.5.0	General.....	63
5.5.1	Active ACTIVE [B].....	64
5.5.2	Appended_Data [BT].....	64
5.5.3	ARQ [T].....	64
5.5.4	Backoff [B].....	65
5.5.5	Call Timers [BT].....	65
5.5.6	Communication format [BT].....	66
5.5.7	Communication Mode [BT].....	67
5.5.8	COMP [B].....	67
5.5.9	Continuation_Flag [T].....	67
5.5.10	Day of Week(DAYSOFF_WEEK) [B].....	68
5.5.11	Digits [BT].....	68
5.5.12	Emergency Priority [BT].....	68
5.5.13	End_Type [T].....	69
5.5.14	Frame numbering [T].....	69
5.5.15	Frequency Definitions FR, FT, SEP, BAND [BT].....	70
5.5.16	Guard_Kind [T].....	70
5.5.17	Long [B].....	71
5.5.18	Mask [B].....	71
5.5.19	Message Information [BT].....	71
5.5.19.0	General.....	71
5.5.19.1	Message Information for Powersave [T].....	72
5.5.19.2	Message Information for Types 1 and 2 data [T].....	72
5.5.19.3	Message Information for Type 3 (packet) data [T].....	73
5.5.19.4	Message Information for system transactions [T].....	73
5.5.19.5	Message Information for B_ACK T_ACK acknowledgements [BT].....	74
5.5.19.6	Message Information for Broadcast headers [BT].....	74
5.5.19.7	Message Information for BS Command headers [T].....	75
5.5.19.8	Message Information for additional services [B].....	75
5.5.20	Message_Type [BT].....	76
5.5.21	Month B_MONTH.....	76
5.5.22	NRand_Wait [B].....	76
5.5.23	Preservation_Message PM [T].....	77
5.5.24	POL_FMT [B].....	77
5.5.25	Reason [BT].....	77
5.5.26	Reg [B].....	80
5.5.27	Reserved [BT].....	80
5.5.28	Service Function [B].....	80
5.5.29	SLD format [T].....	81
5.5.29.1	SLow Data in the voice superframe.....	81
5.5.29.2	SLow Data field use with Type 1 or 2 data.....	81
5.5.30	Status.....	82
5.5.30.1	Status for Mode 1 and Mode 2 systems [T].....	82
5.5.30.2	Status for Mode 3 systems[B].....	82
5.5.31	SYMB [BT].....	82
5.5.32	SYScast [B].....	82
5.5.32.0	General.....	82
5.5.32.1	SYScast1 [B].....	82
5.5.32.2	SYScast2 or SYScast3 [B].....	83
5.5.32.2.0	General.....	83
5.5.32.2.1	SYScast2 or SYScast3 Call Timer MS to MS [B].....	83
5.5.32.2.2	Call Timer for line connected calls and packet data [B].....	83

5.5.32.2.3	SYScast2 or SYScast3 Real Time [B].....	83
5.5.32.2.4	SYScast2 or SYScast3 Common Frame Counter [B].....	84
5.5.32.2.5	SYScast2, SYScast3 Calling Party Address [B].....	84
5.5.33	System Identity Code [B]	85
5.5.34	Tx_Wait [T]	85
5.5.35	UAD [BT].....	85
5.5.36	UDT_Format [BT].....	86
5.5.37	Version [BT].....	86
5.5.38	Vote Now Advice Parameters [B]	86
5.5.39	Withdrawn W [B]	86
5.6	Appended_Data Messages [BT].....	87
5.6.0	General.....	87
5.6.1	Appended_Data MS ID Format	87
5.6.2	Appended_Data Binary Format	87
5.6.3	Appended_Data BCD Format.....	88
5.6.4	Appended_Data (ISO 7 bit character set Format).....	88
5.6.5	Appended_Data (ISO 8 bit character set format).....	89
5.6.6	Appended_Data NMEA (IEC EN 61162-1) format.....	89
5.6.7	Appended_Data IPV4 format	90
5.6.8	Appended_Data IPV6 format	90
5.6.9	Appended_Data Filler.....	90
6	Synchronization.....	91
6.1	Frame synchronization	91
6.1.1	FS1.....	91
6.1.2	FS2.....	91
6.1.3	FS3.....	91
6.1.4	FS4.....	91
6.1.5	Channel Code.....	91
6.1.5.0	General.....	91
6.1.5.1	Channel Code for Mode 1 and Mode 2 Systems.....	93
6.1.5.2	Channel Code for Mode 3 Systems.....	93
6.1.5.2.0	General	93
6.1.5.2.1	Channel Code Determined by Frequency.....	93
6.1.5.2.2	Channel Code Determined by Frequency and System Identity Code.....	93
6.1.6	Preamble	95
7	Interleaving and FEC coding.....	95
7.1	CRC addition.....	95
7.2	Hamming code	95
7.3	Scrambling	96
7.4	Interleaving.....	96
7.5	FEC coding of CCH (superframe).....	97
7.6	FEC coding of MI (message info') and HI (header info')	97
7.7	FEC coding of END information	98
7.8	FEC coding of Appended Data.....	98
8	Bearer Services, tele-services and supplementary services.....	98
8.0	General	98
8.1	Call types.....	99
8.1.1	Individual call	99
8.1.2	Group call	100
8.2	Addressing.....	100
8.3	Channel Codes.....	100
8.4	Messages	100
8.4.1	Downlink Traffic Channel messages	100
8.4.2	Uplink Traffic Channel messages.....	101
8.4.3	Downlink Beacon messages	101
8.4.4	Uplink Beacon messages	102
9	Packet data.....	102
9.1	Format	102
9.2	Receiving party	103

9.3	Packet frame coding	104
9.4	Data frame size	104
9.5	Valid data length	105
9.6	Data checksum	105
9.7	Standard Packet Exchange Format	105
10	Call procedures.....	107
10.0	General	107
10.1	Call procedures for Mode 1	108
10.1.0	General.....	108
10.1.1	Common procedures for Mode 1 Voice and Data calls	109
10.1.1.1	Mode 1 Call set up.	109
10.1.2	Mode 1 Voice calls	110
10.1.2.1	Mode 1 Voice Call in progress.....	110
10.1.2.2	Mode 1 Voice Call with Slow Data	111
10.1.2.3	Mode 1 Voice Call with Attached Data	111
10.1.2.4	Mode 1 Voice Call Termination.....	111
10.1.3	Mode 1 Data Calls	112
10.1.3.0	General	112
10.1.3.1	Mode 1 T1 and T2 Data calls	112
10.1.3.2	Mode 1 T3 (Packet) Data Calls.....	113
10.1.3.3	Mode 1 Individual Status Code polling.....	116
10.1.3.4	Mode 1 Short Data Delivery	117
10.1.4	Mode 1 Traffic Channel Powersave	119
10.1.4.0	General	119
10.1.4.1	Transmitted format.....	119
10.1.4.2	Receive format	120
10.2	Call procedures for Mode 2.....	120
10.2.0	General.....	120
10.2.1	Mode 2 MS to MS Call set up	121
10.2.2	Mode 2 MS to MS Voice Calls.....	122
10.2.3	Mode 2 Data Calls	123
10.2.3.1	Mode 2 T1 and T2 Data Calls	123
10.2.3.2	Mode 2 T3 (Packet) Data Calls	124
10.2.3.3	MS to MS Status request and responses.....	124
10.2.3.4	MS to MS Short Data.....	126
10.2.4	Mode 2 MS Mode 2 Call Diversion	127
10.2.4.0	General	127
10.2.4.1	Setting the diversion.....	129
10.2.4.2	Cancelling the diversion.....	129
10.2.5	Mode 2 Connection to line connected destinations.....	129
10.2.5.0	General	129
10.2.5.1	Voice Call Connection_Request message	131
10.2.5.2	Call Matrix for calls to line connected destinations	131
10.2.6	Mode 2 calls from line connected sources	132
10.2.6.0	General	132
10.2.6.1	Call Matrix for calls from line connected destinations	132
10.2.7	Mode 2 Co-channel repeater networks	133
10.2.7.0	General	133
10.2.7.1	MS originated repeater polling.....	133
10.2.7.1.0	General	133
10.2.7.1.1	Description of the messages	134
10.2.7.2	BS originated repeater polling.....	135
10.2.7.2.0	General	135
10.2.7.2.1	Description of the messages	135
10.2.7.3	Access and Response timing	136
10.3	Call Procedures for Mode 3.....	137
10.3.0	General.....	137
10.3.1	Mode 3 UDT Mechanism	137
10.3.1.0	General	137
10.3.1.1	Format of the Appended_Data	139
10.3.1.2	UDT Structure.....	140

10.3.1.2.1	UDT Content for Services Carried on the Downlink channel	140
10.3.1.2.2	UDT Mechanism for the Uplink channel	141
10.3.1.3	Single Part and Multi-part call set-up	141
10.3.1.4	MS behaviour to B_AHOY messages.....	141
10.3.2	Mode 3 call examples	142
10.3.2.1	An individual voice call example.....	142
10.3.2.2	A Mode 3 group call example	143
10.3.2.3	Mode 3 Short Data call example	144
10.3.2.4	Mode 3 Call to PABX/PSTN example.....	144
10.3.2.5	Mode 3 Call from the PABX/PSTN example	145
10.3.2.6	Mode 3 transport of complementary data example	146
10.3.2.7	Mode 3 transport of complementary data and an extended address example.	146
10.3.2.8	Mode 3 Refusal of Service.....	147
10.3.3	Mode 3 Detailed Call procedures	148
10.3.3.0	General.....	148
10.3.3.1	Mode 3 Procedures common to Voice calls and Data Calls.....	148
10.3.3.1.1	Availability of requesting MS	148
10.3.3.1.2	Call Cancellation	148
10.3.3.1.3	Acknowledgements sent to calling MS	148
10.3.3.1.4	Maintenance of call progress waiting timers	149
10.3.3.1.5	Traffic Channel Assignment.....	149
10.3.4	Mode 3 Voice Call Procedures	150
10.3.4.0	General	150
10.3.4.1	Voice Call Procedures for the BS	151
10.3.4.1.0	General	151
10.3.4.1.1	BS Response to single-part voice call set-up.....	151
10.3.4.1.2	BS Response to multi-part voice call set-up.....	151
10.3.4.1.3	Acknowledgements sent by the BS to the calling MS (voice).....	152
10.3.4.1.4	Voice Radio Check.....	152
10.3.4.1.5	Availability Check for Voice Calls connected through Gateways	152
10.3.4.2	Voice Call Procedures for MS	153
10.3.4.2.0	General	153
10.3.4.2.1	Initiating a single-part voice call service.....	153
10.3.4.2.2	Response to the single-part individual voice service request	153
10.3.4.2.3	Initiating a multi-part voice call service	154
10.3.4.2.4	Response to the multi-part voice service request.....	154
10.3.4.2.5	Acknowledgements received by the calling MS (voice)	154
10.3.4.2.6	Availability Check to the called MS (voice)	155
10.3.4.2.7	Traffic Channel Allocation.....	155
10.3.4.3	Procedures for the Voice Traffic Channel.....	156
10.3.4.3.0	General	156
10.3.4.3.1	BS Procedures for the Voice Traffic Channel	156
10.3.4.3.2	MS Procedures for the Voice Traffic Channel	157
10.3.5	Mode 3 Data Call Procedures	159
10.3.5.0	General	159
10.3.5.1	Data Call Procedures for the BS	159
10.3.5.1.0	General	159
10.3.5.1.1	BS Response to single-part data call set-up.....	159
10.3.5.1.2	BS Response to multi-part data call set-up.....	160
10.3.5.1.3	Acknowledgements sent by the BS to the calling MS (data).....	160
10.3.5.1.4	Radio Check for Data	160
10.3.5.1.5	Availability Check for Data Calls connected through Gateways	161
10.3.5.2	Data Call Procedures for MS	161
10.3.5.2.0	General	161
10.3.5.2.1	Initiating a single-part data call service	162
10.3.5.2.2	Response to the single-part data call service request.....	162
10.3.5.2.3	Initiating a multi-part data call service	163
10.3.5.2.4	Response to the multi-part data service request.....	163
10.3.5.2.5	Acknowledgements received by the calling MS (data)	163
10.3.5.2.6	Availability Check to the called MS (data)	163
10.3.5.2.7	Traffic Channel Allocation.....	164
10.3.5.3	Procedures for the Data Traffic Channel.....	164

10.3.5.3.0	General	164
10.3.5.3.1	BS Procedures for the Data Traffic Channel	164
10.3.5.3.2	MS Procedures for the Data Traffic Channel	165
10.3.5.4	Mode 3 Short Data Message Procedure	167
10.3.5.4.0	General	167
10.3.5.4.1	Short Data Procedures for the BS	168
10.3.5.4.2	Short Data Message procedures for MS	169
10.3.5.4.3	Initiating a Short Data Message service	170
10.3.5.4.4	Response to a random access short data message	170
10.3.5.4.5	Acknowledgements received by the calling MS	171
10.3.5.4.6	Timeout waiting for further signalling	171
10.3.5.4.7	MS receiving a short data message	171
10.3.5.5	Mode 3 Short Data Polling Service	171
10.3.5.5.0	General	171
10.3.5.5.1	Short Data Polling Procedures for the BS	173
10.3.5.5.2	Short Data Polling Message procedures for MS	174
10.3.5.5.3	Initiating a Short Data Polling service	175
10.3.5.5.4	Response to a random access short data polling message	175
10.3.5.5.5	Final Acknowledgement transmitted by the calling MS	175
10.3.5.5.6	Timeout waiting for further signalling	176
10.3.5.5.7	MS receiving a B_AHOY poll for a short polling message	176
10.3.5.6	Mode 3 Status Call Service	176
10.3.5.6.0	General	176
10.3.5.6.1	Status Service Delivery Procedure	176
10.3.5.7	Mode 3 Call Diversion	179
10.3.5.7.1	Call Diversion Service	179
10.3.5.7.2	Call set-up to an MS that has a Diverted address	183
10.3.5.8	Mode 3 MS Stun/Revive Procedures	183
10.3.5.8.0	General	183
10.3.5.8.1	MS Stun/Revive without authentication	183
10.3.5.9	Mode 3 MS Kill	184
10.3.5.9.0	General	184
10.3.5.9.1	Kill procedures for the BS	185
10.3.5.9.2	Kill procedure with ESN check for the MS	186
10.3.5.10	Mode 3 Dynamic Regroup Service	186
10.3.5.10.1	Dynamic Regroup Service	186
10.3.5.10.2	Dynamic Regroup Procedures for the BS	189
10.3.5.10.3	Dynamic Regroup procedures for MS	190
10.3.6	Message Address Matrix for Mode 3 Call services	191
10.3.6.0	General	191
10.3.6.1	Call Services that require the allocation of a Traffic Channel	191
10.3.6.1.1	MS to MS or talkgroup Voice, T1, T2, T3 data call	191
10.3.6.1.2	MS call to PSTN, PABXI and other extended addresses	192
10.3.6.1.3	Call from PSTN, PABX, or other line connected address to MS or talkgroup	193
10.3.6.2	Call Services that only require the Beacon Channel	194
10.3.6.2.1	MS Short Data Call to MS or talkgroup	194
10.3.6.2.2	Short Data Call from PSTN, PABX, LINEI, DISPATI to MS or talkgroup	195
10.3.6.2.3	Short Data Call from MS to PSTN, PABX, LINEI, DISPATI	195
10.3.6.2.4	Short Data Polling from MS to MS	195
10.3.6.2.5	Short Data MS Polling from a gateway	196
10.3.6.2.6	Status Transport from MS to MS or talkgroup	196
10.3.6.3	Complementary data	196
10.3.6.4	Other Mode 3 Services	197
10.3.6.4.1	Call Diversion Service	197
10.3.6.4.2	Registration	198
10.3.6.4.3	Serial Number Check	198
10.3.6.4.4	MS Stun/Revive	198
10.3.6.4.5	MS Kill	198
11	Channel coding process	199
11.1	Voice superframe	199
11.1.0	General	199

11.1.1	Voice + Attached data call.....	200
11.2	Type 1 data superframe	202
11.3	Type 2 Data superframe	203
11.4	Type 3 (Packet) Data frame.....	205
11.5	Messages	207
11.6	End frames.....	208
11.7	SYScast Frames.....	209
11.8	Appended Data Frames	210
12	Channel access	211
12.0	General	211
12.1	Channel access for Mode 1 [M1]	213
12.1.0	General.....	213
12.1.1	Listen Before Transmit (LBT) [M1].....	213
12.1.2	Hang time messages and timers [M1].....	214
12.1.2.1	Definition [M1]	214
12.1.2.2	Action by receiving stations [M1].....	214
12.1.2.3	Call duration timers [M1].....	214
12.1.2.3.1	Item Duration Timer for Voice Calls [M1]	214
12.1.2.3.2	Item Duration Timer for Data Calls [M1]	214
12.1.3	Transmit admit criteria [M1]	214
12.1.3.1	Channel "Politeness" [M1].....	214
12.1.3.2	General Timing [M1]	215
12.1.3.3	Transmission re-tries [M1].....	215
12.1.3.4	Emergency channel access procedures [M1]	215
12.1.3.4.0	General	215
12.1.3.4.1	Emergency Break-in requests [M1].....	215
12.2	Channel access for Mode 2 [M2]	216
12.2.0	General.....	216
12.2.1	Listen Before Transmit (LBT) [M2].....	217
12.2.2	Hang time messages and timers [M2].....	218
12.2.2.1	Definition [M2]	218
12.2.2.2	Action by receiving stations [M2].....	218
12.2.2.3	Call duration timers [M2].....	219
12.2.2.3.1	Item Duration Timer for Voice Calls [M2]	219
12.2.2.3.2	Item Duration Timer for Data Calls [M2]	219
12.2.2.3.3	Maximum call duration timer for Mode 2 calls	219
12.2.3	Transmit admit criteria [M2]	219
12.2.3.1	Channel "Politeness" [M2].....	219
12.2.3.1.1	MS	219
12.2.3.1.2	BS	219
12.2.3.2	General Timing [M2]	220
12.2.3.3	Transmission re-tries [M2].....	220
12.2.3.4	Emergency channel access procedures [M2]	220
12.2.3.4.0	General	220
12.2.3.4.1	Emergency Break-in requests [M2].....	221
12.3	Channel access for Mode 3 [M3]	222
12.3.0	General.....	222
12.3.1	Mode 3 Channel Structure	222
12.3.2	Introduction to the Beacon Structure [M3]	223
12.3.2.0	General	223
12.3.2.1	Beacon Timing [M3].....	223
12.3.3	Network architecture [M3]	224
12.3.3.1	Network functions.....	224
12.3.3.1.0	General	224
12.3.3.1.1	Establishing service	224
12.3.3.1.2	Network Identifier	224
12.3.3.2	MS Location by Registration	224
12.3.4	Trunking methods [M3].....	224
12.3.5	Beacon Channel Formats [M3].....	225
12.3.5.0	General	225
12.3.5.1	Use of the SYScast Frames	225

12.3.5.1.0	General	225
12.3.5.1.1	SYC1 SYScast Frame.....	225
12.3.5.1.2	SYC2 or SYSC3 SYScast Frame	225
12.3.5.2	Beacon Frame Structure	226
12.3.5.2.1	Frames on the Beacon downlink channel	226
12.3.5.2.2	Frames on the Beacon uplink channel	226
12.3.6	Channel Access for a Beacon Channel	227
12.3.6.1	Basic Structure	227
12.3.6.1.1	Channel Structure	227
12.3.6.1.2	Physical Channel Addressing	227
12.3.6.1.3	Sub-Division of the MS population.....	227
12.3.7	Random Access Procedures.....	229
12.3.7.0	General	229
12.3.7.1	The Random Access Principle	229
12.3.7.1.0	General conventions	229
12.3.7.1.1	Random Access Control	229
12.3.7.1.2	Action after receiving an acknowledgement	237
12.3.7.1.3	MS Arriving on a Beacon Channel.....	237
12.3.8	Beacon Channel Acquisition and Retention	238
12.3.8.0	General	238
12.3.8.1	Vote Now	238
12.3.8.2	MS Parameter.....	240
12.3.8.3	Beacon Channel Acquisition Procedures	240
12.3.8.3.0	General	240
12.3.8.3.1	Entry into Beacon Acquisition Procedures.....	241
12.3.8.3.2	Identifying a Candidate Beacon Channel.....	241
12.3.8.3.3	Confirmation - Monitoring the BS downlink channel signal quality.....	245
12.3.8.3.4	MS Leaving a Beacon Channel	245
12.3.8.3.5	Leaving a Beacon Channel Whilst Waiting for Signalling.....	246
12.3.8.4	Registration, Power Save, and Authentication Procedures	246
12.3.8.4.1	General	246
12.3.8.4.2	Registration Procedures.....	248
12.3.9	Mass re-registration	251
12.3.9.0	General	251
12.3.9.1	Procedure for MS on receipt of Mass Re-registration Broadcast.....	251
12.3.9.2	De-registration	252
12.3.10	Beacon Power Save	252
12.3.10.1	Overview	252
12.3.10.2	Power Save Procedures.....	253
12.3.10.2.1	Basic Power Save Procedures.....	253
12.3.11	Electronic Serial Number Check Procedures.....	255
12.3.11.0	General	255
12.3.11.1	Format of the Electronic Serial Number (ESN)	255
12.3.11.2	ESN Procedures for the BS to authenticate an MS	256
12.3.11.3	ESN Procedures for the MS	256
12.4	Traffic Channel Access for Mode 3	257
12.4.0	General.....	257
12.4.1	Preservation of the traffic channel [M3]	257
12.4.2	Reassignment of the traffic channel for an emergency call	257
13	Timers, constants levels and addresses	258
13.1	Timers	258
13.2	Constants	259
13.3	Levels	260
13.4	Gateways/Identifiers.....	260
13.5	Message Matrix's.....	261
14	Physical Layer	262
14.1	General parameters.....	262
14.1.0	General.....	262
14.1.1	Frequency range.....	262
14.1.2	RF carrier bandwidth	262

14.1.3	Transmit frequency error	262
14.1.4	Time base clock drift error.....	262
14.2	Modulation	263
14.2.1	Symbols	263
14.2.2	4FSK generation	263
14.2.2.0	General	263
14.2.2.1	Deviation index	263
14.2.2.2	Square root raised cosine filter.....	264
14.2.2.3	4FSK Modulator	265
14.3	Transmit Power Ramping.....	265
Annex A (normative): Standard User Interface.....		266
A.0	General	266
A.1	Numbering and dialling plan.....	266
A.1.1	Introduction to the numbering and dialling plan	266
A.1.2	Subscriber mapping.....	267
A.1.2.1	User Interface - Air Interface.....	267
A.1.2.1.0	General	267
A.1.2.1.1	Mapping for MS address space	268
A.1.2.1.1.0	General	268
A.1.2.1.1.1	The concept of the wildcard character.....	268
A.1.2.1.1.2	The concept of stored parameters	269
A.1.2.1.1.3	The concept of ad-hoc arrangement	269
A.1.2.1.1.4	The rules for the sender	269
A.1.2.1.1.5	The rules for the recipient.....	269
A.1.2.1.1.6	Mapping of dialled strings to the AI address space	269
A.1.2.2	Addresses.....	271
A.1.2.3	Conversion rules	271
A.1.2.3.1	MS addresses.....	271
A.1.2.3.2	Limiting the length of the destination address.....	271
A.1.2.3.3	All talkgroup address	271
A.1.3	User dialling plan	271
A.1.3.1	User numbering	271
A.1.3.1.0	General	271
A.1.3.1.1	Dialling method.....	272
A.1.3.1.2	Call Type determination.....	272
A.1.3.1.3	Call modifier strings.....	272
A.1.3.2	Dialled digits to address mapping.....	272
A.1.3.3	Storage requirements	272
A.1.3.3.1	MS individual address.....	272
A.1.3.3.2	Dialled Talkgroups.....	273
A.1.3.3.3	All MSs	273
A.1.3.3.4	Non-dialable numbers	273
A.1.3.3.5	Talkgroup recognition.....	273
A.1.3.3.5.1	All numeric talkgroups	273
A.1.3.3.5.2	Talkgroups defined by wildcards.....	274
A.1.3.3.5.3	MS receives a group call	274
A.1.3.4	Dialling procedures.....	274
A.1.3.4.1	MS calls	274
A.1.3.4.1.1	Seven digit dialling.....	274
A.1.3.4.1.2	Abbreviated dialling	274
A.1.3.4.1.3	Masked dialling	275
A.1.3.4.1.4	Dialling with numbers and wildcards.....	275
A.1.3.4.2	Gateway Calls	276
A.1.3.4.2.0	General	276
A.1.3.4.2.1	Telephone call	276
A.1.3.4.2.2	PABX call.....	276
A.1.3.4.2.3	IP call.....	277
A.1.3.4.3	Call modifiers.....	277
A.1.3.4.3.0	General	277
A.1.3.4.3.1	Broadcast call	278

A.1.3.4.3.2	Priority call	278
A.1.3.4.3.3	Emergency Call	278
A.1.3.4.3.4	Status poll call	278
A.1.3.4.3.5	Status delivery call	278
A.1.3.4.3.6	Divert own call	278
A.1.3.4.3.7	Force group call service.....	278
A.1.3.4.4	Call set-up abandon or call complete	279
A.1.3.4.4.0	General	279
A.1.3.4.4.1	Call set-up abandon or call complete - Mode 1	279
A.1.3.4.4.2	Call set-up abandon or call complete - Mode 2	279
A.1.3.4.4.3	Call set-up abandon or call complete - Mode 3	279

Annex B (informative): Beacon Channel Hunting Procedures280

B.1	Introduction	280
B.1.0	General	280
B.1.1	Resuming a Beacon hunt channel.....	282
B.1.2	Commanded Beacon hunt channel	282
B.1.2.1	Conditions to enter a Commanded Beacon hunt.....	282
B.1.2.2	Nominated Channel for the Single Channel Hunt.....	282
B.1.2.3	Short Hunt Sequence	283
B.1.2.3.0	General	283
B.1.2.3.1	Conditions to enter a Short Channel Hunt.....	283
B.1.2.4	Comprehensive Hunt Sequence	283
B.1.2.4.0	General	283
B.1.2.4.1	Conditions to enter a Comprehensive Channel Hunt	284
B.1.2.5	Receiver Sensitivity During Beacon Channel Acquisition	284
History	285

iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/8552fcc12e-451a-a123-8a6069f55efb/etsi-ts-102-658-v2.6.1-2019-01>