



SLOVENSKI STANDARD
SIST ISO 1008:2011

01-julij-2011

Fotografija - Dimenzije papirja - Slikovne pole

Photography - Paper dimensions - Pictorial sheets

Photographie - Dimension des papiers - Papiers en feuilles pour usage général

Ta slovenski standard je istoveten z: ISO 1008:1992

[SIST ISO 1008:2011](https://standards.iteh.ai/catalog/standards/sist/6ff7b792-e507-4511-991e-d05325b5da85/sist-iso-1008-2011)

<https://standards.iteh.ai/catalog/standards/sist/6ff7b792-e507-4511-991e-d05325b5da85/sist-iso-1008-2011>

ICS:

37.040.20	Fotografski papir, filmi in fotografske plošče. Filmski zvitki	Photographic paper, films and cartridges
-----------	--	---

SIST ISO 1008:2011

en,fr

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ISO 1008:2011

<https://standards.iteh.ai/catalog/standards/sist/6ff7b792-e507-4511-991e-d05325b5da85/sist-iso-1008-2011>

INTERNATIONAL STANDARD

**ISO
1008**

Second edition
1992-01-15

Photography — Paper dimensions — Pictorial sheets

iTeh STANDARD PREVIEW
(standards.iteh.ai)

*Photographie — Dimension des papiers — Papiers en feuilles pour usage
général*

[SIST ISO 1008:2011](https://standards.iteh.ai/catalog/standards/sist/6ff7b792-e507-4511-991e-d05325b5da85/sist-iso-1008-2011)

[https://standards.iteh.ai/catalog/standards/sist/6ff7b792-e507-4511-991e-
d05325b5da85/sist-iso-1008-2011](https://standards.iteh.ai/catalog/standards/sist/6ff7b792-e507-4511-991e-d05325b5da85/sist-iso-1008-2011)



Reference number
ISO 1008:1992(E)

ISO 1008:1992(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 1008 was prepared by Technical Committee ISO/TC 42, *Photography*.

This second edition cancels and replaces the first edition (ISO 1008:1973), and ISO 1010:1973, which have been technically revised and consolidated.

Annexes A and B of this International Standard are for information only.

© ISO 1992

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Introduction

This International Standard is a revision and consolidation of ISO 1008:1973, dealing with sizes of black-and-white papers in sheets, and ISO 1010:1973, dealing with sizes of colour papers in sheets.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 1008:2011](https://standards.iteh.ai/catalog/standards/sist/6ff7b792-e507-4511-991e-d05325b5da85/sist-iso-1008-2011)

<https://standards.iteh.ai/catalog/standards/sist/6ff7b792-e507-4511-991e-d05325b5da85/sist-iso-1008-2011>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

This page intentionally left blank

SIST ISO 1008:2011

<https://standards.iteh.ai/catalog/standards/sist/6ff7b792-e507-4511-991e-d05325b5da85/sist-iso-1008-2011>

Photography — Paper dimensions — Pictorial sheets

1 Scope

This International Standard specifies the nominal sizes and aim dimensions, with their cutting tolerances, of black-and-white and colour photographic papers in sheets (negative-positive or reversal processes) for pictorial use.

It also specifies a method for checking the squareness of the sheets and straightness of their edges, and establishes a rule for package marking.

The term "pictorial" means use in amateur, commercial and portrait photography, and excludes specific uses such as documentary reproduction, photocomposition or graphic arts.

In this International Standard, metric units are prime.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 1:1975, *Standard reference temperature for industrial length measurements*.

ISO 554:1976, *Standard atmospheres for conditioning and/or testing — Specifications*.

3 Conditions for measurement of dimensions

The dimensions and tolerances specified in this International Standard apply at the time of manufacture, measured under atmospheric conditions of $(23 \pm 2) ^\circ\text{C}$ and $(50 \pm 5) \%$ relative humidity, as specified in ISO 554¹⁾ (see annex A).

4 Dimensions

4.1 Preferred sizes

Nominal and aim dimensions for preferred sizes shall conform to the values given in table 1.

Table 1 — Preferred sizes of sheets

Nominal cm	Aim mm
8,9 × 12,7	89 × 127
10,5 × 14,8 ¹⁾	105 × 148
12,7 × 17,8	127 × 178
17,8 × 24	178 × 240
20,3 × 25,4	203 × 254
21 × 29,7	210 × 297
21,6 × 27,9	216 × 279
24 × 30,5	240 × 305
25,4 × 30,5	254 × 305
27,9 × 35,6	279 × 356
30,5 × 40,6	305 × 406
40,6 × 50,8	406 × 508
50,8 × 61	508 × 610

1) Size designated as nominal A6 size.

1) All measuring instrument calibrations should be referred to a temperature of 20 °C as specified in ISO 1 and a relative humidity of 50 %.

ISO 1008:1992(E)

4.2 Cutting and tolerance rules for metric sizes

The cutting and tolerance rules for current sizes of sheets shown in table 1, and for new metric sizes, shall be as shown in table 2.

Table 2 — Cutting and tolerance rules for metric sizes of sheets

Nominal (N)	Aim	Tolerance
cm		mm
$N \leq 12$	N	± 1
$N > 12$	N	± 2

5 Squareness and edge straightness

Squareness, edge straightness, shape and compliance with dimensions shall be checked at the same time by comparison of any given sheet with two perfect rectangles, independently located, one made to the minimum dimensional tolerance specified in this International Standard and the other to the maximum tolerance. No point on the perimeter of the sheet shall fall within the smaller rectangle nor shall any point fall outside the larger rectangle.

6 Package marking

6.1 Data

Sufficient data shall be given on the package to ensure correct usage of the product.

Packages are marked for the purpose of identifying

a) product name and size;

b) conditions of use (such as safelight);

c) conditions of shipping and storage.

Any given level of packaging fulfils one or more of these functions and shall be identified accordingly, using appropriate entries from the following list²⁾:

— product name or trade name. For unit packages, the markings shall be legible under recommended safelight conditions (other than total darkness);

— name or trade mark of the manufacturer;

— manufacturer's catalogue identification number;

— bar code information;

— quantity of units contained in the package (see annex B);

— nominal product dimensions, in metric units, with the width first;

— batch number and/or parent roll number;

— expiration date or "develop before" date or inventory control code;

— manufacturer's recommended safelight conditions³⁾;

— manufacturer's recommended storage conditions³⁾.

6.2 Compliance

If it is desired to indicate compliance of the product with this International Standard, the following wording shall be used:

"COMPLYING WITH ISO 1008"

2) There may be legal requirements in certain countries for other data to be marked on the package.

3) This may be indicated by wording or by a code.