ETSI TS 102 224 V12.0.0 (2018-09)



Smart Cards;
Security mechanisms for UICC based Applications
Functional requirements
(Release 12)

Reference RTS/SCP-R0282v1200 Keywords security, smart card

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from: http://www.etsl.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommitteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018. All rights reserved.

DECT[™], **PLUGTESTS**[™], **UMTS**[™] and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**[™] and **LTE**[™] are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members. **GSM**® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intell	lectual Property Rights	5
Forev	word	5
Moda	al verbs terminology	5
1	Scope	6
2	References	6
2.1	Normative references	
2.2	Informative references.	
2		
3	Definitions and abbreviations	
3.1 3.2	Definitions	
3.2	Abbreviations	ð
4	Introduction	8
5	Security requirements	9
5.1	Introduction	
5.2	Authentication	
5.2.1	Definition	10
5.2.2	Purpose Functional requirements Message integrity Definition Purpose Functional requirements Replay detection and sequence integrity Definition Purpose Functional requirements Proof of receipt and proof of execution Definition Purpose Functional requirements Proof of receipt and proof of execution Definition Purpose Functional requirements Message confidentiality	10
5.2.3	Functional requirements	10
5.3	Message integrity	10
5.3.1	Definition	10
5.3.2	Purpose	10
5.3.3	Functional requirements	II
5.4	Replay detection and sequence integrity.	11 11
5.4.1 5.4.2	Delinition	ll 11
5.4.2 5.4.3	Functional requirements A	11 11
5.4.5 5.5	Proof of receipt and proof of avecution	11 11
5.5.1	Definition	11 11
5.5.2	Purnose	11 11
5.5.3	Functional requirements	12
5.6	Message confidentiality	12
5.6.1	Message confidentiality	12
5.6.2	Purpose	12
5.6.3	Functional requirements	12
5.7	Security management	12
5.8	User Notification	12
5.8.1	Definition	12
5.8.2	Purpose	
5.8.3	Functional requirements	13
6	Normal procedures	
6.1	Security mechanisms	
6.1.1	Introduction	
6.1.2	Authentication mechanisms	
6.1.3	Message integrity mechanisms	
6.1.4	Replay detection and sequence integrity mechanisms	
6.1.5	Proof of receipt mechanisms	
6.1.6 6.2	Message confidentiality mechanisms	
6.2.1	Non-cryptographic mechanisms	
6.2.2	Cryptographic mechanisms	
6.2.3	Recommended combinations of cryptographic mechanisms	
	** * *	
7	Exceptional procedures	
7.1	Authentication or integrity failure	15

7.2	Sequence and replay detection failure	16		
7.3	Sequence and replay detection failure Proof of receipt failure			
8	Interfacing to the Transport Layer			
9	Remote Application Management over IP	16		
9.1	Introduction	16		
9.2	Transport requirement	16		
9.3	Functions requirements	16		
9.4	Security requirements			
9.5	Backward compatibility requirements	17		
Ann	nex A (informative): Change history	18		
Histo	tory	19		

Teh SI A DARD Republication of the standard stan

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for ETSI members and non-members, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Smart Card Platform (SCP).

It is based on work originally done in the 3GPP in TSG-terminals WG3 and ETSI SMG.

The contents of the present document are subject to continuing work within TC SCP and may change following formal TC SCP approval. If TC SCP modifies the contents of the present document, it will then be republished by ETSI with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- the first digit: x:
 - 0
- early working draft, the draft the presented to To presented to TC SCP for information;
 - 2 presented to TC SCP for approval;
 - or greater indicates TC SCP approved document under change control.
- the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- the third digit is incremented when editorial only changes have been incorporated in the document.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document provides standardized security mechanisms in conjunction with the Card Application Toolkit for the interface between a Network Entity and a UICC.

The security mechanisms which are specified are independent of applications.

The present document describes the functional requirements of the security mechanisms with the implementation detail of these mechanisms being described in ETSI TS 102 225 [2].

Within the scope of the present document, the UICC refers here to an ICC which support at least one application in order to access a cellular network.

The ICC is considered as a platform, which is based on ETSI TS 102 221 [5].

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at https://docbox.etsi.org/Reference/.

• In the case of a reference to a TC SCP document, a non specific reference implicitly refers to the latest version of that document in the same Release as the present document.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1]	ETSI TR 121 905: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Vocabulary for 3GPP Specifications (3GPP TR 21.905)".
[2]	ETSI TS 102 225: "Smart Cards; Secured packet structure for UICC based applications".
[3]	ETSI TS 131 111: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Universal Subscriber Identity Module Application Toolkit (USAT) (3GPP TS 31.111)".
[4]	Void.
[5]	ETSI TS 102 221: "Smart cards; UICC-Terminal interface; Physical and logical characteristics".
[6]	ETSI TS 102 223: "Smart cards; Card Application Toolkit (CAT)".
[7]	ETSI TS 102 127: "Smart cards; Transport protocol for CAT applications; Stage 2".
[8]	ETSI TS 102 483: "Smart cards; UICC-Terminal interface; Internet Protocol connectivity between UICC and terminal".
[9]	ETSI TS 102 412: "Smart Card; Smart Card Platform Requirements Stage 1".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

• In the case of a reference to a TC SCP document, a non specific reference implicitly refers to the latest version of that document in the same Release as the present document.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

[i.1] ETSI ETR 330: "Security Techniques Advisory Group (STAG); A guide to legislative and regulatory environment".

3 Definitions and abbreviations

3.1 Definitions

For the purpose of the present document, the following terms and definitions apply:

application layer: layer above the transport layer on which the application messages are exchanged between the sending and receiving applications

application message: package of commands or data sent from the sending application to the receiving application, or vice versa, independently of the transport mechanism

NOTE: An application message is transformed with respect to a chosen transport layer and chosen level of security into one or more secured packets.

counter: mechanism or data field used for keeping track of a message sequence

NOTE: This could be realized as a sequence oriented or time stamp derived value maintaining a level of synchronization.

cryptographic checksum: string of bits derived from some secret information, (e.g. a secret key), part or all of the application message, and possible further information (e.g. part of the security header)

NOTE: The secret key is known to the sending entity and to the receiving entity. The Cryptographic checksum is often referred to as Message Authentication Code (MAC).

digital signature: string of bits derived from some secret information (e.g. a secret key) the complete application message, and possible further information (e.g. part of the security header)

NOTE: The secret information is known only to the sending entity. Although the authenticity of the digital signature can be proved by the receiving entity, the receiving entity is not able to reproduce the digital signature without knowledge of the secret information owned by the sending entity.

receiving application: entity to which the application message is destined

receiving entity: entity where the secured packet is received (e.g. SMS-SC, UICC, USSD entry point, or dedicated toolkit server) and where the security mechanisms are utilized

NOTE: The receiving entity processes the secured packets.

redundancy check: string of bits derived from the application message and possible further information for the purpose of detecting accidental changes to the message, without the use of any secret information

secured packet: information flow on top of which the level of required security has been applied

NOTE: An application message is transformed with respect to a chosen Transport Layer and chosen level of security into one or more secured packets.

security header: that part of the secured packet which consists of all security information

EXAMPLE: Counter, key identification, indication of security level, checksum or digital signature.

sender identification: simple verification of the identity of the sending entity by the receiving entity comparing the sender identity with an a priori stored identity of the sender at the receiving entity

sending application: entity generating an application message to be sent

sending entity: entity from which the secured packet originates (e.g. SMS-SC, UICC, USSD entry point, or dedicated toolkit server) and where the security mechanisms are invoked

NOTE: The sending entity generates the secured packets to be sent.

status code: indication that a message has been received (correctly or incorrectly, indicating reason for failure)

transport layer: layer responsible for transporting secured packets through the network

NOTE: The transport layer implements one or more transport mechanisms, (e.g. SMS or USSD).

unsecured acknowledgement: status code included in a response message

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI TR 121 905 [1] and the following apply:

CAT Card Application Toolkit

CAT_TP Card Application Toolkit Transport Protocol

4 Introduction

The Card Application Toolkit (CAT) as described in ETSLTS 102 223 [6] is a set of applications and related procedures that may be used during a card session. It allows operators to create specific applications resident on the UICC. There exists a need to secure Card Application Toolkit (CAT) related communication over the network, (e.g. SMS, USSD, and future transport mechanisms) with the level of security chosen by the network operator or the application provider.

It is assumed in the present document that the sending and receiving entities are in a secure environment.

The appropriate security mechanisms are described in the present document.

The security mechanisms cover the following security requirements:

- unilateral authentication from network to UICC;
- unilateral authentication from UICC to network;
- message integrity;
- replay detection;
- proof of receipt;
- message confidentiality.




Figure 1: System overview

5 Security requirements

5.1 Introduction

The application message is transferred from the sending application to the receiving application in one or more secured packets via a sending entity and a receiving entity, or group of receiving entities. The receiving entity is then responsible for reconstructing the application message from the received secured packets for presentation to the target receiving application. It is possible that there are several receiving entities and applications.

The sending application shall indicate to the sending entity the security mechanisms to be applied to the application message. This shall be indicated in the secured packet. The receiving entity shall indicate to the receiving application the security mechanisms applied to the secured packet, in a secure manner. The interface between the sending application and the sending entity, and the interface between the receiving entity and receiving application are not defined.

The security requirements to satisfy when transferring application messages from the sending entity to the receiving entity that have been considered are:

- authentication;
- message integrity;
- replay detection and sequence integrity;
- proof of receipt and proof of execution;
- message confidentiality;
- indication of the security mechanisms used.