INTERNATIONAL STANDARD

ISO/IEC 29500-4

First edition
2008-11-15

AMENDMENT 1
2010-08-15

Information technology — Document description and processing languages — Office Open XML File Formats —

Part 4: Transitional Migration Features

AMENDMENT 1

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Technologies de l'information — Description des documents et langages de traitement — Formats de fichier "Office Open XML" —

ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/725f73e8-c41c-478e-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

Partie 4: Caractéristiques de migration transitoire

AMENDEMENT 1

Reference number
ISO/IEC 29500-4:2008/Amd.1:2010(E)

© ISO/IEC 2010

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/725f73e8-c41a-478a-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

 © ISO/IEC 2010 – All rights reserved

Contents

Foreword xiii

Notational conventions xiv

1. §2.1, “Document Conformance”, p. 2 1
2. §3, “Normative References”, p. 5 1
3. §7, “General Description”, p. 12 1
4. §8B, “WordprocessingML”, new clause 1
5. §8B.1, “Alternative Format Import Part (Part 1, §11.3.1)”, new subclause 1
6. §8B.2, “Comments Part (Part 1, §11.3.2)”, new subclause 2
7. §8B.3, “Document Settings Part (Part 1, §11.3.3)”, new subclause 2
8. §8B.4, “Endnotes Part (Part 1, §11.3.4)”, new subclause 2
9. §8B.5, “Fonts Table Part (Part 1, §11.3.5)”, new subclause 2
10. §8B.6, “Footer Part (Part 1, §11.3.6)”, new subclause 2
11. §8B.7, “Footnotes Part (Part 1, §11.3.7)”, new subclause 2
12. §8B.8, “Glossary Document Part (Part 1, §11.3.8)”, new subclause 3
13. §8B.9, “Header Part (Part 1, §11.3.9)”, new subclause 3
14. §8B.10, “Main Document Part (Part 1, §11.3.10)”, new subclause 3
15. §8B.11, “Numbering Definitions Part (Part 1, §11.3.11)”, new subclause 3
16. §8B.12, “Style Definitions Part (Part 1, §11.3.12)”, new subclause 3
17. §8B.13, “Web Settings Part (Part 1, §11.3.13)”, new subclause 3
18. §8B.14, “Document Template (Part 1, §11.4)”, new subclause 4
19. §8B.15, “Framesets (Part 1, §11.5)”, new subclause 4
20. §8B.16, “Master Documents and Subdocuments (Part 1, §11.6)”, new subclause 4
21. §8B.17, “Mail Merge Data Source (Part 1, §11.7)”, new subclause 4
22. §8B.18, “Mail Merger Header Data Source (Part 1, §11.8)”, new subclause 4
23. §8B.19, “XSL Transformation (Part 1, §11.9)”, new subclause 4
24. §8C, “SpreadsheetML”, new clause 4
25. §8C.1, “Calculation Chain Part (Part 1, §12.3.1)”, new subclause 4
26. §8C.2, “Chartsheet Part (Part 1, §12.3.2)”, new subclause 5
27. §8C.3, “Comments Part (Part 1, §12.3.3)”, new subclause 5
28. §8C.4, “Connections Part (Part 1, §12.3.4)”, new subclause 5
29. §8C.5, “Custom Property Part (Part 1, §12.3.5)”, new subclause 5

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/725f73e8-c41a-478a-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

© ISO/IEC 2010 – All rights reserved

30. §8C.6, “Custom XML Mappings Part (Part 1, §12.3.6)”, new subclause 5
31. §8C.7, “Dialogsheet Part (Part 1, §12.3.7)”, new subclause 5
32. §8C.8, “Drawings Part (Part 1, §12.3.8)”, new subclause 6
33. §8C.9, “External Workbook References Part (Part 1, §12.3.9)”, new subclause 6
34. §8C.10, “Metadata Part (Part 1, §12.3.10)”, new subclause 6
35. §8C.11, “Pivot Table Part (Part 1, §12.3.11)”, new subclause 6
36. §8C.12, “Pivot Table Cache Definition Part (Part 1, §12.3.12)”, new subclause 6
37. §8C.13 , “Pivot Table Cache Records Part (Part 1, §12.3.13)”, new subclause 6
38. §8C.14, “Query Table Part (Part 1, §12.3.14)”, new subclause 7
39. §8C.15, “Shared Strings Table Part (Part 1, §12.3.15)”, new subclause 7
40. §8C.16, “Shared Workbook Revision Headers Part (Part 1, §12.3.16)”, new subclause 7
41. §8C.17, “Shared Workbook Revision Log Part (Part 1, §12.3.17)”, new subclause 7
42. §8C.18, “Shared Workbook User Data part (Part 1, §12.3.18)”, new subclause 7
43. §8C.19, “Single Cell Table Definition Part (Part 1, §12.3.19)”, new subclause 7
44. §8C.20, “Styles Part (Part 1, §12.3.20)”, new subclause 8
45. §8C.21 “Table Definition Part (Part 1, §12.3.21)”, new subclause 8
46. §8C.22, “Volatile Dependencies Part (Part 1, §12.3.22)”, new subclause 8
47. §8C.23, “Workbook Part (Part 1, §12.3.23)”, new subclause 8
48. §8C.24, “Worksheet Part (Part 1, §12.3.24)”, new subclause 8
49. §8C.25, “External Workbooks (Part 1, §12.4)”, new subclause 8
50. §8D, “PresentationML”, new clause 8
51. §8D.1, “Comment Authors Part (Part 1, §13.3.1)”, new subclause 9
52. §8D.2, “Comments Part (Part 1, §13.3.2)”, new subclause 9
53. §8D.3, “Handout Master Part (Part 1, §13.3.3)”, new subclause 9
54. §8D.4, “Notes Master Part (Part 1, §13.3.4)”, new subclause 9
55. §8D.5, “Notes Slide Part (Part 1, §13.3.5)”, new subclause 9
56. §8D.6, “Presentation Part (Part 1, §13.3.6)”, new subclause 9
57. §8D.7, “Presentation Properties Part (Part 1, §13.3.7)”, new subclause 10
58. §8D.8, “Slide Part (Part 1, §13.3.8)”, new subclause 10
59. §8D.9, “Slide Layout Part (Part 1, §13.3.9)”, new subclause 10
60. §8D.10, “Slide Master Part (Part 1, §13.3.10)”, new subclause 10
61. §8D.11, “Slide Synchronization Data Part (Part 1, §13.3.11)”, new subclause 10

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/725f73e8-c41a-478a-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

 © ISO/IEC 2010 – All rights reserved

62. §8D.12, “User Defined Tags part (Part 1, §13.3.12)”, new subclause 10
63. §8D.13, “View Properties Part (Part 1, §13.3.13)”, new subclause 11
64. §8D.14, “HTML Publish Location (Part 1, §13.4)”, new subclause 11
65. §8D.15, “Slide Synchronization Server Location (Part 1, §13.5)”, new subclause 11
66. §8E, “DrawingML”, new clause 11
67. §8E.1, “Chart Part (Part 1, §14.2.1)”, new subclause 11
68. §8E.2, “Chart Drawing Part (Part 1, §14.2.2)”, new subclause 11
69. §8E.3, “Diagram Colors Part (Part 1, §14.2.3)”, new subclause 11
70. §8E.4, “Diagram Data Part (Part 1, §14.2.4)”, new subclause 12
71. §8E.5, “Diagram Layout Definition Part (Part 1, §14.2.5)”, new subclause 12
72. §8E.6, “Diagram Style Part (Part 1, §14.2.6)”, new subclause 12
73. §8E.7, “Theme Part (Part 1, §14.2.7)”, new subclause 12
74. §8E.8, “Theme Override Part (Part 1, §14.2.8)”, new subclause 12
75. §8E.9, “Table Styles Part (Part 1, §14.2.9)”, new subclause 12
76. §8F, “Shared MLs”, new clause 13
77. §8F.1, “Additional Characteristics Part (Part 1, §15.2.1)”, new subclause 13
78. §8F.2, “Audio Part (Part 1, §15.2.2)”, new subclause 13
79. §8F.3, “Bibliography Part (Part 1, §15.2.3)”, new subclause 13
80. §8F.4, “Content Part (Part 1, §15.2.4)”, new subclause 13
81. §8F.5, “Custom XML Data Storage Part (Part 1, §15.2.5)”, new subclause 13
82. §8F.6, “Custom XML Data Storage Properties Part (Part 1, §15.2.6)”, new subclause 13
83. §8F.7, “Embedded Control Persistence Part (Part 1, §15.2.9)”, new subclause 14
84. §8F.8, “Embedded Object Part (Part 1, §15.2.10)”, new subclause 14
85. §8F.9, “Embedded Package Part (Part 1, §15.2.11)”, new subclause 14
86. §8F.10, “Core File Properties Part (Part 1, §15.2.12.1)”, new subclause 14
87. §8F.11, “Custom File Properties Part (Part 1, §15.2.12.2)”, new subclause 14
88. §8F.12, “Extended File Properties Part (Part 1, §15.2.12.13)”, new subclause 14
89. §8F.13, “Font Part (Part 1, §15.2.13)”, new subclause 14
90. §8F.14, “Image Part (Part 1, §15.2.14)”, new subclause 14
91. §8F.15, “Printer Settings Part (Part 1, §15.2.15)”, new subclause 15
92. §8F.16, “Thumbnail Part (Part 1, §15.2.16)”, new subclause 15
93. §8F.17, “Video Part (Part 1, §15.2.17)”, new subclause 15

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/725f73e8-c41a-478a-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

© ISO/IEC 2010 – All rights reserved

94. §8F.18, “Hyperlinks Part (Part 1, §15.3)”, new subclause 15
95. §9.9.7, “hyperlink (Hyperlink) (Part 1, §17.16.22)”, new subclause 15
96. §9.10.10, “Additional member types for the union in ST_TextScale (Part 1, §17.18.95)”, new subclause 15
97. §9.10.11, “ST_TextScaleDecimal (Text Expansion/Compression Percentage)”, new subclause 15
98. §9.11, “Changed attributes”, new subclause 16
99. §9.11.1, “Changed attribute for contentPart element (Part 1, §17.3.3.2)”, new subclause 16
100. §9.11.2, “Changed attribute for control element (Part 1, §17.3.3.3)”, new subclause 17
101. §9.11.3, “Changed attribute for movie element (Part 1, §17.3.3.17)”, new subclause 18
102. §9.11.4, “Changed attribute for objectEmbed element (Part 1, §17.3.3.20)”, new subclause 19
103. §9.11.5, “Changed attribute for objectLink element (Part 1, §17.3.3.21)”, new subclause 19
104. §9.11.6, “Changed attribute for bottom element (Part 1, §17.6.2)”, new subclause 20
105. §9.11.7, “Changed attribute for left element (Part 1, §17.6.7)”, new subclause 21
106. §9.11.8, “Changed attribute for printerSettings element (Part 1, §17.6.14)”, new subclause 22
107. §9.11.9, “Changed attribute for right element (Part 1, §17.6.15)”, new subclause 23
108. §9.11.10, “Changed attribute for top element (Part 1, §17.6.21)”, new subclause 23
109. §9.11.11, “Changed attribute for embedBold element (Part 1, §17.8.3.3)”, new subclause 25
110. §9.11.12, “Changed attribute for embedBoldItalic element (Part 1, §17.8.3.4)”, new subclause 25
111. §9.11.13, “Changed attribute for embedItalic element (Part 1, §17.8.3.5)”, new subclause 26
112. §9.11.14, “Changed attribute for embedRegular element (Part 1, §17.8.3.6)”, new subclause 27
113. §9.11.15, “Changed attribute for footerReference element (Part 1, §17.10.2)”, new subclause 28
114. §9.11.16, “Changed attribute for headerReference element (Part 1, §17.10.5)”, new subclause 28
115. §9.11.17, “Changed attribute for dataSource element (Part 1, §17.14.9)”, new subclause 29
116. §9.11.18, “Changed attribute for headerSource element (Part 1, §17.14.16)”, new subclause 30
117. §9.11.19, “Changed attribute for recipientData element (Part 1, §17.14.28)”, new subclause 30
118. §9.11.20, “Changed attribute for src element (Part 1, §17.14.30)”, new subclause 31
119. §9.11.21, “Changed attribute for attachedTemplate element (Part 1, §17.15.1.6)”, new subclause 32
120. §9.11.22, “Changed attribute for saveThroughXslt element (Part 1, §17.15.1.76)”, new subclause 33
121. §9.11.23, “Changed attribute for longDesc element (Part 1, §17.15.2.23)”, new subclause 33
122. §9.11.24, “Changed attribute for sourceFileName element (Part 1, §17.15.2.39)”, new subclause 34
123. §9.11.25, “Changed attribute for subDoc element (Part 1, §17.17.1.1)”, new subclause 35
124. §9.11.26, “Changed attribute for altChunk element (Part 1, §17.17.2.1)”, new subclause 35
125. §10.8, “Changed attributes”, new subclause 36

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/33a41bcc-e78c-4e02-
61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

 © ISO/IEC 2010 – All rights reserved

126. §10.8.1, “Changed attribute for externalReference element (Part 1, §18.2.8)”, new subclause 36
127. §10.8.2, “Changed attribute for pivotCache element (Part 1, §18.2.17)”, new subclause 36
128. §10.8.3, “Changed attribute for sheet element (Part 1, §18.2.19)”, new subclause 36
129. §10.8.4, “Changed attribute for control element (Part 1, §18.3.1.19)”, new subclause 37
130. §10.8.5, “Changed attribute for controlPr element (Part 1, §18.3.1.20)”, new subclause 37
131. §10.8.6, “Changed attribute for customPr element (Part 1, §18.3.1.22)”, new subclause 38
132. §10.8.7, “Changed attribute for dataRef element (Part 1, §18.3.1.30)”, new subclause 38
133. §10.8.8, “Changed attribute for drawing element (Part 1, §18.3.1.36)”, new subclause 38
134. §10.8.9, “Changed attribute for drawingHF element (Part 1, §18.3.1.37)”, new subclause 38
135. §10.8.10, “Changed attribute for hyperlink element (Part 1, §18.3.1.47)”, new subclause 39
136. §10.8.11, “Changed attribute for objectPr element (Part 1, §18.3.1.56)”, new subclause 39
137. §10.8.12, “Changed attribute for oleObject element (Part 1, §18.3.1.59)”, new subclause 40
138. §10.8.13, “Changed attribute for pageSetup element (Part 1, §18.3.1.63)”, new subclause 40
139. §10.8.14, “Changed attribute for pageSetup element (Part 1, §18.3.1.64)”, new subclause 40
140. §10.8.15, “Changed attribute for picture element (Part 1, §18.3.1.67)”, new subclause 40
141. §10.8.16, “Changed attribute for pivotSelection element (Part 1, §18.3.1.69)”, new subclause 41
142. §10.8.17, “Changed attribute for tablePart element (Part 1, §18.3.1.94)”, new subclause 41
143. §10.8.18, “Changed attribute for pivotCacheDefinition element (Part 1, §18.10.1.67)”, new subclause 41
144. §10.8.19, “Changed attribute for rangeSet element (Part 1, §18.10.1.79)”, new subclause 41
145. §10.8.20, “Changed attribute for worksheetSource element (Part 1, §18.10.1.95)”, new subclause 42
146. §10.8.21, “Changed attribute for header element (Part 1, §18.11.1.1)”, new subclause 42
147. §10.8.22, “Changed attribute for externalBook element (Part 1, §18.14.7)”, new subclause 42
148. §10.8.23, “Changed attribute for oleLink element (Part 1, §18.14.11)”, new subclause 43
149. §11.5, “Changed attributes”, new subclause 43
150. §11.5.1, “Changed attribute for bold element (Part 1, §19.2.1.1)”, new subclause 43
151. §11.5.2, “Changed attribute for boldItalic element (Part 1, §19.2.1.2)”, new subclause 43
152. §11.5.3, “Changed attribute for font element (Part 1, §19.2.1.13)”, new subclause 44
153. §11.5.4, “Changed attribute for handoutMasterId element (Part 1, §19.2.1.14)”, new subclause 46
154. §11.5.5, “Changed attribute for italic element (Part 1, §19.2.1.16)”, new subclause 46
155. §11.5.6, “Changed attribute for notesMasterId element (Part 1, §19.2.1.20)”, new subclause 46
156. §11.5.7, “Changed attribute for notesSz element (Part 1, §19.2.1.22)”, new subclause 47
157. §11.5.8, “Changed attribute for regular element (Part 1, §19.2.1.29)”, new subclause 47

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/7f5f78e8-c48a-478e-a982-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

© ISO/IEC 2010 – All rights reserved

158. §11.5.9, “Changed attribute for sld element (Part 1, §19.2.1.31)”, new subclause 48
159. §11.5.10, “Changed attribute for sldId element (Part 1, §19.2.1.33)”, new subclause 48
160. §11.5.11, “Changed attribute for sldMasterId element (Part 1, §19.2.1.36)”, new subclause 48
161. §11.5.12, “Changed attribute for SmartTags element (Part 1, §19.2.1.40)”, new subclause 49
162. §11.5.13, “Changed attribute for gridSpacing element (Part 1, §19.2.2.3)”, new subclause 49
163. §11.5.14, “Changed attribute for origin element (Part 1, §19.2.2.9)”, new subclause 50
164. §11.5.15, “Changed attribute for sld element (Part 1, §19.2.2.14)”, new subclause 50
165. §11.5.16, “Changed attribute for bgRef element (Part 1, §19.3.1.3)”, new subclause 51
166. §11.5.17, “Changed attribute for blipFill element (Part 1, §19.3.1.4)”, new subclause 51
167. §11.5.18, “Changed attribute for clrMap element (Part 1, §19.3.1.6)”, new subclause 51
168. §11.5.19, “Changed attribute for cNvPicPr element (Part 1, §19.3.1.11)”, new subclause 53
169. §11.5.20, “Changed attribute for cNvPr element (Part 1, §19.3.1.12)”, new subclause 53
170. §11.5.21, “Changed attribute for cNvSpPr element (Part 1, §19.3.1.13)”, new subclause 55
171. §11.5.22, “Changed attribute for contentPart element (Part 1, §19.3.1.14)”, new subclause 56
172. §11.5.23, “Changed attribute for custData element (Part 1, §19.3.1.17)”, new subclause 56
173. §11.5.24, “Changed attribute for grpSpPr element (Part 1, §19.3.1.23)”, new subclause 56
174. §11.5.25, “Changed attribute for sldLayoutId element (Part 1, §19.3.1.40)”, new subclause 57
175. §11.5.26, “Changed attribute for spPr element (Part 1, §19.3.1.44)”, new subclause 57
176. §11.5.27, “Changed attribute for tags element (Part 1, §19.3.1.47)”, new subclause 57
177. §11.5.28, “Changed attribute for xfrm element (Part 1, §19.3.1.53)”, new subclause 58
178. §11.5.29, “Changed attribute for control element (Part 1, §19.3.2.1)”, new subclause 59
179. §11.5.30, “Changed attribute for oleObj element (Part 1, §19.3.2.4)”, new subclause 59
180. §11.5.31, “Changed attribute for pos element (Part 1, §19.4.5)”, new subclause 59
181. §11.5.32, “Changed attribute for snd element (Part 1, §19.5.68)”, new subclause 60
182. §11.5.33, “Changed attribute for sndTgt element (Part 1, §19.5.70)”, new subclause 60
183. §12.1.2.2, “Additional member types for the union in ST_Percentage (Part 1, §20.1.10.40)”, pp. 199–200 61
184. §12.1.2.12, “ST_PercentageDecimal (Percentage as Decimal Number)”, new subclause 61
185. §12.1.2.13, “Additional member types for the union in ST_PrSetCustVal (Part 1, §21.4.7.66)”, new subclause 61
186. §12.1.2.14, “ST_TextBulletSizeDecimal (Bullet Size Percentage)”, new subclause 62
187. §12.1.2.15, “Additional member types for the union in ST_TextBulletSize (Part 1, §20.1.10.86)”, new subclause 62
188. §12.3, “Changed attributes”, new subclause 62
189. §12.3.1, “Changed attribute for hlinkHover element (Part 1, §20.1.2.2.23)”, new subclause 62

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/[illegible]-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

 © ISO/IEC 2010 – All rights reserved

190. §12.3.2, “Changed attribute for snd element (Part 1, §20.1.2.2.32)”, new subclause 63
191. §12.3.3, “Changed attribute for audioFile element (Part 1, §20.1.3.2)”, new subclause 63
192. §12.3.4, “Changed attribute for quickTimeFile element (Part 1, §20.1.3.4)”, new subclause 63
193. §12.3.5, “Changed attribute for videoFile element (Part 1, §20.1.3.6)”, new subclause 64
194. §12.3.6 “Changed attribute for wavAudioFile element (Part 1, §20.1.3.7)”, new subclause 64
195. §12.3.7, “Changed attribute for blip element (Part 1, §20.1.8.13)”, new subclause 64
196. §12.3.8, “Changed attribute for blipFill element (Part 1, §20.2.2.1)”, new subclause 65
197. §12.3.9, “Changed attribute for cNvPicPr element (Part 1, §20.2.2.2)”, new subclause 65
198. §12.3.10, “Changed attribute for cNvPr element (Part 1, §20.2.2.3)”, new subclause 66
199. §12.3.11, “Changed attribute for spPr element (Part 1, §20.2.2.6)”, new subclause 67
200. §12.3.12, “Changed attribute for docPr element (Part 1, §20.4.2.5)”, new subclause 68
201. §12.3.13, “Changed attribute for extent element (Part 1, §20.4.2.7)”, new subclause 70
202. §12.3.14, “Changed attribute for lineTo element (Part 1, §20.4.2.9)”, new subclause 70
203. §12.3.15, “Changed attribute for simplePos element (Part 1, §20.4.2.13)”, new subclause 71
204. §12.3.16, “Changed attribute for start element (Part 1, §20.4.2.14)”, new subclause 72
205. §12.3.17, “Changed attribute for blipFill element (Part 1, §20.5.2.2)”, new subclause 72
206. §12.3.18, “Changed attribute for cNvPicPr element (Part 1, §20.5.2.7)”, new subclause 73
207. §12.3.19, “Changed attribute for cNvPr element (Part 1, §20.5.2.8)”, new subclause 73
208. §12.3.20, “Changed attribute for cNvSpPr element (Part 1, §20.5.2.9)”, new subclause 75
209. §12.3.21, “Changed attribute for contentPart element (Part 1, §20.5.2.12)”, new subclause 75
210. §12.3.22, “Changed attribute for ext element (Part 1, §20.5.2.14)”, new subclause 76
211. §12.3.23, “Changed attribute for grpSpPr element (Part 1, §20.5.2.18)”, new subclause 76
212. §12.3.24, “Changed attribute for pos element (Part 1, §20.5.2.26)”, new subclause 77
213. §12.3.25, “Changed attribute for spPr element (Part 1, §20.5.2.30)”, new subclause 77
214. §12.3.26, “Changed attribute for xfrm element (Part 1, §20.5.2.36)”, new subclause 78
215. §13.1.3, “Simple Types”, new subclause 78
216. §13.1.3.1, “Additional member types for union in ST_DepthPercent”, new subclause 79
217. §13.1.3.2, “ST_DepthPercentUShort (Depth Percent UnsignedShort) (Part 1, §21.2.3.9)”, new subclause 79
218. §13.1.3.3, “Additional member types for union in ST_HPercent (Part 1, §21.2.3.19)”, new subclause 79
219. §13.1.3.4, “ST_HPercentUShort (Depth Percent UnsignedShort)”, new subclause 79
220. §13.1.3.5, “Additional member types for union in ST_GapAmount (Part 1, §21.2.3.16)”, new subclause 80
221. §13.1.3.6, “ST_GapAmountUShort (Gap Amount UnsignedShort)”, new subclause 80

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/2f2b73e8-e41e-478e-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

222. §13.1.3.7, “Additional member types for union in ST_Perspective (Part 1, §21.2.3.34)”, new subclause 80
223. §13.1.3.8, “ST_PerspectiveUByte (Perspective UnsignedByte)”, new subclause 80
224. §13.1.3.9, “Additional member types for union in ST_SecondPieSize (Part 1, §21.2.3.41)”, new subclause 81
225. §13.1.3.10, “ST_SecondPieSizeUShort (Second Pie Size UnsignedShort)”, new subclause 81
226. §13.1.3.11, “Additional member types for union in ST_HoleSize (Part 1, §21.2.3.18)”, new subclause 81
227. §13.1.3.12, “ST_HoleSizeUByte (Hole Size UnsignedByte)”, new subclause 81
228. §13.1.3.13, “Additional member types for union in ST_LblOffset (Part 1, §21.2.3.23)”, new subclause 82
229. §13.1.3.14, “ST_LblOffsetUShort (Label Offset UnsignedShort)”, new subclause 82
230. §13.1.3.15, “Additional member types for union in ST_Overlap (Part 1, §21.2.3.31)”, new subclause 82
231. §13.1.3.16, “ST_OverlapByte (Overlap Byte)”, new subclause 82
232. §13.1.3.17, “Additional member types for union in ST_BubbleScale (Part 1, §21.2.3.5)”, new subclause 83
233. §13.1.3.18, “ST_BubbleScaleUInt (Bubble Scale UnsignedInt)”, new subclause 83
234. §13.1.3.19, “Additional member types for union in ST_Thickness (Part 1, §21.2.3.206)”, new subclause 83
235. §13.2, “Changed attributes”, new subclause 83
236. §13.2.1, “Changed attribute for hlinkClickelement (Part 1, §21.1.2.3.5)”, new subclause 84
237. §13.2.2, “Changed attribute for hlinkMouseOver element (Part 1, §21.1.2.3.6)”, new subclause 84
238. §13.2.3, “Changed attribute for chart element (Part 1, §21.2.2.26)”, new subclause 84
239. §13.2.4, “Changed attribute for clrMapOvr element (Part 1, §21.2.2.30)”, new subclause 84
240. §13.2.5, “Changed attribute for externalData element (Part 1, §21.2.2.63)”, new subclause 86
241. §13.2.6, “Changed attribute for spPr element (Part 1, §21.2.2.197)”, new subclause 86
242. §13.2.7, “Changed attribute for userShapes element (Part 1, §21.2.2.221)”, new subclause 87
243. §13.2.8, “Changed attribute for blipFill element (Part 1, §21.3.2.2)”, new subclause 87
244. §13.2.9, “Changed attribute for cNvPicPr element (Part 1, §21.3.2.6)”, new subclause 87
245. §13.2.10, “Changed attribute for cNvPr element (Part 1, §21.3.2.7)”, new subclause 88
246. §13.2.11, “Changed attribute for cNvSpPr element (Part 1, §21.3.2.8)”, new subclause 90
247. §13.2.12, “Changed attribute for ext element (Part 1, §21.3.2.10)”, new subclause 90
248. §13.2.13, “Changed attribute for grpSpPr element (Part 1, §21.3.2.14)”, new subclause 91
249. §13.2.14, “Changed attribute for SpPr element (Part 1, §21.3.2.23)”, new subclause 91
250. §13.2.15, “Changed attribute for xfrm element (Part 1, §21.3.2.28)”, new subclause 92
251. §13.2.16, “Changed attribute for relIds element (Part 1, §21.4.2.22)”, new subclause 93
252. §13.2.17, “Changed attribute for shape element (Part 1, §21.4.2.27)”, new subclause 94
253. §13.2.18, “Changed attribute for spPr element (Part 1, §21.4.3.7)”, new subclause 94

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/...
61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

 © ISO/IEC 2010 – All rights reserved

254. §13.2.19, “Changed attribute for sp3d element (Part 1, §21.4.5.6)”, new subclause 94
255. §15.2, “Extended Properties (Part 1, §22.2)”, new subclause 96
256. §15.3, “Custom Properties (Part 1, §22.3)”, new subclause 96
257. §15.4, “Changed attributes”, new subclause 96
258. §15.4.1, “Changed attribute for sources element (Part 1, §22.6.2.60)”, new subclause 97
259. §A.1, “WordprocessingML”, p. 813, lines 112–117 98
260. §A.1, “WordprocessingML”, p. 853, lines 2214–2217 98
261. §A.1, “WordprocessingML”, p. 860, lines 2587–2593 98
262. §A.2, “SpreadsheetML”, p. 951, lines 3820–3839 99
263. §A.2, “SpreadsheetML”, new type 99
264. §A.3, “PresentationML”, p. 978, lines 768–773 99
265. §A.3, “PresentationML”, p. 980, lines 850–858 99
266. §A.3, “PresentationML”, p. 993, lines 1563–1566 100
267. §A.4.1, “DrawingML - Main”, p. 999, lines 184–189 100
268. §A.4.1, “DrawingML - Main”, p. 1007, lines 614–619 100
269. §A.4.1, “DrawingML - Main”, p. 1012, lines 852–857 100
270. §A.4.1, “DrawingML - Main”, p. 1027, lines 1634–1636 100
271. §A.4.1, “DrawingML - Main”, p. 1048, lines 2765–2770 101
272. §A.4.1, “DrawingML - Main”, p. 1048, lines 2772–2774 101
273. §A.4.1, “DrawingML - Main”, p. 1048, lines 2775–2777 101
274. §A.4.1, “DrawingML - Main”, p. 1049, lines 2837–2842 101
275. §A.5.1, “DrawingML - Charts”, p. 1066, lines 198–206 101
276. §A.5.1, “DrawingML - Charts”, p. 1066, lines 216–224 102
277. §A.5.1, “DrawingML - Charts”, p. 1066, lines 225–233 103
278. §A.5.1, “DrawingML - Charts”, pp. 1066–1067, lines 245–252 103
279. §A.5.1, “DrawingML - Charts”, p. 1067, lines 264–272 104
280. §A.5.1, “DrawingML - Charts”, p. 1067, lines 282–290 105
281. §A.5.1, “DrawingML - Charts”, p. 1067, lines 273–281 105
282. §A.5.1, “DrawingML - Charts”, p. 1068, lines 309–317 106
283. §A.5.1, “DrawingML - Charts”, p. 1068, lines 336–344 106
284. §A.5.1, “DrawingML - Charts”, p. 1083, lines 1139–1147 107
285. §A.5.3, “DrawingML - Diagrams”, p. 1100, lines 427–430 108

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/725f73e8-c41a-478a-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

286. §A.5.3, “DrawingML - Diagrams”, p. 1100, lines 455–463 108
287. §A.7.9, “Shared Simple Types”, p. 1160 109
288. §B.1, “WordprocessingML”, p. 1164, line 52 109
289. §B.1, “WordprocessingML”, p. 1189, lines 1389–1391 109
290. §B.1, “WordprocessingML”, p. 1193, lines 1600–1603 109
291. §B.2, “SpreadsheetML”, p. 1289–1290, lines 4057–4072 109
292. §B.2, “SpreadsheetML”, new type 110
293. §B.3, “PresentationML”, p. 1317, lines 484–486 110
294. §B.3, “PresentationML”, p. 1318, lines 537–542 110
295. §B.3, “PresentationML”, p. 1329, lines 1108–1110 110
296. §B.4.1, “DrawingML - Main”, p. 1336, lines 107–109 110
297. §B.4.1, “DrawingML - Main”, p. 1343, lines 454–456 110
298. §B.4.1, “DrawingML - Main”, p. 1347, lines 681–683 110
299. §B.4.1, “DrawingML - Main”, p. 1359, line 1315 111
300. §B.4.1, “DrawingML - Main”, p. 1374, lines 2126–2127 111
301. §B.4.1, “DrawingML - Main”, p. 1374, lines 2129–2130 111
302. §B.4.1, “DrawingML - Main”, p. 1374, line 2131 111
303. §B.4.1, “DrawingML - Main”, p. 1375, lines 2161–2169 111
304. §B.5.1, “DrawingML - Charts”, pp. 1386–1387, lines 118–123 111
305. §B.5.1, “DrawingML - Charts”, p. 1387, lines 130–135 112
306. §B.5.1, “DrawingML - Charts”, p. 1387, lines 136–141 112
307. §B.5.1, “DrawingML - Charts”, p. 1387, lines 150–154 112
308. §B.5.1, “DrawingML - Charts”, p. 1387, lines 163–168 113
309. §B.5.1, “DrawingML - Charts”, p. 1387, lines 169–174 113
310. §B.5.1, “DrawingML - Charts”, p. 1388, lines 175–180 113
311. §B.5.1, “DrawingML - Charts”, p. 1388, lines 192–197 114
312. §B.5.1, “DrawingML - Charts”, p. 1388, lines 209–214 114
313. §B.5.1, “DrawingML - Charts”, p. 1398, lines 710–715 114
314. §B.5.3, “DrawingML - Diagrams”, p. 1411, lines 373–374 115
315. §B.5.3, “DrawingML - Diagrams”, p. 1412, lines 394–402 115
316. §B.7.9, “Shared Simple Types”, p. 1454 115

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/725f73e8-c41a-478a-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

 © ISO/IEC 2010 – All rights reserved

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75% of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO/IEC 29500-4:2008 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 34, *Document description and processing languages*.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/725f73e8-c41a-478a-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

© ISO/IEC 2010 – All rights reserved

Notational conventions

The title of each change is the complete reference to the clause or subclause being modified. In all cases, the title begins with the clause or subclause number, the clause or subclause name, and the page number. In those cases containing changes to a particular row of a table, the value in that row's first column is appended to the title. As the lines in each XML schema subclause are numbered starting at 1 and going to the end of a schema, modifications to schemas also contain the numbers of the lines being modified.

A change can contain any one or more of the following kinds of edits:

1. Addition of text: New text is displayed in blue and is underlined, as demonstrated here.
2. Deletion of text: ~~Deleted text is displayed in red and is struck-through, as demonstrated here.~~
3. Change of format of text: Text whose format (but not its content) has changed is displayed in green and is double-underlined, as demonstrated here.

Many changes involve edits to large paragraphs, tables, and/or XML fragments. In such cases, the changes contain only as much unchanged content as is necessary to establish the correct context of each change. Unchanged content that is not necessary to establish the correct context of a change is represented by an ellipsis (…).

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Within a change, intent that cannot be represented visually as an edit is written as an instruction in italic and delimited by curly brackets; for example: *{In paragraph 2, item 4, and in paragraph 4, make the numbers in the text "17–23" hyperlinked forward references to Clauses 17 and 23.}*

ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/725f73e8-c41a-478a-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

Two documents modify the base standard ISO/IEC 29500-4:2008. They are ISO/IEC 29500-4:2008/Cor.1:2010 and this amendment, ISO/IEC 29500-4:2008/Amd.1:2010, which were published in that order. Both of these documents show changes relative to the base standard. Specifically, the amendment does not reflect changes made by the corrigendum.

© ISO/IEC 2010 – All rights reserved

Information technology — Document description and processing languages — Office Open XML File Formats —

Part 4:
Transitional Migration Features

AMENDMENT 1

iTeh STANDARD PREVIEW
(standards.iteh.ai)

1. §2.1, "Document Conformance", p. 2

{The following text is added at the end of this subclause.}

A document of a transitional conformance class shall not use relationship types http://purl.oclc.org/ooxml/officeDocument/relationships/... but shall use http://schemas.openxmlformats.org/officeDocument/2006/relationships/... instead.

2. §3, "Normative References", p. 5

ISO/IEC 29500-4:2008/Amd 1:2010
https://standards.iteh.ai/catalog/standards/sist/725f73e8-c41a-478a-a582-61484a5a275d/iso-iec-29500-4-2008-amd-1-2010

ISO/IEC 29500-1:2008/Amd.1:2010, Information technology — *Document description and processing languages — Office Open XML File Formats — Part 1: Fundamentals and Markup Language Reference*, Amendment 1.

3. §7, "General Description", p. 12

{The following text is added at the end of this clause.}

Unless stated otherwise in this Part, the functionality defined in Part 1 is applicable to Part 4. However, Part 4 uses namespaces that are different from those used by Part 1. As such, when examples in Part 1 are read in the context of Part 4, they should be understood in the context of the corresponding Part 4 namespaces.

4. §8B, "WordprocessingML", new clause

The following parts, which are defined in subclauses within Part 1, §11, "WordprocessingML", have different source relationships and/or root namespaces when used in documents of the Transitional conformance class:

5. §8B.1, "Alternative Format Import Part (Part 1, §11.3.1)", new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/aFChunk

© ISO/IEC 2010 – All rights reserved