

ETSI TS 122 179 V15.2.0 (2018-07)



LTE;
Mission Critical Push to Talk (MCPTT) over LTE;
Stage 1
(3GPP TS 22.179 version 15.2.0 Release 15)

STANDARD PREVIEW
(standards.iteh.ai)
Full text of standards https://standards.iteh.ai/catalog/standards/sist/4bba-8a74-daf592d61aa0/etsi-ts-122-179-v1520-2018-07



ReferenceRTS/TSGS-0122179vf20

KeywordsLTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	8
Introduction	8
1 Scope	9
2 References	9
3 Definitions and abbreviations.....	10
3.1 Definitions	10
3.2 Abbreviations	12
4 Mission Critical Push To Talk overview.....	12
4.1 General	12
4.2 Typical use of the MCPTT Service	13
4.3 Overview of MCPTT Group affiliation, call and transmission	13
4.4 General handling of requests	17
4.5 Overview of MCPTT UE and MCPTT User in the MCPTT Service.....	17
4.5.1 MCPTT User association to MCPTT UE in on-network mode	18
4.5.2 MCPTT User and MCPTT UE relationship	18
4.5.3 MCPTT Users accessing the service through non-3GPP access interface.....	18
4.5.4 Shareable MCPTT UEs and gateway UEs.....	18
4.5.5 MCPTT User association to MCPTT UE in off-network mode	19
4.6 Overview of MCPTT priorities	19
4.6.1 MCPTT priority model	19
4.6.2 Generic processing of priority information.....	21
4.6.3 Handling of MCPTT priority information for Floor control.....	21
4.6.4 Handling of MCPTT priority information for interactions at the transport layer	21
4.6.5 Handling of MCPTT priority information for interactions with non-3GPP PTT systems.....	22
4.6.6 MCPTT priority for Private Call.....	22
4.7 Overview of MCPTT identifiers	22
5 MCPTT Service requirements common for on the network and off the network.....	22
5.1 General group call requirements	22
5.1.1 General aspects	22
5.1.2 Group/status information	23
5.1.3 Group configuration.....	23
5.1.4 Identification.....	23
5.1.5 Membership/affiliation	23
5.1.6 Group Call administration	23
5.1.7 Prioritization	23
5.1.8 Charging requirements for MCPTT	23
5.2 Broadcast Group.....	24
5.2.1 General Broadcast Group Call	24
5.2.2 Group-Broadcast Group (e.g., announcement group).....	24
5.2.3 User-Broadcast Group (e.g., System Call).....	24
5.3 Late call entry.....	24
5.4 Dynamic group management (i.e., dynamic regrouping)	24
5.5 Receiving from multiple MCPTT calls	24
5.5.1 Overview	24
5.5.2 Requirements	25
5.6 Private Call.....	25
5.6.1 Private Call overview.....	25
5.6.2 Private Call (with Floor control) general requirements	25
5.6.3 Private Call (with Floor control) commencement requirements	26
5.6.4 Private Call (with Floor control) termination	26

5.6.5	Private Call (with Floor control) administration.....	27
5.7	MCPTT priority requirements.....	27
5.7.1	Overview	27
5.7.2	Call types based on priorities.....	28
5.7.2.1	MCPTT Emergency Group Call	28
5.7.2.1.1	MCPTT Emergency Group Call requirements	28
5.7.2.1.2	MCPTT Emergency Group Call cancellation requirements	28
5.7.2.2	Imminent Peril group call.....	29
5.7.2.2.1	Imminent Peril group call requirements	29
5.7.2.2.2	Imminent Peril group call cancellation requirements	29
5.7.2.3	MCPTT Emergency Private Call (with Floor control).....	29
5.7.2.3.1	MCPTT Emergency Private Call (with Floor control) requirements.....	29
5.7.2.3.2	MCPTT Emergency Private Call (with Floor control) cancellation requirements	29
5.7.2.4	MCPTT Emergency Alert.....	30
5.7.2.4.1	MCPTT Emergency Alert requirements.....	30
5.7.2.4.2	MCPTT Emergency Alert cancellation requirements.....	30
5.8	User ID.....	30
5.9	MCPTT UE management.....	30
5.10	MCPTT User Profile	30
5.11	Support for multiple devices	30
5.12	Location.....	30
5.13	Security	31
5.14	Audio / voice quality	31
5.15	Interactions between MCPTT Group calls and MCPTT Private Calls (with Floor control)	32
5.16	Relay requirements.....	32
5.17	Gateway requirements.....	32
5.18	Control and management by Mission Critical Organizations.....	32
5.18.1	Overview	32
5.18.2	General requirements.....	32
5.18.3	Operational visibility for Mission Critical Organizations.....	32
5.19	General Administrative – groups and users.....	32
6	MCPTT Service requirements specific to on-network use.....	33
6.1	General administrative – groups and users.....	33
6.2	MCPTT calls.....	33
6.2.1	Commencement modes for MCPTT Group calls.....	33
6.2.2	Queuing	34
6.2.3	Floor control	34
6.2.3.1	General aspects	34
6.2.3.2	Requesting permission to transmit	34
6.2.3.3	Override	35
6.2.3.3.1	General aspects.....	35
6.2.3.3.2	Override – one transmitting Participant.....	36
6.2.3.3.3	Override – simultaneously Transmitting MCPTT Group Members	36
6.2.3.4	Terminating permission to transmit	36
6.2.3.5	Transmit time limit.....	36
6.2.3.6	Audio cut-in on designated MCPTT Groups	36
6.2.3.6.1	Overview	36
6.2.3.6.2	Requirements.....	37
6.2.3.6.3	Requesting permission to transmit	37
6.2.3.6.4	Terminating permission to transmit.....	37
6.2.3.6.5	Transmit time limit.....	37
6.2.3.7	MCPTT Groups configured for multi-talker control.....	38
6.2.3.7.1	Overview	38
6.2.3.7.2	General aspects.....	38
6.2.3.7.3	Requesting permission to transmit	38
6.2.3.7.4	Override.....	38
6.2.4	Call termination	39
6.3	General requirements	39
6.4	General group call	40
6.4.1	General aspects	40
6.4.2	Group status/information	40

6.4.3	Identification.....	40
6.4.4	Membership/affiliation	40
6.4.5	Membership/affiliation list	40
6.4.6	Authorized user remotely changes another MCPTT User's affiliated and/or Selected MCPTT Group(s).....	40
6.4.6.1	Mandatory change.....	40
6.4.6.2	Negotiated change.....	41
6.4.7	Prioritization	41
6.4.8	Relay requirements	41
6.4.9	Administrative	41
6.5	Broadcast group.....	41
6.5.1	General Broadcast Group Call.....	41
6.5.2	Group-Broadcast Group (e.g., announcement group).....	41
6.5.3	User-Broadcast Group (e.g., System Call).....	41
6.6	Dynamic group management (i.e., dynamic regrouping)	42
6.6.1	General dynamic regrouping.....	42
6.6.2	Group Regrouping.....	42
6.6.2.1	Service description.....	42
6.6.2.2	Requirements	42
6.6.3	Temporary Group-Broadcast Group	42
6.6.4	User regrouping.....	42
6.6.4.1	Service description.....	42
6.6.4.2	Requirements	43
6.7	Private Call.....	43
6.7.0	Overview	43
6.7.1	General requirements.....	43
6.7.2	Administrative	44
6.7.3	Prioritization	44
6.7.4	Private Call (without Floor control) commencement requirements.....	44
6.7.4a	Private Call (with Floor control) commencement requirements	45
6.7.5	Private Call (without Floor control) termination	45
6.7.6	Call back request requirements.....	45
6.8	MCPTT priority requirements.....	45
6.8.1	General.....	45
6.8.2	3GPP system access controls.....	46
6.8.3	3GPP system admission controls.....	46
6.8.4	3GPP system scheduling controls.....	46
6.8.5	UE access controls.....	46
6.8.6	Application layer priorities.....	46
6.8.6.1	Overview.....	46
6.8.6.2	Requirements	46
6.8.7	Call types based on priorities.....	47
6.8.7.1	MCPTT Emergency Group Call requirements.....	47
6.8.7.2	MCPTT Emergency Private Call (with Floor control) requirements	47
6.8.7.3	Imminent Peril group call requirements.....	47
6.8.7.4	MCPTT Emergency Alert.....	47
6.8.7.4.1	Requirements.....	47
6.8.7.4.2	MCPTT Emergency Alert cancellation requirements.....	47
6.9	IDs and aliases.....	47
6.10	User Profile management	48
6.11	Support for multiple devices	48
6.12	Location.....	48
6.13	Security	48
6.13.1	Overview	48
6.13.2	Cryptographic protocols	48
6.13.3	Authentication.....	48
6.13.4	Access control.....	48
6.13.5	Regulatory issues.....	49
6.14	Interactions for MCPTT Group Calls and MCPTT Private Calls.....	49
6.15	Audio MCPTT call performance.....	49
6.15.1	General overview.....	49
6.15.2	General requirements.....	49

6.15.3	MCPTT access time and mouth-to-ear latency	49
6.15.3.1	General overview	49
6.15.3.2	Requirements	50
6.15.4	Late call entry performance	51
6.15.4.1	General overview	51
6.15.4.2	Requirements	52
6.15.5	Audio / voice quality.....	52
6.15.6	Radio Resource Efficiency Performance	52
6.16	Additional services for MCPTT calls	53
6.16.1	Discreet listening capabilities	53
6.16.2	Ambient listening.....	53
6.16.2.1	Overview of ambient listening	53
6.16.2.2	Ambient listening requirements	53
6.16.2.2.1	General Ambient Listening requirements.....	53
6.16.2.2.2	Remotely initiated Ambient Listening requirements.....	53
6.16.2.2.3	Locally initiated Ambient Listening requirements	53
6.16.3	Remotely initiated MCPTT call.....	53
6.16.3.1	Overview	53
6.16.3.2	Requirements	54
6.16.4	Recording and audit requirements	54
6.17	Interaction with telephony services	54
6.18	Interworking.....	54
6.18.1	Non-3GPP access.....	54
6.18.2	Interworking between MCPTT systems	54
6.18.3	Interworking with non-3GPP PTT systems	55
6.18.3.1	Overview.....	55
6.18.3.2	Project 25	55
6.18.3.3	TETRA.....	56
6.18.3.4	Legacy land mobile radio.....	57
6.19	MCPTT coverage extension using ProSe UE-to-Network Relays	57
7	MCPTT Service requirements specific to off-network use	58
7.1	Off-network Push To Talk overview	58
7.2	General off-network MCPTT requirements	59
7.3	Floor control.....	59
7.3.1	General aspects	59
7.3.2	Requesting permission to transmit.....	60
7.3.3	Override	60
7.3.4	Terminating permission to transmit.....	60
7.3.5	Transmit time limit	61
7.4	Call Termination	61
7.5	Broadcast Group.....	61
7.6	Dynamic group management (i.e., dynamic regrouping)	61
7.7	MCPTT priority requirements	61
7.8	Call types based on priorities	61
7.8.1	MCPTT Emergency Group Call requirements	61
7.8.2	MCPTT Emergency Group Call cancellation requirements	62
7.8.3	Imminent Peril Call.....	62
7.8.3.1	Imminent Peril group call requirements.....	62
7.8.3.2	Imminent Peril group call cancellation requirements.....	62
7.9	Location.....	62
7.10	Security	62
7.11	Audio MCPTT Call performance	62
7.11.1	MCPTT Access time and Mouth-to-ear latency	62
7.11.1.1	General overview	62
7.11.1.2	Requirements	63
7.11.2	Late call entry performance	63
7.11.2.1	General overview	63
7.11.2.2	Requirements	63
7.11.3	Audio / Voice quality.....	63
7.12	Off-network MCPTT operations	63
7.13	Off-network UE functionality	63

7.14	Switching to off-network MCPTT	64
7.15	Off-network recording and audit requirements	64
7.16	Off-network UE-to-UE Relay	64
7.16.1	Private Calls.....	64
7.16.2	Group Calls	64
Annex A (informative):	Variables	65
Annex A1 (Informative):	MCPTT Requirements for MCCoRe.....	66
Annex B (informative):	Bibliography.....	80
Annex C (informative):	MCPTT scalability guide	81
Annex D (informative):	Change history	82
History		85

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/40267867-e0da-4bba-8a74-daf592d61aa0/etsi-ts-122-179-v15.2.0-2018-07>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document covers requirements for Mission Critical Push To Talk (MCPTT) service (represented by the term, MCPTT Service). The MCPTT Service can be used for public safety applications and also for general commercial applications (e.g., utility companies and railways). The specifications contained within the present document can also form the basis for a non-mission critical Push To Talk service (called a PTT service).

Note that further development of mission critical services beyond MCPTT (such as Mission Critical Video and Mission Critical Data) created an opportunity to re-use base functionality documented in the Stage 1 requirements for MCPTT. For example, the ability to communicate mission critical information to groups of users is a common need regardless of service type. Wherever originating MCPTT requirements were found to be in common with other mission critical services, those requirements were moved to a new Technical Specification (3GPP TS 22.280). Each requirement that was moved has been voided in this version of 3GPP TS 22.179, and an informative annex has been created at the end of this specification documenting the location of the originating 3GPP TS 22.179 requirement in 3GPP TS 22.280.

1 Scope

The present document provides the service requirements for operation of the MCPTT Service. MCPTT makes use of capabilities included in Group Communications System Enablers and Proximity Services, with additional requirements specific to the MCPTT Service. The MCPTT Service can be used for public safety applications and also for general commercial applications (e.g., utility companies and railways). The requirements in this specification do not apply to GSM or UMTS.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] TSB-102-B: "Project 25 TIA-102 Document Suite Overview".
- [3] TIA-603-D: "Land Mobile FM or PM Communications Equipment Measurement and Performance Standards".
- [4] TIA-102.BABA: "Vocoder Description".
- [5] 3GPP TS 22.278: "Service requirements for the Evolved Packet System (EPS)".
- [6] 3GPP TS 22.468: "Group Communication System Enablers for LTE (GCSE_LTE)".
- [7] ITU-T Recommendation P.862: "Perceptual evaluation of speech quality (PESQ): An objective method for end-to-end speech quality assessment of narrow-band telephone networks and speech codecs".
- [8] ITU-T Recommendation P.862.1: "Mapping function for transforming P.862 raw result scores to MOS-LQO".
- [9] ITU-T Recommendation P.863: "Perceptual objective listening quality assessment".
- [10] TIA-102.BABG: "Enhanced Vocoder Methods of Measurement for Performance", March 2010.
- [11] 3GPP TS 26.190: "Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Transcoding functions".
- [12] 3GPP TS 26.194: "Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Voice Activity Detector (VAD)".
- [13] 3GPP TS 22.011: "Service accessibility".
- [14] 3GPP TS 23.122: "Non-Access-Stratum (NAS) functions related to Mobile Stations (MS) in idle mode".
- [15] 3GPP TS 22.280: "Mission Critical Services Common Requirements (MCCoRe)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [1]. Definitions provided in 3GPP TS 22.280 [15] also apply to this specification.

Affiliated MCPTT Group Member: An MCPTT Group Member who has indicated an interest in the group and is prepared to receive and/or transmit Group Communications from/to the particular MCPTT Group.

Automatic Commencement Private Call: A Private Call in which the initiation of the Private Call does not require any action on the part of the receiving MCPTT User.

Broadcast Group Call: A group call where the initiating MCPTT User expects no response from the other MCPTT Users, so that when his transmission is complete, so is the call.

Call Commencement Mode: This is a setting that determines the conditions under which a call is started.

Dispatcher: An MCPTT User who participates in MCPTT communications for command and control purposes.

Floor control: An arbitration system in an MCPTT Service that determines who has the authority to transmit (talk) at a point in time during an MCPTT call.

Group-Broadcast Group: A collection of groups defined by the MCPTT Administrator (e.g., representing a particular organizational structure) and intended to be the recipients of Broadcast Group Calls.

Group Regroup: The temporary combining of a multiplicity of groups into a single group.

Hang Time: A configurable maximum length of the inactivity (silence) period between consecutive MCPTT transmissions within the same call.

Imminent Peril Call: An urgent MCPTT Group call that highlights the potential of death or serious injury, but is less critical than an MCPTT Emergency Group Call. For example a call prioritized in the event of immediate threat to any human life such as resulting from an MCPTT User's observation of or engagement in a situation involving imminent peril to the general public (e.g., a forest fire about to encircle campers, tanker truck ready to explode near a school, casualties at the scene of a car bombing).

In-progress Emergency: An emergency condition for a group that has been accepted by the MCPTT Service, but has not yet been cancelled by an authorized user.

In-progress Imminent Peril: An imminent peril condition for a group that has been accepted by the MCPTT Service and has not yet been cancelled by an authorized MCPTT User.

Late call entry: An Affiliated MCPTT Group Member joins in an in progress MCPTT Group Call.

Location: The current physical location (i.e., co-ordinates plus estimated accuracy and timestamp) of the MCPTT UE that can be cross-referenced to a map.

Losing audio: Audio of an overridden talker that is routed to selected authorized MCPTT Users.

Manual Commencement Private Call: A Private Call in which the initiation of the Private Call requires the receiving MCPTT User to perform some action to accept or reject the Private Call setup.

MCPTT Administrator: An individual authorized to control parameters of the MCPTT Service for an organization including, for example, user and group definition, user/group aliases, user priorities, group membership/priorities/hierarchies, security and privacy controls.

MCPTT Emergency Alert: A notification from the MCPTT UE to the MCPTT Service that the MCPTT User has an emergency condition.

MCPTT Emergency Group Call: An urgent MCPTT Group call that highlights the potential of death or serious injury to the initiator.

MCPTT Emergency Private Call: An urgent MCPTT Private Call that highlights the potential of death or serious injury to the initiator.

MCPTT Emergency State: A heightened condition of alarm for an MCPTT User indicating a need for immediate assistance due to a personal life-threatening situation.

MCPTT Group: A defined set of MCPTT Users identified independently of transport or network type.

MCPTT Group Member: An MCPTT User who has been authorized to participate in Group Communications of a particular MCPTT Group.

MCPTT Request: The action taken by an MCPTT User to request the permission to transmit voice on a call.

MCPTT Service: A Push To Talk communication service supporting applications for Mission Critical Organizations and mission critical applications for other businesses and organizations (e.g., utilities, railways) with fast setup times, high availability, reliability and priority handling.

MCPTT system: The collection of applications, services, and enabling capabilities required to provide Mission Critical Push To Talk for a Mission Critical Organization.

MCPTT UE: A UE that enables an MCPTT User to participate in MCPTT Service.

MCPTT User: A user of an MCPTT Service, who has a device with the capability to participate in MCPTT Services.

MCPTT User Profile: The set of information that allows an MCPTT User to employ the MCPTT Service in a given role and/or from a given MCPTT device.

Mission Critical Push To Talk: A group communication service with fast setup times, ability to handle large groups, strong security and priority handling.

Off-Network MCPTT Service: The collection of functions and capabilities required to provide MCPTT using ProSe Discovery and the ProSe Communication path for MCPTT Users using Public Safety ProSe-enabled UEs as a direct communication between UEs.

Partner MCPTT System: Allied MCPTT system that provides MCPTT Services to an MCPTT User based on the MCPTT User Profile that is defined in the Primary MCPTT System of that MCPTT User.

Pre-emption: The act of terminating on-going calls in order to free up resources for a higher priority call request.

Primary MCPTT System: MCPTT system where the MCPTT User Profile of an MCPTT User is defined.

Private Call: A call between a pair of MCPTT Users using the MCPTT Service with or without MCPTT Floor control.

Project 25 RFSS: A Project 25 Radio Frequency (RF) Subsystem as defined in TSB-102-B [2].

Receiving MCPTT Group Member: An Affiliated MCPTT Group Member who is currently receiving Group Communication from an MCPTT Group.

Selected MCPTT Group: The MCPTT Group that a particular Affiliated MCPTT Group Member uses for transmission.

System Call: A special case of a Broadcast Group Call that is transmitted to all users in a dynamically defined geographic area.

Transmitting MCPTT Group Member: An Affiliated MCPTT Group Member who is currently transmitting a Group Communication to a Selected MCPTT Group.

User-Broadcast Group: A collection of users defined by the MCPTT Administrator (e.g., representing a particular organizational structure) and intended to be the recipients of Broadcast Group Calls.

User ID: The main unique identifier for an MCPTT User.

User Regroup: The temporary combining of a multiplicity of users into a new group.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

FIFO	First In First Out
GCSE_LTE	Group Communication System Enablers for LTE
KPI	Key Performance Indicator
MCPTT	Mission Critical Push To Talk
MOS-LQO	Mean Opinion Score – Listening Quality Objective
P25	Project 25
PESQ	Perceptual Evaluation of Speech Quality
POLQA	Perceptual Objective Listening Quality Assessment
ProSe	Proximity Services
PTT	Push To Talk
RFSS	Radio Frequency (RF) Subsystem as defined in the TIA-102 specifications (P25)
TETRA	Terrestrial Trunked Radio
TIA	Telecommunications Industry Association

4 Mission Critical Push To Talk overview

4.1 General

A Push To Talk service provides an arbitrated method by which two or more users may engage in communication. Users may request permission to transmit (e.g., traditionally by means of a press of a button). The Mission Critical Push To Talk (MCPTT) service supports an enhanced PTT service, suitable for mission critical scenarios, based upon 3GPP system services. The requirements for Mission Critical Push To Talk (MCPTT) service defined within can also form the basis for a non-mission critical Push To Talk (PTT) service.

The MCPTT Service is intended to support communication between several users (a group call), where each user has the ability to gain access to the permission to talk in an arbitrated manner. However, the MCPTT Service also supports Private Calls between pairs of users. The MCPTT Service builds on the existing 3GPP transport communication mechanisms provided by the 3GPP architectures to establish, maintain, and terminate the actual communication path(s) among the users.

The MCPTT Service also builds upon service enablers: Group Communications System Enablers and Proximity Services. To the extent feasible, it is expected that the end user's experience to be similar regardless if the MCPTT Service is used under coverage of a 3GPP network or based on ProSe without network coverage. To clarify this intent, the requirements are grouped according to applicability to on-network use, off-network use, or both.

Though the MCPTT Service primarily focuses on the use of the 3GPP system there might be users who access the MCPTT Service through non-3GPP access technology, dispatchers and administrators are examples of this. Dispatchers and administrators are special users who have particular admin and call management privileges which normal users might not have. In MCPTT dispatchers can use an MCPTT UE (i.e., 3GPP) or a non-3GPP access connection to the MCPTT Service based on a "dispatcher and Administrator" interface. Through this interface a user is able to access and manage the services related to on the network and those common to on the network and off the network.

The MCPTT Service allows users to request the permission to talk (transmit voice/audio) and provides a deterministic mechanism to arbitrate between requests that are in contention (i.e., Floor control). When multiple requests occur, the determination of which user's request is accepted and which users' requests are rejected or queued is based upon a number of characteristics (including the respective priorities of the users in contention). MCPTT Service provides a means for a user with higher priority (e.g., MCPTT Emergency condition) to override (interrupt) the current talker. MCPTT Service also supports a mechanism to limit the time a user talks (hold the floor) thus permitting users of the same or lower priority a chance to gain the floor.

The MCPTT Service provides the means for a user to monitor activity on a number of separate calls and enables the user to switch focus to a chosen call. An MCPTT Service user may join an already established MCPTT Group call (Late call entry). In addition the MCPTT Service provides the User ID of the current speaker(s) and user's Location determination features.