



# SLOVENSKI STANDARD SIST ETS 300 175-5:1999

01-november-1999

---

**Digitalne izboljšane brezvrvične telekomunikacije (DECT) - Skupni vmesnik (CI) - 5.  
del: Omrežna plast (NWK)**

Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 5:  
Network (NWK) layer

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Ta slovenski standard je istoveten z: **ETS 300 175-5 Edition 3**  
SIST ETS 300 175-5:1999  
<https://standards.iteh.ai/catalog/standards/sist/21d6766f-c368-4546-a9fd-d407b6e9a729/sist-ets-300-175-5-1999>

---

**ICS:**

33.070.30	Digitalne izboljšane brezvrvične telekomunikacije (DECT)	Digital Enhanced Cordless Telecommunications (DECT)
35.100.30	Omrežni sloj	Network layer

**SIST ETS 300 175-5:1999**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 175-5:1999](#)

<https://standards.iteh.ai/catalog/standards/sist/21d6766f-e368-4348-a9fd-d407b6e9a729/sist-ets-300-175-5-1999>



**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 175-5**

December 1997

Third Edition

Source: DECT

Reference: RE/DECT-030122-5

ICS: 33.020

**Key words:** DECT, radio

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**  
**Digital Enhanced Cordless Telecommunications (DECT);**  
**Common Interface (CI);**  
**Part 5: Network (NWK) layer**

SIST ETS 300 175-5:1999  
<https://standards.iteh.ai/catalog/standards/sist/ets-300-175-5-1999/d407b6e9a729/sist-ets-300-175-5-1999>

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1997. All rights reserved.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 175-5:1999](https://standards.iteh.ai/catalog/standards/sist/21d6766f-e368-4348-a9fd-d407b6e9a729/sist-ets-300-175-5-1999)

<https://standards.iteh.ai/catalog/standards/sist/21d6766f-e368-4348-a9fd-d407b6e9a729/sist-ets-300-175-5-1999>

## Contents

Foreword .....	13
Amendments in this edition .....	13
1 Scope .....	15
2 Normative references .....	15
3 Definitions and abbreviations .....	19
3.1 Definitions .....	19
3.2 Abbreviations .....	21
4 Overview of the NWK layer .....	23
5 Overview of procedures .....	25
5.1 General .....	25
5.2 Overview of Call Control (CC).....	25
5.2.1 General.....	25
5.2.2 Call establishment.....	26
5.2.2.1 Call set-up.....	26
5.2.2.2 Service negotiation .....	26
5.2.3 Call connect.....	27
5.2.4 Call information .....	27
5.2.5 Service change.....	27
5.2.6 Call release .....	27
5.3 Overview of Supplementary Services (SS).....	28
5.3.1 General.....	28
5.3.2 Keypad protocol.....	28
5.3.3 Feature key management protocol .....	29
5.3.4 Functional protocol .....	29
5.4 Overview of Connection Oriented Message Service (COMS).....	29
5.4.1 General.....	29
5.4.2 COMS establishment .....	30
5.4.3 Service negotiation.....	30
5.4.4 COMS connect.....	30
5.4.5 COMS data transfer .....	30
5.4.6 COMS suspend and resume.....	31
5.4.7 COMS release.....	31
5.5 Overview of Connectionless Message Service (CLMS) .....	31
5.5.1 Fixed length message service.....	31
5.5.2 Variable length message service .....	31
5.6 Overview of Mobility Management (MM) .....	32
5.6.1 General.....	32
5.6.2 Identity procedures.....	32
5.6.3 Authentication procedures.....	33
5.6.4 Location procedures.....	33
5.6.5 Access rights procedures.....	33
5.6.6 Key allocation procedure .....	34
5.6.7 Parameter retrieval procedure.....	34
5.6.8 Cipherring related procedure.....	34
5.7 Overview of Link Control Entity (LCE) .....	34
5.7.1 General.....	34
5.7.2 Data Link Endpoint Identifier (DLEI).....	35
5.7.3 Data link establishment .....	35
5.7.4 Data link re-establishment.....	36
5.7.5 Data link release.....	36
5.7.6 Data link suspend and resume.....	36

	5.7.7	Queuing of messages.....	36
	5.7.8	Request paging.....	36
6		Message functional definitions.....	37
	6.1	Overview of message structures.....	37
	6.1.1	Messages .....	37
	6.1.2	Information elements .....	37
	6.2	Message summaries.....	38
	6.2.1	Summary of CC messages.....	38
	6.2.2	Summary of CISS messages .....	38
	6.2.3	Summary of COMS messages.....	38
	6.2.4	Summary of CLMS messages.....	39
	6.2.5	Summary of MM messages.....	39
	6.2.6	Summary of LCE messages.....	40
	6.3	S-FORMAT message functional contents.....	40
	6.3.1	S-FORMAT message overview .....	40
	6.3.2	CC-messages.....	41
	6.3.2.1	{CC-SETUP} .....	41
	6.3.2.2	{CC-INFO}.....	43
	6.3.2.3	{CC-SETUP-ACK}.....	44
	6.3.2.4	{CC-CALL-PROC}.....	45
	6.3.2.5	{CC-ALERTING} .....	46
	6.3.2.6	{CC-CONNECT} .....	47
	6.3.2.7	{CC-CONNECT-ACK}.....	48
	6.3.2.8	{CC-RELEASE}.....	48
	6.3.2.9	{CC-RELEASE-COM} .....	49
	6.3.2.10	{CC-SERVICE-CHANGE}.....	50
	6.3.2.11	{CC-SERVICE-ACCEPT}.....	50
	6.3.2.12	{CC-SERVICE-REJECT}.....	51
	6.3.2.13	{CC-NOTIFY}.....	51
	6.3.2.14	{CW-INFO}.....	52
	6.3.3	SS-messages (call related and call independent) .....	53
	6.3.3.1	{FACILITY}.....	53
	6.3.3.2	{HOLD}.....	53
	6.3.3.3	{HOLD-ACK}.....	54
	6.3.3.4	{HOLD-REJECT}.....	54
	6.3.3.5	{RETRIEVE}.....	55
	6.3.3.6	{RETRIEVE-ACK}.....	55
	6.3.3.7	{RETRIEVE-REJECT} .....	56
	6.3.3.8	{CISS-REGISTER}.....	56
	6.3.3.9	{CISS-RELEASE-COM}.....	57
	6.3.4	COMS-messages .....	57
	6.3.4.1	{COMS-SETUP}.....	57
	6.3.4.2	{COMS-INFO}.....	58
	6.3.4.3	{COMS-ACK} .....	58
	6.3.4.4	{COMS-CONNECT}.....	59
	6.3.4.5	{COMS-RELEASE}.....	59
	6.3.4.6	{COMS-RELEASE-COM} .....	60
	6.3.4.7	{COMS-NOTIFY} .....	60
	6.3.5	CLMS-message.....	61
	6.3.5.1	{CLMS-VARIABLE}.....	61
	6.3.6	MM-messages .....	62
	6.3.6.1	{ACCESS-RIGHTS-ACCEPT} .....	62
	6.3.6.2	{ACCESS-RIGHTS-REJECT}.....	62
	6.3.6.3	{ACCESS-RIGHTS-REQUEST} .....	63
	6.3.6.4	{ACCESS-RIGHTS-TERMINATE-ACCEPT}.....	63
	6.3.6.5	{ACCESS-RIGHTS-TERMINATE-REJECT}.....	64
	6.3.6.6	{ACCESS-RIGHTS-TERMINATE-REQUEST} .....	64
	6.3.6.7	{AUTHENTICATION-REJECT}.....	65
	6.3.6.8	{AUTHENTICATION-REPLY}.....	65
	6.3.6.9	{AUTHENTICATION-REQUEST} .....	66
	6.3.6.10	{CIPHER-REJECT}.....	66
	6.3.6.11	{CIPHER-REQUEST}.....	67

	6.3.6.12	{CIPHER-SUGGEST}.....	67
	6.3.6.13	{DETACH} .....	68
	6.3.6.14	{IDENTITY-REPLY}.....	68
	6.3.6.15	{IDENTITY-REQUEST} .....	69
	6.3.6.16	{KEY-ALLOCATE} .....	69
	6.3.6.17	{LOCATE-ACCEPT}.....	70
	6.3.6.18	{LOCATE-REJECT}.....	70
	6.3.6.19	{LOCATE-REQUEST} .....	71
	6.3.6.20	{MM-INFO-ACCEPT}.....	71
	6.3.6.21	{MM-INFO-REJECT} .....	72
	6.3.6.22	{MM-INFO-REQUEST}.....	72
	6.3.6.23	{MM-INFO-SUGGEST}.....	73
	6.3.6.24	{TEMPORARY-IDENTITY-ASSIGN} .....	73
	6.3.6.25	{TEMPORARY-IDENTITY-ASSIGN-ACK} .....	74
	6.3.6.26	{TEMPORARY-IDENTITY-ASSIGN-REJ} .....	74
	6.3.7	LCE-messages.....	75
	6.3.7.1	{LCE-PAGE-RESPONSE} .....	75
	6.3.7.2	{LCE-PAGE-REJECT}.....	75
6.4	B-FORMAT	message functional contents .....	76
	6.4.1	B-FORMAT message overview.....	76
	6.4.2	{LCE-REQUEST-PAGE} .....	76
	6.4.3	{CLMS-FIXED} .....	77
7	S-FORMAT	message structures.....	77
	7.1	Overview .....	77
	7.2	Protocol Discrimination (PD) element.....	78
	7.3	Transaction Identifier (TI) element.....	79
	7.4	Message type element.....	80
	7.4.1	Messages for CC.....	80
	7.4.2	Messages for SS.....	80
	7.4.3	Messages for COMS.....	81
	7.4.4	Messages for CLMS.....	81
	7.4.5	Messages for MM.....	81
	7.4.6	Messages for LCE.....	82
7.5	Other information elements .....		82
	7.5.1	Coding rules .....	82
	7.5.2	Extensions of codesets .....	84
	7.5.3	Locking shift procedure .....	85
	7.5.4	Non-locking shift procedure .....	85
	7.5.5	Display and keypad elements.....	86
	7.5.6	Repeated elements .....	86
7.6	Fixed length information elements.....		87
	7.6.1	Summary .....	87
	7.6.2	Sending complete and delimiter request.....	87
	7.6.3	Repeat indicator .....	88
	7.6.4	Basic service .....	88
	7.6.5	Single display .....	89
	7.6.6	Single keypad.....	89
	7.6.7	Release reason .....	89
	7.6.8	Signal.....	90
	7.6.9	Timer restart.....	91
	7.6.10	Test hook control.....	92
7.7	Variable length information elements .....		92
	7.7.1	Summary .....	92
	7.7.2	Allocation type .....	94
	7.7.3	Alphanumeric .....	95
	7.7.4	Auth type .....	96
	7.7.5	Call attributes .....	97
	7.7.6	Call identity.....	99
	7.7.7	Called party number .....	100
	7.7.8	Called party subaddress.....	101
	7.7.9	Calling party number .....	101
	7.7.10	Cipher info.....	103

7.7.11	Connection attributes.....	104
7.7.12	Connection identity .....	106
7.7.13	Duration .....	107
7.7.14	End-to-end compatibility .....	107
7.7.15	Facility.....	110
7.7.16	Feature activate .....	111
7.7.17	Feature indicate .....	113
7.7.18	Fixed identity.....	115
7.7.19	Identity type.....	116
7.7.20	Info type .....	117
7.7.21	Interworking Unit (IWU) attributes .....	118
7.7.22	IWU packet .....	123
7.7.23	IWU to IWU .....	124
7.7.24	Key.....	125
7.7.25	Location area .....	126
7.7.26	Multi-display .....	127
7.7.27	Multi-keypad.....	127
7.7.28	Network (NWK) assigned identity .....	127
7.7.29	Network parameter .....	128
7.7.30	Portable identity .....	129
7.7.31	Progress indicator.....	132
7.7.32	Rand .....	133
7.7.33	Rate parameters .....	134
7.7.34	Reject reason.....	135
7.7.35	RES .....	136
7.7.36	RS.....	136
7.7.37	Segmented info.....	137
7.7.38	Service change info.....	137
7.7.39	Service class.....	139
7.7.40	Set-up capability .....	139
7.7.41	Terminal capability .....	140
7.7.42	Transit delay .....	143
7.7.43	Window size.....	144
7.7.44	ZAP field .....	144
7.7.45	Escape to proprietary .....	145
7.7.46	Model identifier .....	145
7.7.47	MMS Generic Header .....	146
7.7.48	MMS Object Header .....	146
7.7.49	MMS Extended header .....	146
7.7.50	Time-Date .....	146
7.7.51	Ext h/o indicator .....	148
8	B-FORMAT message structures .....	148
8.1	General.....	148
8.2	LCE request paging messages .....	149
8.2.1	Short format message .....	150
8.2.2	Long format message.....	152
8.3	CLMS-FIXED messages.....	154
8.3.1	General message structure .....	154
8.3.2	Message elements.....	155
8.3.3	Standard message structures.....	156
8.3.3.1	General .....	156
8.3.3.2	Messages using 4-bit characters .....	156
8.3.3.3	Messages using 8-bit characters .....	156
9	Call Control (CC) procedures .....	157
9.1	General.....	157
9.2	Call Control (CC) states .....	160
9.2.1	States at PT .....	160
9.2.1.1	State T-00: "NULL".....	160
9.2.1.2	State T-19: "RELEASE PENDING" .....	160
9.2.1.3	State T-10: "ACTIVE" .....	160
9.2.1.4	State T-01: "CALL INITIATED" .....	160



	9.2.1.5	State T-02: "OVERLAP SENDING" .....	160
	9.2.1.6	State T-03: "CALL PROCEEDING" .....	160
	9.2.1.7	State T-04: "CALL DELIVERED" .....	160
	9.2.1.8	State T-06: "CALL PRESENT" .....	160
	9.2.1.9	State T-07: "CALL RECEIVED" .....	160
	9.2.1.10	State T-08: "CONNECT PENDING" .....	160
9.2.2	States at FT .....		160
	9.2.2.1	State F-00: "NULL" .....	160
	9.2.2.2	State F-19: "RELEASE PENDING" .....	161
	9.2.2.3	State F-10: "ACTIVE" .....	161
	9.2.2.4	State F-01: "CALL-INITIATED" .....	161
	9.2.2.5	State F-02: "OVERLAP SENDING" .....	161
	9.2.2.6	State F-03: "CALL PROCEEDING" .....	161
	9.2.2.7	State F-04: "CALL DELIVERED" .....	161
	9.2.2.8	State F-06: "CALL PRESENT" .....	161
	9.2.2.9	State F-07: "CALL RECEIVED" .....	161
9.2.3	Optional states (PT and FT) .....		162
	9.2.3.1	States T-22 and F-22: "OVERLAP RECEIVING" .....	162
	9.2.3.2	States T-23 and F-23: "INCOMING CALL PROCEEDING" .....	162
9.3	Call establishment procedures .....		162
9.3.1	PT initiated call establishment (outgoing call) .....		162
	9.3.1.1	Call request .....	162
	9.3.1.2	Call accept or reject .....	163
	9.3.1.3	Selection of lower layer resources .....	164
	9.3.1.4	Connection of U-plane .....	165
	9.3.1.5	Overlap sending .....	165
	9.3.1.6	Call proceeding .....	166
	9.3.1.7	Call confirmation .....	166
	9.3.1.8	Call connection .....	166
	9.3.1.9	Expiry of timer <CC.04> .....	167
9.3.2	FT initiated call establishment (incoming call) .....		167
	9.3.2.1	Call request .....	167
	9.3.2.2	Call accept or reject .....	167
	9.3.2.3	Selection of lower layer resources .....	168
	9.3.2.4	Connection of U-plane .....	169
	9.3.2.5	Overlap receiving .....	169
	9.3.2.6	Call proceeding .....	169
	9.3.2.7	Call confirmation .....	169
	9.3.2.8	Call connection .....	169
	9.3.2.9	Sending of <<TERMINAL-CAPABILITY>> .....	170
	9.3.2.10	Expiry of timer <CC.04> .....	170
9.4	Call information procedures .....		170
9.5	Call release procedures .....		170
	9.5.1	Normal call release .....	170
	9.5.2	Abnormal call release .....	171
	9.5.3	Release collisions .....	171
9.6	Service change procedures .....		172
	9.6.1	General .....	172
	9.6.2	Bandwidth changes (including reversals) .....	172
	9.6.3	Service rerouting .....	173
	9.6.4	Service suspension and resumption .....	173
9.7	Packet mode procedures .....		173
	9.7.1	General .....	173
	9.7.2	PT initiated access .....	174
	9.7.3	FT initiated access .....	174
	9.7.4	Packet mode suspend and resume .....	175
	9.7.4.1	General .....	175
	9.7.4.2	C-plane suspend and resume .....	175
	9.7.4.3	U-plane suspend and resume .....	175
10	Supplementary Services procedures .....		176
10.1	General .....		176
10.2	Keypad protocol .....		176

10.3	Feature key management protocol .....	177
10.4	Functional protocol .....	177
10.4.1	Separate messages approach.....	177
10.4.1.1	Hold procedures.....	178
10.4.1.2	Retrieve procedures.....	178
10.4.1.3	Auxiliary states for hold and retrieve .....	178
10.4.2	Common information element approach .....	179
10.4.2.1	Call related procedures.....	179
10.4.2.2	Call independent procedures .....	179
10.4.2.3	Connectionless Supplementary Service (CLSS) procedure .....	179
10.5	Co-existence of multiple protocols .....	180
10.6	Application protocols .....	180
10.6.1	DECT standard functional supplementary services.....	180
10.6.2	DECT specific supplementary services .....	181
10.6.2.1	Queue management .....	181
10.6.2.2	Indication of subscriber number.....	182
10.6.2.3	Control of echo control functions .....	182
10.6.2.4	Cost information.....	183
11	Connection Oriented Message Service (COMS).....	183
11.1	General.....	183
11.2	COMS states .....	183
11.2.1	States at PT .....	183
11.2.1.1	State TS-0: "NULL" .....	183
11.2.1.2	State TS-1: "CONNECT PENDING" .....	183
11.2.1.3	State TS-2: "RELEASE PENDING" .....	183
11.2.1.4	State TS-3: "ACTIVE" .....	183
11.2.2	States at FT .....	184
11.2.2.1	State FS-0: "NULL" .....	184
11.2.2.2	State FS-1: "CONNECT PENDING" .....	184
11.2.2.3	State FS-2: "RELEASE PENDING" .....	184
11.2.2.4	State FS-3: "ACTIVE" .....	184
11.3	COMS establishment procedures .....	184
11.3.1	PT initiated COMS establishment .....	184
11.3.1.1	COMS request .....	184
11.3.1.2	COMS connection .....	185
11.3.2	FT initiated COMS establishment.....	185
11.3.2.1	COMS request .....	185
11.3.2.2	COMS connection .....	185
11.4	COMS data transfer procedures .....	186
11.4.1	Procedure at the sending side .....	186
11.4.2	Procedure at the receiving side .....	186
11.5	COMS suspend and resume procedures.....	187
11.6	COMS release procedures.....	187
11.6.1	Normal COMS release.....	187
11.6.2	Release collisions .....	188
12	Connectionless Message Service (CLMS) .....	188
12.1	General.....	188
12.2	CLMS states.....	188
12.3	CLMS message transmission procedures .....	188
12.3.1	Fixed length messages.....	188
12.3.1.1	Procedure in the Fixed radio Termination (FT).....	188
12.3.1.2	Procedure in the Portable radio Termination (PT) .....	189
12.3.2	Variable length messages .....	189
12.3.2.1	Procedure at the sending side .....	189
12.3.2.2	Procedure at the receiving side.....	190
12.3.2.3	Restrictions for portable side initiated messages.....	190
13	Mobility Management (MM) procedures .....	190
13.1	General.....	190
13.2	Identity procedures.....	191

	13.2.1	Procedure for identification of PT .....	191
	13.2.2	Procedure for temporary identity assignment.....	192
13.3		Authentication procedures .....	193
	13.3.1	Authentication of a PT .....	194
	13.3.2	Authentication of the user.....	195
	13.3.3	Authentication of a FT .....	195
13.4		Location procedures .....	196
	13.4.1	Location registration .....	196
	13.4.2	Detach .....	198
	13.4.3	Location update .....	199
13.5		Access rights procedure .....	199
	13.5.1	Obtaining the access rights .....	199
	13.5.2	Termination of access rights .....	200
13.6		Key allocation procedure .....	203
13.7		Parameter retrieval procedure .....	204
13.8		Ciphering related procedure .....	206
14		Link Control Entity (LCE) procedures.....	208
	14.1	General .....	208
	14.2	Connection oriented link control procedures .....	209
	14.2.1	Link establishment.....	209
	14.2.2	Direct PT initiated link establishment .....	209
	14.2.3	Indirect (paged) FT initiated link establishment.....	210
	14.2.4	Direct FT initiated link establishment (optional) .....	212
	14.2.5	Link maintenance .....	212
	14.2.6	Link suspend and resume .....	212
	14.2.6.1	Link suspend .....	213
	14.2.6.2	Link resume .....	213
	14.2.7	Link release .....	213
	14.2.7.1	NLR notification without "partial release" as release reason .....	214
	14.2.7.2	NLR notification with "partial release" as release reason .....	214
	14.3	Connectionless link control procedures .....	214
	14.3.1	Message routing .....	214
	14.3.2	Broadcast announce procedure .....	215
	14.4	Procedure for collective and group ringing .....	215
15		Management procedures .....	217
	15.1	Lower Layer Management Entity (LLME).....	217
	15.2	Service mapping and negotiation.....	217
	15.2.1	General.....	217
	15.2.2	Prioritised list negotiation.....	218
	15.2.3	Exchanged attribute negotiation .....	218
	15.2.4	Operating parameter negotiation.....	219
	15.2.5	Peer attribute negotiation .....	219
	15.3	Service modification procedures.....	219
	15.4	Resource management .....	220
	15.5	Management of MM procedures.....	220
	15.6	Call ciphering management .....	221
	15.7	External Handover .....	221
	15.7.1	Handover candidate procedures .....	222
	15.7.1.1	General .....	222
	15.7.1.2	Handover candidate indication .....	222
	15.7.1.3	Handover candidate retrieval.....	222
	15.7.1.4	Target FP selection .....	223
	15.7.2	Handover reference procedure .....	223
	15.7.2.1	General .....	223
	15.7.2.2	Handover reference indication.....	223
	15.7.2.3	Handover reference retrieval .....	224
	15.7.3	External handover suggested by FP .....	224
	15.7.4	NWK layer set up procedure .....	224
	15.7.4.1	Handover request .....	224
	15.7.4.2	Handover confirm .....	224

	15.7.4.3	Handover accept.....	225
	15.7.4.4	Handover reject.....	225
	15.7.4.5	Release of old connection.....	225
	15.7.4.6	Handover Fall Back.....	225
	15.7.5	U-plane handling.....	226
	15.7.6	Ciphering procedure .....	226
15.8		Test management procedures.....	227
	15.8.1	Test call back procedure .....	227
	15.8.2	Test hook control procedures.....	228
	15.8.3	Upper tester procedure.....	228
16		Primitives.....	229
16.1		Primitive types.....	229
16.2		Primitives to lower layer (DLC layer).....	229
16.3		Primitives to IWU.....	229
	16.3.1	Parameter definitions.....	229
	16.3.2	MNCC primitives.....	230
	16.3.2.1	MNCC_SETUP primitive.....	230
	16.3.2.2	MNCC_SETUP_ACK primitive .....	231
	16.3.2.3	MNCC_REJECT primitive.....	231
	16.3.2.4	MNCC_CALL_PROC primitive .....	232
	16.3.2.5	MNCC_ALERT primitive .....	232
	16.3.2.6	MNCC_CONNECT primitive.....	232
	16.3.2.7	MNCC_RELEASE primitive .....	233
	16.3.2.8	MNCC_FACILITY primitive.....	233
	16.3.2.9	MNCC_INFO primitive .....	234
	16.3.2.10	MNCC_MODIFY primitive.....	234
	16.3.2.11	MNCC_HOLD primitive.....	234
	16.3.2.12	MNCC_RETRIEVE primitive.....	235
	16.3.2.13	MNCC_IWU_INFO primitive.....	235
	16.3.3	MNSS primitives.....	235
	16.3.3.1	MNSS_SETUP primitive .....	235
	16.3.3.2	MNSS_FACILITY primitive.....	236
	16.3.3.3	MNSS_RELEASE primitive.....	236
	16.3.4	MNCO primitives.....	236
	16.3.4.1	MNCO_SETUP primitive.....	236
	16.3.4.2	MNCO_CONNECT primitive.....	237
	16.3.4.3	MNCO_INFO primitive .....	237
	16.3.4.4	MNCO_ACK primitive .....	237
	16.3.4.5	MNCO_RELEASE primitive .....	237
	16.3.5	MNCL primitives .....	238
	16.3.5.1	MNCL_UNITDATA primitive .....	238
	16.3.6	MM primitives.....	238
	16.3.6.1	MM_IDENTITY primitive .....	238
	16.3.6.2	MM_IDENTITY_ASSIGN primitive.....	239
	16.3.6.3	MM_AUTHENTICATE primitive.....	239
	16.3.6.4	MM_LOCATE primitive .....	240
	16.3.6.5	MM_DETACH primitive.....	240
	16.3.6.6	MM_ACCESS_RIGHTS primitive .....	240
	16.3.6.7	MM_ACCESS_RIGHTS_TERMINATE primitive .....	241
	16.3.6.8	MM_KEY_ALLOCATE primitive.....	241
	16.3.6.9	MM_INFO primitive .....	241
	16.3.6.10	MM_CIPHER primitive .....	242
17		Handling of error and exception conditions .....	242
	17.1	Protocol discrimination error .....	242
	17.2	Message too short.....	242
	17.3	Transaction identifier error .....	242
	17.3.1	Illegal and unsupported transaction identifier value.....	242
	17.3.2	Transaction identifier procedural errors and exception conditions .....	243
	17.3.2.1	Unknown active CC call .....	243
	17.3.2.2	Unknown active CISS call.....	243
	17.3.2.3	Unknown active COMS call.....	243

	17.3.2.4	Unknown active CLMS call.....	243
	17.3.2.5	Unknown active MM transaction.....	243
	17.3.2.6	Unknown active LCE transaction.....	243
	17.3.3	Call Resource Contention .....	244
17.4		Message type or message sequence errors.....	244
	17.4.1	CC message error.....	244
	17.4.2	CISS message error.....	244
	17.4.3	COMS or CLMS message error .....	244
	17.4.4	MM message error .....	244
	17.4.5	LCE message error .....	244
17.5		General information element errors.....	244
	17.5.1	Information element out of sequence.....	245
	17.5.2	Duplicated information elements.....	245
17.6		Mandatory information element errors.....	245
	17.6.1	Mandatory information element missing in CC messages.....	245
	17.6.2	Mandatory information element content error in CC messages.....	246
	17.6.3	Mandatory information element error in COMS or CLMS messages.....	246
	17.6.4	Mandatory information element error in MM messages.....	246
	17.6.5	Mandatory information element error in LCE messages.....	246
17.7		Non-mandatory information element errors.....	246
	17.7.1	Unrecognised information element .....	246
	17.7.2	Non-mandatory information element content error .....	247
17.8		Data link reset.....	247
17.9		Data link failure .....	247
Annex A (normative): System parameters .....			248
A.1		CC timers .....	248
A.2		SS timers.....	248
A.3		COMS timers.....	249
A.4		CLMS timer.....	249
A.5		MM timers.....	249
A.6		LCE timers.....	251
A.7		NWK layer constants.....	251
A.8		Restart.....	251
Annex B (normative): CC state transition tables .....			252
B.1		CC state transitions at PT side.....	252
	B.1.1	CC state table at PT side.....	252
	B.1.2	CC transition procedures at PT side.....	253
B.2		CC state transitions at FT side.....	254
	B.2.1	CC state table at FT side .....	254
	B.2.2	CC transition procedures at FT side .....	255
Annex C (informative): DLC states as viewed by the LCE .....			257
Annex D (normative): DECT standard character sets.....			258
D.1		General.....	258
D.2		DECT standard 8-bit characters.....	258
	D.2.1	General .....	258
	D.2.2	Control codes.....	258
	D.2.3	Standard IA5 codes .....	259

D.2.4	extended codes and escape to alternative character sets .....	259
D.3	DECT standard 4-bit characters .....	260
Annex E (normative):	Default coding of <<IWU-ATTRIBUTES>> and <<CALL-ATTRIBUTES>> information elements for basic speech .....	261
Annex F (normative):	Broadcast attributes coding .....	262
F.1	Higher Layer Capabilities.....	262
F.2	Extended Higher Layer Capabilities.....	262
Annex G (normative):	Use of <<IWU-PACKET>> and <<IWU-TO-IWU>> information elements .....	263
G.1	General.....	263
G.2	Sending of <<IWU-PACKET>> elements.....	263
G.2.1	CC and MM use of <<IWU-PACKET>> .....	263
G.2.2	COMS and CLMS use of <<IWU-PACKET>> .....	263
G.2.3	Rejection of <<IWU-PACKET>> elements .....	263
G.3	Use of <<IWU-TO-IWU>> elements .....	263
G.3.1	Sending of <<IWU-TO-IWU>> elements .....	263
G.3.2	Rejection of <<IWU-TO-IWU>> elements .....	264
Annex H (normative):	Transaction identifier flags (TIF) assignment in MM procedures.....	265
H.1	General.....	265
H.2	Nested procedures .....	265
H.3	Stand alone procedures.....	266
H.3.1	Location update procedure.....	266
H.3.2	Location registration procedure with temporary identity assignment .....	266
H.3.3	PT initiated cipher switching.....	267
H.3.4	Key allocation .....	267
Annex J (normative):	Scrolling behaviour .....	268
Annex K (informative):	Bibliography .....	270
History	.....	271

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

SIST ETS 300 175-5:1999

<https://standards.iteh.ai/catalog/standards/sist/21d6766f-e368-4348-a9fd-1497b6e9-729/sist-ets-300-175-5-1999>

## Foreword

This European Telecommunication Standard (ETS) has been produced by the Digital Enhanced Cordless Telecommunications (DECT) Project of the European Telecommunications Standards Institute (ETSI).

Annexes A, B, D, E, F, G, H, and J are normative in this ETS, and annexes C and K in this ETS are informative.

Further details of the DECT system may be found in ETR 015, ETR 043 and ETR 056.

This ETS forms part 5 of a series of 9 laying down the arrangements for the Digital Enhanced Cordless Telecommunications (DECT) Common Interface (CI).

Part 1: "Overview".

Part 2 "Physical layer (PHL)".

Part 3 "Medium Access Control (MAC) layer".

Part 4 "Data Link Control (DLC) layer".

**Part 5: "Network (NWK) layer".**

Part 6: "Identities and addressing".

Part 7: "Security features".

Part 8: "Speech coding and transmission".

Part 9: "Public Access Profile (PAP)".

ITEH STANDARD PREVIEW  
(standards.iteh.ai)

### SIST ETS 300 175-5:1999

<https://standards.iteh.ai/catalog/standards/sist/2106766f-e368-4348-a9fd-d407b6e9a729/sist-ets-300-175-5-1999>

#### Transposition dates

Date of adoption:	5 December 1997
Date of latest announcement of this ETS (doa):	31 March 1998
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	30 September 1998
Date of withdrawal of any conflicting National Standard (dow):	30 September 1998

## Amendments in this edition

This edition of ETS 300 175-5 includes modifications to the text of subclauses 5.7.8 and 7.6.2 compared to the text of ETS 300 175-5, edition 2.

This edition of ETS 300 175-5 also includes a replacement of the text of clause H.1 and subclause H.3.1 compared to the text of ETS 300 175-5, edition 2.

This edition of ETS 300 175-5 also incorporates the modifications given in the draft amendment 1 to ETS 300 175-5, edition 2.