# TECHNICAL REPORT



First edition 2014-10-01

# Health informatics — Capacity-based eHealth architecture roadmap —

Part 2: Architectural components and maturity model

iTeh STInformatique de santé R Feuille de route de l'architecture de santé électronique fondée sur la capacité — Stante 2: Composants architecturaux et modèle de maturité

<u>ISO/TR 14639-2:2014</u> https://standards.iteh.ai/catalog/standards/sist/9ea6c413-ae4f-44cb-a457-51d7b674c73a/iso-tr-14639-2-2014



Reference number ISO/TR 14639-2:2014(E)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/TR 14639-2:2014</u> https://standards.iteh.ai/catalog/standards/sist/9ea6c413-ae4f-44cb-a457-51d7b674c73a/iso-tr-14639-2-2014



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

# Contents

Page

Forew	word	iv
Intro	duction	<b>v</b>
1	Scope	1
2	Terms and definitions	2
3	Abbreviations	
4	Overview of business requirements	
5	<ul> <li>Development and application of eHealth enterprise architectures</li> <li>5.1 eHealth enterprise architectures</li> <li>5.2 Development of an eHealth architecture</li> <li>5.3 Building up the architecture: A methodology</li> </ul>	<b>13</b> 13 13 13 14
6	<ul> <li>Health architecture components and requirements</li> <li>6.1 Governance and national ownership</li> <li>6.2 Health process domain components</li> <li>6.3 Foundation Components — eHealth infostructure</li> <li>6.4 Foundation components — ICT infrastructure</li> </ul>	20 22 44 85 100
7	Profiling countries with the eHAM	
8 Anne:	Future Considerations	
Anne	<b>x</b> B (informative) Generic component model iteh ai)	121
Anne	x C (informative) Candidate standards supporting eHealth Architecture Model	
AIIIIC	Maturity Models	
Anne	x E (informative) WHO Indicator and Measurement Registry (IMR)	
Anne	x F (informative) Statistical Data and Metadata Exchange for the Health Domain (SDMX-HD)	
Anne	x G (informative) List of figures and tables in this part of ISO 14639	
Biblic	ography	

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 215, *Health informatics*.

ISO/TR 14639 consists of the following parts Sunder the general title *Health informatics — Capacity-based eHealth architecture roadinap* ards.iteh.ai/catalog/standards/sist/9ea6c413-ae4f-44cb-a457-

— Part 1: Overview of national eHealth initiatives

- Furt 1. Overview of national enforth initiatives
- Part 2: Architectural components and maturity model

## Introduction

ISO/TC 215 has identified that there is an urgent need to provide International Standards for health information architectures that includes requirements tailored also to low- and middle-income countries with relatively immature resources available. A Public Health Task Force of international experts, established by TC 215, has developed a report outlining the challenges these countries face and some of the relevant standardization strategies.

This part of ISO/TR 14639 provides a guide to best practice business requirements and principles for planning the use of information and communications technology (ICT) to support the development, coordination, and delivery of healthcare services by countries and subordinate health authorities within a country.

One of the activities motivating this work originates from a meeting in March 2010, in Bellagio, Italy to explore how the "digital divide" between high-income and low-income countries could be addressed.<sup>[10]</sup>

The following observations were noted.

- a) There is a surge of interest in the development of eHealth infostructure to support effective Health Information Systems (HIS) in low-income countries, including responding to disease outbreaks, monitoring the health status of the population, and improving both public and individual health.
- b) Health informatics International Standards help countries to make the proper decisions regarding their eHealth architecture such that they can strengthen their health systems. HIS architectures that are non-proprietary and based on International Standards are likely to be more robust and future-proof.
- c) The use of health informatics international Standards in low-income countries is hampered due to lack of knowledge and awareness about appropriate standards, affordable access to standards and implementation guides, and little participation in Standards Development Organization (SDO) activities due to little or no funding to support/such engagement.cb-a457-51d7b674c73a/iso-tr-14639-2-2014
- d) Existing international health informatics International Standards insufficiently address the needs of low-income countries (LICs) for developing their monitoring, public health, and patient care systems. An example of this is mobile computing and the use of SMS for transmitting patient information, reminders, and alerts. Thus, the participation of LICs in the International Standards development process is essential.
- e) Participation in ISO activities requires a national standards organization or government department as an official member of ISO.
- f) Development of International Standards has a cost. A significant amount of money and time needs to be invested in preparation of documents, commenting on proposals, and participation in SDO meetings and for adopting, adapting, and localization of standards. These costs represent a genuine barrier to the participation of low-income countries.
- g) Access to International Standards also comes with a cost that is often prohibitive for people and organizations in low-income countries.
- h) There is recognition that the business model of some SDOs is based on the sale of International Standards to support the standards development process and operating expenses.
- i) HIS strengthening can be promoted by using commonly shared International Standards to carry out Monitoring and Evaluation (M & E) activities for government bodies, international organizations, donors, and other interested parties.
- j) There are duplications and overlaps in health informatics International Standards across multiple SDOs. Low-income countries require a single set of usable International Standards based on the work of ISO/TC 215, HL7, and CEN/TC 251 Joint Initiative Council (JIC) to harmonize International

Standards and facilitate the global, international adoption, and adaption of organizational and regional standards based on the ISO standards process.

k) Promotion of International Standards worldwide is consistent with the ISO mission yet barriers exist to the achievement of this objective.

While not all of these observations are addressed within the scope of this Technical Report, the report is an attempt to respond to some of these observations, providing a robust framework for low-income countries for their eHealth architecture planning and health system development. The other items are intended to be addressed in due course.

This part of ISO/TR 14639 examines various activities and associated criteria for the effective use of information and communication technology (ICT) in support of health service delivery, planning, and coordination. It aims to provide relevant guidance on uses of information, based on model criteria by which development of eHealth capability can be planned and progress toward its mature use can be assessed.

In preparing this part of ISO/TR 14639, the original aim was to provide guidance for developing and emerging countries and for the many international groups that conduct health programs in the developing and emerging world. As the work proceeded, it became clear that the work is more widely applicable to all health services and that there are potential lessons for all as they examine the way in which information is produced, managed, and used in various aspects of their work. The identification of relevant health informatics standards and the role of international standardization in support of eHealth were also important drivers.

This part of ISO/TR 14639 builds on lessons from many countries, including those whose activities are summarized in ISO/TR 14639-1 and was, in large part, inspired by experience with the Health Metrics Network (WHO/HMN Framework) activities sponsored by the World Health Organization (WHO). The particular focus of this part of ISO/TR 14639 is the potential for ICT to assist in the collection, communication, storage, processing, and use of information to support the delivery, planning, and coordination of health services; however, it also recognizes the importance of initial measures that involve paper-based collection and the need for a migration path from manual to semi-automated to fully automated information management systems.

The enterprise-wide business reference architecture described in this part of ISO/TR 14639 represents a starting point for the enterprise viewpoint or business layer of a comprehensive enterprise architecture, which would include other layers or viewpoints, such as the information/data, computational/function, engineering, and technology perspectives. This model would serve, for example, to assist in identifying initiatives and exploring the attributes of the components that would form a national eHealth strategy.

A comprehensive enterprise architecture is typically set up and maintained using a structured process that involves the following:

- a) an organized approach to ensuring that investments in ICT technology and information systems meet overall priorities for effective operation and delivery of healthcare services and the information needed for their planning, development, and continuous improvement;
- b) identifying and describing the main attributes of the eHealth information services, components, activities, and policies needed to support the operational requirements for health services within a jurisdiction (or organization);
- c) development of structured requirements for more detailed planning and investment in health information systems and for the development and dissemination of health information policies.

Where relevant, this part of ISO/TR 14639 takes advantage of and makes reference to the principles, policies, and specifications set out in relevant International Standards and existing architectural frameworks commonly used in the health sector including: ISO 12967, Health Informatics Service Architecture (HISA),[1][2][3] the vision and principles of the World Economic Forum (WEF) Global Health Data Charter<sup>[4]</sup> as seen in <u>Annex A</u>, and the Health Enterprise Architecture Framework (HEAF).<sup>[5]</sup> A layered approach to structuring of information architectures and models is proposed in this part of ISO/TR 14639, based on similar approaches such as the General Component Model introduced in

Annex B,<sup>[6]</sup> the WHO Health Metrics Network Framework,<sup>[7]</sup> TOGAF,<sup>[8]</sup> and the Zachman framework.<sup>[9]</sup> In particular, HISA and the HEAF have been developed specifically to assist in the process of defining eHealth architectures for use in health services. See <u>Annex C</u> for more information on HISA. A short list of selected health informatics International Standards upon which the architectural components are based is found in <u>Annex D</u>. See <u>6.1.4</u> regarding governance and national ownership of eHealth standards adoption and implementation.

In May 2012, WHO and ITU published a National eHealth Strategy Toolkit<sup>[93]</sup> that embodies most of the concepts relevant to an Enterprise Architecture, tailored to the creation of a National eHealth Strategy. This resulted in a process that is exhaustive yet streamlined and easier to understand and apply. The Toolkit presents a thorough step-by-step set of methods, checklists, and examples to be used by country or region-level managers when developing an eHealth Strategic Vision, an eHealth Action Plan, and a Monitoring and Evaluation Plan. The WHO-ITU National eHealth Strategy Toolkit and ISO/TR 14639-1 and this part of ISO/TR 14639 form a complementary set of tools for the design and deployment of an eHealth architecture.

The architectural components and their characteristics as described in this part of ISO/TR 14639 are designed to be reviewed and, where appropriate, adopted by countries and subordinate health authorities at a level relevant to their specific needs. In particular:

- a) The components and characteristics may be used as model requirements in developing enterprise architectures or as a means of assessing and improving eHealth maturity.
- b) Each component is configurable to meet local needs by describing characteristics indicative of a range of capability from the most basic through to the highly advanced.
- c) The characteristics of various capacity levels for each component form the basis of the underlying maturity model. (standards.iteh.ai)
- d) Typical starting points for the development of capability are provided for each of the components at the lowest maturity level, together with the basic principles the architecture should adhere to.
- e) There is an emphasis on developing appropriately layered, well-structured eHealth architectures with well-defined and preferably standardized interfaces between the various components and layers.
- f) There is a particular focus on potential eHealth requirements relevant to low- and middle-income (LMIC) countries.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/TR 14639-2:2014</u> https://standards.iteh.ai/catalog/standards/sist/9ea6c413-ae4f-44cb-a457-51d7b674c73a/iso-tr-14639-2-2014

# Health informatics — Capacity-based eHealth architecture roadmap —

# Part 2: Architectural components and maturity model

#### 1 Scope

This part of ISO/TR 14639 provides a guide to best practice business requirements and principles for countries and their subordinate health authorities planning and implementing the use of information and communications technology (ICT) to support the delivery and development of healthcare. A business reference architecture is described in terms of components and capabilities that health authorities may use as a framework for building their own eHealth architectures and also for measuring the maturity of their health systems' use of ICT to support the delivery and development of healthcare.

It is worth noting that while this part of ISO/TR 14639 was developed with a particular view to support low- and middle-income countries, it can also be a useful guide for any country. Even if maturity is high in some aspects, highly developed countries may still need advice on architectural components for some aspects of a total eHealth system. TANDARD PREVIEW

The development of eHealth architectures based on the guidelines set out in this part of ISO/TR 14639 will facilitate and optimize investments in Health Information Systems to achieve the following goals:

a) information being used cost-effectively for improvement of health services;

https://standards.iteh.ai/catalog/standards/sist/9ea6c413-ae4f-44cb-a457-

- b) health information being harmonized, consistent, accessible, and able to be used effectively;
- c) patients, health professionals, and policy-makers having the right data available to make decisions about health services, treatment, and delivery of care;
- d) appropriate information being available to support evidence-based practice and health services planning, health services quality, and safety and to improve public health;
- e) improving accessibility to healthcare services;
- f) supporting harmonization of Health Information Systems and health information standards.

It is envisaged that this part of ISO/TR 14639 will be a valuable source of information for

- g) personnel responsible for health services policy, planning, and provision,
- h) those developing health information resources and eHealth policy at national and subordinate levels in a country,
- i) non-governmental organizations (NGOs) and others seeking to support or implement systems for information gathering, statistics, and care delivery in developing and emerging economies,
- j) developers and implementers of Health Information Systems and services,
- k) academic and research institutions and students in health informatics, and
- l) other stakeholders in the health sector.

This part of ISO/TR 14639 also proposes a maturity model and methodology that organizations may consider in developing and evolving their eHealth capacities in specified areas of operational capability from low to medium to high levels. The proposed business reference architecture identifies components

and capabilities needed to support various health service activities along with the governance, infostructure, and ICT infrastructure that is necessary for the effective and efficient use of information in the delivery and development of health services.

### 2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 2.1.1

#### architecture system

<general> structure of components, their functions, and their inter-relationships and the principles and guidelines governing their design and evolution over time

[SOURCE: Adapted from Open Group Architecture Framework (TOGAF), 2009.]

#### 2.1.2

#### architecture system

<data> description of the structure and behaviour of a system, a system's components, its functions and inter-relationships

[SOURCE: Adapted from Blobel B., Application of the Component Paradigm for Analysis and Design of Advanced Health System Architectures, 2000.]

Note 1 to entry: See definition of *system architecture* (2.74).

# iTeh STANDARD PREVIEW

# 2.2 **1 e** business reference architecture

reference architecture that is evolved **based on a set of identified**, high-level business requirements (functional, non-functional, and relevant supporting processes) for an enterprise, which the overall enterprise strategy and its infrastructure (business and UT) must support

https://standards.iteh.ai/catalog/standards/sist/9ea6c413-ae4f-44cb-a457-[SOURCE: Adapted from IBM Tivoli Reference\_Architectures\_and\_the SKMT definitions of business architecture from Canada Health Infoway.]

Note 1 to entry: This architecture also needs to take into consideration the "wants and needs" of the clients served that may not map exactly to business drivers but nonetheless offer functional value to clients. It is the business "blueprint" for how a technical project will roll out and what it is trying to accomplish.

Note 2 to entry: See definition of *reference architecture* (2.65).

#### 2.3

#### care plan

personalized statement of planned healthcare activities relating to one or more specified health issues

[SOURCE: EN 13940-1:2007]

#### 2.4

chronic disease

health condition of 3 months duration or longer

[SOURCE: U.S. Centers for Disease Control and Prevention (CDC) National Center for Health Statistics]

#### 2.5

#### classification

terminology which aggregates data at a prescribed level of abstraction for a particular domain

[SOURCE: ISO/TS 17117:2002]

#### 2.6

**client** person receiving social or medical services

#### 2.7 clinical data warehouse CDW

grouping of data pertaining to a health system or sub-system, possibly of diverse sources, accessible by a single data management system that enables secondary data analysis for questions relevant to understanding the functioning of that health system or sub-system, and hence supporting proper maintenance and improvement of that system or sub-system

#### [SOURCE: Adapted from ISO/TR 22221:2006.]

Note 1 to entry: A CDW tends not to be used in real-time; however, depending on the rapidity of transfer of data to the data warehouse and data integrity, near real-time applications are not excluded.

#### 2.8

#### clinical decision support

type of system that assists healthcare providers in making medical decisions

[SOURCE: Health Level Seven International (HL7)]

Note 1 to entry: These types of systems typically require input of patient-specific clinical variables and, as a result, provide patient-specific recommendations.

#### 2.9

#### clinical information

information about a person, relevant to his or her health or healthcare

## [SOURCE: ISO 13606-12008] STANDARD PREVIEW

#### 2.10

# (standards.iteh.ai)

clinical process

set of interrelated or interacting healthcare activities performed by one or more healthcare professionals

[SOURCE: ISO 18308:2011] [SOURCE: ISO 18308:2011] 51d7b674c73a/iso-tr-14639-2-2014

#### 2.11

#### clinical vocabulary

system of standardizing the terms used in describing client-centred health and health service-related concepts

[SOURCE: ISO/TS 22789:2010]

#### 2.12

#### community-based services

blend of health and social services provided to an individual or family at his/her place of residence or at other non-institutional locations within the community for the purposes of promoting, maintaining, or restoring health, minimizing the effects of illness and disability, and supporting and facilitating selfhelp and self-care

[SOURCE: Adapted from WHO 2004 A Glossary of Terms for Community Healthcare and Services for Older Persons.]

Note 1 to entry: Services and programs can include visiting nurses, delivered meals, home care, palliative care, community mental health, health education, screening, immunizations, family planning, sexual health, etc.

#### country income

classification of all World Bank member countries and all other economies with populations of more than 30,000 (213 total)

[SOURCE: World Bank Country Classification]

Note 1 to entry: Economies are divided according to 2009 GNI per capita, calculated using the World Bank Atlas method. The groups are: low income, \$995 or less; lower middle income, \$996 to \$3,945; upper middle income, \$3,946 to \$12,195; and high income, \$12,196 or more.

#### 2.14

#### data warehouse

grouping of data, possibly of diverse courses, pertaining to a system or sub-system, accessible by a single data management system that enables secondary data analysis for questions relevant to understanding the functioning of that system or sub-system, and hence supporting its proper maintenance and improvement

[SOURCE: Adapted from ISO/TR 22221:2006.]

Note 1 to entry: A data warehouse tends not to be used in real-time; however, depending on the rapidity of transfer of data to the data warehouse and data integrity, near real-time applications are not excluded.

#### 2.15

#### eHealth

use of information and communication technologies (ICT) for health

[SOURCE: World Health Organization (WHO) eHealth]

Note 1 to entry: In its broadest sense, eHealth is about improving the flow of information, through electronic means, to support the delivery of health services and the management of health systems.<sup>[93]</sup>

Note 2 to entry: Health and health related fields include health care services, health surveillance, health literature, and health education, knowledge, and research [20]74c73a/iso-tr-14639-2-2014

#### 2.16

#### eHealth architecture

architecture of a system of eHealth components and services

[SOURCE: ISO 18308:2011]

# 2.17.1 electronic health record

#### **EHR**

<general> information relevant to the wellness, health, and healthcare of an individual, in computerprocessable form and represented according to a standardized information model

[SOURCE: ISO 18308:2011]

#### 2.17.2 electronic health record EHR

<data> longitudinal electronic record of an individual that contains or virtually interlines to data in multiple EMRs and EPRs, which is to be shared and/or interoperable across healthcare settings and is patient-centric

#### [SOURCE: Adapted from ISO 18308:2011.]

Note 1 to entry: EHRs often capture data from multiple point-of-service systems and enable authorized access by the various providers of care to pertinent patient data across multiple service delivery locations or organizations in order to ensure continuity of care for the patient.

#### electronic health record architecture EHRA

formal description of a system of components and services for recording, retrieving, and handling information in electronic health records

[SOURCE: ISO 18308:2011]

#### 2.19 electronic medical record EMR

electronic record of an individual in a physician's office or clinic, which is typically in one setting and is provider-centric

[SOURCE: European 2011 eHealth Strategies Final Report, January 2011]

#### 2.20 enterprise architecture

EA

rigorous description of the structure of an enterprise, which comprises enterprise components (business entities), the externally visible properties of those components, and the relationships (e.g. the behaviour) between them

[SOURCE: Blobel B. Architectural; Methods Inf Med 2010 — modified]

Note 1 to entry: An enterprise architecture describes the terminology, the composition of enterprise components, and their relationships with the external environment and the guiding principles for the requirements (analysis), design, and evolution of an enterprise. This description is comprehensive, including enterprise goals, business processes, roles, organizational structures, organizational behaviours, business information, software applications, and computer systems.

#### ISO/TR 14639-2:2014

#### https://standards.iteh.ai/catalog/standards/sist/9ea6c413-ae4f-44cb-a457-

#### 2.21 health

51d7b674c73a/iso-tr-14639-2-2014

state of complete physical, mental, and social well-being and not merely the absence of disease or infirmity

[SOURCE: World Health Organization (WHO)]

#### 2.22 boolth cond

#### health condition

aspect of a person or group's health that requires some form of intervention

Note 1 to entry: These interventions could be anticipatory or prospective, such as enhancing wellness, wellness promotion, or illness prevention (e.g. immunization).

[SOURCE: ISO/TR 12773-2:2009]

#### 2.23

#### health information

information about a person relevant to his or her health

[SOURCE: ISO 18308:2011, 3.28]

#### 2.24 health information system HIS

system that combines vital and health statistical data from multiple sources to derive information and make decisions about health needs, health resources, health costs, uses of health services, and outcomes of healthcare

[SOURCE: Adapted from Canada Health Infoway, pan- Canadian Standards Electronic Drug Messaging (CeRx) Standards 1 –2010/03/29.]

#### health infostructure

foundational and up-to-date information and communications technologies (ICTs) developed, adopted, and implemented in the healthcare system to allow people (the general public, patients, and caregivers, as well as healthcare providers, health managers, health policymakers, and health researchers) to communicate with each other and assist them to make informed decisions about their own health, the health of others, and the health system

[SOURCE: Adapted from Canada's Health Infostructure, Health Canada.]

#### 2.26

#### health issue

issue related to the health of a subject of care, as identified or stated by a specific healthcare party

[SOURCE: EN 13940-1:2007]

#### 2.27

#### health record extract

attestable unit of communication of all or part of a health record

[SOURCE: ISO/TR 12773-2:2009]

#### 2.28

# health summary record HSR

health record extract comprising a standardized collection of clinical and contextual information (retrospective, concurrent, prospective) that provides a snapshot in time of a subject of care's health information and healthcare (standards.iteh.ai)

[SOURCE: ISO/TR 12773-2:2009]

ISO/TR 14639-2:2014

#### https://standards.iteh.ai/catalog/standards/sist/9ea6c413-ae4f-44cb-a457-

#### 2.29 health system

51d7b674c73a/iso-tr-14639-2-2014

combination of components, activities, processes, and policies intended to promote, restore, and maintain health

[SOURCE: Adapted from WHO Health System Strengthening Glossary.]

#### 2.30

#### health worker

person engaged in actions that are primarily intended to enhance health

[SOURCE: Adapted from World Health Report, January 01, 2006.]

Note 1 to entry: This term also includes healthcare worker.

#### 2.31

#### healthcare

activities, services, or supplies related to the health of an individual

[SOURCE: EN 13940-1:2007]

#### 2.32

#### healthcare activity

activity performed for a subject of care with the intention of directly or indirectly improving or maintaining the health of that subject of care

[SOURCE: EN 13940-1:2007]

#### healthcare professional

person authorized to be involved in the direct provision of certain healthcare provider activities in a jurisdiction according to a mechanism recognized in that jurisdiction

[SOURCE: Adapted from EN 13940-1:2007]

#### 2.34

#### healthcare provider

healthcare professional or an organization involved in the direct provision of healthcare

[SOURCE: EN 13940-1:2007]

#### 2.35 high-income country HIC

country with a gross national income per capita of USD 12 746 or more

[SOURCE: World Bank Country Classification]

Note 1 to entry: A HIC is part of the classification system of all World Bank member countries (187) and all other economies with populations of more than 30,000 (213 total). Economies are divided according to 2009 GNI per capita, calculated using the World Bank Atlas method. The groups are: low income, \$995 or less; lower middle income, \$996 to \$3,945; upper middle income, \$3,946 to \$12,195; and high income, \$12,196 or more.

#### 2.46 HL7 clinical document architecture NDARD PREVIEW CDA

documentation that defines structure and semantics of medical documents for the purpose of exchange

[SOURCE: ISO/TR 18307:2001]

ISO/TR 14639-2:2014

Note 1 to entry: CDA documents are encoded in extensible mark-up language (XML). They derive their meaning from the HL7 Reference Information Model (RIM) and use the HL7 Version 3 Data Types, which are part of the HL7 RIM.

#### 2.47

#### HL7 v2.x (version 2.x)

series of electronic messages to support administrative, logistical, financial, as well as clinical processes, and primarily uses a textual, non-XML encoding syntax based on delimiters<sup>[18][190]</sup>

[SOURCE: Health Level Seven International]

#### 2.48

#### hospital information system

system that is used by end-users at the point-of-care or service, in this instance, a hospital

[SOURCE: Adapted from Canadian definition of point-of-care or point-of-service system in the SKMT Glossary Tool.]

#### 2.49 integrated data repository IDR

component of a health infostructure that maintains and manages the integrated common information generated in real-time by consolidating data from a variety of clinical sources to present a unified view (together with the related and required classifications, terminologies, ontologies, etc.), regarding the core business of the healthcare enterprise

Note 1 to entry: An IDR is also a key component of enterprise architecture modelling. Enterprise architecture is foundational for developing a health infostructure.

Note 2 to entry: The IDR can also be used for secondary purposes such as surveys, clinical research, statistics, reporting, and analysis.