

**SLOVENSKI STANDARD
SIST ETS 300 607-3 E4:2003
01-december-2003**

8][JhUb]WY] b]hYY_ca i b]_UWg] g]ghYa 'fUhU&L^3/E GdYh]_UWUg_`UXbcgh]nU
a cV]bYdcgHUYfA GkE' "XY .5 VglfU_hb]dfYg_i yUb]b]n'f5 HGkIfYhYd'Ugh]f@Ł
f] GA '%%%\$!' fUh]]WU('% "%Ł

Digital cellular telecommunications system (Phase 2) (GSM); Mobile Station (MS) conformance specification; Part 3: Layer 3 (L3) Abstract Test Suite (ATS) (GSM 11.10-3 version 4.18.1)

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST ETS 300 607-3 E4:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/910e70a5-f12a-4d78-b2be-155d44287d97/sist-ets-300-607-3-e4-2003>

Ta slovenski standard je istoveten z: ETS 300 607-3 Edition 4

ICS:

| | | |
|-----------|---|--|
| 33.070.50 | Globalni sistem za mobilno telekomunikacijo (GSM) | Global System for Mobile Communication (GSM) |
|-----------|---|--|


SIST ETS 300 607-3 E4:2003

en

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST ETS 300 607-3 E4:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/910e70a5-f12a-4d78-b2be-155d44287d97/sist-ets-300-607-3-e4-2003>



EUROPEAN TELECOMMUNICATION STANDARD

ETS 300 607-3

September 1997

Fourth Edition

Source: ETSI SMG

Reference: RE/SMG-071110PR2-3

ICS: 33.020

Key words: Digital cellular telecommunications system, Global System for Mobile communications (GSM)



**Digital cellular telecommunications system (Phase 2);
Mobile Station (MS) conformance specification;
Part 3: Layer 3 (L3) Abstract Test Suite (ATS)
(GSM 11.10-3 version 4.18.1)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1997. All rights reserved.

Page 2

ETS 300 607-3 (GSM 11.10-3 version 4.18.1): September 1997

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 607-3 E4:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/910e70a5-f12a-4d78-b2be-155d44287d97/sist-ets-300-607-3-e4-2003>

Contents

| | |
|--|-----|
| Foreword | 9 |
| 1 Scope | 10 |
| 2 Normative references..... | 10 |
| 3 Definitions, symbols and abbreviations | 13 |
| 3.1 Definitions | 13 |
| 3.2 Abbreviations | 13 |
| 4 Test Suite Structure (TSS) | 14 |
| 4.1 Test suite naming convention | 14 |
| 4.2 Suite Overview | 15 |
| 4.3 Test groups | 15 |
| 4.3.1 Valid Behaviour tests (BV) | 15 |
| 4.3.2 Invalid Behaviour/Inopportune Behaviour tests (BI-BO)..... | 15 |
| 4.4 Test Step Structure | 16 |
| 4.4.1 Preambles | 16 |
| 4.4.2 Postambles..... | 16 |
| 5 Test Purposes (TP) | 16 |
| 5.1 TP and test case naming convention..... | 16 |
| 6 Abstract test method and test configurations..... | 16 |
| 6.1 Test system model..... | 16 |
| 6.2 Test Method..... | 17 |
| Annex A: Abstract Test Suite..... | 18 |
| Suite overview | 19 |
| Suite structure | 19 |
| Test case index | 20 |
| Test step index | 30 |
| Default index | 38 |
| Declarations Part | 39 |
| Test suite type definitions | 39 |
| Simple type definitions | 39 |
| Structured Type definitions | 41 |
| ASN1 type definitions | 62 |
| Test suite operation definitions..... | 87 |
| Test suite parameter declarations..... | 144 |
| Test case selection expression definitions..... | 164 |
| Test suite constant declarations..... | 167 |
| Test case variable declarations..... | 186 |
| PCO declarations | 191 |
| Timer declarations..... | 191 |
| ASP type definitions | 191 |
| TTCN ASP Type definitions | 191 |
| PDU type definitions | 218 |
| TTCN PDU Type definitions | 218 |
| Constraints Part..... | 244 |
| Test suite type constraint declarations | 244 |
| Structured type constraint declarations..... | 244 |
| ASN1 type constraints | 498 |

| | |
|---------------------------------------|------|
| ASP constraint declarations..... | 513 |
| TCN ASP constraint declarations | 513 |
| PDU constraint declarations | 545 |
| TCN PDU constraint declarations | 545 |
| Dynamic Part | 677 |
| Test Cases | 677 |
| Test Group General | 677 |
| Test Group InitialTest..... | 692 |
| Test Group IdleMode | 718 |
| Test Group BiBo..... | 721 |
| Test Group RR | 759 |
| Test Group MM | 909 |
| Test Group CC | 967 |
| Test Group StructureProc | 1073 |
| Test Group EGSMSignalling | 1095 |
| Test Group SS | 1118 |
| Test Group SM..... | 1206 |
| Test Step Library | 1234 |
| Test Step Group management..... | 1234 |
| Test Step Group ChConfig | 1235 |
| Test Step Group Miscellaneous | 1260 |
| Test Step Group SysInfo | 1300 |
| Test Step Group OperatorOP | 1310 |
| Test Step Group Postambles..... | 1311 |
| Test Step Group Preambles..... | 1313 |
| Defaults Library..... | 1405 |

| | |
|--------------------------------------|---|
| Annex B: Partial IXIT proforma | iTeh STANDARD PREVIEW 1412 https://standards.iteh.ai/catalog/standards/sist/910e70a5-f12a-4d78-b2be-155d44287d97/sist-ets-300-607-3-e4-2003 |
|--------------------------------------|---|

| | |
|--------------------|------|
| Introduction | 1412 |
|--------------------|------|

| | |
|----------------------------------|--|
| B.1 Identification Summary | SIST ETS 300 607-3 E4:2003 1413 https://standards.iteh.ai/catalog/standards/sist/910e70a5-f12a-4d78-b2be-155d44287d97/sist-ets-300-607-3-e4-2003 |
|----------------------------------|--|

| | |
|---|------|
| B.2 Abstract Test Suite Summary..... | 1413 |
| B.3 Test Laboratory..... | 1413 |
| B.3.1 Test Laboratory Identification..... | 1413 |
| B.3.2 Accreditation status of the test service..... | 1414 |
| B.3.3 Manager of Test Laboratory | 1414 |
| B.3.4 Contact person of Test Laboratory..... | 1414 |
| B.3.5 Means of Testing..... | 1414 |
| B.3.6 Instructions for Completion | 1415 |

| | |
|-------------------------------------|------|
| B.4 Client..... | 1416 |
| B.4.1 Client Identification | 1416 |
| B.4.2 Client Test Manager..... | 1417 |
| B.4.3 Client Contact person..... | 1417 |
| B.4.4 Test Facilities Required..... | 1417 |

| | |
|--------------------------------------|------|
| B.5 System Under Test..... | 1418 |
| B.5.1 SUT Information | 1418 |
| B.5.2 Limitations of the SUT..... | 1419 |
| B.5.3 Environmental Conditions | 1420 |

| | |
|-----------------------------------|------|
| B.6 Ancillary Protocols | 1421 |
| B.6.1 Ancillary Protocols 1 | 1422 |
| B.6.2 Ancillary Protocols 2..... | 1422 |

| | |
|--|------|
| B.7 Protocol Layer Information for L3 of Mobile Station..... | 1422 |
| B.7.1 Protocol Identification | 1422 |
| B.7.2 Parameter Values | 1422 |
| B.7.2.1 Parameters related to Physical Resources..... | 1422 |

| | | |
|--------------|--|------|
| B.7.2.1.1 | Parameter TSPX_AltNb..... | 1422 |
| B.7.2.1.2 | Parameter TSPX_BCCHcarrierA..... | 1423 |
| B.7.2.1.3 | Parameter TSPX_BCCHcarrierB..... | 1423 |
| B.7.2.1.4 | Parameter TSPX_BCCHcarrierA_HO | 1423 |
| B.7.2.1.5 | Parameter TSPX_BCCHcarrierB_HO | 1424 |
| B.7.2.1.6 | Parameter TSPX_TCHcarrierA | 1424 |
| B.7.2.1.7 | Parameter TSPX_TCHcarrierA_ho | 1424 |
| B.7.2.1.8 | Parameter TSPX_TCHcarrierB | 1425 |
| B.7.2.1.9 | Parameter TSPX_TCHcarrierB_ho | 1425 |
| B.7.2.1.10 | Parameter TSPX_TCHcarrierB2_ho | 1425 |
| B.7.2.1.11 | Parameters for Time Slot | 1426 |
| B.7.2.2 | Parameters related logical channel | 1426 |
| B.7.2.2.1 | Parameters for SDDCH4 Subchannels | 1426 |
| B.7.2.2.2 | Parameters for SDDCH8 Subchannels | 1427 |
| B.7.2.2.3 | Parameters for Half Rate Traffic Subchannels..... | 1428 |
| B.7.2.3 | Parameters related to Mobile Station | 1429 |
| B.7.2.3.1 | Parameter TSPX_ChModeA | 1429 |
| B.7.2.3.2 | Parameter TSPX_ChModeB | 1429 |
| B.7.2.3.3 | Parameter TSPX_ChModeC | 1429 |
| B.7.2.3.4 | Parameter TSPX_ChModeD | 1429 |
| B.7.2.3.5 | Parameter TSPX_ChModeE | 1430 |
| B.7.2.3.6 | Parameter TSPX_ChModeF | 1430 |
| B.7.2.3.7 | Parameter TSPX_ChModeG | 1430 |
| B.7.2.3.8 | Parameter TSPX_ChModeH | 1431 |
| B.7.2.3.9 | Parameter TSPX_ChModeI | 1431 |
| B.7.2.3.10 | Parameter TSPX_ChModeJ | 1431 |
| B.7.2.3.11 | Parameter TSPX_UuInfo | 1431 |
| B.7.2.3.12 | Parameters for selection of a circuit switched basic services..... | 1432 |
| B.7.2.3.13 | Parameters of Bearer Capability..... | 1434 |
| B.7.2.3.13.1 | Parameter TSPX_BCa | 1434 |
| B.7.2.3.13.2 | Parameter TSPX_BCb | 1435 |
| B.7.2.3.14 | Parameter TSPX_BC2 | 1436 |
| B.7.2.3.15 | Parameters for Low Layer Compatibility | 1437 |
| B.7.2.3.15.1 | Parameter TSPX_LLCmpA | 1437 |
| B.7.2.3.15.2 | Parameter TSPX_LLCmpB | 1438 |
| B.7.2.3.16 | Parameters for High Layer Compatibility | 1438 |
| B.7.2.3.16.1 | Parameter TSPX_HLCmpA | 1438 |
| B.7.2.3.16.2 | Parameter TSPX_HLCmpB | 1439 |
| B.7.2.3.17 | Parameter TSPX_IMSI | 1439 |
| B.7.2.3.18 | Parameter TSPX_IMEI | 1439 |
| B.7.2.3.19 | Parameter TSPX_IMEISV | 1440 |
| B.7.2.3.20 | Parameter TSPX_MSTxpwrMax | 1440 |
| B.7.2.3.21 | Parameters for Power Level | 1440 |
| B.7.2.3.22 | Parameter TSPX_TMSI | 1440 |
| B.7.2.3.23 | Parameter TSPX_TMSI1 | 1441 |
| B.7.2.3.24 | Parameters for Basic service selection | 1441 |
| B.7.2.4 | Test Case related Parameters | 1443 |
| B.7.2.4.1 | Parameters for extended assignment test..... | 1443 |
| B.7.2.4.2 | Parameters for assignment rejection test..... | 1443 |
| B.7.2.4.3 | Parameters for paging re-organization test 1 | 1444 |
| B.7.2.4.4 | Parameters for paging re-organization test 2 | 1444 |
| B.7.2.4.5 | Parameters for paging as before test | 1444 |
| B.7.2.4.6 | Parameters for paging multi CCCH test | 1445 |
| B.7.2.4.7 | Parameters for pre-synch handover no TA test..... | 1445 |
| B.7.2.4.8 | Parameters for pre-synch handover with TA test | 1445 |
| B.7.2.4.9 | Parameters for pseudo-synch handover test..... | 1446 |
| B.7.2.4.10 | Parameters for non-synch handover test | 1446 |
| B.7.2.4.11 | Parameters for TC_26_6_4_1 | 1446 |
| B.7.2.4.12 | Parameters for TC_26_6_13_1 | 1447 |
| B.7.2.4.13 | Parameters for TC_26_6_13_2 | 1448 |
| B.7.2.4.14 | Parameters for TC_26_6_13_3 | 1449 |
| B.7.2.4.15 | Parameters for TC_26_6_13_4 | 1451 |

| | | |
|------------|--|------|
| B.7.2.4.16 | Parameters for TC_26_6_13_5 | 1452 |
| B.7.2.4.17 | Parameters for TC_26_6_13_6 | 1453 |
| B.7.2.4.18 | Parameters for TC_26_6_13_7 | 1455 |
| B.7.2.4.19 | Parameters for TC_26_6_13_8 | 1457 |
| B.7.2.4.20 | Parameters for TC_26_6_13_9 | 1459 |
| B.7.2.4.21 | Parameters for TC_26_6_13_10 | 1460 |
| B.7.2.5 | Parameters for Setup message..... | 1461 |
| B.7.2.5.1 | Telephony | 1462 |
| B.7.2.5.2 | Alternate Speech and G3 Fax..... | 1471 |
| B.7.2.5.3 | Automatic G3 fax | 1480 |
| B.7.2.5.4 | Data circuit duplex async. 300 bit/s..... | 1489 |
| B.7.2.5.5 | Data circuit duplex async. 1 200 bit/s..... | 1498 |
| B.7.2.5.6 | Data circuit duplex async. 1200/75 bit/s..... | 1507 |
| B.7.2.5.7 | Data circuit duplex async. 2 400 bit/s..... | 1516 |
| B.7.2.5.8 | Data circuit duplex async. 4 800 bit/s..... | 1525 |
| B.7.2.5.9 | Data circuit duplex async. 9 600 bit/s..... | 1534 |
| B.7.2.5.10 | Data circuit duplex sync. 1 200 bit/s..... | 1543 |
| B.7.2.5.11 | Data circuit duplex sync. 2 400 bit/s..... | 1552 |
| B.7.2.5.12 | Data circuit duplex sync. 4 800 bit/s..... | 1561 |
| B.7.2.5.13 | Data circuit duplex sync. 9 600 bit/s..... | 1570 |
| B.7.2.5.14 | PAD Access 300 bit/s | 1579 |
| B.7.2.5.15 | PAD Access 1 200 bit/s | 1588 |
| B.7.2.5.16 | PAD Access 1200/75 bit/s | 1597 |
| B.7.2.5.17 | PAD Access 2 400 bit/s | 1606 |
| B.7.2.5.18 | PAD Access 4 800 bit/s | 1615 |
| B.7.2.5.19 | PAD Access 9 600 bit/s | 1624 |
| B.7.2.5.20 | Packet Access 2 400 bit/s..... | 1633 |
| B.7.2.5.21 | Packet Access 4 800 bit/s..... | 1642 |
| B.7.2.5.22 | Packet Access 9 600 bit/s..... | 1651 |
| B.7.2.5.23 | Alternate Speech/Data..... | 1660 |
| B.7.2.5.24 | Speech Followed by Data..... | 1669 |
| B.7.2.6 | Other Parameters | 1677 |
| B.7.2.6.1 | Parameter TSPX_MAIO..... | 1677 |
| B.7.2.6.2 | Parameter TSPX_Cause..... | 1677 |
| B.7.2.6.3 | Parameters for Ciphering Key Sequence Number..... | 1678 |
| B.7.2.6.4 | Parameter TSPX_TxInt..... | 1678 |
| B.7.2.6.5 | Parameter TSPX_MaxRetrans | 1679 |
| B.7.2.6.6 | Parameters for Handover reference | 1679 |
| B.7.2.6.7 | Parameters for the number of Handover accesses | 1680 |
| B.7.2.6.8 | Parameter TSPX_HSN | 1681 |
| B.7.2.6.9 | Parameters for RAND | 1681 |
| B.7.2.6.10 | Parameter TSPX_k | 1682 |
| B.7.2.6.11 | Parameter TSPX_y | 1682 |
| B.7.2.6.12 | Parameter TSPX_Ki..... | 1683 |
| B.7.2.6.13 | Parameters for Channel Type (full or half rate) of CC test | 1683 |
| B.7.2.6.14 | Parameters for Ciphering Algorithm..... | 1684 |
| B.7.2.6.15 | Parameters for Training Sequence Code | 1685 |
| B.7.2.6.16 | Parameters for Timing Advance | 1686 |
| B.7.2.6.17 | Parameter TSPX_WaitForFac | 1687 |
| B.7.2.6.18 | Parameter TSPX_WaitForConnACK | 1687 |
| B.7.2.6.19 | Parameter TSPX_PathH1 | 1688 |
| B.7.2.6.20 | Parameter TSPX_PathH2..... | 1688 |
| B.7.2.7 | Questions on antenna and power supply..... | 1688 |
| B.7.2.7.1 | Type of antenna | 1688 |
| B.7.2.7.2 | Power supply..... | 1688 |
| B.7.2.7.3 | External RF amplifier | 1689 |
| B.7.2.7.4 | SIM removal support | 1689 |
| B.7.2.7.5 | Parameter TSPX_MaxCPDataRetx | 1689 |
| B.7.2.7.6 | Parameter TSPX_DTMFInd..... | 1689 |
| B.7.2.7.7 | Parameter TSPX_CallCntrlCap | 1690 |
| B.7.2.7.8 | Parameter TSPX_ClassMark1..... | 1690 |
| B.7.2.7.9 | Parameter TSPX_ClassMark2..... | 1690 |
| B.7.2.7.10 | Parameter TSPX_ClassMark2Amp | 1691 |

| | | |
|--------------|---------------------------------|------|
| B.7.2.7.11 | Parameter TSPX_ClassMark3 | 1691 |
| B.7.2.8 | Test Suite Timer Values..... | 1692 |
| B.7.2.9 | Man Machine Interface..... | 1692 |
| Annex C: | PCTR Proforma | 1698 |
| History..... | | 1699 |

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 607-3 E4:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/910e70a5-f12a-4d78-b2be-155d44287d97/sist-ets-300-607-3-e4-2003>

Page 8

ETS 300 607-3 (GSM 11.10-3 version 4.18.1): September 1997

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 607-3 E4:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/910e70a5-f12a-4d78-b2be-155d44287d97/sist-ets-300-607-3-e4-2003>

Foreword

This European Telecommunication Standard (ETS) has been produced by the Special Mobile Group (SMG) of the European Telecommunications Standards Institute (ETSI).

This ETS describes the technical characteristics and methods of test for Mobile Stations (MSs), operating in the 900 MHz and 1 800 MHz frequency band (GSM 900 and DCS 1 800) within the digital cellular telecommunications system.

This ETS corresponds to GSM technical specification GSM 11.10-3 version 4.18.1.

This part of the ETS (Part 3), contains Tree and Tabular Combined Notation (TTCN) for Layer 3 conformity specifications for which Mobile Stations, within the digital cellular telecommunications system (Phase 2), are tested for compliance.

The graphical form ATS

The TTCN.GR representation of this ATS is contained in annex A of this ETS.

The machine processable ATS

The electronic forms of the machine processable files (TTCN MP format) corresponding to the ATS for Layer 3 are contained in the file L3-4180.mp¹⁾ (Layer 3) on the diskette included as a part of this ETS (Part 3).

ETS 300 607 consists of three parts, which have the following ETS numbers and titles:

ETS 300 607-1 **iTel STANDARD PREVIEW**
Digital cellular telecommunications system (Phase 2);
Mobile Station (MS) conformance specification;
Part 1: Conformance specification;

Reference: GSM 11.10-1.

ETS 300 607-2 <https://standards.itech.i/catalog/standards/sist/910e70a5-f12a-4478-b2ba-15d44287d87/et-ets-300-607-3-e4-2003>
Digital cellular telecommunications system (Phase 2);
Mobile Station (MS) conformance specification;
Part 2: Protocol Implementation Conformance Statement (ICS)
proforma specification

Reference: GSM 11.10-2.

ETS 300 607-3 **Digital cellular telecommunications system (Phase 1);**
Mobile Station (MS) conformance specification;
Part 3: Layer 3 (L3) Abstract Test Suite (ATS)

Reference: GSM 11.10-3.

| Transposition dates | |
|---|------------------|
| Date of adoption: | 8 August 1997 |
| Date of latest announcement of this ETS (doa): | 31 December 1997 |
| Date of latest publication of new National Standard or endorsement of this ETS (dop/e): | 30 June 1998 |
| Date of withdrawal of any conflicting National Standard (dow): | 30 June 1998 |

1) This file is located in an archive file named 6073_E4.LZH. Other file formats are available on request.

Page 10

ETS 300 607-3 (GSM 11.10-3 version 4.18.1): September 1997

1 Scope

This European Telecommunications Standard specifies the Abstract Test Suite (ATS) and partial IXIT proforma for the Network Layer (Layer 3) at the mobile radio interface of the GSM or DCS (Phase 2) Mobile Stations (MS) conforming to the ETSs for the Radio Resource management, the Mobility Management, the circuit-switched Call Control, the Supplementary Services and Short Message Services for the digital cellular telecommunications systems (Phase 2).

The ISO standards for the methodology of conformance testing are used as the basis for the test specifications.

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references, the latest edition of the publication referred to applies.

- [1] ISO/IEC 9646-1: "Information Technology-OSI- Conformance Testing Methodology and Framework, Part 1: General Concepts".
- [2] ISO/IEC 9646-2: "Information Technology-OSI- Conformance Testing Methodology and Framework, Part 2: Abstract Test Suite Specification".
- [3] ISO/IEC 9646-3: "Information Technology-OSI- Conformance Testing Methodology and Framework, Part 3: The Tree and Tabular Combined Notation".
The STANDARD PREVIEW
- [4] ISO/IEC 9646-5: "Information Technology-OSI- Conformance Testing Methodology and Framework, Part 5: Requirements on test laboratories and clients for the conformance assessment process".
SIST ETS 300 607-3 E4:2003
<https://standards.itech.ai/catalog/standards/sist/910c70a5-f2a-4d78-b2be-15544438/d97/sist-ets-300-607-3-e4-2003>
- [5] ISO/IEC 8824: "Information Technology-OSI- Specification of Abstract Syntax Notation One (ASN.1)".
- [6] ISO/IEC 8825: "Information Technology-OSI- Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1)".
- [7] ITU-T Recommendation Q.773: "Specifications of Signalling System No.7; Transaction capabilities formats and encoding".
- [8] ETS 300 287: "Integrated Services Digital Network (ISDN); CCITT Signalling System No.7, Transaction Capabilities Application Part (TCAP) version 2".
- [9] ETS 300 406 (January 1995): "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications: Standardization methodology".
- [10] ETS 300 501 (GSM 02.02): "Digital cellular telecommunications system (Phase 2); Bearer Services (BS) supported by a GSM Public Land Mobile Network (PLMN)".
- [11] ETS 300 502 (GSM 02.03): "Digital cellular telecommunications system (Phase 2); Teleservices supported by a GSM Public Land Mobile Network (PLMN)".
- [12] ETS 300 504 (GSM 02.06): "Digital cellular telecommunications system (Phase 2); Types of Mobile Stations (MS)".
- [13] ETS 300 505 (GSM 02.07): "Digital cellular telecommunications system (Phase 2); Mobile Station (MS) features".

- [14] ETS 300 511 (GSM 02.30): "Digital cellular telecommunications system (Phase 2); Man-Machine Interface (MMI) of the Mobile Station (MS)".
- [15] ETS 300 523 (GSM 03.03): "Digital cellular telecommunications system (Phase 2); Numbering, addressing and identification".
- [16] ETS 300 527 (GSM 03.09): "Digital cellular telecommunications system (Phase 2); Handover procedures".
- [17] ETS 300 528 (GSM 03.10): "Digital cellular telecommunications system (Phase 2); GSM Public Land Mobile Network (PLMN) connection types".
- [18] ETS 300 529 (GSM 03.11): "Digital cellular telecommunications system (Phase 2); Technical realization of supplementary services".
- [19] ETS 300 530 (GSM 03.12): "Digital cellular telecommunications system (Phase 2); Location registration procedures".
- [20] ETS 300 532 (GSM 03.14): "Digital cellular telecommunications system (Phase 2); Support of Dual Tone Multi-Frequency signalling (DTMF) via the GSM system".
- [21] ETS 300 535 (GSM 03.22): "Digital cellular telecommunications system (Phase 2); Functions related to Mobile Station (MS) in idle mode".
- [22] ETS 300 536 (GSM 03.40): "Digital cellular telecommunications system (Phase 2); Technical realization of the Short Message Service (SMS) Point-to-Point (PP)".
- iTeleSTANDARD PREVIEW**
- [23] ETS 300 537 (GSM 03.41): "Digital cellular telecommunications system (Phase 2); Technical realization of Short Message Service Cell Broadcast (SMSCB)".
- [SIST ETS 300 607-3 E4:2003](#)
- [24] <https://standards.tele.in/standard/ets-300-550talk/gsm04.01/91070512c1178121> ETS 300 550talk (GSM 04.01): "Digital cellular telecommunications system (Phase 2); Mobile Station - Base Station System (MS - BSS) interface General aspects and principles".
- [25] ETS 300 552 (GSM 04.03): "Digital cellular telecommunications system (Phase 2); Mobile Station - Base Station System (MS - BSS) interface Channel structures and access capabilities".
- [26] ETS 300 553 (GSM 04.04): "Digital cellular telecommunications system (Phase 2); layer 1 General requirements".
- [27] ETS 300 554 (GSM 04.05): "Digital cellular telecommunications system (Phase 2); Data Link (DL) layer General aspects".
- [28] ETS 300 555 (GSM 04.06): "Digital cellular telecommunications system (Phase 2); Mobile Station - Base Station System (MS - BSS) interface Data Link (DL) layer specification".
- [29] ETS 300 556 (GSM 04.07): "Digital cellular telecommunications system (Phase 2); Mobile radio interface signalling layer 3 General aspects".
- [30] ETS 300 557 (GSM 04.08): "Digital cellular telecommunications system (Phase 2); Mobile radio interface layer 3 specification".
- [31] ETS 300 558 (GSM 04.10): "Digital cellular telecommunications system (Phase 2); Mobile radio interface layer 3 Supplementary services specification General aspects".

- [32] ETS 300 559 (GSM 04.11): "Digital cellular telecommunications system (Phase 2); Point-to-Point (PP) Short Message Service (SMS) support on mobile radio interface".
- [33] ETS 300 560 (GSM 04.12): "Digital cellular telecommunications system (Phase 2); Short Message Service Cell Broadcast (SMSCB) support on the mobile radio interface".
- [34] ETS 300 564 (GSM 04.80): "Digital cellular telecommunications system (Phase 2); Mobile radio interface layer 3 supplementary services specification Formats and coding".
- [35] ETS 300 565 (GSM 04.81): "Digital cellular telecommunications system (Phase 2); Line identification supplementary services - Stage 3".
- [36] ETS 300 566 (GSM 04.82): "Digital cellular telecommunications system (Phase 2); Call Forwarding (CF) supplementary services - Stage 3".
- [37] ETS 300 567 (GSM 04.83): "Digital cellular telecommunications system (Phase 2); Call Waiting (CW) and Call Hold (HOLD) supplementary services - Stage 3".
- [38] ETS 300 568 (GSM 04.84): "Digital cellular telecommunications system (Phase 2); MultiParty (MPTY) supplementary services - Stage 3".
- [39] ETS 300 569 (GSM 04.85): "Digital cellular telecommunications system (Phase 2); Closed User Group (CUG) supplementary services - Stage 3".
- [40] ETS 300 570 (GSM 04.86): "Digital cellular telecommunications system (Phase 2); Advice of Charge (AoC) supplementary services - Stage 3".
- [41] ETS 300 571 (GSM 04.88): "Digital cellular telecommunications system (Phase 2); Call Barring (CB) supplementary services - Stage 3".
<https://standards.iteh.ai/catalog/standards/sist/910e70a5-f12a-4d78-b2be-07321003>
- [42] ETS 300 572 (GSM 04.90): "Digital cellular telecommunications system (Phase 2); Unstructured supplementary services operation - Stage 3".
- [43] ETS 300 573 (GSM 05.01): "Digital cellular telecommunications system (Phase 2); Physical layer on the radio path General description".
- [44] ETS 300 574 (GSM 05.02): "Digital cellular telecommunications system (Phase 2); Multiplexing and multiple access on the radio path".
- [45] ETS 300 575 (GSM 05.03): "Digital cellular telecommunications system (Phase 2); Channel coding".
- [46] ETS 300 576 (GSM 05.04): "Digital cellular telecommunications system (Phase 2); Modulation".
- [47] ETS 300 577 (GSM 05.05): "Digital cellular telecommunications system (Phase 2); Radio transmission and reception".
- [48] ETS 300 578 (GSM 05.08): "Digital cellular telecommunications system (Phase 2); Radio subsystem link control".
- [49] ETS 300 579 (GSM 05.10): "Digital cellular telecommunications system (Phase 2); Radio subsystem synchronization".
- [50] ETS 300 582 (GSM 07.01): "Digital cellular telecommunications system (Phase 2); General on Terminal Adaption Functions (TAF) for Mobile Stations (MS)".

- [51] ETS 300 590 (GSM 08.08): "Digital cellular telecommunications system (Phase 2); Mobile Switching Centre - Base Station System (MSC - BSS) interface Layer 3 specification".
- [52] ETS 300 596 (GSM 08.58): "Digital cellular telecommunications system (Phase 2); Base Station Controller - Base Transceiver Station (BSC - BTS) interface Layer 3 specification".
- [53] ETS 300 599 (GSM 09.02): "Digital cellular telecommunications system (Phase 2); Mobile Application Part (MAP) specification".
- [54] ETS 300 607-1 (GSM 11.10-1): "Digital cellular telecommunications system (Phase 2); Mobile Station (MS) conformity specification".
- [55] ETS 300 607-2 (GSM 11.10-2): "Digital cellular telecommunications system (Phase 2); Mobile Station (MS) Conformance specification, Protocol Implementation Conformance Statement (ICS) Proforma".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of this ETS, the following definitions apply:

| | |
|--|------------------------------|
| Abstract Test Suite (ATS): | refer to ISO/IEC 9646-1 [1]. |
| Implementation Under Test (IUT): | refer to ISO/IEC 9646-1 [1]. |
| partial Protocol Implementation eXtra Information for Testing (IXIT): | refer to ISO/IEC 9646-1 [1]. |
| Point of Controls and Observations (PCO): | refer to ISO/IEC 9646-1 [1]. |
| Protocol Implementation Conformance Statement (ICS): <small>SIST ETS 300 607-3 E4:2003 https://standards.iteh.ai/catalog/standards/sist/300/607/0a5-f12a-4d78-02bc</small> | refer to ISO/IEC 9646-1 [1]. |
| System Under Test (SUT): | refer to ISO/IEC 9646-1 [1]. |

3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

| | |
|-------|--|
| ATS | Abstract Test Suite |
| BI | Invalid Behaviour tests |
| BO | Inopportune Behaviour tests |
| BV | Valid Behaviour tests |
| CA | CApability tests |
| EDP-N | Event Detection Point - Notification |
| EDP-R | Event Detection Point - Request |
| ETS | European Telecommunication Standard |
| FE | Functional Entity |
| FSM | Finite State Machine |
| ICS | Implementation Conformance Statement |
| IUT | Implementation Under Test |
| IXIT | Implementation eXtra Information for Testing |
| PDU | Protocol Data Unit |
| SUT | System Under Test |
| TP | Test Purpose |
| TSS | Test Suite Structure |

Further abbreviations used within GSM related ETS may be found in ETR 100.

Abbreviations for test case group names may be found in figure 1 and 2.