International Standard



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION•MEЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ•ORGANISATION INTERNATIONALE DE NORMALISATION

Textile machinery and accessories — Beams for dyeing slivers and yarn — Terminology and main dimensions

Matériel pour l'industrie textile — Ensouples de teinture pour fibres et filés — Terminologie et dimensions principales

First edition - 1982-07-01

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 1037:1982 https://standards.iteh.ai/catalog/standards/sist/61110f7e-634b-4c99-9881-bba58ecc6d95/iso-1037-1982

UDC 677.057.4

Ref. No. ISO 1037-1982 (E)

Descriptors: textile machinery, dyeing machines, beams (textile machinery), dimensional tolerances.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 1037 was developed by Technical Committee ISO/TC 72, Textile machinery and allied machinery and accessories, and was circulated to the member bodies in December 1978. member bodies in December 1978.

It has been approved by the member bodies of the following bountfles: 1982

https://standards.iteh.ai/catalog/standards/sist/61110f7e-634b-4c99-9881-

Belgium

bba58ecs6dth/Afrida,3Rep.86f

Czechoslovakia

Korea, Dem. P. Rep. of

Spain

Egypt, Arab Rep. of France

Korea, Rep. of Mexico

Switzerland United Kingdom

Germany, F. R.

Netherlands

USSR Yugoslavia

India

Poland

Indonesia

Romania

The member bodies of the following countries expressed disapproval of the document on technical grounds:

> Bulgaria Japan

This International Standard cancels and replaces ISO Recommendation R 1037-1969, of which it constitutes a technical revision.

Textile machinery and accessories — Beams for dyeing slivers and yarn — Terminology and main dimensions

iTeh STANDARD PREVIEW (standards.iteh.ai)

1 Scope and field of application

ISO 1037:1982

This International Standard lays down the main dimensions and the driving devices for perforated beams used for dyeing slivers or yarn tapes (for example for warping).

bba58ecc6d95/iso-1037-1982

2 References

ISO 481, Textile machinery and accessories - Warper's beams - Terminology and main dimensions.

ISO 1025, Textile machinery and accessories — Sectional beams for warp knitting machines — Terminology and main dimensions.

ISO 5241, Textile machinery and accessories — Weaver's beams — Terminology and main dimensions.

3 Terminology

Dimensions in millimetres




Figure 1 — Type A : Beam with simple flanges, and driving devices (One lug per flange)

iTeh STANDARD PREVIEW Detail X (standards.iteh ai) X ISO 1037:1982 https://standards.sist/61 1.10t/e-634b-4c99-9884

Figure 2 — Type B : Beams with flanges and counter shoulder, and driving device (One key per flange)

NOTE — For type A and type B, it is possible to have one lug or one key per flange (according to the values of d_2 and d_3).

 d_1 = outside diameter of flange

 d_2 = outside diameter of barrel

 d_3 = diameter of axial orifice

b =distance between the flanges

4 Main dimensions

Table - Main dimensions

Values in millimetres

Туре	<i>d</i> ₁	Tolerance	d ₂	Tolerance	r	<i>b</i> ± 1	$d_3 \pm 0.3$
Α	300	± 0,5	150	± 1,2	96	1 400 1 600 1 800	145
	(480)	± 0,8	230	± 1,2	137,5		225
	520						
В	(520)	± 0,8	280	± 1,2	_		
	600						
	600		360	± 2	_		
	750		500				

NOTE — The values in brackets should be avoided whenever possible.

5 Designation

A dyeing beam is designated by the number of this International Standard, an indication of its form (type A or type B), the outside diameter of the flanges, d_1 , and that of the barrel, d_2 , and also by the winding width (distance between the flanges), b.

Example:

Dyeing beam ISO 1037 - B 6001 × 280 × 1400 NDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)