

SLOVENSKI STANDARD DSIST EN 301 070-1:% - -01-bcj Ya VYf-% - -

8][]HƯbc'cafYÿ^Y'n']bHY[f]fUb]a]'ghcf]hjUa]'fHG8BL'!'G][bU]nUV]/UýH'+'! AYXgYVc1bc'jd`]jUb1Y'aYX'=G8B!idcfUVb]ý_]a'XY'ca'hfYhY'fUn`]]VV']b Ud`]_UV]/g_]a'XY'ca']bHY`][YbHbY[U'cafYÿ/U'!'%'XY'.'GdYV]Z]_UV]/Udfchc_c`U

Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 interactions with the Intelligent Network Application Part (INAP); Part 1: Protocol specification [ITU-T Recommendation Q.1600 (1997), modified]

Ta slovenski standard je istoveten z:

EN 301 070-1 V1.2.2.% - , !\$-

<u>ICS:</u>

33.080 Digitalno omrežje z integriranimi storitvami (ISDN) Integrated Services Digital Network (ISDN)

DSIST EN 301 070-1:% - -

en


SIST EN 301 070-1:2000

EN 301 070-1 V1.2.2 (1998-09)

European Standard (Telecommunications series)

Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 interactions with the Intelligent Network Application Part (INAP); Part 1: Protocol specification

[ITU-T Recommendation Q.1600 (1997), modified]



2

Reference DEN/SPS-01044-1 (9wo90ipc.PDF)

Keywords

ISDN, SS7, ISUP, IN, INAP, CS1

ETSI

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis Valbonne - FRANCE Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16 Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Internet

secretariat@etsi.fr http://www.etsi.fr http://www.etsi.org

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

> © European Telecommunications Standards Institute 1998. All rights reserved.

3

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://www.etsi.org/ipr).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Signalling Protocols and Switching (SPS).

The present document is part 1 of a multi-part EN covering the interactions between ISDN User Part (ISUP) version 3 and Intelligent Network Application Part (INAP) in the scope of IN Capability Set 1 (CS1), as identified below:

Part 1: "Protocol specification [ITU-T Recommendation Q.1600 (1997), modified]";

- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification";
- Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification".

National transposition dates		
Date of adoption of this EN:	18 September 1998	
Date of latest announcement of this EN (doa):	31 December 1998	
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 June 1999	
Date of withdrawal of any conflicting National Standard (dow):	30 June 1999	

Endorsement notice

The elements of ITU-T Recommendation Q.1600 (1997) apply, with the following modifications.

NOTE: New or modified text is indicated using sidebars. In addition, underlining and/or strike-out are used to highlight detailed modifications where necessary.

Modifications to ITU-T Recommendation Q.1600

Insert the following clause (Scope) at the start of the document:

4

1 Sope

The present document specifies the interaction between the ISUP and INAP.

The interaction between other signalling systems and INAP can be found by consulting the relevant interworking recommendation to the ISUP in combination with the ISUP/INAP interaction recommendation.

The present document specifies procedures in order to provide interaction between ISUP and INAP, i.e. to support IN services in an ISDN environment. In addition new protocol elements for the ISUP are defined in order to satisfy IN specific requirements. Based on the protocol inherent compatibility mechanism a stepwise upgrade of the ISUP functionality is possible. However, the new function is only available for an IN call, if supported in any of the affected exchanges.

The present document only considers the case where the SSP is located at a transit level. As a consequence this could lead to limitations for ISDN supplementary services.

The present document does not specify enhancements to the DSS1 protocol, which may be needed due to additional ISUP functions or IN requirements, respectively.

The main subjects of this interaction specification are the following:

- description of specific call control functions for IN calls;
- impacts on the ISUP basic call and the ISDN supplementary services for IN calls;
- enhancement of the ISUP protocol due to IN specific requirements.

0.2 references

Replace the clause "0.2 references" with the following clause (References):

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- <u>References are either specific (identified by date of publication, edition number, version number, etc.) or</u> <u>non-specific.</u>
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, subsequent revisions do apply.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.
- [1] ETR 318 (1996): "Intelligent Network (IN); IN Capability Set 1 (CS1); Distributed functional plane".
- [2] EN 300 356-1: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 1: Basic services [ITU-T Recommendations Q.761 to Q.764 (1997), modified]".
- [3]
 EN 300 356-3: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User

 Part (ISUP) version 3 for the international interface; Part 3: Calling Line Identification

 Presentation (CLIP) supplementary service [ITU-T Recommendation Q.731, clause 3 (1993), modified]".
- [4]EN 300 356-4: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User
Part (ISUP) version 3 for the international interface; Part 4: Calling Line Identification Restriction
(CLIR) supplementary service [ITU-T Recommendation Q.731, clause 4 (1993), modified]".

[5]	EN 300 356-5: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User
	Part (ISUP) version 3 for the international interface; Part 5: Connected Line Identification
	Presentation (COLP) supplementary service [ITU-T Recommendation Q.731, clause 5 (1993),
	modified]".
[6]	EN 300 356-6: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User
	Part (ISUP) version 3 for the international interface; Part 6: Connected Line Identification
	Restriction (COLR) supplementary service [ITU-T Recommendation Q.731, clause 6 (1993),
	modified]".
[7]	EN 300 356-10: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN
	User Part (ISUP) version 3 for the international interface; Part 10: Subaddressing (SUB)
	supplementary service [ITU-T Recommendation Q.731, clause 8 (1992), modified]".
[8]	EN 300 356-11: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN
10	<u>User Part (ISUP) version 3 for the international interface; Part 11: Malicious Call Identification</u>
	(MCID) supplementary service [ITU-T Recommendation Q.731, clause 7 (1997), modified]".
	(MCID) supplementary service [110-1 Recommendation Q.751, clause 7 (1997), modified].
[9]	EN 300 356-14: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN
	User Part (ISUP) version 3 for the international interface; Part 14: Explicit Call Transfer (ECT)
	supplementary service [ITU-T Recommendation Q.732, clause 7 (1996), modified]".
[10]	EN 300 356-15: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN
	User Part (ISUP) version 3 for the international interface; Part 15: Diversion supplementary
	services [ITU-T Recommendation Q.732, clauses 2 to 5 (1997), modified]".
[11]	ETS 300 374-1 (1994): "Intelligent Network (IN); Intelligent Network Capability Set 1 (CS1);
	<u>Core Intelligent Network Application Protocol (INAP)</u> ; Part 1: Protocol specification".
	<u>Core members receivers Application r</u> iolocor <u>(INAF)</u> , Fatt 1. Flotocol specification .
[12]	EN 300 403-1: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System
	No. one (DSS1) protocol; Signalling network layer for circuit-mode basic call control;
	Part 1: Protocol specification [ITU-T Recommendation Q.931 (1993), modified]".

Throughout the text of ITU-T Recommendation Q.1600

Replace references as shown below:

Reference in ITU-T	Modified reference
Recommendation Q.1600	
ITU-T Recommendation Q.1214	ITU-T Recommendation Q.1214 as modified by ETR 318 [1]
ITU-T Recommendation Q.1218	ETS 300 374-1 [11]
ITU-T Recommendation Q.731	ITU-T Recommendation Q.731 as modified by EN 300 356, parts 3, 4, 5, 6, 10 and 11
	[3 to 8]
ITU-T Recommendation Q.732	ITU-T Recommendation Q.732 as modified by EN 300 356, parts 14 and 15
	[9 and 10]
ITU-T Recommendation Q.763	ITU-T Recommendation Q.763 as modified by EN 300 356-1 [2]
ITU-T Recommendation Q.764	ITU-T Recommendation Q.764 as modified by EN 300 356-1 [2]
ITU-T Recommendation Q.931	ITU-T Recommendation Q.931 as modified by EN 300 403-1 [12]

5

Table 2

Amend the table as shown:

Operation	Influence on ISUP call handling	<u>Reference</u>
<u>:</u>	:	: :
AnalyseInformation	For further study (Note)	
<u>:</u>	:	<u>i</u>
CancelStatusReportRequest	For further study (Note)	
<u>:</u>	: :	<u>:</u>
HoldCallInNetwork	For further study (Note)	
<u>:</u>	: :	<u>:</u>
RequestCurrentStatusReport	For further study (Note)	
RequestEveryStatusChangeReport	For further study (Note)	
RequestFirstStatusMatchReport	For further study (Note)	
<u>:</u>	÷	<u>:</u>
<u>SelectFacility</u>	For further study (Note)	
SelectRoute	For further study (Note)	
: :	<u>:</u>	<u>i</u>

Subclause 7.2.6, Correlation id parameter

Replace references to "[5], §2.1.3 Definition of Common Data Types" and "[5], §2.1.3 Definition of range constants" with "[11], §6.3".

Subclause 7.2.8, SCF id parameter

Replace references to "[5], §2.1.3 Definition of Common Data Types" and "[5], §2.1.3 Definition of range constants" with "[11], §6.3".

Subclause 9.1.1, Successful call set-up

Modify the first sentence as follows:

If an IAM is received in a SSP and the call is recognized as IN call, i.e. by detecting a DP as TDP-R (see subclause 9.3 Detection Point processing), an InitialDP operation or a DP specific operation for a TDP-R is sent from the SSF to the SCF. If the IAM had been segmented the remainder of the call set-up information is awaited (see subclause 9.1.1.7 Simple segmentation). The mapping of parameters is shown in the table 4.

6