

### SLOVENSKI STANDARD SIST ISO/R 1051:1996

01-april-1996

DfYa Yf] ghYVY '\_cj]WftVa c 'Y'dfYa Yfcj 'C8'%Xc'' \* 'a a Ł

Rivet shank diameters (diameter range 1 to 36 mm)

Diamètres de tiges de rivets (diamètres de 1 à 36 mm inclus)

Ta slovenski standard je istoveten z: ISO/R 1051:1969

SIST ISO/R 1051:1996

https://standards.iteh.ai/catalog/standards/sist/fcf2b6fe-ffc0-4f81-8f40-127808de5839/sist-iso-r-1051-1996

ICS:

21.060.40 Kovice Rivets

SIST ISO/R 1051:1996 en

SIST ISO/R 1051:1996

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO/R 1051:1996</u> https://standards.iteh.ai/catalog/standards/sist/fcf2b6fe-ffc0-4f81-8f40-127808de5839/sist-iso-r-1051-1996 UDC 621.884 Ref. No. : ISO/R 1051-1969 (E)

## ISO

#### INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

# ISO RECOMMENDATION R 1051

# (DIAMETER RANGE 1 TO 36 mm)

<u>SIST ISO/R 1051:1996</u> https://standards.iteh.ai/catalog/standards/sist/fcf2b6fe-ffc0-4f81-8f40-127808de5839/sist-iso-r-1051-1996

> 1st EDITION April 1969

#### COPYRIGHT RESERVED

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

#### **BRIEF HISTORY**

The ISO Recommendation R 1051, Rivet shank diameters (Diameter range 1 to 36 mm), was drawn up by Technical Committee ISO/TC 7, Rivets, the Secretariat of which is held by the Nederlands Normalisatie-Instituut (NNI).

Work on this question led to the adoption of a Draft ISO Recommendation.

In June 1968, this Draft ISO Recommendation (No. 1589) was circulated to all the ISO Member Bodies for enquiry. It was approved, subject to a few modifications of an editorial nature, by the following Member Bodies:

Austria	Italy	South Africa, Rep. of
Belgium	Japan	Sweden
Canada	Korea, Rep. of	Thailand
France	Netherlands	Turkey
Germany	Tob CTNew Zealand DD DE	U.A.R.
Hungary	iTeh STNew Zealand RD PR	United Kingdom
India		
Israel	(sterndards.iteh.	U.S.S.R.

No Member Body opposed the approval of the Draft ISO/R 1051:1996

https://standards.iteh.ai/catalog/standards/sist/fcf2b6fe-ffc0-4f81-8f40-

The Draft ISO Recommendation was then submitted by correspondence to the ISO Council, which decided, in April 1969, to accept it as an ISO RECOMMENDATION.

ISO Recommendation	R 1051	April 1969
100 meetininenaation		•

#### **RIVET SHANK DIAMETERS**

(DIAMETER RANGE 1 TO 36 mm)

#### 1. SCOPE

This ISO Recommendation tabulates diameters for the shanks of metal rivets for general use.

#### 2. NOMINAL DIAMETERS IN MILLIMETRES

Nominal diameters				
Main series	Secondary series			
(standar	ds.iteh.ai)			
SIST ISO/R 1051:1996.4 https://standards.itelr.a/catalog/standards/sist/fcf2b6fe-ffc0-4f81-8f40-				
127808de5839/s 2.5	ist-iso-r-1051-1996			
3	3.5			
4 5				
6	7			
8	7			
10 12				
16	14			
20	18			
24	22			
30	27			
36	33			