INTERNATIONAL STANDARD

ISO 4064-3

Fourth edition 2014-06-01

Water meters for cold potable water and hot water —

Part 3: **Test report format**

Compteurs d'eau potable froide et d'eau chaude —

iTeh STPartie 3: Format du rapport d'essais W (standards.iteh.ai)



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 4064-3:2014 https://standards.iteh.ai/catalog/standards/sist/64446a36-33e3-4759-870f-703f492ffa13/iso-4064-3-2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Con	nts	Page
Forew	d	iv
Introd	tion	v
1	cope	1
2	ormative references	1
3	erms, definitions, symbols, and abbreviated terms	1
4	ype evaluation report General Information concerning the type General information concerning the test equipment Check list for water meter examinations and performance tests Type evaluation tests (for all water meters) Type evaluation tests (for electronic water meters and mechanical water meters with electronic components)	1 212 13 23
5	Itial verification report General Information concerning the EUT verified Initial verification test report (ISO 4064-2:2014 OIML R 49-2:2013, Clause 10)	68 68
Annex	(normative) List of documents concerning the type (ISO 4064-1:2014 OIML R 49-1:20 2.9) Teh STANDARD PREVIEW	13, 73
Annex	(normative) Listing of test equipment used in examinations and tests	74

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2, www.iso.org/directives.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received, www.iso.org/patents.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committees responsible for this document are Technical Committee ISO/TC 30, *Measurement of fluid flow in closed conduits*, Subcommittee SC 7, *Volume methods including water meters* and OIML Technical Subcommittee TC 8/SC 5 *Water meters*.

This fourth edition of ISO 4064-3 cancels and replaces the third edition (ISO 4064-3:2005), which has been technically revised. Provisions of the third edition are addressed in ISO 4064-2:2014|OIML R 49-2:2013.

https://standards.iteh.ai/catalog/standards/sist/64446a36-33e3-4759-870f-

ISO 4064 consists of the following parts, under the general title Water meters for cold potable water and hot water:

- Part 1: Metrological and technical requirements
- Part 2: Test methods
- Part 3: Test report format
- Part 4: Non-metrological requirements not covered in ISO 4064-1
- Part 5: Installation requirements

This edition of ISO 4064-3 is identical to the corresponding edition of OIML R 49-3, which has been issued concurrently. OIML R 49-3 was approved for final publication by the International Committee of Legal Metrology at its 48th meeting in Ho Chi Minh City, Vietnam in October 2013. It will be submitted to the International Conference on Legal Metrology in 2016 for formal sanction.

Introduction

Implementation of this test report format is informative with regard to the implementation of ISO 4064-1|OIMLR 49-1 and ISO 4064-2|OIMLR 49-2 in national regulations; however, its implementation is required within the framework of the OIML Certificate System for Measuring Instruments [ISO 4064-2:2014|OIML R 49-2:2013, 11.1].

<u>Clause 4</u> shows the required format of a type evaluation report for a complete or combined water meter.

A type evaluation report for a separable calculator (including indicating device) or a measurement transducer (including flow or volume sensor) requires a similar format. However, some modifications to the tables may be required because a large number of variations in the design of these separable units is possible.

Some examples of tables for presenting the test results for separable units are shown in <u>Clause 5</u> for initial verifications. These tables can also be adapted for type evaluation reports.

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Water meters for cold potable water and hot water —

Part 3:

Test report format

1 Scope

This part of ISO 4064|OIML R 49 specifies a test report format to be used in conjunction with ISO 4064-1|OIML R 49-1 and ISO 4064-2|OIML R 49-2 for water meters for cold potable water and hot water.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4064-1:2014|OIML R 49-1:2013, Water meters for cold potable water and hot water — Part 1: Metrological and technical requirements IDARD PREVIEW

ISO 4064-2:2014|OIML R 49-2:2013, Water meters for cold potable water and hot water — Part 2: Test methods

ISO 4064-3:2014

3 Terms, definitions symbols and abbreviated terms 759-870f-

703f492ffa13/iso-4064-3-2014

For the purposes of this document, the terms and definitions given in ISO 4064-1|OIML R 49-1 apply.

Some symbols and abbreviated terms used in the tables are as follows.

+ pass

fail

n/a not applicable

EUT equipment under test

H horizontal

MAP maximum admissible pressure

MAT maximum admissible temperature

MPE maximum permissible error

V vertical

4 Type evaluation report

4.1 General

For each examination and test the checklist shall be completed according to this example:

+	_	
×		Pass
	×	Fail
n/a	n/a	Not applicable

4.2 Information concerning the type

4.2.1 General	
Application number:	
Applicant:	
Authorized representative:	
Address:	
	i Teh STAN DARD PREVIEW
Testing laboratory:	(stand ards.iteh.ai)
Authorized representative:	ISO 4064-3:2014 https://standards.iteh.ai/catalog/standards/sist/64446a36-33e3-4759-870f703f492ffa13/iso-4064-3-2014
Address:	
	
4.2.2 Model su	bmitted
New model:	
Variant of approv	red model(s):
Approval nu	mber:
Variation of	approved model:
See Table 1.	

2

Table 1 — Model submitted

Submitted for approval tests	Yesa	Noa	Remarks
Mechanical water meter (complete)			
Mechanical water meter (combined)			
Electronic water meter (complete)			
Electronic water meter (combined)			
Family of water meters			
Separable calculator (including indicating device)			
Separable measurement transducer (including flow or volume sensor)			
Supplementary electronic device(s) for testing (permanently attached to meter)			
Supplementary electronic device(s) for data transmission (permanently attached to meter)			
Supplementary electronic device(s) for testing (temporarily attached to meter)			
Supplementary electronic device(s) for data transmission (temporarily attached to meter)			
Ancillary devices			
a Tick as appropriate. Teh STANDAR	D PR	EVI	

4.2.3 Mechanical water meter (complete or combined)

Manufacturer:	<u>ISO 4064-3:2014</u>	
Model number:	https://standards.iteh.ai/catalog/standards/sist/64446a36-33e3-4759-870f	
Type details:		
Q_1	m ³ /h	
Q_2	m ³ /h	
Q_3	m ³ /h	
Q_4	m ³ /h	
Q_3/Q_1		

ISO 4064-3:2014(E)

for combination meters	
$Q_{\mathrm{x}1}$	m ³ /h
$Q_{ m x2}$	m ³ /h
Measuring principle:	
Accuracy class:	
Temperature class:	
Environmental class:	
Electromagnetic environment:	
Maximum admissible temperature:	°C
Maximum admissible pressure:	MPa (bar)
Orientation limitation:	
EUT testing requirements (ISO 4064	2:2014 0IML R 49-2:2013, 8.1.8): STANDARD PREVIEW
Case:	(sta ndards.iteh.ai)
Installation details:	ISO 4064-3:2014 rds.iteh.ai/catalog/standards/sist/64446a36-33e3-4759-870f-
Connection type (flange, screw thread, concentric manifold):	
Minimum straight length of inlet pipe:	mm
Minimum straight length of outlet pipe:	mm
Flow conditioner (details if required):	
Mounting:	
Orientation:	
Other relevant information:	
NOTE If a family of meters is submeter.	nitted, the details in this subclause are to be given for each size of water

4.2.4	Electro	onic water meter (d	omplete or o	combined)	
Manufa	cturer:				
Model r	number	:			
Type de	etails:				
Q_1		m ³ /h			
Q_2		m ³ /h			
Q_3		m ³ /h			
Q_4		m ³ /h			
$Q_3/$	Q_1				
fo	r combi	nation meters			
	$Q_{\mathrm{x}1}$		-	m ³ /h	
	Q_{x2}		_	m ³ /h	
Accu Temp Envi Elect	racy cla peratur ronmer tromagi	e class:	tandar ISO 406 a.ai/catalog/standa 703f492ffa13/is	RD PRENds.iteh.ai) 4-3:2014 urds/sist/64446a36-33 o-4064-3-2014°C	
Maximum admissible pressure: MPa (bar)					
		limitation:	-		
EUT tes	sting re	quirements (ISO 40	54-2:2014 OII	ML R 49-2:2013,	8.1.8):
Cat	egory:				
Cas	se:				

ISO 4064-3:2014(E)

Installation details (mechanical):	
Connection type (flange, screw thread, concentric manifold):	
Minimum straight length of inlet pipe:	mm
Minimum straight length of outlet pipe:	mm
Flow conditioner (details if required):	
Mounting:	
Orientation:	
Other relevant information:	
Installation details (electrical):	
Wiring instructions:	
Mounting arrangement:	
Orientation limitations:	
Power supply: Type (battery, mains AC, mains DC):	ANDARD PREVIEW sandards.iteh.ai) ISO 4064-3:2014 v id/catalog/standards/sist/64446a36-33e3-4759-870f-
	703f492ffa13/iso-4064-3-20 M
Frequency:	Hz
NOTE If a family of meters is submitted, to meter.	he details in this subclause are to be given for each size of water
4.2.5 Separable calculator (including in	ndicating device)
Manufacturer:	
Model number:	
Type details:	
Q_1 m ³ /h	
Q_2 m^3/h	
Q_3 m ³ /h	
Q4 m ³ /h	
Q_3/Q_1	

for combination meters	
$Q_{ m x1}$	m ³ /h
$Q_{ m x2}$	m ³ /h
Measuring principle:	
Accuracy class:	
Temperature class:	
Environmental class:	
Electromagnetic environment:	
Maximum admissible temperature:	°C
Maximum admissible pressure:	MPa (bar)
Orientation limitation:	
Maximum relative error specified by the m Lower flow rate zone, Qn Q Q Q (Qzi/catalog	<u>SO 4064-3:2014</u> <u>y/standards/sist/64446a36-33%-4759-870</u> ffa13/iso-4064-3-2014
Orientation limitations:	
Power supply: Type (battery, mains AC, mains DC):	
U_{\max} :	V
U_{\min} :	V
Frequency:	Hz
Approval number(s) of compatible measurement transducer(s) (including flow or volume sensor):	

4.2.6	Separable measurement tran	sducer (including flow or volume sensor)
Manuf	acturer:	
Model	number:	
Туре	letails:	
Q_1	m ³ /h	
Q_2	m ³ /h	
Q_3	m ³ /h	
Q_4	m ³ /h	
Q_{3}	/Q ₁	
fo	or combination meters	
	Q_{x1}	m ³ /h
	Q_{x2}	m ³ /h
Mea	asuring principle:	
Acc	uracy class:	STANDARD PREVIEW
Ten	nperature class:	(standards.iteh.ai)
		<u>ISO 4064-3:2014</u> .iteh.ai/catalog/standards/sist/64446a36-33e3-4759-870f 703f492ffa13/iso-4064-3-2014
Max	ximum admissible temperature:	°C
Max	ximum admissible pressure:	MPa (bar)
Orio	entation limitation:	
EUT te	esting requirements (ISO 4064-2	:2014 OIML R 49-2:2013, 8.1.8):
Cat	tegory:	
Cas	se:	
Maxin	num relative error specified by th	ne manufacturer:
Low	ver flow rate zone, $Q_1 \le Q < Q_2$:	%
Upp	per flow rate zone, $Q_2 \le Q \le Q_4$:	%

Installation details (mechanical):	
Connection type (flange, screw thread, confold):	centric mani-
Minimum straight length of inlet pipe:	mm
Minimum straight length of outlet pipe:	mm
Flow conditioner (details if required):	
Mounting:	
Orientation:	
Other relevant information:	
Installation details (electrical):	
Wiring instructions:	
Mounting arrangement:	
Orientation limitations:	
Power supply: Type (battery, mains AC, mains DC): (standar	ARD PREVIEW rds.iteh.ai)
Umax: ISO 4 https://standards.iteh.ai/catalog/stan	064-3:2014 V ndards/sist/64446a36-33e3-4759-870f- 8/iso-4064-3-2014 V
Frequency:	Hz
Approval number(s) of compatible calculator((including indicating device):	s)
4.2.7 Supplementary electronic device(s)	used for testing (permanently attached to meter)
Manufacturer:	
Model number:	
Power supply:	
Type (battery, mains AC, mains DC):	
<i>U</i> _{max} :	V
U_{\min} :	V
Frequency:	Hz