# INTERNATIONAL STANDARD

ISO 19859

First edition 2016-06-15

## Gas turbine applications — Requirements for power generation

Applications des turbines à gaz — Exigences relatives à la production d'energie

## iTeh STANDARD PREVIEW (standards.iteh.ai)



# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 19859:2016 https://standards.iteh.ai/catalog/standards/sist/ccb57bb8-712f-4e5f-b7e3-43092e87c548/iso-19859-2016



#### COPYRIGHT PROTECTED DOCUMENT

#### © ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Co	Contents		Page
Fore	eword		xii
Intr	oductio	n	xiii
1	Scon	e	1
2	-	native references	
3		ns and definitions	
4		parative performance assessment at standard reference conditions	12
	4.1 4.2	General Standard reference conditions	
	4.2	4.2.1 General	
		4.2.2 Ambient conditions	
		4.2.3 Exhaust conditions	
		4.2.4 Cooling water conditions (if applicable)	
		4.2.5 Working fluid heater or cooler	
		4.2.6 Fuel for comparative performance assessment	13
5	Perfo	ormance at site conditions	14
	5.1	Site rating	14
		5.1.1 Site rated power	
		5.1.2 Site minimum load	
		5.1.3 Site net heat rate	14
	5.2	5.1.4 Site peak load	14
	5.3	Site conditions (standards.iteh.ai) Corrections	14
_	Site conditions and utilities ISO 198592016		
6		Conditions and utilities	15
	6.1 6.2	Air quality <sub>standards:itel:ai/catalog/standards/sist/ceb57bb8-712f-4e5f-b7e3</sub>	16
	6.3	Steam quality	16
	6.4	Purge media quality	
	6.5	Interface and utility connection points	
	6.6	Gas turbine orientation due to site conditions	17
7	Discl	harges and emissions to the environment	18
	7.1	General	
	7.2	Design philosophy for prevention of unplanned release of fluids	18
	7.3	Noise emissions	
		7.3.1 General	
		7.3.2 Methods for sound measurements and predictions	
	7.4	7.3.3 Sound level within the gas turbine enclosure Exhaust emissions	
	7.4	7.4.1 General	
		7.4.2 Responsibilities	
		7.4.3 Reporting emissions	
		7.4.4 Start-up emissions	20
	7.5	Post-combustion controls	
	7.6	Emission monitoring	
	7.7	Water, steam and other emissions	
	7.8	Visible plumes	
8		ract fuels	
	8.1	General Types (gas liquids and sambination)	
	8.2 8.3	Types (gas, liquids and combination)  Fuel composition	
	8.4	Fuel supply requirements	
	0.1	Pr.J 4	

	8.5	Alternative fuels (syngas, low calorific value gas, LPG, NGL, Naphtha, LNG, high hydrogen and residual fuel oil)	22
9	Fuel s	systems and treatment	23
	9.1	General requirements	
	9.2	Gas fuel supply	
	9.3	Liquid fuel supply	
	9.4	Fuel filter/separator	
		9.4.1 Gas fuel	
	0.5	9.4.2 Liquid fuel	
	9.5	Pre-heating requirements for the dew point control of fuel gas.	
	9.6 9.7	Pre-heating requirements for liquid fuels approaching their pour point	
	9.8	Mixed fuel co-firing	
	9.9	Fuel for igniter	
	9.10	Start-up fuel, main fuel and fuel changeover	
	9.11	Water and steam injection systems	
	9.12	Fuel purge, vents and drains	
	9.13	Fuel system metering	25
	9.14	Fuel system pipework and vessels design	
		9.14.1 General	
		9.14.2 Fuel pipes, joints and flanges	
		9.14.3 Flexible pipes	26
10	Regul	ations, codes and standards	26
	10.1	ations, codes and standards General requirements, STANDARD PREVIEW	26
	10.2	Design codes and standards Verification (standards.iteh.ai)	27
	10.3	Verification (standards.iteh.al)	27
11	Opera	General requirements ISO 19859:2016 Operating range and limitation state of standards/sist/ccb57bb8-712f-4e5f-b7e3-	28
	11.1	General requirements ISO 19859:2016	28
	11.2	Operating range and limitation stalog/standards/sist/ccb57bb8-712f-4e5f-b7e3-	28
	11.3	Starts (time to start, number of starts, start restrictions)	28
	11.4	Loading/de-loading	
	11.5	Grid operational requirements	
	11.6	Frequency response	
	11.7	Location of controls HMI	
	11.8 11.9	Operation documentsIsland mode operation and black start	
		Black start and black grid restoration	
		_	
12	-	ty	
	12.1	Quality management system	
		12.1.1 General	
		12.1.2 Project quality manager 12.1.3 Project quality plan	
		12.1.4 Quality control plan	
		12.1.5 Inspection and test plan	
	12.2	Quality monitoring and approval	
	12.2	12.2.1 Sub-suppliers and supply chain quality monitoring	
		12.2.2 Quality surveillance by the Purchaser	
		12.2.3 Equipment approvals of statutory and coded items	
		12.2.4 Quality control record	33
		12.2.5 Control of non-conforming products and services	33
		12.2.6 Concessions	
		12.2.7 Project design reviews	34
13	Relial	bility, availability and maintainability	34
	13.1	Basic RAM assessment	
		13.1.1 General	
		13.1.2 Reliability	34

		13.1.3 Starting reliability	
		13.1.4 Availability	
		13.1.6 Spares holding	
		13.1.7 Operating logs	
	13.2	Additional RAM requirements	
		13.2.1 General requirements	
		13.2.2 Forced outage factor and equivalent forced outage factor	38
		13.2.3 Equivalent availability factor	
		13.2.4 Equivalent operating hours	41
14	Safety	requirements	41
	14.1	General	
	14.2	Risk assessment	
	14.3	Fire precautions	
		14.3.1 General	
		<ul><li>14.3.2 Enclosure fire precautions</li><li>14.3.3 Gas turbine hall fire precautions</li></ul>	
	14.4	Hazardous area classification and explosion prevention and protection	
	14.5	Flammable gas detection	
	14.6	Heat detectors	
	14.7	Smoke detection	
	14.8	Enclosed space access	
	14.9	Containment and rupture	43
	14.10	Hydraulically operated safety equipment Fuel system pressure testing	43
	14.11	Fuel system pressure testing	43
	14.12	Clutch (standards.iteh.ai) Functional safety	43
	14.14	Hazardous material	43
	14.15	Overspeed protection system testing 2016 Manual isolation featurestalog/standards/sist/ccb57bb8-712f-4e5f-b7e3-	44
	14.10	Hazard identification and operability studies 16	44 44
15	<b>Meas</b> 15.1	urement, language, identification and standardization Units of measurement	45 45
	15.2	Language	
	10.2	15.2.1 General	
		15.2.2 Language for communication	
		15.2.3 Language for documentation	
		15.2.4 Language for HMI display screens	45
		15.2.5 Language for labelling and signs	
	15.3	Equipment identification system, nameplates and labels	
	15.4	Standardization and interchangeability	46
16	Corro	sion prevention, painting and finishing	47
	16.1	General requirements	47
	16.2	Painting and coating	
		16.2.1 General	
		16.2.2 Type of exposure	
		16.2.3 Visual assessment of workmanship of surface	
		16.2.4 Preparation of the surface	
		16.2.5 Application procedures 16.2.6 Paint materials	
		16.2.6 Paint materials	
		16.2.8 Inspections and tests	
	16.3	Galvanic effects	
17		ng and transportation	
L/	17.1	Preparation	
	17.1	Packing	50 51

	17.3	Transportation	52
18	Gas ti	ırbine core	52
	18.1	Design requirements	
		18.1.1 Life (hours and weighted hours, starts, cyclic events)	
		18.1.2 Mechanical design shaft power limitations	53
		18.1.3 Radial and axial clearances and control	53
		18.1.4 Compressor	
		18.1.5 Turbine	
		18.1.6 Combustor	
		18.1.7 Casings	
		18.1.8 Rotor	
		18.1.9 Rotor standstill corrosion protection	
		18.1.10 Rotor overspeed capability	
		18.1.11 Vibration and dynamics	57
	18.2	Vibration acceptance limits	
		18.2.1 General	
		18.2.2 Measurements on rotating shafts	
		18.2.3 Measurements on non-rotating parts	
	18.3	Balance quality	60
		18.3.1 Balance planes	
		18.3.2 Balancing general	
		18.3.3 Low speed balancing	
		18.3.4 High speed balancing	
	18.4		
	18.5	Bearings and supports STANDARD PREVIEW  Modified cycles	61
		18.5.1 General 18.5.2 External air coolers and direct steam cooling	61
19	Coarl	ooxes and couplings <u>ISO 19859-2016</u>	
19	19.1	Load gearboy	62
	19.1	Load gearbox <sub>https://standards.iteh.ai/catalog/standards/sist/ccb57bb8-712f-4e5f-b7e3</sub>	62
	19.2	Auxiliary gears 43092c87c548/iso-19859-2016  Balancing and vibration	62
	19.4	Main drive shaft couplings	
	17.4	19.4.1 General	
		19.4.2 Main drive flexible couplings – speeds not exceeding 4 000 r/min	
		19.4.3 Main drive flexible couplings – speeds exceeding 4 000 r/min	
		19.4.4 Quill shaft main drive flexible couplings	
		19.4.5 Rigid couplings	
		19.4.6 Over-torque devices	
		19.4.7 Coupling guards	
20		let system	
	20.1	General	
	20.2	Air filter	
	20.3	Inlet filter house	
	20.4	Water removal systems	
	20.5	Inlet cooling systems	
	20.6	Inlet ducts and silencer	
	20.7	Resonance of ducts, silencer or turning baffles	
	20.8	Materials, fixings cladding and sealing	
	20.9	Isolation flaps and roller shutters	
	20.10	0	
		20.10.1 General	
		20.10.2 Compressor bleed anti-icing heating (static filter)	
		20.10.3 Electric infrared heating (static filter)	
		20.10.4 Inlet coils steam or hot water heating	
		20.10.5 Electrical resistance heating	
		20.10.6 Pulse clean filters	
		20.10.7 Inlet heating fire protection and access limitations	71

21		ust system		
	21.1	General		
	21.2	Interface between gas turbine and exhaust system		
	21.3	Design requirements	72	
	21.4	Mechanical requirements		
	21.5	Insulation		
	21.6	Noise requirements and silencers		
	21.7	Safety requirements		
	21.8	Diverter damper		
	21.9	Exhaust stack	74	
22	Civil	design and foundation requirements	75	
	22.1	General	75	
	22.2	Basis of design	75	
		22.2.1 General		
		22.2.2 Allowable bearing capacity		
		22.2.3 Foundations, settlements and defections		
		22.2.4 Levelling datum(s)	76	
23	Gene	rator design interface requirements	76	
	23.1	Electrical fault torque		
	23.2	Matching of the generator to gas turbine	76	
	23.3	Generator overspeed		
	23.4	Starting device		
24	Hoat	racovery steam generation design interface	77	
	Heat	recovery steam generation design interface.		
<b>25</b>	Comr	nned cycle annlications	·/X	
	25.1	General (standards.iteh.ai)	78	
	25.2	Gas turbines in combined cycle applications	/8	
	25.3	Single-shaft arrangements start restrictions	79	
		25.3.1 General strict ai/catalog/standards/sist/ccb57bb8-712f-4e5f-b7e3-	79	
		25.3.2 Single-shaft rotor train, with clutch	79	
<b>26</b>		rol and instrumentation requirements		
	26.1	Control		
		26.1.1 General requirements		
		26.1.2 Architecture		
		26.1.3 Human machine interfacing (HMI)		
		26.1.4 Alarm and annunciation		
		26.1.5 Starting	74	
		26.1.6 Sequence control		
		26.1.7 Governing and limiting		
		26.1.8 Unloading and shutdown		
	26.2	26.1.9 Automation		
	26.2	Instrumentation and associated equipment		
		26.2.2 Operability and diagnostics		
		26.2.3 Control equipment and instruments		
		26.2.4 Gauges		
		26.2.5 Solenoid valves		
		26.2.6 Vibration monitoring and axial position equipment		
		26.2.7 Actuators		
		26.2.8 Trace heating		
	26.3	Cabling and control panel installation		
	_0.0	26.3.1 General		
		26.3.2 Cabling		
	26.4	Electrical C&I equipment		
		26.4.1 General		
			26.4.2 Electrical supplies and other services	

		26.4.3 Spare termination	
	26.5	Power supplies	90
		26.5.1 General	90
		26.5.2 Power supply sizing	90
		26.5.3 Intrinsically safe power supplies	90
		26.5.4 Battery systems	
		26.5.5 UPS systems	91
	26.6	Electrical/electronic equipment protection	91
		26.6.1 Lightning and surge protection	
		26.6.2 Electrostatic discharges (ESD)	
		26.6.3 Electromagnetic compatibility (EMC)	
		26.6.4 Electric arc welding	
		26.6.5 Earthing and bonding	
	26.7	Equipment protection	
		26.7.1 General	
		26.7.2 Protection systems	
		26.7.3 Lubrication system	
		26.7.4 Fuel system	
	26.8	Fire precautions	
		26.8.1 General	
		26.8.2 Fire detection	
		26.8.3 Enclosure fire precautions	
		26.8.4 Gas detection	
	26.9	26.8.5 Smoke detection Emission control Ceh STANDARD PREVIEW	95
		26.9.1 General	95
		26.9.1 General 26.9.2 Exhaust emission monitoring rds.iteh.ai)	95
		26.9.3 Periodic sampling	96
	26.10		
		Control and instrumentation waintenance and spare parts 465f b763	96
	20.11	26.11.1 General 43092e87c548/iso-19859-2016	96
		26.11.2 Equipment access	96
	26.12	Data communications	
	20.12	26.12.1 General	
		26.12.2 Data acquisition storage system	
	26.13	C&I system commissioning	
27		rical system requirements	
	27.1	General requirements	
	27.2	Design, layout and redundancy	
	27.3	Earthing and lightning protection, equipotential bonding	
	27.4	LV power supply requirements	
	27.5	LV switchgear and control equipment	
	27.6	DC distribution	
	27.7	Battery including battery charger – DC/AC converter	
	27.8	Control system power supply	
	27.9	Conductors, cables and wiring practices general	
		Conductors, cables and wiring practices outside cabinets	
		Wiring inside cabinets	
		Electric motors	
		,	
		Protection against electric shock	
	27.15	8	
	27.16	Grid codes	106
28	Maint	enance requirements	107
	28.1	General	
	28.2	Design for maintenance	
	28.3	Maintenance strategy ( <i>in situ</i> or at works)	
	20.0	Transcription of the morney	

	28.4	Maintenance planning (scheduled maintenance, scheduled inspections)	107
	28.5	Parts repairs and replacement	
		28.5.1 Repair	
		28.5.2 Component lives	108
	28.6	Tools	
	28.7	Spares	
		28.7.1 General	109
		28.7.2 Strategic spares	109
	28.8	Training	
	28.9	Outage maintenance	110
		28.9.1 Programmed maintenance	110
		28.9.2 Degradation after maintenance period	111
		28.9.3 Maintenance scope and planning	111
	28.10	Maintenance documentation	111
29	Enclo	sures	112
	29.1	General	
	29.2	Construction	
	27.2	29.2.1 General	
		29.2.2 Weatherproofing of enclosure	
		29.2.3 Acoustic and heat insulation	
		29.2.4 Ventilation and explosion prevention and protection	
		29.2.5 Internal heating	
		29.2.6 Lighting	
		29.2.7 Enclosure instrumentation PREVIEW Flooring	116
		2020 Personnal doorway decign (including access panels)	116
	29.3	29.2.9 Personnel doorway design (including access panels)  Access and egress	116
	47.3	20 2 1 Congral	116
		29.3.1 General 29.3.2 Enclosure roof access 19859:2016 Maintenance within enclosures indards/sist/ccb57bb8-712f-4e5f-b7e3- 29.4.1 General 43092e87c548/iso-19859-2016	117
	29.4	Main pathas systandarch its half at a half and ards/sist/ccb57bb8-712f-4e5f-b7e3-	117 11 <i>7</i>
	27.4	20.4.1 Conoral 43092e87c548/iso-19859-2016	117 117
		29.4.2 Disassembly of enclosure for maintenance	110
	29.5	Platforms and access ways	
	29.5	Mechanical handling and cranes	
	29.0	29.6.1 General	
		29.6.2 Mobile crane	
		29.6.3 Fixed installed crane	
	29.7	Laydown and storage	
	29.7	Enclosure fire precautions	
		•	
30	Auxili	ary equipment	120
	30.1	Barring equipment	120
		30.1.1 General	120
		30.1.2 Gas turbine barring systems	120
		30.1.3 Safety and operational requirements	121
	30.2	Starting systems	121
		30.2.1 Types	121
		30.2.2 General and design requirements	
		30.2.3 Power supply for starting systems	
		30.2.4 Start-up restrictions	
	30.3	Lube oil systems	
	-	30.3.1 General requirements	
		30.3.2 Design requirements	
		30.3.3 Oil reservoirs and storage tanks	
		30.3.4 Temperature control and heating	
		30.3.5 Coolers	
		30.3.6 Filters and contamination	
		30.3.7 Lube oil selection, type and quality	

		30.3.8 Use of synthetic oil	
		30.3.9 Minimum supervision requirements	
	30.4	Compressor water wash systems	
		30.4.1 General	
		30.4.2 Off-line systems 30.4.3 On-line systems	
	30.5	Cooler	
	50.5	30.5.1 Interstage cooling	
		30.5.2 Cooling air coolers	
		30.5.3 Water cooling systems	
	30.6	Pipework	
		30.6.1 Piping design code	
		30.6.2 General requirements	
		30.6.3 Testing and certification	
		30.6.4 Hydrostatic testing 30.6.5 Non-destructive examination (NDE)	
		30.6.6 Mechanical requirements	
		30.6.7 Joints and connections	
		30.6.8 Corrugated flexible metal hoses and hose assemblies	
		30.6.9 Non-metallic flexible hoses, hose assemblies and end connections	132
		30.6.10 Flange connectors	
		30.6.11 Insulation of pipework	
		30.6.12 Trace heating	
		30.6.13 Drains 30.6.14 Vents <b>Teh STANDARD PREVIEW</b>	133 122
		30.6.15 Fauinment access	133
	30.7	30.6.15 Equipment access Pressure equipment (Standards.iteh.ai)	134
31	Cond	ition monitoring	124
<b>J1</b>	31.1	General ISO 19859:2016  Vibration monitoring system a/catalog/standards/sist/ccb57bb8-712f-4e5f-b7e3-	134
	31.2	Vibration monitoring system ai/catalog/standards/sist/ccb57bb8-712f-4e5f-b7e3-	134
		31.2.1 Introduction and overview 7c548/iso-19859-2016	134
		31.2.2 On-line vibration analysis systems	
		31.2.3 Off-line vibration analysis system	
	31.3	Data acquisition and trend monitoring	
		31.3.1 General	
		31.3.2 Scope 31.3.3 Data-acquisition	
		31.3.4 Trend monitoring system	
22	T		
32	32.1	llation and commissioning  Installation	
	32.1	Commissioning	
22			
33	33.1	Scope	
	33.2	Reliability test	
	33.3	Contractual performance tests	
		33.3.1 General	
		33.3.2 Test procedure	139
		33.3.3 Measurement uncertainty	
		33.3.4 Tolerances	
		33.3.5 Correction curves	
		33.3.6 Performance degradation 33.3.7 ISO TIT values	
	33.4	Noise tests	
	33.5	Emissions test	
34		ın life	
	_		
<b>35</b>	rechi	nical information and documents	141

35.1	General	141
35.2	Instructions for use	142
	35.2.1 General	142
	35.2.2 Document format	142
35.3	Document submission stages and responsibility	142
	General documentation	
Annex A (no	ormative) Use of data sheet requirements and options	144
Rihliography		

# iTeh STANDARD PREVIEW (standards.iteh.ai)

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information.

The committee responsible for this document is ISO/TC 192, Gas turbines.

### Introduction

This International Standard provides technical information to be used for the procurement of gas turbines and the associated gas turbine systems for power generation by a Purchaser from a Contractor.

It provides a basis for the submission of tenders in line with the different environmental and safety requirements. It also specifies, wherever possible, criteria to establish whether these are met.

It defines a standard framework for dealing with questions of fuel and other matters, such as the minimum information to be provided by both the Purchaser and the Contractor. It does not, however, purport to include all necessary information for a contract and each gas turbine installation should be considered in its entirety. Attention is drawn to the need for technical consultation between the Purchaser and the Contractor to ensure compatibility of equipment being supplied, particularly where the responsibility for supply may be divided.

Because of the very widely varying operating modes for gas turbines in practice, distinct categories of operating modes are specified with which a "standard" rating can be associated. These ratings are made on the basis of the ISO standard ambient reference conditions.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 19859:2016

## Gas turbine applications — Requirements for power generation

#### 1 Scope

This International Standard specifies the minimum technical and documentation requirements for the evaluation and procurement of gas turbine systems for electrical power generation.

It applies to simple cycle and combined cycle gas turbines for both onshore and offshore applications, where applicable. It also applies to gas turbines used in cogeneration (see ISO 11086:1996, Annex B). Testing of the gas turbine in combination with a generator is included in the scope.

It is not applicable to gas turbines used for all types of propulsion including aircraft, mobile barges, floating production vessels and marine propulsion applications and microturbines.

This International Standard defines the requirements for gas turbine power generation from an international perspective based on the content of existing, recognized ISO and IEC standards to the greatest extent practical. Nonetheless, it is recognized that within the industry other codes or standards are used, some of which are included in the text of this International Standard. The use of other such codes and standards is permissible provided an appropriate and acceptable level of requirements, functional design and safety is achieved and agreement has been reached for their use between the Purchaser and Contractor and such use is suitably documented.

Consideration should be given to applying/using standards in the following hierarchical order: international; regional; national; local.

ISO 19859:2016

This International Standard dentifies the requirements for both the Purchaser and Contractor attributable to the design and procurement of a gas turbine power generation package.

The defined requirements apply to the scope of supply, except where excluded, encompassing the following equipment and the associated selected options, located within the power generation package, (see 3.14), listed below:

- gas turbine package;
- load shaft coupling and clutch, as applicable;
- air inlet system;
- exhaust system;
- fuel equipment;
- control equipment;
- electrical equipment;
- additional auxiliary systems, including starting, lubrication, barring, compressor wash, pipework, drains and vents;
- fire and gas protection;
- cooling water equipment.

Where applicable to the integrity of the gas turbine package, the interface and applicable design requirements are included for equipment, utilities and supplies that interface with the power generation package.