



LTE;
Functional architecture and information flows to support
Mission Critical Video (MCVideo);
Stage 2
(3GPP TS 23.281 version 14.6.0 Release 14)

STANDARD PREVIEW
https://standards.iteh.ai/en/standards/etsi/6009044-702e-4186-be48-bd3c2f2e9195/etsi-ts-123-281-v14-6-0-2018-07



ReferenceRTS/TSGS-0623281ve60

KeywordsLTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|---|----|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 10 |
| 1 Scope | 11 |
| 2 References | 11 |
| 3 Definitions, symbols and abbreviations | 12 |
| 3.1 Definitions | 12 |
| 3.2 Symbols..... | 13 |
| 3.3 Abbreviations | 13 |
| 4 Introduction | 13 |
| 5 Architectural requirements | 13 |
| 5.1 Media routing requirements | 13 |
| 5.2 MCVideo group affiliation and MCVideo group de-affiliation | 13 |
| 5.3 Device inventory requirements..... | 14 |
| 5.4 Device discovery requirements (off-network)..... | 14 |
| 5.5 Bearer management | 14 |
| 5.5.1 General..... | 14 |
| 5.5.2 EPS bearer considerations | 14 |
| 5.5.3 EPS unicast bearer considerations for MCVideo..... | 14 |
| 5.5.4 MBMS bearer management | 14 |
| 5A Involved business relationships..... | 15 |
| 6 MCVideo Functional model..... | 15 |
| 6.1 Functional model description | 15 |
| 6.1.1 On-network functional model | 15 |
| 6.1.2 Off-network functional model | 15 |
| 6.2 Functional entities description..... | 16 |
| 6.2.1 General..... | 16 |
| 6.2.2 MCVideo service application plane..... | 16 |
| 6.2.2.1 General | 16 |
| 6.2.2.2 Common services core | 16 |
| 6.2.2.3 MCVideo application service..... | 16 |
| 6.2.2.3.1 MCVideo client | 16 |
| 6.2.2.3.2 MCVideo server | 16 |
| 6.2.2.3.3 Media distribution function | 17 |
| 6.2.2.3.4 Media mixer | 17 |
| 6.2.2.3.5 MCVideo user database..... | 17 |
| 6.2.2.3.6 Transmission control server..... | 17 |
| 6.2.2.3.7 Transmission control participant | 18 |
| 6.3 Reference points | 18 |
| 6.3.1 Reference point MCVideo-1 (between the MCVideo client and the MCVideo server) | 18 |
| 6.3.2 Reference point MCVideo-2 (between the MCVideo server and the MCVideo user database)..... | 18 |
| 6.3.3 Reference point MCVideo-3 (between the MCVideo server and the MCVideo server) | 18 |
| 6.3.4 Reference point MCVideo-4 (between the transmission control participant and the transmission control server)..... | 18 |
| 6.3.4A Reference point MCVideo-5 (unicast between the media distribution function and the EPS) | 18 |
| 6.3.4B Reference point MCVideo-6 (between the MCVideo server and the EPS) | 18 |
| 6.3.5 Reference point MCVideo-7 (between the media distribution function and the media mixer) | 19 |
| 6.3.6 Reference point MCVideo-8 (between the media distribution function and the media mixer) | 19 |
| 6.3.7 Reference point MCVideo-9 (between the transmission control participant and the transmission control server)..... | 19 |
| 6A Identities | 19 |

| | | |
|-------------|--|----|
| 6B | Application of functional model to deployments | 19 |
| 7 | Procedures and information flows | 19 |
| 7.1 | Group call | 19 |
| 7.1.1 | General | 19 |
| 7.1.2 | On-network group call | 19 |
| 7.1.2.1 | General | 19 |
| 7.1.2.2 | Information flows for group call in on-network | 19 |
| 7.1.2.2.1 | Group call request (MCVideo client – MCVideo server) | 19 |
| 7.1.2.2.2 | Group call request (MCVideo server – MCVideo client) | 20 |
| 7.1.2.2.3 | Group call response (MCVideo server – MCVideo client) | 20 |
| 7.1.2.2.4 | Group call response (MCVideo client – MCVideo server) | 20 |
| 7.1.2.2.5 | Group call release request (MCVideo server – MCVideo client) | 21 |
| 7.1.2.2.6 | Group call release request (MCVideo client – MCVideo server) | 21 |
| 7.1.2.2.7 | Group call release response (MCVideo client – MCVideo server) | 21 |
| 7.1.2.2.8 | Group call rejoin request (MCVideo client – MCVideo server) | 21 |
| 7.1.2.2.9 | Group call rejoin response (MCVideo server – MCVideo client) | 22 |
| 7.1.2.2.10 | Group call join request (MCVideo client – MCVideo server) | 22 |
| 7.1.2.2.11 | Group call join response (MCVideo server – MCVideo client) | 22 |
| 7.1.2.2.12 | Group call leave request (MCVideo server – MCVideo client) | 23 |
| 7.1.2.2.13 | Group call leave response (MCVideo client – MCVideo server) | 23 |
| 7.1.2.2.14 | MCVideo emergency alert request | 23 |
| 7.1.2.2.15 | MCVideo emergency alert response | 24 |
| 7.1.2.2.16 | MCVideo emergency state cancel request | 24 |
| 7.1.2.2.17 | MCVideo emergency state cancel response | 24 |
| 7.1.2.2.18 | MCVideo emergency group call request | 24 |
| 7.1.2.2.19 | MCVideo emergency group call response | 25 |
| 7.1.2.2.20 | MCVideo emergency group call cancel request | 25 |
| 7.1.2.2.21 | MCVideo emergency group call cancel response | 25 |
| 7.1.2.2.22 | MCVideo imminent peril group call request | 26 |
| 7.1.2.2.23 | MCVideo imminent peril group call response | 26 |
| 7.1.2.2.24 | MCVideo imminent peril group call cancel request | 26 |
| 7.1.2.2.25 | MCVideo imminent peril group call cancel response | 26 |
| 7.1.2.3 | Group call within one MC system | 27 |
| 7.1.2.3.1 | Group call models | 27 |
| 7.1.2.3.1.1 | Pre-arranged group call | 27 |
| 7.1.2.3.1.2 | Chat group call | 31 |
| 7.1.2.3.2 | Exiting group call due to de-affiliation | 35 |
| 7.1.2.4 | Broadcast group call | 36 |
| 7.1.2.4.1 | General | 36 |
| 7.1.2.4.2 | Common broadcast group call procedure | 36 |
| 7.1.2.5 | Emergency and imminent peril procedures | 37 |
| 7.1.2.5.1 | MCVideo emergency group call | 37 |
| 7.1.2.5.1.1 | MCVideo emergency group call commencement | 37 |
| 7.1.2.5.1.2 | MCVideo group call upgraded to an MCVideo emergency group call | 39 |
| 7.1.2.5.1.3 | MCVideo emergency group call cancel | 41 |
| 7.1.2.5.2 | MCVideo imminent peril group call | 43 |
| 7.1.2.5.2.1 | MCVideo imminent peril group call commencement | 43 |
| 7.1.2.5.2.2 | Imminent peril group call upgrade | 45 |
| 7.1.2.5.2.3 | MCVideo imminent peril group call cancel | 46 |
| 7.1.2.6 | MCVideo emergency alert | 48 |
| 7.1.2.6.1 | General | 48 |
| 7.1.3 | Off-network group communications | 48 |
| 7.1.3.1 | General | 48 |
| 7.1.3.2 | Information flows for off-network group communications | 48 |
| 7.1.3.2.1 | Group communication announcement | 48 |
| 7.1.3.2.2 | Group communication answer response | 49 |
| 7.1.3.2.3 | MCVideo upgrade to emergency group communication | 49 |
| 7.1.3.2.4 | MCVideo emergency group communication cancel | 50 |
| 7.1.3.2.5 | MCVideo upgrade to imminent peril group communication | 50 |
| 7.1.3.2.6 | MCVideo imminent peril group communication cancel | 50 |
| 7.1.3.2.7 | MCVideo emergency alert announcement | 50 |

| | | |
|-------------|--|----|
| 7.1.3.2.8 | MCVideo emergency alert cancel announcement | 51 |
| 7.1.3.3 | Group communication setup | 51 |
| 7.1.3.3.1 | General | 51 |
| 7.1.3.3.2 | Procedure..... | 51 |
| 7.1.3.4 | Passive join to group communication | 52 |
| 7.1.3.4.1 | General | 52 |
| 7.1.3.4.2 | Procedure..... | 53 |
| 7.1.3.5 | Active join to group communication..... | 54 |
| 7.1.3.5.1 | General | 54 |
| 7.1.3.5.2 | Procedure..... | 54 |
| 7.1.3.6 | Broadcast group communication..... | 55 |
| 7.1.3.7 | Group communication release due to inactivity..... | 55 |
| 7.1.3.8 | Emergency and imminent peril procedures..... | 56 |
| 7.1.3.8.1 | Emergency group communication..... | 56 |
| 7.1.3.8.2 | MCVideo imminent peril..... | 56 |
| 7.1.3.9 | MCVideo emergency alert | 57 |
| 7.1.3.9.1 | General | 57 |
| 7.2 | Private call..... | 57 |
| 7.2.1 | General..... | 57 |
| 7.2.2 | Private call on-network..... | 57 |
| 7.2.2.1 | General | 57 |
| 7.2.2.2 | Information flows for private call in on-network | 57 |
| 7.2.2.2.1 | MCVideo private call request (MCVideo client – MCVideo server)..... | 57 |
| 7.2.2.2.2 | MCVideo private call request (MCVideo server – MCVideo client)..... | 58 |
| 7.2.2.2.3 | MCVideo private call response (MCVideo client – MCVideo server)..... | 58 |
| 7.2.2.2.4 | MCVideo private call response (MCVideo server – MCVideo client)..... | 59 |
| 7.2.2.2.5 | MCVideo call end request | 59 |
| 7.2.2.3 | Private call within one MC system | 59 |
| 7.2.2.3.1 | Private call setup in automatic commencement mode..... | 59 |
| 7.2.2.3.2 | Private call setup in manual commencement mode..... | 61 |
| 7.2.2.3.2.1 | Description..... | 61 |
| 7.2.2.3.2.2 | Procedure | 61 |
| 7.2.2.3.3 | Private call release..... | 62 |
| 7.2.2.3.3.1 | Client initiated..... | 62 |
| 7.2.2.3.3.2 | Server initiated..... | 63 |
| 7.2.3 | Off-network private communications | 64 |
| 7.2.3.1 | General..... | 64 |
| 7.2.3.2 | Information flows for off-network private communications | 64 |
| 7.2.3.2.1 | Private communication request | 64 |
| 7.2.3.2.2 | Private communication answer response..... | 65 |
| 7.2.3.2.3 | Private communication release request..... | 65 |
| 7.2.3.2.4 | Private communication release response..... | 66 |
| 7.2.3.3 | Use of ProSe for off-network private communications..... | 66 |
| 7.2.3.4 | Automatic commencement private communication | 66 |
| 7.2.3.4.1 | General | 66 |
| 7.2.3.4.2 | Procedure..... | 66 |
| 7.2.3.5 | Manual commencement private communication..... | 68 |
| 7.2.3.5.1 | General | 68 |
| 7.2.3.5.2 | Procedure – Communication accepted | 68 |
| 7.2.3.5.3 | Procedure – Communication rejected/ignored | 70 |
| 7.2.3.6 | Private communication release..... | 71 |
| 7.2.3.6.1 | General | 71 |
| 7.2.3.6.2 | Procedure..... | 71 |
| 7.3 | Video pull..... | 72 |
| 7.3.1 | General..... | 72 |
| 7.3.2 | On-network video pull | 72 |
| 7.3.2.1 | General | 72 |
| 7.3.2.2 | Information flows for on-network video pull..... | 72 |
| 7.3.2.2.1 | MCVideo pull from server request..... | 73 |
| 7.3.2.2.2 | MCVideo pull from server response..... | 73 |
| 7.3.2.2.3 | MCVideo pull from server complete request | 73 |
| 7.3.2.2.4 | MCVideo pull from server complete response | 73 |

| | | |
|-----------|---|----|
| 7.3.2.3 | One-to-one video pull | 73 |
| 7.3.2.3.1 | General | 73 |
| 7.3.2.3.2 | One-to-one video pull – call setup..... | 74 |
| 7.3.2.3.3 | One-to-one video pull – call release | 75 |
| 7.3.2.4 | One-from-server video pull..... | 75 |
| 7.3.2.4.1 | General | 75 |
| 7.3.2.4.2 | Procedure..... | 75 |
| 7.3.3 | Off-network video pull | 76 |
| 7.3.3.1 | General | 76 |
| 7.3.3.2 | Information flows for off-network video pull | 76 |
| 7.3.3.3 | Video pull to self..... | 76 |
| 7.3.3.3.1 | General | 76 |
| 7.3.3.3.2 | Procedure..... | 76 |
| 7.4 | Video push..... | 78 |
| 7.4.1 | General..... | 78 |
| 7.4.2 | On-network video push..... | 78 |
| 7.4.2.1 | General | 78 |
| 7.4.2.2 | Information flows for on-network video push..... | 78 |
| 7.4.2.2.1 | Remote video push request..... | 78 |
| 7.4.2.2.2 | Remote video push response | 79 |
| 7.4.2.2.3 | Remote video push release request..... | 79 |
| 7.4.2.2.4 | MCVideo push to server request | 79 |
| 7.4.2.2.5 | MCVideo push to server response..... | 80 |
| 7.4.2.2.6 | MCVideo push to server complete request..... | 80 |
| 7.4.2.2.7 | MCVideo push to server complete response | 80 |
| 7.4.2.3 | One-to-one video push | 80 |
| 7.4.2.3.1 | General | 80 |
| 7.4.2.3.2 | One-to-one video push – call setup | 80 |
| 7.4.2.3.3 | One-to-one video push – call release..... | 81 |
| 7.4.2.4 | One-to-server video push | 82 |
| 7.4.2.4.1 | General | 82 |
| 7.4.2.4.2 | Procedure..... | 82 |
| 7.4.2.5 | Remotely initiated video push..... | 83 |
| 7.4.2.5.1 | General | 83 |
| 7.4.2.5.2 | Remotely initiated video push – call setup | 83 |
| 7.4.2.5.3 | Remotely initiated video push – call release by authorized user | 84 |
| 7.4.2.6 | Remotely initiated video push to group | 85 |
| 7.4.2.6.1 | General | 85 |
| 7.4.2.6.2 | Remotely initiated video push to group – call setup..... | 85 |
| 7.4.2.6.3 | Remotely initiated video push to group – call release by authorized user..... | 86 |
| 7.4.3 | Off-network video push | 87 |
| 7.4.3.1 | General | 87 |
| 7.4.3.2 | Information flows for off-network video push..... | 87 |
| 7.4.3.2.1 | Remote video push request..... | 87 |
| 7.4.3.2.2 | Video push trying response | 87 |
| 7.4.3.2.3 | Notification of video push | 88 |
| 7.4.3.3 | Video push to another MCVideo user..... | 88 |
| 7.4.3.3.1 | General | 88 |
| 7.4.3.3.2 | Procedure..... | 88 |
| 7.4.3.4 | Remotely initiated video push..... | 89 |
| 7.4.3.4.1 | General | 89 |
| 7.4.3.4.2 | Procedure..... | 89 |
| 7.4.3.5 | Remotely initiated video push to a group..... | 91 |
| 7.4.3.5.1 | General | 91 |
| 7.4.3.5.2 | Procedure..... | 91 |
| 7.5 | Capability information sharing..... | 92 |
| 7.5.1 | General..... | 92 |
| 7.5.2 | On-network capability information sharing..... | 92 |
| 7.5.2.1 | General | 92 |
| 7.5.2.2 | Information flows for on-network capability information sharing..... | 92 |
| 7.5.2.2.1 | Update MCVideo capabilities info request..... | 92 |
| 7.5.2.2.2 | Update MCVideo capabilities info response | 92 |

| | | |
|------------|--|-----|
| 7.5.2.2.3 | Get MCVideo capabilities info request | 92 |
| 7.5.2.2.4 | Get MCVideo capabilities info response | 93 |
| 7.5.2.2.5 | Subscribe MCVideo capabilities info request | 93 |
| 7.5.2.2.6 | Subscribe MCVideo capabilities info response | 93 |
| 7.5.2.2.7 | Notify MCVideo capabilities info request | 93 |
| 7.5.2.2.8 | Notify MCVideo capabilities info response | 93 |
| 7.5.2.3 | Update MCVideo capabilities information at the MCVideo server | 94 |
| 7.5.2.4 | Retrieve MCVideo capabilities information by the MCVideo client | 94 |
| 7.5.2.5 | Subscription and notification for MCVideo capabilities information | 95 |
| 7.5.3 | Off-network capability information sharing | 95 |
| 7.5.3.1 | General | 95 |
| 7.5.3.2 | Information flows for Off-network capability information sharing | 96 |
| 7.5.3.2.1 | Capability request | 96 |
| 7.5.3.2.2 | Capability announcement | 96 |
| 7.5.3.2.3 | Activity status request | 96 |
| 7.5.3.2.4 | Activity status announcement | 97 |
| 7.5.3.3 | Periodic capability announcements | 97 |
| 7.5.3.3.1 | General | 97 |
| 7.5.3.3.2 | Procedure | 97 |
| 7.5.3.4 | Request capabilities from client(s) | 98 |
| 7.5.3.4.1 | General | 98 |
| 7.5.3.4.2 | Request clients with particular capabilities | 98 |
| 7.5.3.4.3 | Request capabilities from a particular client | 99 |
| 7.5.3.5 | Request activity status from client(s) | 100 |
| 7.5.3.5.1 | General | 100 |
| 7.5.3.5.2 | Request activity status of group members | 100 |
| 7.5.3.5.3 | Request activity status from a particular client | 101 |
| 7.6 | Ambient viewing call | 102 |
| 7.6.1 | General | 102 |
| 7.6.2 | Information flows for ambient viewing call | 102 |
| 7.6.2.1 | Ambient viewing call request | 102 |
| 7.6.2.2 | Ambient viewing call response | 102 |
| 7.6.2.3 | Ambient viewing call release request | 103 |
| 7.6.2.4 | Ambient viewing call release response | 103 |
| 7.6.2.5 | Ambient viewing call release notification | 103 |
| 7.6.3 | Procedures | 104 |
| 7.6.3.1 | Remotely initiated ambient viewing call setup procedure | 104 |
| 7.6.3.2 | Locally initiated ambient viewing call setup procedure | 105 |
| 7.6.3.3 | Ambient viewing call release – server initiated | 106 |
| 7.6.3.4 | Ambient viewing call release – "viewing" user initiated | 106 |
| 7.6.3.5 | Ambient viewing call release – "viewed to" user initiated | 107 |
| 7.7 | Transmission control | 108 |
| 7.7.1 | Transmission control for on-network MCVideo service | 108 |
| 7.7.1.1 | General | 108 |
| 7.7.1.2 | Information flows for transmission control for on-network | 108 |
| 7.7.1.2.1 | General | 108 |
| 7.7.1.2.2 | Transmit media request | 108 |
| 7.7.1.2.3 | Transmit media granted | 108 |
| 7.7.1.2.4 | Transmit media rejected | 109 |
| 7.7.1.2.5 | Media transmission notification | 109 |
| 7.7.1.2.6 | Receive media request | 109 |
| 7.7.1.2.7 | Receive media response | 109 |
| 7.7.1.2.8 | Media reception notification | 110 |
| 7.7.1.2.9 | Queue position info | 110 |
| 7.7.1.2.10 | Transmission revoked | 110 |
| 7.7.1.2.11 | Queue position request | 111 |
| 7.7.1.2.12 | Transmit media cancel request | 111 |
| 7.7.1.2.13 | Transmit media cancel response | 111 |
| 7.7.1.2.14 | Transmit media cancel request notify | 111 |
| 7.7.1.2.15 | Transmit media end request | 112 |
| 7.7.1.2.16 | Transmit media end response | 112 |
| 7.7.1.2.17 | Remote transmit media request | 112 |

| | | |
|-------------|---|-----|
| 7.7.1.2.18 | Remote transmit media response | 112 |
| 7.7.1.2.19 | Remote transmit media end request..... | 113 |
| 7.7.1.2.20 | Remote transmit media end response | 113 |
| 7.7.1.2.21 | Media reception end request..... | 113 |
| 7.7.1.2.22 | Media reception end response | 113 |
| 7.7.1.2.23 | Media reception override notification | 113 |
| 7.7.1.2.24 | Transmit media end notify..... | 114 |
| 7.7.1.3 | Transmission control within one MC system for MCVideo service | 114 |
| 7.7.1.3.1 | Transmission control during an MCVideo session | 114 |
| 7.7.1.3.2 | Reception control during an MCVideo session | 115 |
| 7.7.1.3.2A | End media reception – receiving user initiated..... | 117 |
| 7.7.1.3.2B | End media reception – transmission control server initiated | 117 |
| 7.7.1.3.2C | Reception control on overridden – mandatory mode..... | 118 |
| 7.7.1.3.2D | Reception control on overridden – negotiated mode | 119 |
| 7.7.1.3.3 | Transmission revoke during an MCVideo session | 120 |
| 7.7.1.3.4 | Queue position during an MCVideo session | 121 |
| 7.7.1.3.5 | Transmit media request cancellation from the video transmission queue | 122 |
| 7.7.1.3.5.1 | Transmit media request cancellation from the queue – MCVideo user initiated | 122 |
| 7.7.1.3.5.2 | Transmit media request cancellation from the queue - transmission control server initiated .. | 123 |
| 7.7.1.3.6 | End a media transmission during an MCVideo session..... | 124 |
| 7.7.1.3.6.1 | End a media transmission – MCVideo user initiated | 124 |
| 7.7.1.3.6.2 | End a media transmission – transmission control server initiated | 125 |
| 7.7.1.3.6.3 | End a media transmission – remote MCVideo user initiated..... | 126 |
| 7.7.1.3.7 | Remotely initiated media transmission during an MCVideo session | 127 |
| 7.7.2 | Off-network transmission control | 127 |
| 7.7.2.1 | General | 127 |
| 7.7.2.2 | Information flows for off-network transmission control..... | 128 |
| 7.7.2.2.1 | Transmission request | 128 |
| 7.7.2.2.2 | Transmission granted..... | 128 |
| 7.7.2.2.3 | Transmission release | 129 |
| 7.7.2.2.4 | Transmission rejected..... | 129 |
| 7.7.2.2.5 | Transmission revoked..... | 129 |
| 7.7.2.2.6 | Transmission arbitration taken | 130 |
| 7.7.2.2.7 | Transmission arbitration release | 130 |
| 7.7.2.3 | Initializing transmission control – single arbitrator approach..... | 130 |
| 7.7.2.3A | Initializing transmission control – self arbitration approach | 131 |
| 7.7.2.4 | Transmission permission granted..... | 132 |
| 7.7.2.5 | Transmission permission rejected | 133 |
| 7.7.2.6 | Releasing transmission permission | 134 |
| 7.7.2.7 | Transmission override..... | 135 |
| 7.7.2.8 | Transmission override (revoke self)..... | 136 |
| 7.7.2.9 | Transmission arbitration release..... | 137 |
| 7.7.2.9.1 | Transmission arbitration release | 137 |
| 7.7.2.9.2 | Transmission arbitration release with delegation | 138 |
| 7.7.2.10 | Simultaneous transmission requests..... | 139 |
| 7.8 | MCVideo service configuration | 140 |
| 7.9 | Affiliation and de-affiliation to/from MCVideo group(s) | 140 |
| 7.10 | Use of MBMS transmission (on-network) | 141 |
| 7.10.1 | Information flows for MBMS Transmission | 141 |
| 7.10.1.1 | General | 141 |
| 7.10.1.2 | MapGroupToBearer | 141 |
| 7.10.1.3 | UnmapGroupFromBearer | 141 |
| 7.10.2 | Use of pre-established MBMS bearers | 141 |
| 7.10.3 | Use of dynamic MBMS bearer establishment | 142 |
| 7.10.4 | Video call connect and disconnect over MBMS..... | 142 |
| 7.10.4.1 | General | 142 |
| 7.10.4.2 | Procedure | 142 |
| 7.10.4.2.1 | Call connect over MBMS | 142 |
| 7.10.4.2.2 | Call disconnect over MBMS | 144 |
| 7.10.5 | Switching from MBMS bearer to unicast bearer | 144 |
| 7.11 | Simultaneous session for MCVideo calls (on-network)..... | 145 |
| 7.12 | User authentication and authorization for MCVideo service | 145 |

| | | |
|-------------------------------|---|------------|
| 7.13 | Support for multiple devices | 146 |
| 7.14 | Location information (on-network) | 146 |
| Annex A (normative): | MCVideo related configuration data | 147 |
| A.1 | General | 147 |
| A.2 | MCVideo UE configuration data | 147 |
| A.3 | MCVideo user profile configuration data..... | 148 |
| A.4 | MCVideo related Group configuration data..... | 155 |
| A.5 | MCVideo service configuration data..... | 157 |
| Annex B (informative): | Change history | 159 |
| History | | 162 |

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/60091044-702e-4186-be48-bd3c2f2e9199/etsi-ts-123-281-v14.6.0-2018-07>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

PREVIEW
iTech STANDARD
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/60091044-702e-4186-be48-bd3c2f2e9199/etsi-ts-123-281-v14.6.0-2018-07>

1 Scope

This document specifies the functional model, procedures and information flows needed for the mission critical video (MCVideo) service. Support for both MCVideo group streaming and MCVideo private streaming operating in on-network and off-network modes of operation is specified.

The corresponding service requirements are defined in 3GPP TS 22.280 [2], and 3GPP TS 22.281 [3].

The present document is applicable primarily to mission critical video service using E-UTRAN access based on the common functional architecture for mission critical services defined in 3GPP TS 23.280 [6] and the EPC architecture defined in 3GPP TS 23.401 [8].

The MCVideo service can be used for public safety applications and also for general commercial applications e.g. utility companies and railways.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 22.280: "Mission Critical Common Requirements (MCCoRe); Stage 1".
- [3] 3GPP TS 22.281: "Mission Critical Video services over LTE".
- [4] 3GPP TS 23.002: "Network Architecture".
- [5] 3GPP TS 23.228: "IP Multimedia Subsystem (IMS); Stage 2".
- [6] 3GPP TS 23.280: "Common functional architecture to support mission critical services; Stage 2".
- [7] 3GPP TS 23.303: "Proximity-based services (ProSe); Stage 2".
- [8] 3GPP TS 23.401: "General Packet Radio Service (GPRS) enhancements for Evolved Universal Terrestrial Radio Access Network (E-UTRAN) access".
- [9] 3GPP TS 23.468: "Group Communication System Enablers for LTE (GCSE_LTE); Stage 2".
- [10] Void
- [11] 3GPP TS 23.203: "Policy and charging control architecture".
- [12] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification".
- [13] 3GPP TS 29.468: "Group Communication System Enablers for LTE (GCSE_LTE); MB2 reference point; Stage 3".
- [14] 3GPP TS 33.180: "Security of the mission critical service".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

MCVideo client: An instance of an MC service client that provides the client application function for the MCVideo service.

MCVideo group: An MC service group configured for MCVideo service.

MCVideo group affiliation: An MC service group affiliation for MCVideo.

MCVideo group de-affiliation: An MC service group de-affiliation for MCVideo.

MCVideo group home system: The mission critical system where the MCVideo group is defined.

MCVideo group host server: The MCVideo server within a mission critical system which provides centralised support for MCVideo services of an MCVideo group defined in a MCVideo group home system.

MCVideo ID: An instance of an MC service ID within the MCVideo service.

MCVideo server: An instance of an MC service server that provides the server application function for the MCVideo service.

MCVideo service: A video communication service supporting applications for mission critical organizations and mission critical applications for other businesses and organizations (e.g., utilities, railways) with strong security, high availability, reliability and priority handling.

MCVideo system: The collection of applications, services, and enabling capabilities required to provide Mission Critical video for a Mission Critical Organization.

MCVideo UE: An MC service UE that can be used to participate in MCVideo services.

MCVideo user: An MC service user who is authorized for MCVideo services via an MCVideo UE.

Transmission control: Video transmitting control mechanism in an MCVideo service that determines which participants have the authority to transmit video, and determines the onward downlink video transmission during an video call.

For the purposes of the present document, the following terms and definitions given in 3GPP TS 22.280 [2] apply:

Mission Critical
Mission Critical Applications
Mission Critical Service
Mission Critical Organization
Mission Critical System

For the purposes of the present document, the following terms and definitions given in 3GPP TS 22.281 [3] apply:

Real Time
Real Time Video

For the purposes of the present document, the following terms and definitions given in 3GPP TS 23.280 [6] apply:

MC service client
MC service group
MC service group affiliation
MC service group de-affiliation
MC service group home system