



LTE;
Functional architecture and information flows to support
Mission Critical Video (MCVideo);
Stage 2
(3GPP TS 23.281 version 15.4.0 Release 15)



Reference

RTS/TSGS-0623281vf40

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	10
1 Scope	11
2 References	11
3 Definitions, symbols and abbreviations	12
3.1 Definitions	12
3.2 Symbols.....	13
3.3 Abbreviations	13
4 Introduction	13
5 Architectural requirements	13
5.1 Media routing requirements	13
5.2 MCVideo group affiliation and MCVideo group de-affiliation	13
5.3 Device inventory requirements.....	14
5.4 Device discovery requirements (off-network).....	14
5.5 Bearer management	14
5.5.1 General.....	14
5.5.2 EPS bearer considerations	14
5.5.3 EPS unicast bearer considerations for MCVideo.....	14
5.5.4 MBMS bearer management	14
5A Involved business relationships.....	15
6 MCVideo Functional model.....	15
6.1 Functional model description	15
6.1.1 On-network functional model	15
6.1.2 Off-network functional model	15
6.2 Functional entities description.....	16
6.2.1 General.....	16
6.2.2 MCVideo service application plane.....	16
6.2.2.1 General	16
6.2.2.2 Common services core	16
6.2.2.3 MCVideo application service.....	16
6.2.2.3.1 MCVideo client	16
6.2.2.3.2 MCVideo server	16
6.2.2.3.3 Media distribution function	17
6.2.2.3.4 Media mixer	17
6.2.2.3.5 MCVideo user database.....	17
6.2.2.3.6 Transmission control server.....	17
6.2.2.3.7 Transmission control participant	18
6.2.2.3.8 MC gateway server.....	18
6.3 Reference points	18
6.3.1 Reference point MCVideo-1 (between the MCVideo client and the MCVideo server)	18
6.3.2 Reference point MCVideo-2 (between the MCVideo server and the MCVideo user database).....	18
6.3.3 Reference point MCVideo-3 (between the MCVideo server and the MCVideo server and between the MCVideo server and the MC gateway server).....	18
6.3.4 Reference point MCVideo-4 (between the transmission control participant and the transmission control server).....	18
6.3.4A Reference point MCVideo-5 (unicast between the media distribution function and the EPS)	18
6.3.4B Reference point MCVideo-6 (between the MCVideo server and the EPS)	19
6.3.5 Reference point MCVideo-7 (between the media distribution function and the media mixer)	19
6.3.6 Reference point MCVideo-8 (between the media distribution function and the media mixer)	19

6.3.7	Reference point MCVideo-9 (between the transmission control participant and the transmission control server).....	19
6.3.8	Reference point MCVideo-10 (between the MC gateway server and the MC gateway server in a different MCVideo system)	19
6A	Identities	19
6B	Application of functional model to deployments	19
7	Procedures and information flows.....	19
7.1	Group call.....	19
7.1.1	General.....	19
7.1.2	On-network group call	20
7.1.2.1	General	20
7.1.2.2	Information flows for group call in on-network.....	20
7.1.2.2.1	Group call request (MCVideo client – MCVideo server).....	20
7.1.2.2.2	Group call request (MCVideo server – MCVideo client).....	20
7.1.2.2.3	Group call response (MCVideo server – MCVideo client)	20
7.1.2.2.4	Group call response (MCVideo client – MCVideo server)	21
7.1.2.2.5	Group call release request (MCVideo server – MCVideo client).....	21
7.1.2.2.6	Group call release request (MCVideo client – MCVideo server).....	21
7.1.2.2.7	Group call release response (MCVideo client – MCVideo server)	21
7.1.2.2.8	Group call rejoin request (MCVideo client – MCVideo server)	22
7.1.2.2.9	Group call rejoin response (MCVideo server – MCVideo client).....	22
7.1.2.2.10	Group call join request (MCVideo client – MCVideo server).....	22
7.1.2.2.11	Group call join response (MCVideo server – MCVideo client).....	23
7.1.2.2.12	Group call leave request (MCVideo server – MCVideo client).....	23
7.1.2.2.13	Group call leave response (MCVideo client – MCVideo server).....	23
7.1.2.2.14	MCVideo emergency alert request	23
7.1.2.2.15	MCVideo emergency alert response.....	24
7.1.2.2.16	MCVideo emergency alert cancel request	24
7.1.2.2.17	MCVideo emergency alert cancel response.....	24
7.1.2.2.18	MCVideo emergency group call request.....	25
7.1.2.2.19	MCVideo emergency group call response.....	25
7.1.2.2.20	MCVideo in-progress emergency group state cancel request.....	25
7.1.2.2.21	MCVideo in-progress emergency group state cancel response	26
7.1.2.2.22	MCVideo imminent peril group call request.....	26
7.1.2.2.23	MCVideo imminent peril group call response.....	26
7.1.2.2.24	MCVideo imminent peril group call cancel request	27
7.1.2.2.25	MCVideo imminent peril group call cancel response.....	27
7.1.2.3	Group call within one MC system.....	27
7.1.2.3.1	Group call models.....	27
7.1.2.3.1.1	Pre-arranged group call.....	27
7.1.2.3.1.2	Chat group call.....	32
7.1.2.3.2	Exiting group call due to de-affiliation.....	36
7.1.2.4	Broadcast group call.....	37
7.1.2.4.1	General	37
7.1.2.4.2	Common broadcast group call procedure	37
7.1.2.5	Emergency and imminent peril procedures.....	38
7.1.2.5.1	MCVideo emergency group call.....	38
7.1.2.5.1.1	MCVideo emergency group call commencement.....	38
7.1.2.5.1.2	MCVideo group call upgraded to an MCVideo emergency group call.....	40
7.1.2.5.1.3	MCVideo in-progress emergency group state cancel	42
7.1.2.5.2	MCVideo imminent peril group call.....	44
7.1.2.5.2.1	MCVideo imminent peril group call commencement.....	44
7.1.2.5.2.2	Imminent peril group call upgrade.....	46
7.1.2.5.2.3	MCVideo imminent peril group call cancel.....	47
7.1.2.6	MCVideo emergency alert	49
7.1.2.6.1	General	49
7.1.3	Off-network group communications.....	49
7.1.3.1	General	49
7.1.3.2	Information flows for off-network group communications.....	49
7.1.3.2.1	Group communication announcement.....	49

7.1.3.2.2	Group communication answer response.....	50
7.1.3.2.3	MCVideo upgrade to emergency group communication.....	50
7.1.3.2.4	MCVideo emergency group communication cancel.....	51
7.1.3.2.5	MCVideo upgrade to imminent peril group communication.....	51
7.1.3.2.6	MCVideo imminent peril group communication cancel	51
7.1.3.2.7	MCVideo emergency alert announcement	51
7.1.3.2.8	MCVideo emergency alert cancel announcement	52
7.1.3.3	Group communication setup	52
7.1.3.3.1	General	52
7.1.3.3.2	Procedure.....	52
7.1.3.4	Passive join to group communication	53
7.1.3.4.1	General	53
7.1.3.4.2	Procedure.....	54
7.1.3.5	Active join to group communication.....	55
7.1.3.5.1	General	55
7.1.3.5.2	Procedure.....	55
7.1.3.6	Broadcast group communication.....	56
7.1.3.7	Group communication release due to inactivity	56
7.1.3.8	Emergency and imminent peril procedures.....	57
7.1.3.8.1	Emergency group communication.....	57
7.1.3.8.2	MCVideo imminent peril.....	57
7.1.3.9	MCVideo emergency alert	58
7.1.3.9.1	General	58
7.2	Private call.....	58
7.2.1	General.....	58
7.2.2	Private call on-network.....	58
7.2.2.1	General	58
7.2.2.2	Information flows for private call in on-network.....	58
7.2.2.2.1	MCVideo private call request (MCVideo client – MCVideo server).....	58
7.2.2.2.2	MCVideo private call request (MCVideo server – MCVideo client).....	59
7.2.2.2.3	MCVideo private call response (MCVideo client – MCVideo server).....	59
7.2.2.2.4	MCVideo private call response (MCVideo server – MCVideo client).....	60
7.2.2.2.5	MCVideo call end request.....	60
7.2.2.2.6	MCVideo emergency private call request (MCVideo client to MCVideo server)	60
7.2.2.2.7	MCVideo emergency private call request (MCVideo server to MCVideo client)	61
7.2.2.2.8	Emergency MCVideo private call response (MCVideo client – MCVideo server)	61
7.2.2.2.9	Emergency MCVideo private call response (MCVideo server – MCVideo client)	62
7.2.2.3	Private call within one MC system	62
7.2.2.3.1	Private call setup in automatic commencement mode.....	62
7.2.2.3.2	Private call setup in manual commencement mode.....	63
7.2.2.3.2.1	Description.....	63
7.2.2.3.2.2	Procedure	63
7.2.2.3.3	Private call release.....	65
7.2.2.3.3.1	Client initiated.....	65
7.2.2.3.3.2	Server initiated.....	66
7.2.2.4	MCVideo emergency private call	67
7.2.2.4.1	MCVideo emergency private call commencement.....	67
7.2.2.4.2	MCVideo private call emergency upgrade	68
7.2.3	Off-network private communications	69
7.2.3.1	General	69
7.2.3.2	Information flows for off-network private communications	69
7.2.3.2.1	Private communication request	69
7.2.3.2.2	Private communication answer response.....	69
7.2.3.2.3	Private communication release request.....	70
7.2.3.2.4	Private communication release response	70
7.2.3.3	Use of ProSe for off-network private communications.....	71
7.2.3.4	Automatic commencement private communication.....	71
7.2.3.4.1	General	71
7.2.3.4.2	Procedure.....	71
7.2.3.5	Manual commencement private communication.....	73
7.2.3.5.1	General	73
7.2.3.5.2	Procedure – Communication accepted	73

7.2.3.5.3	Procedure – Communication rejected/ignored	75
7.2.3.6	Private communication release.....	76
7.2.3.6.1	General	76
7.2.3.6.2	Procedure.....	76
7.3	Video pull.....	77
7.3.1	General.....	77
7.3.2	On-network video pull	77
7.3.2.1	General	77
7.3.2.2	Information flows for on-network video pull.....	77
7.3.2.2.1	MCVideo pull from server request	78
7.3.2.2.2	MCVideo pull from server response.....	78
7.3.2.2.3	MCVideo pull from server complete request	78
7.3.2.2.4	MCVideo pull from server complete response	78
7.3.2.3	One-to-one video pull	78
7.3.2.3.1	General	78
7.3.2.3.2	One-to-one video pull – call setup.....	79
7.3.2.3.3	One-to-one video pull – call release	80
7.3.2.4	One-from-server video pull.....	80
7.3.2.4.1	General	80
7.3.2.4.2	Procedure.....	80
7.3.3	Off-network video pull	81
7.3.3.1	General	81
7.3.3.2	Information flows for off-network video pull	81
7.3.3.3	Video pull to self.....	81
7.3.3.3.1	General	81
7.3.3.3.2	Procedure.....	81
7.4	Video push.....	83
7.4.1	General.....	83
7.4.2	On-network video push.....	83
7.4.2.1	General	83
7.4.2.2	Information flows for on-network video push.....	83
7.4.2.2.1	Remote video push request.....	83
7.4.2.2.2	Remote video push response	84
7.4.2.2.3	Remote video push release request.....	84
7.4.2.2.4	MCVideo push to server request	84
7.4.2.2.5	MCVideo push to server response	85
7.4.2.2.6	MCVideo push to server complete request.....	85
7.4.2.2.7	MCVideo push to server complete response	85
7.4.2.3	One-to-one video push.....	85
7.4.2.3.1	General	85
7.4.2.3.2	One-to-one video push – call setup	85
7.4.2.3.3	One-to-one video push – call release.....	86
7.4.2.4	One-to-server video push	87
7.4.2.4.1	General	87
7.4.2.4.2	Procedure.....	87
7.4.2.5	Remotely initiated video push.....	88
7.4.2.5.1	General	88
7.4.2.5.2	Remotely initiated video push – call setup	88
7.4.2.5.3	Remotely initiated video push – call release by authorized user	89
7.4.2.6	Remotely initiated video push to group	90
7.4.2.6.1	General	90
7.4.2.6.2	Remotely initiated video push to group – call setup.....	90
7.4.2.6.3	Remotely initiated video push to group – call release by authorized user.....	91
7.4.3	Off-network video push	92
7.4.3.1	General	92
7.4.3.2	Information flows for off-network video push.....	92
7.4.3.2.1	Remote video push request.....	92
7.4.3.2.2	Video push trying response	92
7.4.3.2.3	Notification of video push.....	93
7.4.3.3	Video push to another MCVideo user	93
7.4.3.3.1	General	93
7.4.3.3.2	Procedure.....	93

7.4.3.4	Remotely initiated video push.....	94
7.4.3.4.1	General	94
7.4.3.4.2	Procedure.....	94
7.4.3.5	Remotely initiated video push to a group.....	96
7.4.3.5.1	General	96
7.4.3.5.2	Procedure.....	96
7.5	Capability information sharing.....	97
7.5.1	General.....	97
7.5.2	On-network capability information sharing.....	97
7.5.2.1	General	97
7.5.2.2	Information flows for on-network capability information sharing.....	97
7.5.2.2.1	Update MCVideo capabilities info request.....	97
7.5.2.2.2	Update MCVideo capabilities info response	97
7.5.2.2.3	Get MCVideo capabilities info request	97
7.5.2.2.4	Get MCVideo capabilities info response.....	98
7.5.2.2.5	Subscribe MCVideo capabilities info request	98
7.5.2.2.6	Subscribe MCVideo capabilities info response	98
7.5.2.2.7	Notify MCVideo capabilities info request.....	98
7.5.2.2.8	Notify MCVideo capabilities info response	99
7.5.2.3	Update MCVideo capabilities information at the MCVideo server	99
7.5.2.4	Retrieve MCVideo capabilities information by the MCVideo client.....	99
7.5.2.5	Subscription and notification for MCVideo capabilities information	100
7.5.3	Off-network capability information sharing	101
7.5.3.1	General	101
7.5.3.2	Information flows for Off-network capability information sharing	101
7.5.3.2.1	Capability request.....	101
7.5.3.2.2	Capability announcement	101
7.5.3.2.3	Activity status request	102
7.5.3.2.4	Activity status announcement.....	102
7.5.3.3	Periodic capability announcements.....	103
7.5.3.3.1	General	103
7.5.3.3.2	Procedure.....	103
7.5.3.4	Request capabilities from client(s).....	104
7.5.3.4.1	General	104
7.5.3.4.2	Request clients with particular capabilities	104
7.5.3.4.3	Request capabilities from a particular client.....	105
7.5.3.5	Request activity status from client(s)	105
7.5.3.5.1	General	105
7.5.3.5.2	Request activity status of group members	105
7.5.3.5.3	Request activity status from a particular client.....	106
7.6	Ambient viewing call	107
7.6.1	General.....	107
7.6.2	Information flows for ambient viewing call.....	107
7.6.2.1	Ambient viewing call request.....	107
7.6.2.2	Ambient viewing call response	108
7.6.2.3	Ambient viewing call release request.....	108
7.6.2.4	Ambient viewing call release response	108
7.6.2.5	Ambient viewing call release notification.....	109
7.6.3	Procedures.....	109
7.6.3.1	Remotely initiated ambient viewing call setup procedure.....	109
7.6.3.2	Locally initiated ambient viewing call setup procedure.....	110
7.6.3.3	Ambient viewing call release – server initiated	111
7.6.3.4	Ambient viewing call release – "viewing" user initiated	112
7.6.3.5	Ambient viewing call release – "viewed to" user initiated.....	113
7.7	Transmission control	114
7.7.1	Transmission control for on-network MCVideo service.....	114
7.7.1.1	General	114
7.7.1.2	Information flows for transmission control for on-network.....	114
7.7.1.2.1	General	114
7.7.1.2.2	Transmit media request	114
7.7.1.2.3	Transmit media granted.....	114
7.7.1.2.4	Transmit media rejected	115

7.7.1.2.5	Media transmission notification	115
7.7.1.2.6	Receive media request	115
7.7.1.2.7	Receive media response.....	115
7.7.1.2.8	Media reception notification.....	116
7.7.1.2.9	Queue position info	116
7.7.1.2.10	Transmission revoked.....	116
7.7.1.2.11	Queue position request	117
7.7.1.2.12	Transmit media cancel request	117
7.7.1.2.13	Transmit media cancel response.....	117
7.7.1.2.14	Transmit media cancel request notify.....	117
7.7.1.2.15	Transmit media end request.....	118
7.7.1.2.16	Transmit media end response	118
7.7.1.2.17	Remote transmit media request	118
7.7.1.2.18	Remote transmit media response	118
7.7.1.2.19	Remote transmit media end request.....	119
7.7.1.2.20	Remote transmit media cancel response.....	119
7.7.1.2.21	Media reception end request.....	119
7.7.1.2.22	Media reception end response	119
7.7.1.2.23	Media reception override notification	119
7.7.1.2.24	Transmit media end notify.....	120
7.7.1.3	Transmission control within one MC system for MCVideo service	120
7.7.1.3.1	Transmission control during an MCVideo session	120
7.7.1.3.2	Reception control during an MCVideo session	121
7.7.1.3.2A	End media reception – receiving user initiated.....	123
7.7.1.3.2B	End media reception – transmission control server initiated.....	123
7.7.1.3.2C	Reception control on overridden – mandatory mode.....	124
7.7.1.3.2D	Reception control on overridden – negotiated mode	125
7.7.1.3.3	Transmission revoke during an MCVideo session	126
7.7.1.3.4	Queue position during an MCVideo session	127
7.7.1.3.5	Transmit media request cancellation from the video transmission queue	128
7.7.1.3.5.1	Transmit media request cancellation from the queue – MCVideo user initiated	128
7.7.1.3.5.2	Transmit media request cancellation from the queue - transmission control server initiated ..	129
7.7.1.3.6	End a media transmission during an MCVideo session.....	130
7.7.1.3.6.1	End a media transmission – MCVideo user initiated	130
7.7.1.3.6.2	End a media transmission – transmission control server initiated	131
7.7.1.3.6.3	End a media transmission – remote MCVideo user initiated.....	132
7.7.1.3.7	Remotely initiated media transmission during an MCVideo session	133
7.7.2	Off-network transmission control	133
7.7.2.1	General	133
7.7.2.2	Information flows for off-network transmission control.....	134
7.7.2.2.1	Transmission request	134
7.7.2.2.2	Transmission granted.....	134
7.7.2.2.3	Transmission release	135
7.7.2.2.4	Transmission rejected.....	135
7.7.2.2.5	Transmission revoked.....	135
7.7.2.2.6	Transmission arbitration taken	136
7.7.2.2.7	Transmission arbitration release.....	136
7.7.2.3	Initializing transmission control – single arbitrator approach	136
7.7.2.3A	Initializing transmission control – self arbitration approach	137
7.7.2.4	Transmission permission granted.....	138
7.7.2.5	Transmission permission rejected	139
7.7.2.6	Releasing transmission permission	140
7.7.2.7	Transmission override.....	141
7.7.2.8	Transmission override (revoke self).....	142
7.7.2.9	Transmission arbitration release.....	143
7.7.2.9.1	Transmission arbitration release	143
7.7.2.9.2	Transmission arbitration release with delegation	144
7.7.2.10	Simultaneous transmission requests.....	145
7.8	MCVideo service configuration	146
7.9	Affiliation and de-affiliation to/from MCVideo group(s)	146
7.10	Use of MBMS transmission (on-network)	147
7.10.1	Information flows for MBMS Transmission	147

7.10.1.1	General	147
7.10.1.2	MapGroupToBearer	147
7.10.1.3	UnmapGroupFromBearer	147
7.10.2	Use of pre-established MBMS bearers	147
7.10.3	Use of dynamic MBMS bearer establishment	148
7.10.4	Video call connect and disconnect over MBMS	148
7.10.4.1	General	148
7.10.4.2	Procedure	148
7.10.4.2.1	Call connect over MBMS	148
7.10.4.2.2	Call disconnect over MBMS	150
7.10.5	Switching from MBMS bearer to unicast bearer	150
7.11	Simultaneous session for MCVideo calls (on-network)	151
7.12	User authentication and authorization for MCVideo service	151
7.13	Support for multiple devices	152
7.14	Location information (on-network)	152
7.15	MCVideo resource management (on-network)	152
7.16	MCVideo client query	152
7.16.1	General	152
7.16.2	Information flows for MCVideo client query	152
7.16.2.1	MCVideo client query request	152
7.16.2.2	MCVideo client query response	152
7.16.3	MCVideo client query procedure	153
7.17	MCVideo adaptation during MCVideo communication	153
7.17.1	General	153
7.17.2	Information flows for MCVideo adaptation	153
7.17.2.1	MCVideo communication parameter update request	153
7.17.2.2	MCVideo communication parameter update response	154
7.17.3	MCVideo adaptation procedure	154
7.17.3.1	MCVideo adaptation during group communication procedure – transmitting client triggered	154
7.17.3.2	MCVideo adaptation during group communication procedure – receiving user triggered	155
7.17.3.3	MCVideo adaptation during private communication procedure – transmitting client triggered	156
7.17.3.4	MCVideo adaptation during group communication procedure – receiving user triggered	157
Annex A (normative): MCVideo related configuration data		159
A.1	General	159
A.2	MCVideo UE configuration data	159
A.3	MCVideo user profile configuration data	160
A.4	MCVideo related Group configuration data	167
A.5	MCVideo service configuration data	169
Annex B (informative): Change history		171
History		174

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

PREVIEW
iTech STANDARD
(standards.itih.ai)
Full standard:
<https://standards.itih.ai/catalog/standards/sist/d567e790-1be4-44ae-a248-be344d415597/etsi-ts-123-281-v15.4.0-2018-07>

1 Scope

This document specifies the functional model, procedures and information flows needed for the mission critical video (MCVideo) service. Support for both MCVideo group streaming and MCVideo private streaming operating in on-network and off-network modes of operation is specified.

The corresponding service requirements are defined in 3GPP TS 22.280 [2], and 3GPP TS 22.281 [3].

The present document is applicable primarily to mission critical video service using E-UTRAN access based on the common functional architecture for mission critical services defined in 3GPP TS 23.280 [6] and the EPC architecture defined in 3GPP TS 23.401 [8].

The MCVideo service can be used for public safety applications and also for general commercial applications e.g. utility companies and railways.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 22.280: "Mission Critical Common Requirements (MCCoRe); Stage 1".
- [3] 3GPP TS 22.281: "Mission Critical Video services".
- [4] 3GPP TS 23.002: "Network Architecture".
- [5] 3GPP TS 23.228: "IP Multimedia Subsystem (IMS); Stage 2".
- [6] 3GPP TS 23.280: "Common functional architecture to support mission critical services; Stage 2".
- [7] 3GPP TS 23.303: "Proximity-based services (ProSe); Stage 2".
- [8] 3GPP TS 23.401: "General Packet Radio Service (GPRS) enhancements for Evolved Universal Terrestrial Radio Access Network (E-UTRAN) access".
- [9] 3GPP TS 23.468: "Group Communication System Enablers for LTE (GCSE_LTE); Stage 2".
- [10] Void
- [11] 3GPP TS 23.203: "Policy and charging control architecture".
- [12] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification".
- [13] 3GPP TS 29.468: "Group Communication System Enablers for LTE (GCSE_LTE); MB2 reference point; Stage 3".
- [14] 3GPP TS 33.180: "Security of the mission critical service".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

MCVideo client: An instance of an MC service client that provides the client application function for the MCVideo service.

MCVideo group: An MC service group configured for MCVideo service.

MCVideo group affiliation: An MC service group affiliation for MCVideo.

MCVideo group de-affiliation: An MC service group de-affiliation for MCVideo.

MCVideo group home system: The mission critical system where the MCVideo group is defined.

MCVideo group host server: The MCVideo server within a mission critical system which provides centralised support for MCVideo services of an MCVideo group defined in a MCVideo group home system.

MCVideo ID: An instance of an MC service ID within the MCVideo service.

MCVideo server: An instance of an MC service server that provides the server application function for the MCVideo service.

MCVideo service: A video communication service supporting applications for mission critical organizations and mission critical applications for other businesses and organizations (e.g., utilities, railways) with strong security, high availability, reliability and priority handling.

MCVideo system: The collection of applications, services, and enabling capabilities required to provide Mission Critical video for a Mission Critical Organization.

MCVideo UE: An MC service UE that can be used to participate in MCVideo services.

MCVideo user: An MC service user who is authorized for MCVideo services via an MCVideo UE.

Transmission control: Video transmitting control mechanism in an MCVideo service that determines which participants have the authority to transmit video, and determines the onward downlink video transmission during an video call.

For the purposes of the present document, the following terms and definitions given in 3GPP TS 22.280 [2] apply:

Mission Critical
Mission Critical Applications
Mission Critical Service
Mission Critical Organization
Mission Critical System

For the purposes of the present document, the following terms and definitions given in 3GPP TS 22.281 [3] apply:

Real Time
Real Time Video

For the purposes of the present document, the following terms and definitions given in 3GPP TS 23.280 [6] apply:

MC service client
MC service group
MC service group affiliation
MC service group de-affiliation
MC service group home system