



SLOVENSKI STANDARD

SIST EN ISO 13485:2016/AC:2018

01-maj-2018

Nadomešča:

SIST EN ISO 13485:2016/AC:2017

Medicinski pripomočki - Sistemi vodenja kakovosti - Zahteve za zakonodajne namene (ISO 13485:2016) - Popravek AC

Medical devices - Quality management systems - Requirements for regulatory purposes (ISO 13485:2016)

Medizinprodukte - Qualitätsmanagementsysteme - Anforderungen für regulatorische Zwecke (ISO 13485:2016)

Dispositifs médicaux - Systèmes de management de la qualité - Exigences à des fins réglementaires (ISO 13485:2016)

Ta slovenski standard je istoveten z: EN ISO 13485:2016/AC:2018

ICS:

| | | |
|-----------|---|---|
| 03.100.70 | Sistemi vodenja | Management systems |
| 11.020.01 | Vodenje kakovosti in ravnanje z okoljem v zdravstvu | Quality and environmental management in health care |

SIST EN ISO 13485:2016/AC:2018 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/8257b450-a585-4b55-8cbe-d29e19553d6e/sist-en-iso-13485-2016-ac-2018>

EUROPEAN STANDARD

EN ISO 13485:2016/AC

NORME EUROPÉENNE

March 2018

EUROPÄISCHE NORM

ICS 03.100.70; 11.040.01

English version


Medical devices - Quality management systems - Requirements for regulatory purposes (ISO 13485:2016)

Dispositifs médicaux - Systèmes de management de la qualité - Exigences à des fins réglementaires (ISO 13485:2016)

Medizinprodukte - Qualitätsmanagementsysteme - Anforderungen für regulatorische Zwecke (ISO 13485:2016)

This corrigendum becomes effective on 28 March 2018 for incorporation in the official English version of the EN.

ITEH STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/82571b50-a585-4b55-8ebe-d29e19553d6e/sist-en-iso-13485-2016-ac-2018>



**CEN-CENELEC Management Centre:
Rue de la Science 23, B-1040 Brussels**

© 2018 CEN/CENELEC All rights of exploitation in any form and by any means reserved worldwide for CEN national Members and for CENELEC Members.

Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux membres nationaux du CEN et aux membres du CENELEC.

Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern von CEN und den Mitgliedern von CENELEC vorbehalten.

EN ISO 13485:2016/AC:2018 (E)**1 Modification to the European foreword**

Replace the current fourth paragraph

"This document supersedes EN ISO 13485:2012."

with the following:

"This document supersedes EN ISO 13485:2012 and CEN ISO/TR 14969:2005."

2 Modification to the heading of Annex ZA

Replace the current heading of Annex ZA with:

"Relationship between this European Standard and the Conformity Assessment Requirements of EU Directive 90/385/EEC (as amended)".

3 Modifications to ZA.0

Replace the 1st paragraph with the following:

"This European Standard has been prepared under a mandate given to CEN/CENELEC by the European Union and the European Free Trade Association to provide a means by which a manufacturer may demonstrate conformity, and by which the Notified Body may assess the manufacturer's conformity, with the requirements of Directive 90/385/EEC (as amended) on active implantable medical devices."

Delete the 3rd paragraph starting with "EN ISO 13485:2016 provides requirements...".

In NOTE 1, 1st sentence, replace the reference to the Directive with "Directive 90/385/EEC" to read:

"NOTE 1 Where a reference from a clause of this European Standard to the risk management process is made, the risk management process needs to be in compliance with Directive 90/385/EEC, as amended by 2007/47/EC."

Delete the last sentence in NOTE 2 to read:

"NOTE 2 The manufacturer's policy for determining acceptable risk must be in compliance with essential requirements 1, 4, 5, 8, 9 and 10 of the Directive."

4 Modifications to ZA.1

In Table ZA.1, 12th row relating to 3.2, 3rd paragraph (b), replace in the 2nd column "5.1.1" with "5.1" to read:

"

| | | |
|------------------------|------------|----------|
| 3.2, 3rd paragraph (b) | 4.2.2, 5.1 | Covered. |
|------------------------|------------|----------|

"

In Table ZA.1, 15th row relating to 3.2 3rd paragraph (b) 3rd indent, replace in the 2nd column "8.5.1" with "8.2.2" to read:

"

| | | |
|----------------------------------|-------------------------|----------|
| 3.2 3rd paragraph (b) 3rd indent | 1, 4.1, 4.2, 7.4, 8.2.2 | Covered. |
|----------------------------------|-------------------------|----------|

"

In Table ZA.1, 23th row relating to 3.2, 3rd paragraph (e), delete in the 2nd column "7.5.1" to read:

"

| | | |
|------------------------|--------------------------------------|---|
| 3.2, 3rd paragraph (e) | 4.2, 7.1, 7.4.3, 7.5.9.1, 7.6, 8.2.6 | Covered provided that the documented frequency at which tests are carried out is detailed in the quality management system documentation. |
|------------------------|--------------------------------------|---|

"

In Table ZA.2, 13th row relating to 3.2, 3rd paragraph (b), 3rd indent, replace in the 2nd column "8.5.1" with "8.2.2" to read:

"

| | | |
|------------------------------------|-------------------------|----------|
| 3.2, 3rd paragraph (b), 3rd indent | 1, 4.1, 4.2, 7.4, 8.2.2 | Covered. |
|------------------------------------|-------------------------|----------|

"

In Table ZA.2, 15th row relating to 3.2, 3rd paragraph (c), 2nd indent, replace in the 2nd column "7.5.3" with "7.5.8, 7.5.9" to read:

"

| | | |
|------------------------------------|-------------------|----------|
| 3.2, 3rd paragraph (c), 2nd indent | 4.2, 7.5.8, 7.5.9 | Covered. |
|------------------------------------|-------------------|----------|

"

Last paragraph, replace the existing text of WARNING 1 and WARNING 2 with the following:

"WARNING: The preceding text and tables are specifically intended for organizations that need to comply with the European Directive 90/385/EEC in order to affix CE marking on their products and for other parties involved in that process. Other Directives might also be applicable and require a CE marking."

5 Modification to the heading of Annex ZB

Replace the current heading of Annex ZB with:

"Relationship between this European Standard and the Conformity Assessment Requirements of EU Directive 93/42/EEC (as amended)"

6 Modifications to ZB.0

Replace the 1st paragraph with the following:

"This European Standard has been prepared under a mandate given to CEN/CENELEC by the European Union and the European Free Trade Association to provide a means by which a manufacturer may demonstrate conformity, and by which the Notified Body may assess the manufacturer's conformity, with the requirements of Directive 93/42/EEC (as amended) on medical devices."

Delete the 3rd paragraph starting with "EN ISO 13485:2016 provides requirements...".

Delete the last sentence in NOTE 2 to read:

"NOTE 2 The manufacturer's policy for determining acceptable risk must be in compliance with essential requirements 1, 2, 5, 6, 7, 8, 9, 11 and 12 of the Directive."

EN ISO 13485:2016/AC:2018 (E)**7 Modifications to ZB.1**

In Table ZB.1, 14th row relating to 3.2, 3rd paragraph (b), 2nd indent, replace in the 2nd column "8.2.2" with "8.2.4" to read:

"

| | | |
|---------------------------------------|---|---|
| 3.2, 3rd paragraph (b), 2nd indent | 4.1, 5.6, 7.1, 8.2.4, 8.3, 8.4, 8.5.2, 8.5.3 | Covered provided that the methods and acceptance criteria chosen by the manufacturer ensure that the requirements of the Directive are fulfilled. |
|---------------------------------------|---|---|

"

In Table ZB.1, 15th row relating to 3.2, 3rd paragraph (b), 3rd indent, replace in the 2nd column "8.5.1" with "8.2.2" to read:

"

| | | |
|---------------------------------------|-------------------------|----------|
| 3.2, 3rd paragraph (b), 3rd indent | 1, 4.1, 4.2, 7.4, 8.2.2 | Covered. |
|---------------------------------------|-------------------------|----------|

"

In Table ZB.1, replace the 27th row relating to 3.2, 3rd paragraph (d) with:

"

| | | |
|------------------------------------|---|----------|
| 3.2, 3 rd paragraph (d) | 4.2, 7.1, 7.5, 7.6, 8.1, <u>8.2.5, 8.2.6</u> | Covered. |
|------------------------------------|---|----------|

"

In Table ZB.1, 32th row relating to 3.2, 3rd paragraph (e), delete in the 2nd column "7.5.1" and replace "8.2.4" with "8.2.6" to read:

"

| | | |
|------------------------|--|---|
| 3.2, 3rd paragraph (e) | 4.2, 7.1, 7.4.3, 7.5.9.1, 7.6, <u>8.2.6</u> | Covered provided that the documented frequency at which tests are carried out is detailed in the quality management system documentation. |
|------------------------|--|---|

"

In Table ZB.2, 15th row relating to 3.2 3rd paragraph (b) 2nd indent, replace in the 2nd column "8.2.2" with "8.2.4" to read:

"

| | | |
|-------------------------------------|---|---|
| 3.2 3rd paragraph (b) 2nd indent | 4.1, 5.6, 7.1, 8.2.4, 8.3, 8.4, 8.5.2, 8.5.3 | Covered provided that the methods and acceptance criteria chosen by the manufacturer ensure that the requirements of the Directive are fulfilled. |
|-------------------------------------|---|---|

"

In Table ZB.2, 16th row relating to 3.2 3rd paragraph (b) 3rd indent, replace in the 2nd column "8.5.1" with "8.2.2" to read:

"

| | | |
|-------------------------------------|-------------------------|----------|
| 3.2 3rd paragraph (b) 3rd indent | 1, 4.1, 4.2, 7.4, 8.2.2 | Covered. |
|-------------------------------------|-------------------------|----------|

"

In Table ZB.2, 18th row relating to 3.2 3rd paragraph (c) 2nd indent, replace in the 2nd column "7.5.3" with "7.5.8, 7.5.9" to read:

"

| | | |
|-------------------------------------|-------------------|----------|
| 3.2 3rd paragraph (c) 2nd indent | 4.2, 7.5.8, 7.5.9 | Covered. |
|-------------------------------------|-------------------|----------|

"

In Table ZB.2, last row relating to 3.2 3rd paragraph (d), replace in the 2nd column "8.2.4" with "8.2.6" to read:

"

| | | |
|-----------------------|------------------------|---|
| 3.2 3rd paragraph (d) | 7.1, 7.4.3, 7.6, 8.2.6 | Covered provided that the documented frequency at which tests are carried out is detailed in the quality management system documentation. |
|-----------------------|------------------------|---|

"

In Table ZB.3, 13th row relating to 3.2, 2nd paragraph, 2nd indent, replace in the 2nd column "8.2.4" with "8.2.6" to read:

"

| | | |
|-----------------------------------|------------------------|---|
| 3.2, 2nd paragraph, 2nd indent | 7.1, 7.4.3, 7.6, 8.2.6 | Covered provided that the documented frequency at which tests are carried out is detailed in the quality management system documentation. |
|-----------------------------------|------------------------|---|

"

In Table ZB.3, 14th row relating to 3.2, 2nd paragraph, 3rd indent, replace in the 2nd column "8.2.2" with "8.2.4" to read:

"

| | | |
|-----------------------------------|---|---|
| 3.2, 2nd paragraph, 3rd indent | 4.1, 5.6, 7.1, 8.2.4, 8.3, 8.4, 8.5.2, 8.5.3 | Covered provided that the methods and acceptance criteria chosen by the manufacturer ensure that the requirements of the Directive are fulfilled. |
|-----------------------------------|---|---|

"

In Table ZB.3, 16th row relating to 3.2, 2nd paragraph, 5th indent, replace in the 2nd column "1" with "1.2" and "8.5.1" with "8.2.2" to read:

"

| | | |
|-----------------------------------|---------------------------|----------|
| 3.2, 2nd paragraph, 5th indent | 1.2, 4.1, 4.2, 7.4, 8.2.2 | Covered. |
|-----------------------------------|---------------------------|----------|

"

Last paragraph, replace the existing text of WARNING 1 and WARNING 2 with the following:

"WARNING: The preceding text and tables are specifically intended for organizations that need to comply with the European Directive 93/42/EEC in order to affix CE marking on their products and for other parties involved in that process. Other Directives might also be applicable and require a CE marking."

EN ISO 13485:2016/AC:2018 (E)**8 Modification to the heading of Annex ZC**

Replace the current heading of Annex ZC with:

"Relationship between this European Standard and the Conformity Assessment Requirements of EU Directive 98/79/EC"

9 Modifications to ZC.0

Replace the 1st paragraph with the following:

"This European Standard has been prepared under a mandate given to CEN/CENELEC by the European Union and the European Free Trade Association to provide a means by which a manufacturer may demonstrate conformity, and by which the Notified Body may assess the manufacturer's conformity, with the requirements of Directive 98/79/EC on *in vitro* diagnostic medical devices."

Delete the 3rd paragraph starting with "EN ISO 13485:2016 provides requirements...".

Delete the last sentence in NOTE 2 to read: "The manufacturer's policy for determining acceptable risk must be in compliance with essential requirements Part A: 1, 2 and 5; Part B: 1.2, 2, 3, 5, 6 and 7 of the Directive."

10 Modifications to ZC.1

In Table ZC.1, 2nd row relating to 3, 1st indent, replace in the 2nd column "4.2.3" with "4.2.1.2" to read:

"

| | | |
|---------------|------------------------------------|---|
| 3, 1st indent | 4.2.1.2, 7.2, 7.3.2, 7.3.3, 7.3.10 | Covered provided that the documentation containing a general description of the medical device includes any variants. |
|---------------|------------------------------------|---|

"

In Table ZC.1, 5th row relating to 3, 4th indent, add "4.1, 4.2" in the 2nd column to read:

"

| | | |
|---------------|----------|---|
| 3, 4th indent | 4.1, 4.2 | Covered provided that, in the case of devices containing tissues of human origin or substances derived from such tissue, the quality management system documentation includes information on the origin of such material and on the conditions in which it was collected, |
|---------------|----------|---|

"

In Table ZC.1, 8th row relating to 3, 7th indent, replace in the 2nd column "7.5.1.2, 7.5.1.3, 7.5.2" with "7.5.2, 7.5.5, 7.5.7" to read:

"

| | | |
|---------------|--------------------------|----------|
| 3, 7th indent | 6.4, 7.5.2, 7.5.5, 7.5.7 | Covered. |
|---------------|--------------------------|----------|

"

In Table ZC.1, 9th row relating to 3, 8th indent, replace in the 2nd column "7.5.1, 7.5.9.1" with "7.1.8.1" and "8.2.3, 8.2.4" with "8.2.5, 8.2.6" to read:

"

| | | |
|---------------|---|----------|
| 3, 8th indent | 4.2.1, 7.1.8.1, 7.3.3, 7.3.4, 7.3.5, 7.3.6, 7.4.3, 8.2.5, 8.2.6 | Covered. |
|---------------|---|----------|

"

In Table ZC.1, 11th row relating to 3, 10th indent, replace in the 2nd column "4.2.4, 8.2.4" with "4.2.5, 8.2.6" to read:

"

| | | |
|----------------|--------------|----------|
| 3, 10th indent | 4.2.5, 8.2.6 | Covered. |
|----------------|--------------|----------|

"

In Table ZC.1, 12th row relating to 3, 11th indent, 2nd column, add "4.1, 4.2" to read:

"

| | | |
|----------------|----------|---|
| 3, 11th indent | 4.1, 4.2 | Covered provided that the quality management system documentation includes data from studies in a clinical or other appropriate environment or result from relevant bibliographical references showing adequate performance evaluation data showing the performances claimed by the manufacturer and supported by a reference measurement system (when available), with information on the reference methods, the reference materials, the known reference values, the accuracy and measurement units used. |
|----------------|----------|---|

"

In Table ZC.1, 13th row relating to 3, 12th indent, replace in the 2nd column "4.2.3" with "4.2.1.2" to read:

"

| | | |
|----------------|---------|---|
| 3, 12th indent | 4.2.1.2 | Covered providing the quality management system documentation includes the labels and instructions for use. |
|----------------|---------|---|

"

In Table ZC.1, 16th row relating to 4, paragraph 2, 1st indent, replace in the 2nd column "1" with "1.2" to read:

"

| | | |
|----------------------------|-------------------------------|----------|
| 4, paragraph 2, 1st indent | 1.2, 4.2.2, 5.1, 5.5.1, 5.5.2 | Covered. |
|----------------------------|-------------------------------|----------|

"