
Nanotechnologies — Compilation and description of sample preparation and dosing methods for engineered and manufactured nanomaterials

Nanotechnologies. — Compilation et description de la préparation des échantillons et des méthodes de dosage pour les nanomatériaux d'ingénierie et manufacturés

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/16196-2016/iso-tr-16196-2016>
9613-401f-8cc3-fe07d6b74a0a/iso-tr-16196-2016

PROOF / ÉPREUVE



iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/02e8038-9613-401f-8cc3-fe07d6b74a0a/iso-tr-16196-2016>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	3
5 Background	3
5.1 Discussion of the importance of sample preparation and dosing.....	3
5.2 Discussion of specific issues when testing the toxicology of manufactured nanomaterials.....	4
5.2.1 Physical properties.....	4
5.2.2 Sample preparation.....	4
5.2.3 Administration of doses.....	5
5.2.4 Discussion of relationship between this document and ISO/TR 13014.....	5
5.3 Discussion of relevant dosing for toxicological screening.....	5
5.4 Discussion of the relationship between this document and ISO/TR 16197.....	5
5.5 Review of other relevant international activities and documents.....	5
6 Physico-chemical properties	6
6.1 Particle size, shape, size distribution and degree of agglomeration.....	6
6.2 Chemical description — Composition and identification.....	6
6.3 Specific surface area.....	6
6.4 Surface chemistry.....	6
6.5 Isoelectric point, zeta potential and Hamaker constant.....	7
6.6 Influence of water chemistry on nanomaterial properties and dispersion behavior.....	8
6.7 Preparation of liquid dispersions.....	8
6.8 Crystal structure.....	8
6.9 Surface energy or interfacial tension.....	8
6.10 Solubility.....	8
7 Considerations for preparing samples of nanomaterials in exposure media in ecotoxicity studies	9
7.1 General.....	9
7.1.1 Introduction to existing knowledge.....	9
7.1.2 Environmental behaviour.....	9
7.1.3 Degradation and transformation.....	9
7.1.4 Bioaccumulation.....	9
7.2 Test method applicability and dosimetry.....	10
7.2.1 Environmental distribution.....	10
7.2.2 Degradation and transformation.....	10
7.2.3 Bioaccumulation.....	11
8 Methods for preparing nanomaterials for toxicological studies in mammals that ensure correct dosing	11
8.1 Issues to consider for stock dispersion preparation.....	11
8.2 Importance of monitoring stability of test dispersions during experiments.....	11
8.3 Special considerations for physiological salines used in mammalian studies.....	12
8.4 Routes of delivery and behaviour of nanomaterial dispersions in mammalian studies.....	12
8.4.1 Respiratory tract exposures.....	12
8.4.2 Oral exposure.....	12
8.4.3 Dermal exposures.....	13
8.4.4 Injection routes.....	13
9 Methods for preparing samples of nanomaterials for use in cell cultures	13
9.1 Cell cultures and dispersion of nanomaterials in culture media.....	13
9.1.1 General.....	13

9.1.2	Considerations for nanomaterial dispersion in the dosing solution	13
9.1.3	Consideration of relevant exposure scenarios	14
9.2	Cell cultures	14
Bibliography		16

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/02e8f038-9613-401f-8cc3-fe07d6b74a0a/iso-tr-16196-2016>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 229, *Nanotechnologies*.

Introduction

This document provides guidance regarding the preparation of nanomaterials for toxicological, including eco-toxicological, testing. The goal of this document is to assist health and environmental scientists and scientists and experts from other disciplines to understand, plan, choose and address issues relevant to nanomaterials before and during conducting toxicological tests. These issues include the effects of the properties of the material on preparation methods and of the media into which the samples of nanomaterials will be added. Failure to consider these effects might lead to erroneous conclusions regarding the relationship between the nature of the nanomaterial and observed toxicological responses. In particular, the composition and other characteristics of test media can affect the dose to which an organism that is the subject of a test will be exposed. Information on preparation of the test material is necessary prior to any biological or ecological evaluation. Information such as this is consistent with other ISO documents. For example, ISO 10993-18^[1] specifically addresses the evaluation of the chemical characterization of materials used in medical devices, ISO 14971^[2] specifies that a toxicological risk analysis should take into account the chemical nature of the materials, ISO/TR 13014^[3] addresses issues pertaining to the materials themselves and ISO/TS 19337^[55] points out to help clarify whether observed toxic effects come from tested nano-objects themselves or from other uncontrolled sources. Some examples are provided of methods that establish test conditions that are relatable to environmentally relevant conditions.

This document uses a number of technical terms which have been defined earlier in other documents. Some of these terms have been defined in multiple documents, in different areas of science and technology, providing potentially or seemingly conflicting definitions. This document does not provide new, authoritative definitions for the terms used herein. Instead, this clause provides short descriptions for the terms used. Where possible, reference is made to existing documents.

iTeh STANDARD PREVIEW
(standardsite.com)
Full standard:
<https://standards.iteh.ai/catalog/standards/standard/iso-tr-16196-2016-9613-401f-8cc3-fe07ddb74a0a/iso-tr-16196-2016-9613-401f-8cc3-fe07ddb74a0a>

Nanotechnologies — Compilation and description of sample preparation and dosing methods for engineered and manufactured nanomaterials

1 Scope

This document provides guidance regarding the preparation of nanomaterials for eco- and bio-toxicological testing. It provides guidance regarding factors pertaining to sample preparation and dose determination that might be useful in toxicological, including ecotoxicological, testing of engineered and manufactured nanoscale materials.

The descriptions of sample preparation method factors for both *in vitro* and *in vivo* toxicological testing of engineered and manufactured nanoscale materials include considerations about physico-chemical properties, media, methods for transformation and accumulation studies, health effects and dosimetry. The document is not intended to be a literature review nor a thorough assessment of the quality of the methods or data generated. The document is intended to complement other international efforts.

The focus of this document is on factors that might lead to results that are not relevant to safety evaluations. When featured, referenced methods are considered for their general interest and potential applicability. It is likely that most of the described methods are not generally applicable to all nanomaterials but they do demonstrate important factors and limitations that are common for a variety of nanomaterials.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 particle

minute piece of matter with defined physical boundaries

Note 1 to entry: A physical boundary can also be described as an interface.

Note 2 to entry: A particle can move as a unit.

Note 3 to entry: This general particle definition applies to nano-objects.

[SOURCE: ISO/TS 80004-2:2015, 3.1]

3.2 structure

defined by four different aspects — crystallinity, crystal structure, and molecular structure

3.2.1

crystallinity

presence or absence of crystalline structure in the arrangement of the atoms of which a material consists

3.2.2

crystal structure

lattice structure in which atoms of an individual crystal are arranged, using lattice parameters and lattice type, such as face-centered cubic, hexagonal close-packed, body-centred, cubic, etc.

3.2.3

molecular structure

arrangement of atoms of an individual molecule

3.2.4

microstructure

arrangement of individual crystals or amorphous phases in a polycrystalline or multiphase material

3.3

measurand

quantity intended to be measured or a quantity that is being determined by measurement

Note 1 to entry: The specification of a measurand requires knowledge of the kind of quantity, description of the state of the phenomenon, body, or substance carrying the quantity, including any relevant component, and the chemical entities involved. The measurement, including the measuring system and the conditions under which the measurement is carried out, might change the phenomenon, body, or substance so that the quantity being measured may differ from the measurand as defined.

[SOURCE: ISO/IEC Guide 99, 2007, 2.3 — modified]

3.4

nanomaterial

NM

material with any external dimension in the *nanoscale* or having internal structure or surface structure in the nanoscale

Note 1 to entry: This generic term is inclusive of *nano-object* and *nanostructured material*.

Note 2 to entry: See also engineered nanomaterial, manufactured nanomaterial, incidental nanomaterial.

[SOURCE: ISO/TS 80004-1:2015, 2.4]

3.5

nano-object

discrete piece of material with one, two or three external dimensions in the *nanoscale*

Note 1 to entry: The second and third external dimensions are orthogonal to the first dimension and to each other.

[SOURCE: ISO/TS 80004-2:2015, 2.2]

3.6

nanoparticle

NP

nano-object with all external dimensions in the *nanoscale* where the lengths of the longest and the shortest axes of the nano-object do not differ significantly

Note 1 to entry: If the dimensions differ significantly (typically by more than three times), terms, such as *nanofibre* or *nanoplate*, may be preferred to the term nanoparticle.

[SOURCE: ISO/TS 80004-2:2015, 4.4]

3.7

nanoscale

length range approximately from 1 nm to 100 nm

Note 1 to entry: Properties that are not extrapolations from a larger size are predominantly exhibited in this length range.

[SOURCE: ISO/TS 80004-2:2015, 2.1]

4 Abbreviated terms

BET Brunauer–Emmett–Teller isotherm

CNT carbon nanotube

DLS dynamic light scattering

ICP-MS inductively coupled plasma mass spectrometry

NOAA nano-objects, and their aggregates and agglomerates greater than 100 nm

NOM natural organic material

TEM transmission electron microscopy

5 Background

5.1 Discussion of the importance of sample preparation and dosing

Nanomaterials are diverse, being based on endless combinations of composition, particle size and distribution, surface chemistry and many other key properties. With this diversity, nanomaterials cannot be treated as a single class of substances. Just as in other areas of toxicology, the assessment of biological effects should consider how samples and doses are prepared and dosimetry is assured so that the observed effects are meaningful and test results can be used in a realistic way such as in safety assessments.

Screening tests are used for rapid evaluations and are typically conducted using cell culture or other *in vitro* techniques due to fast response time, cost, infrastructure and time constraints, factors that limit most whole animal studies. The purpose of a screening test is to provide an indicator of potential adverse outcomes and effects on human health or the environment. Although there are many definitions available for the term screening test, for the purposes of this document, a screening test can be generally defined as a relatively simple, inexpensive test that can be administered easily and provides rapid results. The screening tests should reflect the compromise between simplicity, rapidity and low-cost while still providing results that have meaning to safety-relevant situations, the way that samples are prepared and the doses administered will ideally be relatable to realistic situations. Therefore, the points considered in this document also apply to screening tests and should also be taken into account in tiered testing to ensure consistent conditions with each step of the tier.

5.2 Discussion of specific issues when testing the toxicology of manufactured nanomaterials

5.2.1 Physical properties

5.2.1.1 General

The subject that is sometimes referred to as “nanotoxicology” considers the same issues as the broader subject of toxicology with additional scrutiny paid to elements based on a very small size. These include, but are not limited to, physical properties that are described in detail below in [5.2.1.2](#) to [5.2.1.5](#).

5.2.1.2 Size

Smaller particles can have the ability to reach target sites that larger forms cannot. In addition, smaller particles present larger surface areas possibly increasing their chemical reactivity. An example might be inhaled particles (<100 nm) that can reach the alveolar region of the lungs.

5.2.1.3 Size distribution

Most nanoparticles are not of a single size, therefore there is a distribution of sizes. For some materials, there might be nano-sized fractions and aggregated larger particles present of the same composition. The toxicological contributions of each should be distinguished where possible.

5.2.1.4 Dissolution

Nanomaterials have a greater surface to mass ratio so sparingly soluble nanomaterials more readily dissolve in solutions than the same material in bulk form. Examples include amorphous silicon dioxide, zinc oxide and silver. When a material has any appreciable solubility, the relative contributions of toxicological effects due to particulates versus dissolved species should be considered. In some cases where dissolution is complete, observed effects might be due to the ionized/dissolved fraction rather than the nanoparticles, even though the initial test substance was a nanoparticle.

5.2.1.5 Transformation

Because nanomaterials are not a single class of materials there are an enormous number of uses for them. Some of these uses might involve intentional and unintentional transformations. An example of an intentional transformation is the use of aluminium nanomaterials in energetic applications where at least some of the aluminium is converted to alumina^[4]. An example of an unintentional transformation is the release of CNTs from matrices into environmental settings in which they would be subject to photochemical processes, oxidation, biotransformation, etc. CNTs might be subject to combustion processes if they are part of matrices that are burned. With each transformation it is important to consider if changes have occurred that require recharacterization of the test nanomaterial.

5.2.2 Sample preparation

Toxicological studies are generally performed to evaluate the potential hazards of materials. For sample preparation, care should be taken to ensure that the material is prepared in a way that is appropriate for the toxicological evaluation that will be applied. The OECD “Guidance on Sample Preparation and Dosimetry for the Safety Testing of Manufactured Nanomaterials”^[5] provides information regarding the critical aspects that should be considered for preparation of nanomaterial samples for testing and the use of relevant dose and dose metrics. It is important to prepare and administer nanomaterials in a way that is representative of a potential exposure, i.e. which can be linked to an exposure scenario. As with assays in general, potential interferences should be considered^{[6][7][8][9]}.