INTERNATIONAL STANDARD

ISO 9936

Second edition 2006-04-15 **AMENDMENT 1** 2011-08-01

Animal and vegetable fats and oils — Determination of tocopherol and tocotrienol contents by high-performance liquid chromatography

AMENDMENT 1: Updating of reagents and confirmation of statistical data validity

Storps gras d'origines animale et végétale — Détermination des teneurs en tocophérols et en tocotriénols par chromatographie en phase liquide à haute performance 2011

https://standards.iteh.ai/catalog/standards/sist/9627754-bf50-412d-9649-AMENDEMENT T. Mise à jour des réactifs et confirmation de la validité 9d1e7 des données statistiques



ISO 9936:2006/Amd.1:2011(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 9936:2006/Amd 1:2011 https://standards.iteh.ai/catalog/standards/sist/9f827754-bf50-412d-9649-9d1e770a5366/iso-9936-2006-amd-1-2011



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

ii

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO 9936:2006 was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 11, *Animal and vegetable fats and oils*.

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Animal and vegetable fats and oils — Determination of tocopherol and tocotrienol contents by high-performance liquid chromatography

AMENDMENT 1: Updating of reagents and confirmation of statistical data validity

Page 2, 5.1

Replace the Note with the following text and associated footnotes:

 α -, β -, γ - And δ -tocopherol standards can be obtained from Merck¹⁾; α -tocopherol can be obtained from various suppliers. Tocotrienol standards are available from Sigma Aldrich²⁾. It has been reported that the purity of some commercially available tocopherol standards can vary between 85 % and 100 %. Thus, it is important to determine the concentration of prepared calibration solutions by UV spectrometry (see 9.1.1).

Page 2, 5.4

Replace the entire subclause with the following text: PD PREVIEW

5.4 HPLC mobile phase: (any suitable mixture of solvents that has been proved to reach a chromatographic resolution of peaks as good as the one presented in Table 2 (relative retention time of tocopherols and tocotrienols) and in Annex A (chromatograms of a mixture of vegetable oils) should be used (see Table C.3).

https://standards.itch.ai/catalog/standards/sist/9f827754-bf50-412d-9649-

A good separation of γ -tocopherol and β -tocotrienol can be achieved by using a mixture of 5 % volume fraction t-butyl methyl ether + 95 % volume fraction t-betane and a diol-column.

The preparation of a suitable mobile phase, 3.85 % volume fraction tetrahydrofuran solution in n-heptane, for use with silica columns is as follows. Using a 1 000 ml graduated cylinder (6.5), introduce 1 000 ml of n-heptane (5.3) in a 2 l bottle. Add two 20 ml volumes of tetrahydrofuran (5.2) using a 20 ml volumetric pipette (6.6). Homogenize the mobile phase by means of an ultrasonic bath (6.8) for 15 min.

Page 3, 6.2

In Note 1, renumber as 3) the footnote and the reference to it.

Add the following note:

NOTE 3 Both types of columns have been used for the evaluation of the precision data (Annex C).

© ISO 2011 – All rights reserved

¹⁾ Merck Tocopherol set 613424 is available from Calbiochem (www.calbiochem.com). It contains one 50 mg vial each of DL- α -tocopherol, D- β -tocopherol, D- γ -tocopherol, and D- δ -tocopherol with a purity of 95 % by HPLC (for each component). This information is given for the convenience of users of this International Standard and does not constitute an endorsement by ISO of this product.

²⁾ Tocotrienols are available from Sigma Aldrich (www.sigmaaldrich.com) and from Chromadex (www.chromadex.com) with purities between 65 % and 98 %. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by ISO of these products.

ISO 9936:2006/Amd.1:2011(E)

Page 3, 6.5, 6.6, 6.7

Update the text to read:

- **6.5** Graduated measuring cylinder, capacity 1 000 ml, ISO 4788^[7], class A.
- **6.6 Volumetric pipettes**, capacities 10 ml and 20 ml, ISO 648^[5], class A.
- **6.7** One-mark volumetric flasks, capacities 50 ml and 25 ml, ISO 1042^[6], class A.

Page 12, Annex C

Replace the second paragraph with:

The various types of HPLC mobile phases used by the participants in this test are listed in Table C.3. While six participants used a silica gel column, six participants also used a diol column. Therefore, the statistical results, given in Table C.2, are valid for both types of columns.

Page 17, Bibliography

Add the following entries:

- [5] ISO 648, Laboratory glassware Single-volume pipettes
- [6] ISO 1042, Laboratory glassware One-mark volumetric flasks
- [7] ISO 4788, Laboratory glassware Straduated measuring cylinders

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 9936:2006/Amd.1:2011(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 9936:2006/Amd 1:2011 https://standards.iteh.ai/catalog/standards/sist/9f827754-bf50-412d-9649-9d1e770a5366/iso-9936-2006-amd-1-2011

ICS 67.200.10

Price based on 2 pages