



DRAFT INTERNATIONAL STANDARD ISO/DIS 21929-2.2

ISO/TC 59/SC 17

Secretariat: **AFNOR.2**

Voting begins on
2013-06-12

Voting terminates on
2013-08-12

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Draft on sustainability in buildings and civil engineering works — Sustainability indicators —

Part 2: Framework for the development of indicators for civil engineering works

*Développement durable dans la construction — Indicateurs de développement durable —
Partie 2: Cadre pour le développement d'indicateurs pour les ouvrages de génie civil*

iTeh STANDARD PREVIEW (standards.iteh.ai)

ICS 91.040.01

[ISO/DIS 21929-2.2](#)

<https://standards.iteh.ai/catalog/standards/sist/602e00b3-865c-433c-85a2-3858e86a5760/iso-dis-21929-2-2>

To expedite distribution, this document is circulated as received from the committee secretariat. ISO Central Secretariat work of editing and text composition will be undertaken at publication stage.

Pour accélérer la distribution, le présent document est distribué tel qu'il est parvenu du secrétariat du comité. Le travail de rédaction et de composition de texte sera effectué au Secrétariat central de l'ISO au stade de publication.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/DIS 21929-2.2

<https://standards.iteh.ai/catalog/standards/sist/602e00b3-865c-433c-85a2-3858e86a5760/iso-dis-21929-2-2>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 General rules for sustainability indicators development and its framework	8
4.1 General	8
4.2 Relationship to ISO 15392 and other general principles.....	11
4.3 Rules for the development of indicators.....	12
4.4 Framework of sustainability indicators.....	13
5 Sustainability topics.....	17
5.1 General	17
5.2 Description of topics.....	20
6 Development of a system of sustainability indicators	29
6.1 General	29
6.2 Rules for developing a system of indicators.....	30
6.3 Usability of sustainability indicators.....	30
6.4 Users of indicators	31
Bibliography.....	33

[ISO/DIS 21929-2.2](https://standards.iteh.ai/catalog/standards/sist/602e00b3-865c-433c-85a2-3858e86a5760/iso-dis-21929-2-2)

<https://standards.iteh.ai/catalog/standards/sist/602e00b3-865c-433c-85a2-3858e86a5760/iso-dis-21929-2-2>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 21929-2 was prepared by Technical Committee ISO/TC 59, *Buildings and civil engineering works*, Subcommittee SC 17, *Sustainability in buildings and civil engineering works*.

This second/third/... edition cancels and replaces the first/second/... edition (), [clause(s) / subclause(s) / table(s) / figure(s) / annex(es)] of which [has / have] been technically revised.

ISO 21929 consists of the following parts, under the general title *Draft of sustainability in buildings and civil engineering works — Sustainability indicators*:

- *Part 1: Framework for the development of indicators and a core set of indicators for buildings*
- *Part 2: Framework for the development of indicators for civil engineering works*

Introduction

This part of ISO 21929 describes and gives guidelines for the development of sustainability indicators related to civil engineering works and defines the topics of civil engineering works to consider when developing systems of sustainability indicators.

These guidelines form a basis for the suite of ISO/TC 59 standards intended to address specific issues and aspects of sustainability relevant to construction works. The issue of sustainable development is broad and of global concern, and, as such, involves all communities and interested parties. Both current and future needs define the extent to which economic, environmental and social aspects are considered in a sustainable development process.

The built environment (buildings and civil engineering works) is a key element in determining quality of life, and contributes to cultural identity and heritage. As such, it is an important factor in the appreciation of the quality of the environment in which society lives and works.

The building and construction sector is highly important for sustainable development because:

- it is a key sector in national economies;
- it has a significant interface with poverty reduction through the provision of improved basic economic and social services within the built environment;
- it is one of the single largest industrial sectors and, while providing value and employment, it uses considerable resources, with consequential impacts on economic and social conditions and the environment;
- it creates the built environment, which represents a significant share of the economic assets of individuals, organizations and nations, providing societies with their physical and functional environment;
- it has considerable opportunity to show improvement relative to its economic, environmental and social impacts.

Over their life cycle, construction works absorb considerable resources and contribute to the transformation of areas. As a result, they can have considerable economic consequences, and impacts on the environment and human health.

While the challenge of sustainable development is global, the strategies for addressing sustainability in civil engineering works are essentially local and differ in context and content from region to region. These strategies reflect the context, the preconditions and the priorities and needs, not only in the built environment, but also in the social environment. This social environment includes social equity, cultural issues, traditions, heritage issues, human health and comfort, social infrastructure and safe and healthy environments.

It can, in addition, particularly in developing countries, include poverty reduction, job creation, access to safe, affordable and healthy shelter, and loss of livelihoods.

This part of ISO 21929 defines a framework for the development of sustainability indicators for civil engineering works based on the premise that sustainable development of civil engineering works brings about the required performance and functionality with minimum adverse environmental impact, while encouraging improvements in economic and social (and cultural) aspects at local, regional and global levels. This part of ISO 21929 follows the general principles presented in ISO 15392.

Indicators are figures or other qualitative or descriptive measures that enable information on a complex phenomenon, like environmental impact, to be simplified into a form that is relatively easy to use and understand.

The three main functions of indicators are quantification, simplification and communication. Targets can also be set with the help of indicators. Changes in a civil engineering works over time and the development of changes in relation to stated objectives can be monitored with the help of indicators. One of the important functions of an indicator with reference to decision-making is its potential to show a trend.

When developing and selecting indicators, the starting point is the identification of the main users and user needs. Sustainability indicators for civil engineering works are needed in decision-making by a number of interested parties, such as:

- Public bodies and policy makers;
- Investors, owners and promoters;
- Planners, developers and designers;
- Governmental and non-governmental organizations (considering interest groups both at national and at local level);
- Manufacturers of products;
- Contractors;
- Operators and maintainers;
- Users and other stakeholders who are given service by the infrastructure;
- Nearby local residents.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

The civil engineering and construction sector needs sustainability indicators both for its own decision-making within design, production and management as well as for indicating to the public and to clients the economic, environmental or social impact of civil engineering works, their products and related processes.

Indicators, as well as sets and systems of indicators, for the specification, assessment and representation of the contribution of a civil engineering works to sustainable development can be used in many different ways. For example, among others, their application can support the following:

- design and decision making process(es) during the planning, and design stage of a civil engineering works (e.g., incorporation in the design of sustainable material, technologies, processes and other components);
- development and application of assessment methods and certification systems;
- specification and verification of environmental and social requirements in the context of procurement;
- indicating the civil engineering performance (e.g., marketing);
- measuring, monitoring or evaluating the sustainability performance and achievement of objectives over the different life cycle stages of the civil engineering works;
- accepting responsibility for impacts on the environment and the society;
- representation of activities and results in the context of responsibility towards the economy, environment and society (e.g., sustainability reporting).

NOTE The monitoring and evaluation of objectives can contribute to the continual improvement related to a specific or group of civil engineering works.

This part of ISO 21929 is one in a suite of International Standards dealing with sustainability in buildings and civil engineering works, which includes ISO 15392, ISO 21929-1, ISO 21930, ISO 21931-1, along with the terminology of sustainability in buildings and civil engineering works (future ISO/TR 21932).

The relationship among the International Standards is elaborated in Figure 1.




Figure 1 — Suite of related International Standards for sustainability in buildings and civil engineering works

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/DIS 21929-2.2

<https://standards.iteh.ai/catalog/standards/sist/602e00b3-865c-433c-85a2-3858e86a5760/iso-dis-21929-2-2>

Draft of sustainability in buildings and civil engineering works — Sustainability indicators — Part 2: Framework for the development of indicators for civil engineering works

1 Scope

This part of ISO 21929 establishes a list of topics which should be taken as the basis for the development of sustainability indicators for assessing the sustainability performance of new or existing civil engineering works, related to their design, construction, operation, maintenance, refurbishment and end-of-life. Together, the indicators developed from this list of topics provide measures to express the contribution of a civil engineering works to sustainability and sustainable development. The developed indicators should represent aspects of civil engineering works that impact on issues of concern related to sustainability and sustainable development.

The object of consideration in this part of ISO 21929 is a civil engineering works, a part of the civil engineering works or a combination of several civil engineering works.

NOTE The topics described in this part of ISO 21929 are intended to be used for all types of civil engineering works. Development of specific sets of indicators for different typologies of civil engineering works (industrial processes infrastructures; linear infrastructures; dams and other fluvial works; maritime works; public spaces; other civil engineering works-not contained in the previous typologies) will be the subject of future standardization work.

This part of ISO 21929:

- adapts general sustainability principles for civil engineering works;
- includes a framework for developing sustainability indicators for use in the assessment of economic, environmental and social impacts of civil engineering works;
- establishes a core set of topics, which should be taken into account, when developing systems of indicators for civil engineering works;
- describes how to use sustainability indicators with regard to civil engineering works; and
- gives rules for establishing a system of indicators.

This part of ISO 21929 follows the principles set out in ISO 15392 and, where appropriate, is intended to be used in conjunction with, and following the principles set out in, ISO 26000, ISO 14040 and the family of International Standards that includes ISO 14020, ISO 14021, ISO 14024 and ISO 14025. Where deviation occurs or where more specific requirements are stated, this part of ISO 21929 takes precedence.

This part of ISO 21929 does not give guidelines for the weighting of indicators or the aggregation of assessment results.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6707-1:2004, *Building and civil engineering — Vocabulary — Part 1: General Terms*.

ISO 14020:2000, *Environmental Labels and declarations-General Principles*.

ISO 14040:2006, *Environmental management — Life cycle assessment — Principles and framework*.

ISO 14050:2009, *Environmental management — Vocabulary*.

ISO 15392:2008, *Sustainability in building construction — General principles*.

ISO 21929-1:2011, *Sustainability in building construction — Sustainability indicators — Part 1: Framework for the development of indicators and a core set of indicators for buildings*.

ISO 21931-1:2010, *Sustainability in building construction — Framework for methods of assessment of the environmental performance of construction works. Part 1: Buildings*.

ISO 26000:2010, *Guidance on social responsibility*.

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 6707-1, ISO 14040, ISO 14050, ISO 15392 and the following apply. Where differences or conflicts occur, the definitions in 3.1 to 3.41 take precedence.

NOTE 1 Several terms and definitions from these other sources have been repeated below for ease of reference.

NOTE 2 ISO/TR 21932 is another source of terminological data on concepts related to sustainability in civil engineering works and sustainable development that is applicable to the different aspects of both the construction (process) and use of a civil engineering works and the effect of the civil engineering works on sustainability.

3.1

airport

area containing an airfield and facilities for handling passengers and cargo

[ISO 6707-1:2004, 3.3.12]

3.2

avoided emissions

emissions that are not produced (are avoided) as a result of the implementation of voluntary initiatives or good practices

3.3

built environment

collection of man-made or induced physical objects located in a particular area or region

NOTE When treated as a whole, the built environment typically is taken to include buildings, external works (landscaped areas), infrastructure and other construction works within the area under consideration.

[ISO 21929-1:2011, 3.7]

3.4**civil engineering work**

work of constructing *civil engineering works* (3.5)

[ISO 6707-1:2004, 7.1.3]

3.5**civil engineering works**

construction works (3.8) comprising a *structure* (3.35), such as a *dam* (3.9), bridge, *road* (3.33), *railway* (3.29), runway, utilities, *pipeline* (3.28), or *sewerage system* (3.35), or the result of operations such as dredging, *earthwork* (3.11), geotechnical processes, but excluding a building and its associated site works

[ISO 6707-1:2004, 3.1.2]

3.6**civil engineering work system boundary**

set of criteria specifying which unit processes are part of the specific analysis of a *civil engineering works* (3.5)

[ISO 14050: 2009, 6.6: adapted from the definition of system boundary]

3.7**construction work**

activities of forming a *construction works* (3.8)

[ISO 6701-1:2004, 7.1.1]

3.8**construction works**

everything that is constructed or results from construction operations

NOTE It includes both buildings and *civil engineering works* (3.5).

[ISO 6701-1:2004, 3.1.1: modified by adding the informative note.]

3.9**dam**

barrier constructed to retain water in order to raise its level, form a reservoir, or reduce or prevent flooding

[ISO 6707-1:2004, 3.2.24]

3.10**dock**

partially enclosed or sheltered area of water where vessels may be moored or docked, used for shipping

[ISO 6707-1:2004, 3.3.69; modified by elaborating text to explicitly describe concept of basin (used) for shipping.]

3.11**earthwork**

work of excavating, or the raising or sloping of ground.

[ISO 6707-1:2004, 7.1.6]

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/DIS 21929-2.2
<https://standards.iteh.ai/catalog/standards/sist/602e00b3-865c-433c-85a2-3858e86a5760/iso-dis-21929-2-2>

3.12
external costs

costs associated with an asset that are not necessarily reflected in the transaction costs between provider and consumer and that, collectively, are referred to as externalities

NOTE These costs may include business staffing, productivity and user costs; these can be taken into account in a LCC analysis but should be explicitly identified.

[ISO 15686-5:2008, 3.1.6]

3.13
impact

any change that may be adverse or beneficial

[ISO 15392:2008, 3.13]

3.14
impact category

class representing an economic, environmental or social *issue(s) of concern* (3.20) (areas of protection) to which analysis (assessment) results may be assigned

NOTE Issues of concern can involve either *impacts* (3.13) or aspects related to the economy, the environment or the society.

[ISO 21929-1:2011, 3.15]

3.15
indicator

quantitative, qualitative or descriptive measure representative of one or more *impact categories* (3.14)

NOTE 1 Periodic evaluation and monitoring using indicators can show direction of any *impact* (3.13).

NOTE 2 Derived from the definitions of 'impact category indicator' in ISO 14040: 2006, 3.40 and 'indicators' in ISO/TR 14061: 1998, 2.6.3.

[ISO 21929-1:2011, 3.16]

3.16
indirect indicator

indicator (3.15) that does not express the subject of interest directly or only expresses it in a proxy way

3.17
influence area

area or combination of areas surrounding a *civil engineering works* (3.5) that can be affected with changes to their economical, environmental or social conditions by the civil engineering works' operations throughout its *life cycle* (3.22)

NOTE The influence area is variable and dependent on the construction works project, its location and its *life cycle* (3.22) stage. As an overall approach, the influence area will be usually limited to the civil engineering works itself and its immediate surroundings.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

3.18**infrastructure**

civil engineering works (3.5), a part of the civil engineering works or a combination of several civil engineering works

NOTE 1 In this part of ISO 21929, the term infrastructure is sometimes used as a synonym for civil engineering works.

NOTE 2 Used of preferred term, infrastructure, derived from the definition of *civil engineering works* (3.5) in ISO 15392].

3.19**interested party**

person or group concerned with or affected by the environmental *performance* (3.26) of a *civil engineering works* (3.5)

[ISO 21931-1:2010, 3.9; modified by making specific reference to civil engineering works.]

3.20**issue of concern**

aspect(s) of the economy, the environment or the society that can be impacted by *construction works* (3.8), goods or services

EXAMPLES Asset value, cultural heritage, resources, human health and comfort, social infrastructure.

[ISO 15392:2008, 3.3, modified – The preferred term to designate this concept has been changed from ‘areas of concern’ to ‘issue of concern’ and the admitted terms removed.]

3.21**land take**

total area of land required for the *civil engineering works* (3.5)

[ISO/DIS 21929-2.2](https://standards.iteh.ai/catalog/standards/sist/602e00b3-865c-433c-85a2-3858e86a5760/iso-dis-21929-2-2)

3.22**life cycle**

consecutive and interlinked stages of the object of consideration

<https://standards.iteh.ai/catalog/standards/sist/602e00b3-865c-433c-85a2-3858e86a5760/iso-dis-21929-2-2>

NOTE 1 Adapted from the definition of life cycle contained in ISO 14040.

NOTE 2 For consideration of environmental impacts and environmental aspects, the life cycle comprises all stages, from raw material acquisition or generation of natural resources to final disposal.

NOTE 3 For consideration of economic impacts and economic aspects, in terms of costs, the life cycle comprises all stages from construction to decommissioning. A period of analysis can be chosen to be different from the life cycle, see ISO 15686-5.

[ISO 15392:2008, 3.15]

3.23**life cycle cost (LCC)**

cost(s) of an asset or its parts throughout its *life cycle* (3.22), while fulfilling its performance requirements

[ISO 15686-1:2011, 3.11]