SLOVENSKI STANDARD
oSIST ISO/DIS 28842:2010

01-november-2010

Smernice za poenostavljeno projektiranje majhnih armiranobetonskih mostov

Guidelines for simplified design of small reinforced concrete bridges

Lignes directrices pour la conception simplifiée des petits ponts en béton armé

Ta slovenski standard je istoveten z: **ISO/DIS 28842**

ICS:

91.080.40	Betonske konstrukcije	Concrete structures
93.040	Gradnja mostov	Bridge construction

oSIST ISO/DIS 28842:2010 **en,fr,de**

DRAFT INTERNATIONAL STANDARD ISO/DIS 28842

ISO/TC **71**/SC **5** Secretariat: **ICONTEC**

Voting begins on: **2010-06-30** Voting terminates on: **2010-11-30**

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Guidelines for simplified design of small reinforced concrete bridges

Lignes directrices pour la conception simplifiée des petits ponts en béton armé

ICS 91.080.40

In accordance with the provisions of Council Resolution 15/1993 this document is circulated in the English language only.

Conformément aux dispositions de la Résolution du Conseil 15/1993, ce document est distribué en version anglaise seulement.

To expedite distribution, this document is circulated as received from the committee secretariat. ISO Central Secretariat work of editing and text composition will be undertaken at publication stage.

Pour accélérer la distribution, le présent document est distribué tel qu'il est parvenu du secrétariat du comité. Le travail de rédaction et de composition de texte sera effectué au Secrétariat central de l'ISO au stade de publication.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

Contents

Page

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 28842 was prepared by Technical Committee ISO/TC 71, *Concrete, reinforced concrete and pre-stressed concrete*, Subcommittee SC 05, *Simplified design standard for concrete structures*.

Introduction

The aim of this International Standard is to provide rules for the design and construction of relatively short span concrete bridges. The document is developed for countries that do not have existing national standards on this subject and to offer to local regulatory authorities an alternative for the design of relatively small bridges that abound in urban overpasses and over creeks and rivers everywhere. This document shall not be used in place of a national standard unless specifically considered and accepted by the national standard body or other appropriate regulatory organization. The design rules are based in simplified worldwide-accepted strength models. The document is self-contained; therefore, loads, simplified analysis procedures and design specifications are included, as well as minimum acceptable construction practice guidelines.

The minimum dimensional guidelines contained in this document are intended to account for undesirable side effects that will require more sophisticated analysis and design procedures. Material and construction guidelines are aimed at site mixed concrete as well as ready-mixed concrete, and steel of the minimum available strength grades.

The earthquake resistance guidelines are included to account for the numerous regions of the world which lay in earthquake prone areas. The earthquake resistance for zones with high seismic hazard is based upon the employment of structural concrete walls (shear walls) that limit the lateral deformations of the structure and provide for its lateral strength, in place of piers or frames that can be used in zones with intermediate, low or no significant earthquake hazard.

The document contains guidelines that can be modified by the national standards body due to local design and construction requirements and practices. These guidelines that can be modified are included using ["boxed values"]. The authorities in each member country are expected to review the "boxed values" and may substitute alternative definitive values for these elements for use in the national application of the document.

A great effort was made to include self-explanatory tables, graphics, and design aids to simplify the use of the document and provide foolproof procedures. Notwithstanding, the economic implications of the conservatism inherent in approximate procedures as a substitution to sound and experienced engineering should be a matter of concern to the designer that employs the document, and to the owner that hires him.

Guidelines for simplified design of small reinforced concrete bridges

1 Scope

This document can be permitted to be used as an alternative to the development of a National Concrete Bridge Design and Construction Code, or equivalent document in countries where no national design codes are available by themselves, or as an alternative to the National Concrete Bridge Design and Construction Code in countries where specifically considered and accepted by the national standard body or other appropriate regulatory organization, and applies to the planning, design and construction of structural concrete bridges to be used in new bridges of restricted span length, height of piers, and type.

The purpose of these guidelines is to provide a registered Civil Engineer with sufficient information to perform the design of the structural concrete bridge that complies with the limitations established in 6.1. The rules of design as set forth in the present document are simplifications of more elaborate requirements.

Although the guidelines contained in this document were drawn to produce, when properly employed, a structural concrete structure with an appropriate margin of safety, these guidelines are not a replacement of sound and experienced engineering. In order for the resulting structure designed employing these guidelines to attain the intended margin of safety. The document must be used as a whole and alternative procedures should be employed only when explicitly permitted by the guidelines. The minimum dimensioning guides as prescribed in the document replace, in most cases, more elaborate procedures as those prescribed in the National Code, and the eventual economic impact is compensated by the simplicity of the procedures prescribed here.

The professional performing the structural design under these guidelines should meet the legal requirements for structural designers in the country of adoption and have training and a minimum appropriate knowledge of structural mechanics, statics, strength of materials, structural analysis, and reinforced concrete design and construction.

Designs and details for new bridges should address structural integrity by considering the following:

The use of continuity and redundancy to provide one or more alternate paths.

Structural members and bearing seat widths that are resistant to damage or instability.

External protection systems to minimize the effects of reasonably conceived severe loads.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 679: Methods of testing cements -- Determination of strength.

ISO 680: Cement - Test methods -- Chemical analysis.

ISO 863: Cement - Test methods -- Pozzolanicity test for pozzolanic cements.

ISO 3010: Bases for design of structures -- Seismic actions on structures.

ISO 4354: Wind actions on structures.

ISO 6274: Concrete -- Sieve analysis of aggregates.

ISO 6782: Aggregates for concrete -- Determination of bulk density.

ISO 6783: Coarse aggregates for concrete -- Determination of particle density and water absorption - Hydrostatic balance method.

ISO 6934-1: Steel for the prestressing of concrete -- Part 1: General requirements.

ISO 6934-3: Steel for the prestressing of concrete -- Part 3: Quenched and tempered wire.

ISO 6934-4: Steel for the prestressing of concrete -- Part 4: Strand.

ISO 6934-5: Steel for the prestressing of concrete -- Part 5: Hot-rolled steel bars with or without subsequent processing.

ISO 6935-1: Steel for the reinforcement of concrete -- Part 1: Plain bars.

ISO 6935-2: Steel for the reinforcement of concrete -- Part 2: Ribbed bars.

ISO 6935-3: Cor: 2000 Steel for the reinforcement of concrete -- Part 3: Welded fabric.

ISO 7033: Fine and coarse aggregates for concrete -- Determination of the particle mass-per-volume and water absorption - Pycnometer method.

ISO 9194: Bases for design of structures -- Actions due to the self-weight of structures, non-structural elements and stored materials – Density.

ISO 9597: Cements -- Test methods -- Determination of setting time and soundness.

ISO 10144: Certification scheme for steel bars and wires for the reinforcement of concrete. Welded-wire fabric.

ISO 3766:2003 Construction drawings -- Simplified representation of concrete reinforcement.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1
acceleration of gravity, g
the acceleration produced by gravity at the surface of earth

NOTE For the application of these guidelines its value can be approximated to [g ≈ 10] m/s2.

3.2
admixture
material other than water, aggregate, or hydraulic cement, used as an ingredient of concrete and added to concrete before or during its mixing to modify its properties

3.3
aggregate
granular material, such as sand, gravel, crushed stone, and iron blast-furnace slag, used in conjunction with a cementing medium to form a hydraulic cement concrete or mortar

3.4
anchorage
a device used to anchor a non-structural element to the structural framing

3.5
bar diameter, nominal
approximate diameter of a steel reinforcing bar, often used as a class designation

NOTE For deformed bars, it is common practice to use the diameter of a plain bar having the same area.

3.6
beam
horizontal, or nearly horizontal, structural member supported at one (such as a cantilever) or more points, but not throughout its length, transversely supporting a load, and subjected primarily to flexure

3.7
bearing capacity of the soil
the maximum permissible stress on the foundation soil that provides adequate safety against bearing failure of the soil, or settlement of the foundation of such magnitude as to impair the structure

NOTE Its value is defined at the working stress level.

3.8
bearing – elastomeric
divice constructed partially or wholly from elastomer to transmit loads and accommodate movements between a bridge and its supporting structure

3.9
bending moment
product of a force and the distance to a particular axis, producing bending effects in a structural element

3.10
boundary elements
portions along wall edges strengthened by longitudinal and transverse reinforcement

NOTE Boundary elements do not necessarily require an increase in thickness of the wall.

3.11
bridges
structures carrying a road, path or railway over an obstacle

3.12
caisson
a foundation pile of large diameter, built partly or totally above ground and sunk below ground usually by digging out the soil inside

3.13
cement
material as specified in the corresponding referenced ISO standards, which, when mixed with water, has hardening properties, used either in concrete or by itself

3.14
clearance
the distance by which one thing clears another; the space between them

3.15
column
vertical member used primarily to support axial compressive loads