# ETSI TS 122 094 V15.0.0 (2018-07)



Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Follow Me service description; Stage 1 (3GPP TS 22.094 version 15.0.0 Release 15)



Reference

RTS/TSGS-0122094vf00 Keywords GSM,UMTS ETSI 650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16 Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

The present document can be downloaded from: http://www.etstorg/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <u>https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx</u>

If you find errors in the present document, please send your comment to one of the following services: <u>https://portal.etsi.org/People/CommiteeSupportStaff.aspx</u>

#### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI. The content of the PDF version shall not be modified without the written authorization of ETSI. The copyright and the foregoing restriction extend to reproduction in all media.

> © ETSI 2018. All rights reserved.

DECT<sup>™</sup>, PLUGTESTS<sup>™</sup>, UMTS<sup>™</sup> and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**<sup>™</sup> and LTE<sup>™</sup> are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M** logo is protected for the benefit of its Members.

**GSM**<sup>®</sup> and the GSM logo are trademarks registered and owned by the GSM Association.

# Intellectual Property Rights

#### **Essential patents**

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

#### Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

# Foreword

This Technical Specification (TS) has been produced by ETSI and Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <u>http://webapp.etsi.org/key/queryform.asp</u>.

# Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

# Contents

Intell	ectual Property Rights	2
Forev	vord	2
Moda	al verbs terminology	2
Forev	vord	4
1	Scope	5
2	References	5
3 3.1 3.2	Definitions, symbols and abbreviations Definitions Abbreviations	5
4 4.1	Description Normal Operation	
5	Applicability to telecommunication services	7
6 6.1 6.2 6.3 6.4	Normal procedures with successful outcome Provision Withdrawal Registration Erasure	7
6.5 6.6 6.7 6.8	Registration	8 9 9 9
7 7.1 7.2 7.3 7.4	Exceptional procedures or unsuccessful outcome Registration	9 9 9 10
8	Invocation	10
9	Charging requirements	10
10 10.1	Interactions with supplementary services Call Forwarding unconditional	10
11	Interaction with Operator Determined barring	11
12	Interaction with Optimal Routeing	11
13	Interaction with CAMEL	11
14	Interworking considerations	11
Anne	ex A (informative) : Change history	12
Histo	ry	13

# Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, У updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

.entr c, i.e. technic narges have been incompany inc

## 1 Scope

The present document specifies the stage 1 description for the Follow Me feature.

The Follow Me feature enables a mobile subscriber A to manipulate the Follow Me data of a party B in such a way that - under certain conditions - subsequent calls directed to party B will be forwarded to subscriber A.

The feature is described from the service subscriber's and user's point of view, in particular:

- the procedure for normal operation with successful outcome;
- the action to be taken in exceptional circumstances;
- the interaction with other GSM services and features.

This TS does not deal with the Man-Machine Interface (MMI) requirements, but makes reference to the appropriate specifications.

Any interaction with other services and/or networks not dealt with in this specification are outside the scope of this TS.

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*
- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 22.004: "General on supplementary services".
- [4] 3GPP TS 22.030: "Man-Machine Interface (MMI) of the Mobile Station (MS)".
- [5] 3GPP TS 22.082: "Call Forwarding (CF) supplementary services Stage 1".
- [6] 3GPP TS 22.085: "Closed User Group (CUG) supplementary services Stage 1".
- [7] 3GPP TS 22.041: "Operator Determined Barring (ODB) Stage 1".
- [8] 3GPP TS 22.078: "Customized Applications for Mobile network Enhanced Logic (CAMEL); Service definition (Stage 1).
- [9] 3GPP TS 22.079: "Support of Optimal Routeing (SOR); Service definition (Stage 1)".
- [10] 3GPP TS 22.090: "Unstructured Supplementary Service Data (USSD) Stage 1"
- [11] 3GPP TS 42.031: "Fraud Information Gathering System (FIGS); Service description Stage 1"
- [12] 3GPP TS 22.101: "Service Principles".

# 3 Definitions, symbols and abbreviations

### 3.1 Definitions

initiating subscriber: the mobile subscriber which modifies the Follow Me data of the remote party.

**remote party:** Is characterised by a number in E.164 format defined in the numbering plan of a PLMN operator. The Follow Me feature enables the initiating subscriber to modify the Follow Me data associated with this number. In general this number is not assigned to a subscriber. In particular cases the remote party is a subscriber of the PLMN and the number denotes her basic MSISDN.

**FM service supervisor**: Is an initiating subscriber who is allowed to modify the Follow Me data of a remote party who has been registered to another initiating subscriber for the Follow Me application. The FM service supervisor shall be authorised by her network operator.

### 3.2 Abbreviations

For the purposes of this TS the following abbreviations apply, in addition, abbreviations used in this TS are listed in 3GPP TS 21.905 [1].

FM Follow Me feature

# 4 Description

Follow Me enables an initiating mobile subscriber A to have control over the Follow Me data of a remote party B. Initiating Subscriber A shall be able to manipulate the Follow Me data of remote party B such that subsequent calls directed to remote party B are forwarded to initiating subscriber A.

Initiating subscriber A needs to have FM provisioned by her service provider. In case remote party B is a subscriber she needs to have FM provisioned by her service provider too.

The FM service supervisor shall be able to modify the Follow Me data of the remote party who has been registered to another initiating subscriber.

It remains in the responsibility of a FM provisioning service provider to confine

- a.) the range of remote parties for which a FM provisioned subscriber may become initiating subscriber
- b.) the range of potential initiating subscribers for a remote party.

The mobile subscriber who has been provisioned Follow Me is able to use the following control operations:

Registration available to the initiating subscriber

Interrogation available to the initiating and remote party in case the remote party corresponds to a subscriber

Erasure available to the initiating and remote party in case the remote party corresponds to a subscriber

(There is no explicit activation or deactivation.)

The FM service supervisor is able to use the following control operations:

Interrogation

Erasure (forced erasure)

NOTE 1: The functionality of the Follow Me feature is equivalent to the Call Forwarding Unconditional Supplementary Service (see 3GPP TS 22.082 [5]), controlled by initiating subscriber A and effecting remote party B.

NOTE 2: The Follow Me feature is designed in such a way that the requirements of "functional addressing", which is needed for GSM-Railway operators, can be met. The concept of "functional addressing" enables a subscriber to set up a call to a "function" - e.g. the conductor - on a "train". The Follow Me feature identifies this "function" with the remote party B. Consequently a "functional number" is the equivalent to the number of remote party B (e.g. the MSISDN of a subscriber B). A call to that "functional number" (the conductor on a particular train - to stay with the example) will be forwarded to the MS of the person, who is on duty as a conductor at this time for this train. In the context of the Follow Me feature, this person (the train conductor) constitutes the "initiating subscriber" A, who has registered Follow Me with respect to the remote party B (the "function" train conductor).

# 4.1 Normal Operation

Due to reduced security requirements to the Follow Me feature the service shall not be offered in standard operations of public 3GPP networks. In railway operations it must be enabled by definitive action on the part of the operator.

Fraud Information Gathering System (FIGS) as specified in [11] can be used to protect in CAMEL based inter-working networks.

The Follow Me feature shall be controlled by means of Subscriber Controlled Input using USSD.

# 5 Applicability to telecommunication services

3GPP TS 22.001 describes the principles of the Telecommunication services provided in a PLMN. It also defines the concepts of Telecommunication services and describes their characterization by appropriate attributes. Bearer services and Teleservices, which are offered by a PLMN in connection with other networks, are defined in 3GPP TS 22.002, 3GPP TS 22.003 and 3GPP TS 22.101. A list of basic service groups can be found in 3GPP TS 22.004.

Follow Me is applicable to the following telecommunication services:

#### Table 1: Applicability of the Follow Me feature to telecommunication services

Feature	Telephony	Emergency Call	SMS PTP		SMS-CB	Fax	cct Data		Voice Grou	ip Services
	TS11	TS12	TS21	TS22	TS 23	TS 6x	BS2x, BS3x	2.10	TS 91	TS 92
Follow Me	Yes					Yes	Yes	31.8.0	No <sup>1</sup>	No <sup>1</sup>

NOTE 1: The feature is in general not applicable for Voice Group Services. However a dispatcher may be an initiating subscriber or a remote party for the Follow Me feature.

EDITOR's Note: The applicability of FM to SMS is for further study.

# 6 Normal procedures with successful outcome

# 6.1 Provision

Follow Me shall be provided after prior arrangement with the service provider. Follow Me will be provisioned for all Basic Services subscribed to and to which it is applicable.

NOTES:

- A Follow Me provision is required for the initiating subscriber and for the remote party in case the remote party corresponds to a subscriber.
- If Follow Me is provisioned for a mobile subscriber she may assume the role of an initiating subscriber and/or the role of a remote party.
- A Follow Me provisioning service provider may confine:
  - a.) the range of remote parties for which a FM provisioned subscriber may become initiating subscriber
  - b.) the range of potential initiating subscribers for a remote party.
  - c) the range of remote parties for which a FM provisioned subscriber may become FM service supervisor.

NOTE: (Health warning on security) The Follow Me feature is designed in such a way as to meet the security requirements of GSM-Railway operators. If the Follow Me feature is to be used by other operators - in particular if the remote party corresponds to a subscriber - operators are strongly advised to care for additional suitable security mechanisms to protect the remote party from potential harm by misuse of FM. These mechanisms are out of scope of this specification.

To support such mechanisms the possibility is foreseen to convey additional operator-specific information in the registration, interrogation and erasure procedures to the PLMN of the remote party. It should however be noted, that this is not a very secure mechanism. Operators should try to use existing security mechanisms where possible

### 6.2 Withdrawal

Follow Me will be withdrawn at the subscriber's request or for administrative reasons.

### 6.3 Registration

Follow Me shall be registered with an appropriate control procedure by the initiating subscriber.

The initiating Subscriber registers the Follow Me feature with respect to a particular remote party.

The initiating subscriber shall provide the following information to the network:

the number of the remote party (e.g. the Basic MSISDN of a subscriber);

The initiating subscriber shall receive an indication if the FM registration request was accepted or rejected by the network.

As an operator's option additional information (such as passwords) for registration may be required from the initiating subscriber. The registration procedure shall transport this information from the initiating subscriber to the network of the remote party. This information shall be coded as a USSD string with a length not exceeding 30 characters. The content of this information and the use of it are out of scope of this specification.

NOTE 1: The Follow Me feature may, at an instant, be registered to an initiating subscriber with respect to several remote parties. Conversely, a remote party can be registered only to one initiating subscriber at a time.

### 6.4 Erasure

A previous FM registration can be erased in either of the following ways:

- a) The initiating subscriber can specifically erase her previous registration with an appropriate control procedure.
- b) In case the remote party corresponds to a subscriber the remote party

can erase any previous registration with an appropriate control procedure.

c) The FM service supervisor can erase any previous registration to any remote party with an appropriate control procedure (forced erasure).

The subscriber who initiates the FM erase request shall be informed of the outcome of the request by the network.

For forced erasure by the FM service supervisor the initiating subscriber whose registration of Follow Me with respect to a remote party has been erased shall be informed of the successful forced erasure by the network.

As an operator's option additional information (such as passwords) for erasure may be required from the subscriber. The registration procedure shall transport this information from the subscriber to the network of the remote party. This information shall be coded as a USSD string with a length not exceeding 30 characters. The content of this information and the use of it are out of scope of this specification.

### 6.5 Activation

Follow Me is activated by registration.